


Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be20\_TX\_5745MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11490.000 | 48.89  | 74.00  | -25.11 | 54.98 | -6.09  | Peak   |
| 2   | 17235.000 | 50.93  | 68.20  | -17.27 | 54.30 | -3.37  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be20\_TX\_5745MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11490.000 | 49.14  | 74.00  | -24.86 | 55.23 | -6.09  | Peak   |
| 2   | 17235.000 | 51.83  | 68.20  | -16.37 | 55.20 | -3.37  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be20\_TX\_5785MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5563.000  | 55.07  | 68.20  | -13.13 | 33.28 | 21.79  | Peak   |
| 2   | 5652.500  | 54.16  | 70.06  | -15.90 | 32.12 | 22.04  | Peak   |
| 3   | 5672.500  | 59.00  | 84.85  | -25.85 | 36.89 | 22.11  | Peak   |
| 4   | 5788.750  | 115.42 | -----  | -----  | 92.97 | 22.45  | Peak   |
| 5   | 5852.250  | 56.41  | 117.07 | -60.66 | 33.78 | 22.63  | Peak   |
| 6   | 5921.000  | 54.91  | 71.17  | -16.26 | 32.08 | 22.83  | Peak   |
| 7   | 5977.500  | 55.88  | 68.20  | -12.32 | 32.88 | 23.00  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be20\_TX\_5785MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5637.250  | 56.62  | 68.20  | -11.58 | 34.60 | 22.02  | Peak   |
| 2   | 5655.000  | 54.69  | 71.91  | -17.22 | 32.63 | 22.06  | Peak   |
| 3   | 5666.750  | 58.83  | 80.60  | -21.77 | 36.74 | 22.09  | Peak   |
| 4   | 5788.500  | 115.85 | -----  | -----  | 93.40 | 22.45  | Peak   |
| 5   | 5852.750  | 55.95  | 115.93 | -59.98 | 33.32 | 22.63  | Peak   |
| 6   | 5920.500  | 54.59  | 71.54  | -16.95 | 31.76 | 22.83  | Peak   |
| 7   | 6002.500  | 55.66  | 68.20  | -12.54 | 32.59 | 23.07  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be20\_TX\_5785MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11570.000 | 49.20  | 74.00  | -24.80 | 55.24 | -6.04  | Peak   |
| 2   | 17355.000 | 50.46  | 68.20  | -17.74 | 53.69 | -3.23  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be20\_TX\_5785MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11570.000 | 48.60  | 74.00  | -25.40 | 54.64 | -6.04  | Peak   |
| 2   | 17355.000 | 48.15  | 68.20  | -20.05 | 51.38 | -3.23  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be20\_TX\_5825MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5608.750  | 55.83  | 68.20  | -12.37 | 33.90 | 21.93  | Peak   |
| 2   | 5654.000  | 54.17  | 71.17  | -17.00 | 32.11 | 22.06  | Peak   |
| 3   | 5701.500  | 60.08  | 105.62 | -45.54 | 37.89 | 22.19  | Peak   |
| 4   | 5822.250  | 116.08 | -----  | -----  | 93.54 | 22.54  | Peak   |
| 5   | 5852.250  | 61.14  | 117.07 | -55.93 | 38.51 | 22.63  | Peak   |
| 6   | 5922.250  | 55.13  | 70.24  | -15.11 | 32.30 | 22.83  | Peak   |
| 7   | 6003.500  | 56.23  | 68.20  | -11.97 | 33.16 | 23.07  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be20\_TX\_5825MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5611.000  | 55.80  | 68.20  | -12.40 | 33.87 | 21.93  | Peak   |
| 2   | 5653.500  | 54.76  | 70.80  | -16.04 | 32.70 | 22.06  | Peak   |
| 3   | 5713.250  | 60.32  | 108.91 | -48.59 | 38.10 | 22.22  | Peak   |
| 4   | 5824.000  | 116.79 | -----  | -----  | 94.24 | 22.55  | Peak   |
| 5   | 5850.000  | 63.32  | 122.20 | -58.88 | 40.69 | 22.63  | Peak   |
| 6   | 5920.000  | 55.23  | 71.91  | -16.68 | 32.40 | 22.83  | Peak   |
| 7   | 5970.750  | 55.78  | 68.20  | -12.42 | 32.80 | 22.98  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be20\_TX\_5825MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11650.000 | 48.09  | 74.00  | -25.91 | 54.08 | -5.99  | Peak   |
| 2   | 17475.000 | 51.19  | 68.20  | -17.01 | 54.27 | -3.08  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be20\_TX\_5825MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11650.000 | 49.40  | 74.00  | -24.60 | 55.39 | -5.99  | Peak   |
| 2   | 17475.000 | 50.87  | 68.20  | -17.33 | 53.95 | -3.08  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_5190MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5149.100  | 60.23  | 74.00  | -13.77 | 38.81 | 21.42  | Peak   |
| 2   | 5193.050  | 112.42 | -----  | -----  | 90.98 | 21.44  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :be40\_TX\_5190MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB     |         |
| 1   | 5148.800  | 47.13  | 54.00  | -6.87 | 25.71 | 21.42  | Average |
| 2   | 5188.250  | 99.13  | -----  | ----- | 77.69 | 21.44  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_5190MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark |
|-----|-----------|--------|--------|-------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB     |        |
| 1   | 5149.550  | 64.20  | 74.00  | -9.80 | 42.78 | 21.42  | Peak   |
| 2   | 5195.450  | 114.62 | -----  | ----- | 93.17 | 21.45  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 1  
Mode :be40\_TX\_5190MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB     |         |
| 1   | 5149.250  | 49.90  | 54.00  | -4.10 | 28.48 | 21.42  | Average |
| 2   | 5198.000  | 101.03 | -----  | ----- | 79.58 | 21.45  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_5190MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 10380.000 | 48.45  | 68.20  | -19.75 | 56.40 | -7.95  | Peak   |
| 2   | 15570.000 | 51.71  | 74.00  | -22.29 | 54.91 | -3.20  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_5190MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 10380.000 | 47.73  | 68.20  | -20.47 | 55.68 | -7.95  | Peak   |
| 2   | 15570.000 | 51.24  | 74.00  | -22.76 | 54.44 | -3.20  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_5230MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5143.550  | 54.85  | 74.00  | -19.15 | 33.43 | 21.42  | Peak   |
| 2   | 5247.200  | 111.74 | -----  | -----  | 90.27 | 21.47  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :be40\_TX\_5230MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5148.950  | 42.37  | 54.00  | -11.63 | 20.95 | 21.42  | Average |
| 2   | 5244.800  | 98.53  | -----  | -----  | 77.06 | 21.47  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_5230MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5146.550  | 56.17  | 74.00  | -17.83 | 34.75 | 21.42  | Peak   |
| 2   | 5215.700  | 113.90 | -----  | -----  | 92.44 | 21.46  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 1  
Mode :be40\_TX\_5230MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB     |         |
| 1   | 5145.050  | 44.01  | 54.00  | -9.99 | 22.59 | 21.42  | Average |
| 2   | 5243.300  | 100.80 | -----  | ----- | 79.33 | 21.47  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_5230MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 10460.000 | 46.77  | 68.20  | -21.43 | 54.58 | -7.81  | Peak   |
| 2   | 15690.000 | 51.18  | 74.00  | -22.82 | 54.31 | -3.13  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_5230MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 10460.000 | 47.83  | 68.20  | -20.37 | 55.64 | -7.81  | Peak   |
| 2   | 15690.000 | 51.71  | 74.00  | -22.29 | 54.84 | -3.13  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_5270MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5263.800  | 108.43 | -----  | -----  | 86.95 | 21.48  | Peak   |
| 2   | 5379.900  | 54.73  | 74.00  | -19.27 | 33.18 | 21.55  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.



Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :be40\_TX\_5270MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5288.400  | 96.02  | -----  | -----  | 74.52 | 21.50  | Average |
| 2   | 5385.000  | 41.93  | 54.00  | -12.07 | 20.38 | 21.55  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.



Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_5310MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5306.850  | 108.13 | -----  | -----  | 86.62 | 21.51  | Peak   |
| 2   | 5356.350  | 56.39  | 74.00  | -17.61 | 34.86 | 21.53  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :be40\_TX\_5310MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5328.450  | 95.96  | -----  | -----  | 74.44 | 21.52  | Average |
| 2   | 5354.100  | 43.28  | 54.00  | -10.72 | 21.75 | 21.53  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_5310MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5320.350  | 109.90 | -----  | -----  | 88.39 | 21.51  | Peak   |
| 2   | 5354.850  | 56.49  | 74.00  | -17.51 | 34.96 | 21.53  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 1  
Mode :be40\_TX\_5310MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB     |         |
| 1   | 5310.750  | 97.77  | -----  | ----- | 76.26 | 21.51  | Average |
| 2   | 5354.550  | 44.41  | 54.00  | -9.59 | 22.88 | 21.53  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_5310MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 10620.000 | 45.92  | 74.00  | -28.08 | 53.52 | -7.60  | Peak   |
| 2   | 15930.000 | 51.63  | 74.00  | -22.37 | 54.65 | -3.02  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_5310MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 10620.000 | 45.15  | 74.00  | -28.85 | 52.75 | -7.60  | Peak   |
| 2   | 15930.000 | 50.54  | 74.00  | -23.46 | 53.56 | -3.02  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_5510MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5453.200  | 54.59  | 74.00  | -19.41 | 33.01 | 21.58  | Peak   |
| 2   | 5469.825  | 55.71  | 68.20  | -12.49 | 34.12 | 21.59  | Peak   |
| 3   | 5515.500  | 107.10 | -----  | -----  | 85.44 | 21.66  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :be40\_TX\_5510MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5450.400  | 42.34  | 54.00  | -11.66 | 20.76 | 21.58  | Average |
| 2   | 5528.275  | 95.88  | -----  | -----  | 74.19 | 21.69  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_5510MHz  
Test By :Ling Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 5456.700         | 57.36           | 74.00                   | -16.64              | 35.77                 | 21.59        | Peak   |
| 2   | 5468.775         | 57.00           | 68.20                   | -11.20              | 35.41                 | 21.59        | Peak   |
| 3   | 5508.150         | 110.43          | -----                   | -----               | 88.80                 | 21.63        | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 1  
Mode :be40\_TX\_5510MHz  
Test By :Ling Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark  |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|---------|
| 1   | 5456.175         | 43.58           | 54.00                   | -10.42              | 21.99                 | 21.59        | Average |
| 2   | 5493.275         | 98.09           | -----                   | -----               | 76.48                 | 21.61        | Average |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_5510MHz  
Test By :Cyril Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 11020.000        | 47.45           | 74.00                   | -26.55              | 54.57                 | -7.12        | Peak   |
| 2   | 16530.000        | 49.94           | 68.20                   | -18.26              | 53.39                 | -3.45        | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_5510MHz  
Test By :Cyril Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 11020.000        | 46.78           | 74.00                   | -27.22              | 53.90                 | -7.12        | Peak   |
| 2   | 16530.000        | 49.75           | 68.20                   | -18.45              | 53.20                 | -3.45        | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_5550MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5418.725  | 55.02  | 74.00  | -18.98 | 33.45 | 21.57  | Peak   |
| 2   | 5460.725  | 54.42  | 68.20  | -13.78 | 32.83 | 21.59  | Peak   |
| 3   | 5533.525  | 108.97 | -----  | -----  | 87.26 | 21.71  | Peak   |
| 4   | 5741.950  | 55.43  | 68.20  | -12.77 | 33.11 | 22.32  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :be40\_TX\_5550MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5455.300  | 42.06  | 54.00  | -11.94 | 20.47 | 21.59  | Average |
| 2   | 5533.175  | 95.58  | -----  | -----  | 73.87 | 21.71  | Average |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_5550MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5450.925  | 55.59  | 74.00  | -18.41 | 34.01 | 21.58  | Peak   |
| 2   | 5469.125  | 55.46  | 68.20  | -12.74 | 33.87 | 21.59  | Peak   |
| 3   | 5537.725  | 109.79 | -----  | -----  | 88.07 | 21.72  | Peak   |
| 4   | 5737.750  | 55.54  | 68.20  | -12.66 | 33.24 | 22.30  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 1  
Mode :be40\_TX\_5550MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5442.350  | 42.85  | 54.00  | -11.15 | 21.27 | 21.58  | Average |
| 2   | 5533.350  | 98.50  | -----  | -----  | 76.79 | 21.71  | Average |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_5550MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11100.000 | 46.93  | 74.00  | -27.07 | 53.87 | -6.94  | Peak   |
| 2   | 16650.000 | 49.10  | 68.20  | -19.10 | 52.60 | -3.50  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_5550MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11100.000 | 47.15  | 74.00  | -26.85 | 54.09 | -6.94  | Peak   |
| 2   | 16650.000 | 50.35  | 68.20  | -17.85 | 53.85 | -3.50  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_5670MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5668.275  | 108.77 | -----  | -----  | 86.68 | 22.09  | Peak   |
| 2   | 5726.725  | 56.72  | 68.20  | -11.48 | 34.45 | 22.27  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_5670MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5654.625  | 110.43 | -----  | -----  | 88.37 | 22.06  | Peak   |
| 2   | 5737.750  | 57.55  | 68.20  | -10.65 | 35.25 | 22.30  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_5670MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11340.000 | 46.35  | 74.00  | -27.65 | 52.77 | -6.42  | Peak   |
| 2   | 17010.000 | 49.92  | 68.20  | -18.28 | 53.57 | -3.65  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_5670MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11340.000 | 46.50  | 74.00  | -27.50 | 52.92 | -6.42  | Peak   |
| 2   | 17010.000 | 50.06  | 68.20  | -18.14 | 53.71 | -3.65  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_5710MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11420.000 | 48.01  | 74.00  | -25.99 | 54.25 | -6.24  | Peak   |
| 2   | 17130.000 | 49.22  | 68.20  | -18.98 | 52.72 | -3.50  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_5710MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11420.000 | 47.31  | 74.00  | -26.69 | 53.55 | -6.24  | Peak   |
| 2   | 17130.000 | 50.15  | 68.20  | -18.05 | 53.65 | -3.50  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_5755MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5620.250  | 56.22  | 68.20  | -11.98 | 34.26 | 21.96  | Peak   |
| 2   | 5653.250  | 56.38  | 70.61  | -14.23 | 34.32 | 22.06  | Peak   |
| 3   | 5724.750  | 65.69  | 121.63 | -55.94 | 43.43 | 22.26  | Peak   |
| 4   | 5738.750  | 112.95 | -----  | -----  | 90.65 | 22.30  | Peak   |
| 5   | 5855.000  | 56.43  | 110.80 | -54.37 | 33.79 | 22.64  | Peak   |
| 6   | 5923.000  | 56.10  | 69.69  | -13.59 | 33.27 | 22.83  | Peak   |
| 7   | 5930.500  | 55.73  | 68.20  | -12.47 | 32.87 | 22.86  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_5755MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5646.500  | 58.40  | 68.20  | -9.80  | 36.37 | 22.03  | Peak   |
| 2   | 5652.250  | 57.47  | 69.87  | -12.40 | 35.43 | 22.04  | Peak   |
| 3   | 5718.500  | 71.41  | 110.38 | -38.97 | 49.17 | 22.24  | Peak   |
| 4   | 5740.250  | 112.94 | -----  | -----  | 90.63 | 22.31  | Peak   |
| 5   | 5858.250  | 57.63  | 109.89 | -52.26 | 34.99 | 22.64  | Peak   |
| 6   | 5920.500  | 54.80  | 71.54  | -16.74 | 31.97 | 22.83  | Peak   |
| 7   | 5967.500  | 56.12  | 68.20  | -12.08 | 33.16 | 22.96  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_5755MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11510.000 | 47.73  | 74.00  | -26.27 | 53.79 | -6.06  | Peak   |
| 2   | 17265.000 | 49.51  | 68.20  | -18.69 | 52.84 | -3.33  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_5755MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11510.000 | 47.10  | 74.00  | -26.90 | 53.16 | -6.06  | Peak   |
| 2   | 17265.000 | 49.47  | 68.20  | -18.73 | 52.80 | -3.33  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_5795MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5558.750  | 55.43  | 68.20  | -12.77 | 33.64 | 21.79  | Peak   |
| 2   | 5651.250  | 55.91  | 69.13  | -13.22 | 33.87 | 22.04  | Peak   |
| 3   | 5716.500  | 58.04  | 109.82 | -51.78 | 35.81 | 22.23  | Peak   |
| 4   | 5800.250  | 112.85 | -----  | -----  | 90.37 | 22.48  | Peak   |
| 5   | 5850.000  | 56.69  | 122.20 | -65.51 | 34.06 | 22.63  | Peak   |
| 6   | 5923.250  | 54.43  | 69.50  | -15.07 | 31.60 | 22.83  | Peak   |
| 7   | 5943.250  | 55.64  | 68.20  | -12.56 | 32.75 | 22.89  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be40\_TX\_5795MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5629.250  | 55.98  | 68.20  | -12.22 | 34.00 | 21.98  | Peak   |
| 2   | 5651.750  | 57.14  | 69.50  | -12.36 | 35.10 | 22.04  | Peak   |
| 3   | 5724.250  | 57.37  | 120.49 | -63.12 | 35.11 | 22.26  | Peak   |
| 4   | 5803.500  | 112.41 | -----  | -----  | 89.91 | 22.50  | Peak   |
| 5   | 5850.000  | 58.04  | 122.20 | -64.16 | 35.41 | 22.63  | Peak   |
| 6   | 5920.000  | 54.59  | 71.91  | -17.32 | 31.76 | 22.83  | Peak   |
| 7   | 5936.750  | 56.31  | 68.20  | -11.89 | 33.43 | 22.88  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be40\_TX\_5795MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11590.000 | 47.61  | 74.00  | -26.39 | 53.64 | -6.03  | Peak   |
| 2   | 17385.000 | 49.20  | 68.20  | -19.00 | 52.39 | -3.19  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be40\_TX\_5795MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11590.000 | 48.20  | 74.00  | -25.80 | 54.23 | -6.03  | Peak   |
| 2   | 17385.000 | 51.21  | 68.20  | -16.99 | 54.40 | -3.19  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be80\_TX\_5210MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5146.700  | 61.37  | 74.00  | -12.63 | 39.95 | 21.42  | Peak   |
| 2   | 5190.350  | 110.42 | -----  | -----  | 88.98 | 21.44  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :be80\_TX\_5210MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB     |         |
| 1   | 5149.550  | 47.74  | 54.00  | -6.26 | 26.32 | 21.42  | Average |
| 2   | 5191.850  | 92.12  | -----  | ----- | 70.68 | 21.44  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be80\_TX\_5210MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5149.700  | 61.79  | 74.00  | -12.21 | 40.37 | 21.42  | Peak   |
| 2   | 5195.300  | 112.66 | -----  | -----  | 91.21 | 21.45  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 1  
Mode :be80\_TX\_5210MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB     |         |
| 1   | 5149.550  | 49.10  | 54.00  | -4.90 | 27.68 | 21.42  | Average |
| 2   | 5214.650  | 93.98  | -----  | ----- | 72.52 | 21.46  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be80\_TX\_5210MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 10420.000 | 46.22  | 68.20  | -21.98 | 54.10 | -7.88  | Peak   |
| 2   | 15630.000 | 49.42  | 74.00  | -24.58 | 52.59 | -3.17  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be80\_TX\_5210MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 10420.000 | 45.92  | 68.20  | -22.28 | 53.80 | -7.88  | Peak   |
| 2   | 15630.000 | 49.98  | 74.00  | -24.02 | 53.15 | -3.17  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be80\_TX\_5290MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5315.550  | 105.72 | -----  | -----  | 84.21 | 21.51  | Peak   |
| 2   | 5376.300  | 56.30  | 74.00  | -17.70 | 34.76 | 21.54  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :be80\_TX\_5290MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5313.450  | 89.96  | -----  | -----  | 68.45 | 21.51  | Average |
| 2   | 5361.300  | 42.62  | 54.00  | -11.38 | 21.08 | 21.54  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be80\_TX\_5290MHz  
Test By :Ling Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 5301.600         | 107.33          | -----                   | -----               | 85.83                 | 21.50        | Peak   |
| 2   | 5354.400         | 57.77           | 74.00                   | -16.23              | 36.24                 | 21.53        | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 1  
Mode :be80\_TX\_5290MHz  
Test By :Ling Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark  |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|---------|
| 1   | 5295.750         | 92.00           | -----                   | -----               | 70.50                 | 21.50        | Average |
| 2   | 5353.200         | 44.03           | 54.00                   | -9.97               | 22.50                 | 21.53        | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be80\_TX\_5290MHz  
Test By :Cyril Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 10580.000        | 45.19           | 68.20                   | -23.01              | 52.83                 | -7.64        | Peak   |
| 2   | 15870.000        | 51.14           | 74.00                   | -22.86              | 54.19                 | -3.05        | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be80\_TX\_5290MHz  
Test By :Cyril Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 10580.000        | 45.99           | 68.20                   | -22.21              | 53.63                 | -7.64        | Peak   |
| 2   | 15870.000        | 51.22           | 74.00                   | -22.78              | 54.27                 | -3.05        | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be80\_TX\_5530MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5442.175  | 55.43  | 74.00  | -18.57 | 33.85 | 21.58  | Peak   |
| 2   | 5468.950  | 56.05  | 68.20  | -12.15 | 34.46 | 21.59  | Peak   |
| 3   | 5517.075  | 105.23 | -----  | -----  | 83.57 | 21.66  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :be80\_TX\_5530MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5457.400  | 42.66  | 54.00  | -11.34 | 21.07 | 21.59  | Average |
| 2   | 5528.975  | 90.00  | -----  | -----  | 68.31 | 21.69  | Average |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be80\_TX\_5530MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5459.500  | 56.48  | 74.00  | -17.52 | 34.89 | 21.59  | Peak   |
| 2   | 5465.800  | 56.69  | 68.20  | -11.51 | 35.10 | 21.59  | Peak   |
| 3   | 5524.075  | 107.29 | -----  | -----  | 85.62 | 21.67  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 1  
Mode :be80\_TX\_5530MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5459.675  | 43.37  | 54.00  | -10.63 | 21.78 | 21.59  | Average |
| 2   | 5528.275  | 92.57  | -----  | -----  | 70.88 | 21.69  | Average |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be80\_TX\_5530MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11060.000 | 46.87  | 74.00  | -27.13 | 53.90 | -7.03  | Peak   |
| 2   | 16590.000 | 49.70  | 68.20  | -18.50 | 53.17 | -3.47  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be80\_TX\_5530MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11060.000 | 47.75  | 74.00  | -26.25 | 54.78 | -7.03  | Peak   |
| 2   | 16590.000 | 49.76  | 68.20  | -18.44 | 53.23 | -3.47  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be80\_TX\_5610MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5439.375  | 54.55  | 74.00  | -19.45 | 32.97 | 21.58  | Peak   |
| 2   | 5460.025  | 53.65  | 68.20  | -14.55 | 32.06 | 21.59  | Peak   |
| 3   | 5627.325  | 105.38 | -----  | -----  | 83.40 | 21.98  | Peak   |
| 4   | 5735.125  | 54.84  | 68.20  | -13.36 | 32.55 | 22.29  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :be80\_TX\_5610MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5458.625  | 42.04  | 54.00  | -11.96 | 20.45 | 21.59  | Average |
| 2   | 5580.250  | 90.51  | -----  | -----  | 68.67 | 21.84  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be80\_TX\_5610MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 5432.900  | 56.39  | 74.00  | -17.61 | 34.82 | 21.57  | Peak   |
| 2   | 5463.700  | 54.95  | 68.20  | -13.25 | 33.36 | 21.59  | Peak   |
| 3   | 5577.450  | 107.02 | -----  | -----  | 85.18 | 21.84  | Peak   |
| 4   | 5743.525  | 56.24  | 68.20  | -11.96 | 33.92 | 22.32  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 1  
Mode :be80\_TX\_5610MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |         |
| 1   | 5431.675  | 43.02  | 54.00  | -10.98 | 21.45 | 21.57  | Average |
| 2   | 5573.425  | 92.41  | -----  | -----  | 70.58 | 21.83  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be80\_TX\_5610MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 11220.000 | 47.08  | 74.00  | -26.92 | 53.76 | -6.68  | Peak   |
| 2   | 16830.000 | 50.25  | 68.20  | -17.95 | 53.82 | -3.57  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be80\_TX\_5610MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | Limit  | Level | dB     |        |
| 1   | 11220.000 | 47.22  | 74.00  | -26.78 | 53.90 | -6.68  | Peak   |
| 2   | 16830.000 | 49.51  | 68.20  | -18.69 | 53.08 | -3.57  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be80\_TX\_5690MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11380.000 | 47.14  | 74.00  | -26.86 | 53.46 | -6.32  | Peak   |
| 2   | 17070.000 | 50.06  | 68.20  | -18.14 | 53.62 | -3.56  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be80\_TX\_5690MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11380.000 | 47.97  | 74.00  | -26.03 | 54.29 | -6.32  | Peak   |
| 2   | 17070.000 | 49.90  | 68.20  | -18.30 | 53.46 | -3.56  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be80\_TX\_5775MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5645.000  | 58.09  | 68.20  | -10.11 | 36.06 | 22.03  | Peak   |
| 2   | 5651.500  | 57.17  | 69.32  | -12.15 | 35.13 | 22.04  | Peak   |
| 3   | 5724.750  | 76.33  | 121.63 | -45.30 | 54.07 | 22.26  | Peak   |
| 4   | 5751.000  | 111.54 | -----  | -----  | 89.20 | 22.34  | Peak   |
| 5   | 5851.500  | 59.00  | 118.78 | -59.78 | 36.37 | 22.63  | Peak   |
| 6   | 5923.250  | 55.33  | 69.50  | -14.17 | 32.50 | 22.83  | Peak   |
| 7   | 5959.000  | 56.13  | 68.20  | -12.07 | 33.19 | 22.94  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be80\_TX\_5775MHz  
Test By :Ling Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5630.750  | 57.63  | 68.20  | -10.57 | 35.64 | 21.99  | Peak   |
| 2   | 5654.750  | 56.33  | 71.72  | -15.39 | 34.27 | 22.06  | Peak   |
| 3   | 5723.500  | 73.72  | 118.78 | -45.06 | 51.46 | 22.26  | Peak   |
| 4   | 5742.500  | 109.43 | -----  | -----  | 87.11 | 22.32  | Peak   |
| 5   | 5852.750  | 61.19  | 115.93 | -54.74 | 38.56 | 22.63  | Peak   |
| 6   | 5921.000  | 54.45  | 71.17  | -16.72 | 31.62 | 22.83  | Peak   |
| 7   | 5980.500  | 55.95  | 68.20  | -12.25 | 32.93 | 23.02  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be80\_TX\_5775MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11550.000 | 48.22  | 74.00  | -25.78 | 54.26 | -6.04  | Peak   |
| 2   | 17325.000 | 48.98  | 68.20  | -19.22 | 52.24 | -3.26  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be80\_TX\_5775MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11550.000 | 47.95  | 74.00  | -26.05 | 53.99 | -6.04  | Peak   |
| 2   | 17325.000 | 48.35  | 68.20  | -19.85 | 51.61 | -3.26  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be160\_TX\_5250MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5149.270  | 56.06  | 74.00  | -17.94 | 34.64 | 21.42  | Peak   |
| 2   | 5215.510  | 104.21 | -----  | -----  | 82.75 | 21.46  | Peak   |
| 3   | 5392.150  | 59.95  | 74.00  | -14.05 | 38.40 | 21.55  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :be160\_TX\_5250MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5149.960  | 43.91  | 54.00  | -10.09 | 22.49 | 21.42  | Average |
| 2   | 5271.630  | 86.73  | -----  | -----  | 65.24 | 21.49  | Average |
| 3   | 5360.640  | 45.82  | 54.00  | -8.18  | 24.29 | 21.53  | Average |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be160\_TX\_5250MHz  
Test By :Cyril Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 5148.350         | 58.42           | 74.00                   | -15.58              | 37.00                 | 21.42        | Peak   |
| 2   | 5266.110         | 106.97          | -----                   | -----               | 85.49                 | 21.48        | Peak   |
| 3   | 5385.480         | 62.62           | 74.00                   | -11.38              | 41.07                 | 21.55        | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 1  
Mode :be160\_TX\_5250MHz  
Test By :Cyril Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark  |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|---------|
| 1   | 5148.810         | 45.87           | 54.00                   | -8.13               | 24.45                 | 21.42        | Average |
| 2   | 5311.650         | 89.08           | -----                   | -----               | 67.57                 | 21.51        | Average |
| 3   | 5364.320         | 47.47           | 54.00                   | -6.53               | 25.93                 | 21.54        | Average |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be160\_TX\_5250MHz  
Test By :Cyril Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 10500.000        | 45.98           | 68.20                   | -22.22              | 53.71                 | -7.73        | Peak   |
| 2   | 15750.000        | 49.74           | 74.00                   | -24.26              | 52.85                 | -3.11        | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be160\_TX\_5250MHz  
Test By :Cyril Chen




| No. | Frequency<br>MHz | Level<br>dBuV/m | Limit<br>Line<br>dBuV/m | Over<br>Limit<br>dB | Read<br>Level<br>dBuV | Factor<br>dB | Remark |
|-----|------------------|-----------------|-------------------------|---------------------|-----------------------|--------------|--------|
| 1   | 10500.000        | 45.29           | 68.20                   | -22.91              | 53.02                 | -7.73        | Peak   |
| 2   | 15750.000        | 48.44           | 74.00                   | -25.56              | 51.55                 | -3.11        | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 3000  
Mode :be160\_TX\_5570MHz  
Test By :Ling Chen



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5446.200  | 58.57  | 74.00  | -15.43 | 36.99 | 21.58  | Peak   |
| 2   | 5470.000  | 56.89  | 68.20  | -11.31 | 35.30 | 21.59  | Peak   |
| 3   | 5586.025  | 102.96 | -----  | -----  | 81.11 | 21.85  | Peak   |
| 4   | 5727.950  | 58.30  | 68.20  | -9.90  | 36.03 | 22.27  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.


Site :HC-CB04  
Condition :3m ,Horizontal  
RB/VB(kHz):1000 / 1  
Mode :be160\_TX\_5570MHz  
Test By :Ling Chen



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark  |
|-----|-----------|--------|--------|--------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |         |
| 1   | 5436.925  | 43.43  | 54.00  | -10.57 | 21.85 | 21.58  | Average |
| 2   | 5581.475  | 85.27  | -----  | -----  | 63.42 | 21.85  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.


Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 3000  
Mode :be160\_TX\_5570MHz  
Test By :Ling Chen



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 5436.750  | 60.09  | 74.00  | -13.91 | 38.51 | 21.58  | Peak   |
| 2   | 5463.175  | 59.10  | 68.20  | -9.10  | 37.51 | 21.59  | Peak   |
| 3   | 5497.650  | 104.88 | -----  | -----  | 83.27 | 21.61  | Peak   |
| 4   | 5733.025  | 56.77  | 68.20  | -11.43 | 34.49 | 22.28  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.


Site :HC-CB04  
Condition :3m ,Vertical  
RB/VB(kHz):1000 / 1  
Mode :be160\_TX\_5570MHz  
Test By :Ling Chen



| No. | Frequency | Level  | Limit  | Over  | Read  | Factor | Remark  |
|-----|-----------|--------|--------|-------|-------|--------|---------|
|     | MHz       | dBuV/m | dBuV/m | dB    | dBuV  | dB     |         |
| 1   | 5453.550  | 46.15  | 54.00  | -7.85 | 24.57 | 21.58  | Average |
| 2   | 5493.450  | 88.24  | -----  | ----- | 66.63 | 21.61  | Average |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.  
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Horizontal  
Mode :be160\_TX\_5570MHz  
Test By :Cyril Chen




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11140.000 | 46.56  | 74.00  | -27.44 | 53.41 | -6.85  | Peak   |
| 2   | 16710.000 | 47.37  | 68.20  | -20.83 | 50.90 | -3.53  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04  
Condition :3m ,Vertical  
Mode :be160\_TX\_5570MHz  
Test By :Cyril Chen



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB     |        |
| 1   | 11140.000 | 46.66  | 74.00  | -27.34 | 53.51 | -6.85  | Peak   |
| 2   | 16710.000 | 48.69  | 68.20  | -19.51 | 52.22 | -3.53  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.