


802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6574G	53.64	74.00	-20.36	38.48	3	Horizontal	231	2.10	-	39.41	7.96	32.21
AV	11.64136G	40.43	54.00	-13.57	25.29	3	Horizontal	231	2.10	-	39.38	7.96	32.20
PK	17.48156G	64.87	68.20	-3.33	40.59	3	Horizontal	226	2.60	-	43.75	10.74	30.21

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 90
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1496G	66.98	74.00	-7.02	58.86	3	Vertical	349	2.24	-	33.60	5.25	30.73	
AV	5.1494G	53.64	54.00	-0.36	45.52	3	Vertical	349	2.24	-	33.60	5.25	30.73	
PK	5.1842G	124.81	Inf	-Inf	116.59	3	Vertical	349	2.24	-	33.67	5.28	30.73	
AV	5.1842G	112.08	Inf	-Inf	103.86	3	Vertical	349	2.24	-	33.67	5.28	30.73	

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Y_4TX
Setting 90
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1418G	67.16	74.00	-6.84	59.07	3	Horizontal	13	1.71	-	33.58	5.24	30.73
AV	5.147G	52.81	54.00	-1.19	44.70	3	Horizontal	13	1.71	-	33.59	5.25	30.73
PK	5.177G	122.61	Inf	-Inf	114.41	3	Horizontal	13	1.71	-	33.65	5.28	30.73
AV	5.177G	110.10	Inf	-Inf	101.90	3	Horizontal	13	1.71	-	33.65	5.28	30.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 90
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36984G	53.07	68.20	-15.13	38.82	3	Vertical	299	1.62	-	38.63	7.45	31.83
PK	15.54476G	59.17	74.00	-14.83	42.89	3	Vertical	332	1.08	-	37.83	9.80	31.35
AV	15.5302G	45.15	54.00	-8.85	28.79	3	Vertical	332	1.08	-	37.92	9.79	31.35

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 90
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35292G	53.74	68.20	-14.46	39.48	3	Horizontal	1	1.64	-	38.65	7.44	31.83
PK	15.53564G	59.03	74.00	-14.97	42.70	3	Horizontal	77	2.00	-	37.89	9.79	31.35
AV	15.5328G	45.10	54.00	-8.90	28.76	3	Horizontal	77	2.00	-	37.90	9.79	31.35

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Y_4TX
Setting 96
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1496G	69.63	74.00	-4.37	61.51	3	Vertical	349	2.23	-	33.60	5.25	30.73	
AV	5.1492G	53.83	54.00	-0.17	45.71	3	Vertical	349	2.23	-	33.60	5.25	30.73	
PK	5.1996G	125.79	Inf	-Inf	117.52	3	Vertical	349	2.23	-	33.70	5.30	30.73	
AV	5.194G	113.56	Inf	-Inf	105.31	3	Vertical	349	2.23	-	33.69	5.29	30.73	

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 96
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	69.10	74.00	-4.90	60.98	3	Horizontal	16	1.54	-	33.60	5.25	30.73
AV	5.1476G	53.04	54.00	-0.96	44.92	3	Horizontal	16	1.54	-	33.60	5.25	30.73
PK	5.2072G	124.06	Inf	-Inf	115.79	3	Horizontal	16	1.54	-	33.70	5.30	30.73
AV	5.2072G	111.69	Inf	-Inf	103.42	3	Horizontal	16	1.54	-	33.70	5.30	30.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 96
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40212G	53.65	68.20	-14.55	39.42	3	Vertical	28	1.96	-	38.60	7.46	31.83
AV	15.59208G	44.62	54.00	-9.38	28.63	3	Vertical	0	1.80	-	37.55	9.82	31.38
PK	15.6074G	58.17	74.00	-15.83	42.24	3	Vertical	232	2.31	-	37.50	9.82	31.39

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 96
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3976G	53.69	68.20	-14.51	39.46	3	Horizontal	280	1.12	-	38.60	7.46	31.83
AV	15.59466G	45.08	54.00	-8.92	29.11	3	Horizontal	259	1.84	-	37.53	9.82	31.38
PK	15.6024G	59.02	74.00	-14.98	43.08	3	Horizontal	0	1.80	-	37.50	9.82	31.38

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT V_4TX
Setting 105
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.40	74.00	-7.60	58.28	3	Vertical	351	1.79	-	33.60	5.25	30.73
AV	5.15G	50.86	54.00	-3.14	42.74	3	Vertical	351	1.79	-	33.60	5.25	30.73
PK	5.2394G	128.45	Inf	-Inf	120.16	3	Vertical	351	1.79	-	33.70	5.32	30.73
AV	5.2394G	114.38	Inf	-Inf	106.09	3	Vertical	351	1.79	-	33.70	5.32	30.73
PK	5.3546G	63.24	74.00	-10.76	54.67	3	Vertical	351	1.79	-	33.91	5.38	30.72
AV	5.35G	49.82	54.00	-4.18	41.26	3	Vertical	351	1.79	-	33.90	5.38	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT V_4TX
Setting 105
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	62.53	74.00	-11.47	54.41	3	Horizontal	12	1.37	-	33.60	5.25	30.73
AV	5.15G	50.01	54.00	-3.99	41.89	3	Horizontal	12	1.37	-	33.60	5.25	30.73
PK	5.237G	126.14	Inf	-Inf	117.85	3	Horizontal	12	1.37	-	33.70	5.32	30.73
AV	5.2472G	113.08	Inf	-Inf	104.79	3	Horizontal	12	1.37	-	33.70	5.32	30.73
PK	5.3522G	62.88	74.00	-11.12	54.32	3	Horizontal	12	1.37	-	33.90	5.38	30.72
AV	5.351G	49.91	54.00	-4.09	41.35	3	Horizontal	12	1.37	-	33.90	5.38	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 105
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47764G	54.31	68.20	-13.89	40.07	3	Vertical	225	1.35	-	38.60	7.49	31.85
PK	15.71928G	57.75	74.00	-16.25	41.82	3	Vertical	69	1.31	-	37.50	9.87	31.44
AV	15.71904G	45.93	54.00	-8.07	30.00	3	Vertical	69	1.31	-	37.50	9.87	31.44

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 105
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48048G	53.90	68.20	-14.30	39.66	3	Horizontal	271	2.37	-	38.60	7.49	31.85
PK	15.71904G	58.74	74.00	-15.26	42.81	3	Horizontal	360	1.80	-	37.50	9.87	31.44
AV	15.71898G	45.96	54.00	-8.04	30.03	3	Horizontal	360	1.80	-	37.50	9.87	31.44

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.64G	63.79	68.20	-4.41	55.20	3	Vertical	354	2.94	-	33.82	5.60	30.83	
PK	5.751G	125.84	Inf	-Inf	117.35	3	Vertical	354	2.94	-	33.80	5.60	30.91	
AV	5.751G	113.30	Inf	-Inf	104.81	3	Vertical	354	2.94	-	33.80	5.60	30.91	
PK	5.95G	59.70	68.20	-8.50	50.81	3	Vertical	354	2.94	-	34.20	5.75	31.06	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.64G	64.27	68.20	-3.93	55.68	3	Horizontal	353	2.92	-	33.82	5.60	30.83	
PK	5.747G	122.88	Inf	-Inf	114.38	3	Horizontal	353	2.92	-	33.81	5.60	30.91	
AV	5.747G	110.18	Inf	-Inf	101.68	3	Horizontal	353	2.92	-	33.81	5.60	30.91	
PK	5.934G	59.64	68.20	-8.56	50.79	3	Horizontal	353	2.92	-	34.17	5.73	31.05	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49056G	53.86	74.00	-20.14	39.10	3	Vertical	96	2.49	-	38.98	7.90	32.12
AV	11.4906G	40.64	54.00	-13.36	25.88	3	Vertical	96	2.49	-	38.98	7.90	32.12
PK	17.23824G	63.76	68.20	-4.44	41.19	3	Vertical	254	1.74	-	42.19	10.62	30.24

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4858G	53.70	74.00	-20.30	38.95	3	Horizontal	299	2.23	-	38.97	7.89	32.11
AV	11.49072G	40.65	54.00	-13.35	25.89	3	Horizontal	299	2.23	-	38.98	7.90	32.12
PK	17.2396G	64.26	68.20	-3.94	41.68	3	Horizontal	36	1.54	-	42.20	10.62	30.24

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	68.04	68.20	-0.16	59.45	3	Vertical	12	1.60	-	33.82	5.60	30.83
PK	5.78G	123.93	Inf	-Inf	115.46	3	Vertical	12	1.60	-	33.80	5.60	30.93
AV	5.79G	111.51	Inf	-Inf	103.05	3	Vertical	12	1.60	-	33.80	5.60	30.94
PK	6.007G	59.57	68.20	-8.63	50.66	3	Vertical	12	1.60	-	34.21	5.80	31.10

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.587G	62.38	68.20	-5.82	53.65	3	Horizontal	353	2.75	-	33.93	5.59	30.79
PK	5.791G	121.26	Inf	-Inf	112.80	3	Horizontal	353	2.75	-	33.80	5.60	30.94
AV	5.787G	109.56	Inf	-Inf	101.10	3	Horizontal	353	2.75	-	33.80	5.60	30.94
PK	5.955G	60.15	68.20	-8.05	51.27	3	Horizontal	353	2.75	-	34.20	5.75	31.07

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57664G	53.77	74.00	-20.23	38.77	3	Vertical	256	2.39	-	39.23	7.93	32.16
AV	11.57152G	40.41	54.00	-13.59	25.43	3	Vertical	256	2.39	-	39.21	7.93	32.16
PK	17.36416G	64.81	68.20	-3.39	41.47	3	Vertical	224	2.73	-	42.88	10.68	30.22

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57604G	54.06	74.00	-19.94	39.06	3	Horizontal	249	1.98	-	39.23	7.93	32.16
AV	11.57136G	40.41	54.00	-13.59	25.43	3	Horizontal	249	1.98	-	39.21	7.93	32.16
PK	17.34868G	64.05	68.20	-4.15	40.82	3	Horizontal	138	1.90	-	42.79	10.67	30.23

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.619G	63.51	68.20	-4.69	54.86	3	Vertical	36	1.99	-	33.86	5.60	30.81
PK	5.829G	123.57	Inf	-Inf	115.11	3	Vertical	36	1.99	-	33.80	5.63	30.97
AV	5.819G	111.01	Inf	-Inf	102.55	3	Vertical	36	1.99	-	33.80	5.62	30.96
PK	5.963G	60.04	68.20	-8.16	51.15	3	Vertical	36	1.99	-	34.20	5.76	31.07

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.616G	61.99	68.20	-6.21	53.33	3	Horizontal	353	2.65	-	33.87	5.60	30.81	
PK	5.822G	123.12	Inf	-Inf	114.66	3	Horizontal	353	2.65	-	33.80	5.62	30.96	
AV	5.822G	108.94	Inf	-Inf	100.48	3	Horizontal	353	2.65	-	33.80	5.62	30.96	
PK	6.006G	60.05	68.20	-8.15	51.14	3	Horizontal	353	2.65	-	34.21	5.80	31.10	

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.65884G	54.20	74.00	-19.80	39.03	3	Vertical	42	1.89	-	39.42	7.96	32.21	
AV	11.64624G	40.39	54.00	-13.61	25.24	3	Vertical	42	1.89	-	39.39	7.96	32.20	
PK	17.48228G	65.40	68.20	-2.80	41.11	3	Vertical	176	2.56	-	43.76	10.74	30.21	

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64916G	54.03	74.00	-19.97	38.88	3	Horizontal	255	2.68	-	39.40	7.96	32.21
AV	11.6512G	40.39	54.00	-13.61	25.24	3	Horizontal	255	2.68	-	39.40	7.96	32.21
PK	17.46792G	65.67	68.20	-2.53	41.51	3	Horizontal	132	1.45	-	43.64	10.73	30.21

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 69
02-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	62.17	74.00	-11.83	53.54	3	Vertical	34	1.99	-	33.59	5.77	30.73
AV	5.1472G	49.70	54.00	-4.30	41.07	3	Vertical	34	1.99	-	33.59	5.77	30.73
PK	5.2072G	116.15	Inf	-Inf	107.38	3	Vertical	34	1.99	-	33.70	5.80	30.73
AV	5.2072G	103.57	Inf	-Inf	94.80	3	Vertical	34	1.99	-	33.70	5.80	30.73

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Y_4TX
Setting 69
02-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.88	74.00	-12.12	53.23	3	Horizontal	-0	2.79	-	33.60	5.78	30.73
AV	5.15G	50.31	54.00	-3.69	41.66	3	Horizontal	-0	2.79	-	33.60	5.78	30.73
PK	5.1912G	117.94	Inf	-Inf	109.19	3	Horizontal	-0	2.79	-	33.68	5.80	30.73
AV	5.1956G	103.62	Inf	-Inf	94.86	3	Horizontal	-0	2.79	-	33.69	5.80	30.73

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Y_4TX
Setting 71
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37624G	52.69	68.20	-15.51	38.45	3	Vertical	208	3.00	-	38.62	7.45	31.83
PK	15.57392G	58.71	74.00	-15.29	42.61	3	Vertical	164	1.02	-	37.66	9.81	31.37
AV	15.56732G	46.30	54.00	-7.70	30.16	3	Vertical	164	1.02	-	37.70	9.81	31.37

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 71
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37624G	52.69	68.20	-15.51	38.45	3	Vertical	208	3.00	-	38.62	7.45	31.83
PK	15.57392G	58.71	74.00	-15.29	42.61	3	Vertical	164	1.02	-	37.66	9.81	31.37
AV	15.56732G	46.30	54.00	-7.70	30.16	3	Vertical	164	1.02	-	37.70	9.81	31.37

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT V_4TX
Setting 92
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	65.92	74.00	-8.08	57.80	3	Vertical	352	2.33	-	33.60	5.25	30.73
AV	5.1496G	53.78	54.00	-0.22	45.66	3	Vertical	352	2.33	-	33.60	5.25	30.73
PK	5.224G	122.58	Inf	-Inf	114.30	3	Vertical	352	2.33	-	33.70	5.31	30.73
AV	5.2246G	111.15	Inf	-Inf	102.87	3	Vertical	352	2.33	-	33.70	5.31	30.73
PK	5.3764G	62.52	74.00	-11.48	53.90	3	Vertical	352	2.33	-	33.95	5.39	30.72
AV	5.3506G	51.16	54.00	-2.84	42.60	3	Vertical	352	2.33	-	33.90	5.38	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT V_4TX
Setting 92
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	62.91	74.00	-11.09	54.80	3	Horizontal	16	1.51	-	33.59	5.25	30.73
AV	5.1472G	51.64	54.00	-2.36	43.53	3	Horizontal	16	1.51	-	33.59	5.25	30.73
PK	5.2372G	121.00	Inf	-Inf	112.71	3	Horizontal	16	1.51	-	33.70	5.32	30.73
AV	5.2318G	109.57	Inf	-Inf	101.28	3	Horizontal	16	1.51	-	33.70	5.32	30.73
PK	5.3668G	62.66	74.00	-11.34	54.07	3	Horizontal	16	1.51	-	33.93	5.38	30.72
AV	5.3524G	51.19	54.00	-2.81	42.63	3	Horizontal	16	1.51	-	33.90	5.38	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 92
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46572G	53.56	68.20	-14.64	39.31	3	Vertical	255	1.44	-	38.60	7.49	31.84
PK	15.68564G	57.95	74.00	-16.05	42.02	3	Vertical	79	1.23	-	37.50	9.86	31.43
AV	15.68048G	45.50	54.00	-8.50	29.56	3	Vertical	79	1.23	-	37.50	9.86	31.42

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 92
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4556G	53.76	68.20	-14.44	39.52	3	Horizontal	326	2.63	-	38.60	7.48	31.84
PK	15.68776G	58.06	74.00	-15.94	42.13	3	Horizontal	318	2.26	-	37.50	9.86	31.43
AV	15.68128G	45.54	54.00	-8.46	29.60	3	Horizontal	318	2.26	-	37.50	9.86	31.42

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 97
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.83	68.20	-0.37	59.26	3	Vertical	13	1.80	-	33.80	5.60	30.83
PK	5.76G	124.02	Inf	-Inf	115.54	3	Vertical	13	1.80	-	33.80	5.60	30.92
AV	5.76G	111.13	Inf	-Inf	102.65	3	Vertical	13	1.80	-	33.80	5.60	30.92
PK	5.974G	58.96	68.20	-9.24	50.07	3	Vertical	13	1.80	-	34.20	5.77	31.08

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 97
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.642G	67.89	68.20	-0.31	59.30	3	Horizontal	356	2.97	-	33.82	5.60	30.83	
PK	5.747G	119.79	Inf	-Inf	111.29	3	Horizontal	356	2.97	-	33.81	5.60	30.91	
AV	5.758G	108.49	Inf	-Inf	100.01	3	Horizontal	356	2.97	-	33.80	5.60	30.92	
PK	5.946G	59.57	68.20	-8.63	50.69	3	Horizontal	356	2.97	-	34.19	5.75	31.06	

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 97
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51828G	54.20	74.00	-19.80	39.37	3	Vertical	89	2.50	-	39.05	7.91	32.13
AV	11.51776G	41.88	54.00	-12.12	27.05	3	Vertical	89	2.50	-	39.05	7.91	32.13
PK	17.26444G	64.06	68.20	-4.14	41.34	3	Vertical	107	1.68	-	42.32	10.63	30.23

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 97
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.50804G	54.14	74.00	-19.86	39.34	3	Horizontal	334	2.90	-	39.02	7.90	32.12	
AV	11.51592G	41.82	54.00	-12.18	26.99	3	Horizontal	334	2.90	-	39.05	7.91	32.13	
PK	17.2614G	64.40	68.20	-3.80	41.69	3	Horizontal	314	2.06	-	42.31	10.63	30.23	

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	64.97	68.20	-3.23	56.40	3	Vertical	358	2.89	-	33.80	5.60	30.83
PK	5.786G	122.14	Inf	-Inf	113.68	3	Vertical	358	2.89	-	33.80	5.60	30.94
AV	5.801G	111.56	Inf	-Inf	103.11	3	Vertical	358	2.89	-	33.80	5.60	30.95
PK	5.957G	60.00	68.20	-8.20	51.11	3	Vertical	358	2.89	-	34.20	5.76	31.07

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Y_4TX
Setting 99
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.642G	64.05	68.20	-4.15	55.46	3	Horizontal	357	2.76	-	33.82	5.60	30.83	
PK	5.787G	119.31	Inf	-Inf	110.85	3	Horizontal	357	2.76	-	33.80	5.60	30.94	
AV	5.792G	107.68	Inf	-Inf	99.22	3	Horizontal	357	2.76	-	33.80	5.60	30.94	
PK	5.956G	60.07	68.20	-8.13	51.18	3	Horizontal	357	2.76	-	34.20	5.76	31.07	

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58304G	54.00	74.00	-20.00	38.99	3	Vertical	48	2.39	-	39.25	7.93	32.17
AV	11.58612G	41.67	54.00	-12.33	26.65	3	Vertical	48	2.39	-	39.26	7.93	32.17
PK	17.39388G	65.60	68.20	-2.60	42.06	3	Vertical	293	2.37	-	43.06	10.70	30.22

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.58148G	54.15	74.00	-19.85	39.15	3	Horizontal	18	2.53	-	39.24	7.93	32.17	
AV	11.58844G	41.61	54.00	-12.39	26.57	3	Horizontal	18	2.53	-	39.27	7.94	32.17	
PK	17.3762G	64.18	68.20	-4.02	40.75	3	Horizontal	271	1.53	-	42.96	10.69	30.22	

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 69
02-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	61.30	74.00	-12.70	52.66	3	Vertical	41	1.80	-	33.60	5.77	30.73
AV	5.147G	49.74	54.00	-4.26	41.11	3	Vertical	41	1.80	-	33.59	5.77	30.73
PK	5.239G	111.67	Inf	-Inf	102.88	3	Vertical	41	1.80	-	33.70	5.82	30.73
AV	5.239G	100.71	Inf	-Inf	91.92	3	Vertical	41	1.80	-	33.70	5.82	30.73
PK	5.395G	62.91	74.00	-11.09	53.74	3	Vertical	41	1.80	-	33.99	5.90	30.72
AV	5.35G	49.39	54.00	-4.61	40.33	3	Vertical	41	1.80	-	33.90	5.88	30.72

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 69
02-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.58	74.00	-10.42	54.93	3	Horizontal	-0	2.89	-	33.60	5.78	30.73
AV	5.15G	52.28	54.00	-1.72	43.63	3	Horizontal	-0	2.89	-	33.60	5.78	30.73
PK	5.236G	112.58	Inf	-Inf	103.79	3	Horizontal	-0	2.89	-	33.70	5.82	30.73
AV	5.226G	100.89	Inf	-Inf	92.11	3	Horizontal	-0	2.89	-	33.70	5.81	30.73
PK	5.377G	61.37	74.00	-12.63	52.25	3	Horizontal	-0	2.89	-	33.95	5.89	30.72
AV	5.351G	49.04	54.00	-4.96	39.98	3	Horizontal	-0	2.89	-	33.90	5.88	30.72

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 71
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41484G	52.84	68.20	-15.36	38.61	3	Vertical	155	1.06	-	38.60	7.47	31.84
PK	15.623G	58.12	74.00	-15.88	42.18	3	Vertical	274	1.68	-	37.50	9.83	31.39
AV	15.62068G	46.28	54.00	-7.72	30.34	3	Vertical	274	1.68	-	37.50	9.83	31.39

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 71
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41168G	52.44	68.20	-15.76	38.22	3	Horizontal	29	3.00	-	38.60	7.46	31.84
PK	15.63036G	59.36	74.00	-14.64	43.43	3	Horizontal	87	1.77	-	37.50	9.83	31.40
AV	15.6256G	46.19	54.00	-7.81	30.26	3	Horizontal	87	1.77	-	37.50	9.83	31.40

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 89
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.65G	67.52	68.20	-0.68	58.95	3	Vertical	15	1.83	-	33.80	5.60	30.83	
PK	5.76G	117.27	Inf	-Inf	108.79	3	Vertical	15	1.83	-	33.80	5.60	30.92	
AV	5.76G	105.80	Inf	-Inf	97.32	3	Vertical	15	1.83	-	33.80	5.60	30.92	
PK	5.942G	60.17	68.20	-8.03	51.31	3	Vertical	15	1.83	-	34.18	5.74	31.06	

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 89
02-F-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	64.44	68.20	-3.76	55.86	3	Horizontal	354	2.80	-	33.81	5.60	30.83
PK	5.767G	115.51	Inf	-Inf	107.03	3	Horizontal	354	2.80	-	33.80	5.60	30.92
AV	5.762G	103.38	Inf	-Inf	94.90	3	Horizontal	354	2.80	-	33.80	5.60	30.92
PK	5.93G	59.95	68.20	-8.25	51.11	3	Horizontal	354	2.80	-	34.16	5.73	31.05

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 89
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55168G	54.21	74.00	-19.79	39.28	3	Vertical	75	2.20	-	39.16	7.92	32.15
AV	11.54604G	41.31	54.00	-12.69	26.40	3	Vertical	75	2.20	-	39.14	7.92	32.15
PK	17.32436G	64.29	68.20	-3.91	41.21	3	Vertical	196	2.65	-	42.65	10.66	30.23

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 89
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54048G	53.44	74.00	-20.56	38.54	3	Horizontal	100	2.11	-	39.12	7.92	32.14
AV	11.54888G	41.42	54.00	-12.58	26.50	3	Horizontal	100	2.11	-	39.15	7.92	32.15
PK	17.32488G	65.09	68.20	-3.11	42.01	3	Horizontal	32	2.71	-	42.65	10.66	30.23

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT Y_4TX
Setting 60
02-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	59.81	74.00	-14.19	51.17	3	Vertical	39	2.20	-	33.60	5.77	30.73
AV	5.1476G	48.17	54.00	-5.83	39.53	3	Vertical	39	2.20	-	33.60	5.77	30.73
PK	5.274G	108.48	Inf	-Inf	99.61	3	Vertical	39	2.20	-	33.75	5.84	30.72
AV	5.274G	96.05	Inf	-Inf	87.18	3	Vertical	39	2.20	-	33.75	5.84	30.72
PK	5.3604G	64.16	74.00	-9.84	55.08	3	Vertical	39	2.20	-	33.92	5.88	30.72
AV	5.35G	52.99	54.00	-1.01	43.93	3	Vertical	39	2.20	-	33.90	5.88	30.72
PK	5.5636G	60.77	68.20	-7.43	51.51	3	Vertical	39	2.20	-	33.97	6.06	30.77

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom



EUT Y_4TX
Setting 60
02-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	60.44	74.00	-13.56	51.80	3	Horizontal	-0	2.48	-	33.60	5.77	30.73
AV	5.1492G	48.54	54.00	-5.46	39.90	3	Horizontal	-0	2.48	-	33.60	5.77	30.73
PK	5.2708G	109.60	Inf	-Inf	100.74	3	Horizontal	-0	2.48	-	33.74	5.84	30.72
AV	5.2756G	96.42	Inf	-Inf	87.55	3	Horizontal	-0	2.48	-	33.75	5.84	30.72
PK	5.3652G	63.64	74.00	-10.36	54.55	3	Horizontal	-0	2.48	-	33.93	5.88	30.72
AV	5.3508G	52.15	54.00	-1.85	43.09	3	Horizontal	-0	2.48	-	33.90	5.88	30.72
PK	5.4948G	60.43	68.20	-7.77	51.16	3	Horizontal	-0	2.48	-	34.00	5.99	30.72




RSE TX above 1GHz<Non-beamforming mode: UNII2A+UNII2C> Appendix E.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.3524G	53.99	54.00	-0.01	3	Vertical	32	1.57	-

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT V_4TX
Setting 105
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	61.05	74.00	-12.95	54.77	3	Vertical	36	1.79	-	33.99	7.17	34.88
AV	5.15G	49.55	54.00	-4.45	43.26	3	Vertical	36	1.79	-	34.00	7.17	34.88
PK	5.2564G	126.54	Inf	-Inf	119.80	3	Vertical	36	1.79	-	34.41	7.20	34.87
AV	5.257G	117.06	Inf	-Inf	110.32	3	Vertical	36	1.79	-	34.41	7.20	34.87
PK	5.3782G	63.49	74.00	-10.51	56.60	3	Vertical	36	1.79	-	34.56	7.20	34.87
AV	5.3596G	51.65	54.00	-2.35	44.80	3	Vertical	36	1.79	-	34.52	7.20	34.87

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT V_4TX
Setting 105
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	72.96	74.00	-1.04	66.67	3	Horizontal	0	1.59	-	34.00	7.17	34.88
AV	5.1496G	53.79	54.00	-0.21	47.50	3	Horizontal	0	1.59	-	34.00	7.17	34.88
PK	5.2534G	126.06	Inf	-Inf	119.32	3	Horizontal	0	1.59	-	34.41	7.20	34.87
AV	5.2534G	115.73	Inf	-Inf	108.99	3	Horizontal	0	1.59	-	34.41	7.20	34.87
PK	5.35G	67.43	74.00	-6.57	60.60	3	Horizontal	0	1.59	-	34.50	7.20	34.87
AV	5.3506G	51.57	54.00	-2.43	44.74	3	Horizontal	0	1.59	-	34.50	7.20	34.87

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 105
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51052G	58.17	68.20	-10.03	42.48	3	Vertical	342	1.22	-	38.20	10.58	33.09
PK	15.78444G	61.06	74.00	-12.94	44.61	3	Vertical	228	2.32	-	37.84	13.29	34.68
AV	15.78244G	48.15	54.00	-5.85	31.71	3	Vertical	228	2.32	-	37.83	13.29	34.68

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_Y_4TX
Setting 105
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51332G	57.56	68.20	-10.64	41.88	3	Horizontal	300	1.11	-	38.20	10.58	33.10
PK	15.78428G	60.89	74.00	-13.11	44.44	3	Horizontal	115	1.65	-	37.84	13.29	34.68
AV	15.78356G	48.17	54.00	-5.83	31.73	3	Horizontal	115	1.65	-	37.83	13.29	34.68

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.296G	125.21	Inf	-Inf	118.39	3	Vertical	36	2.77	-	34.49	7.20	34.87
AV	5.2956G	115.83	Inf	-Inf	109.01	3	Vertical	36	2.77	-	34.49	7.20	34.87
PK	5.3556G	68.67	74.00	-5.33	61.83	3	Vertical	36	2.77	-	34.51	7.20	34.87
AV	5.35G	53.95	54.00	-0.05	47.12	3	Vertical	36	2.77	-	34.50	7.20	34.87

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_Y_4TX
Setting 98
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.294G	123.93	Inf	-Inf	117.11	3	Horizontal	15	1.55	-	34.49	7.20	34.87
AV	5.2944G	114.10	Inf	-Inf	107.28	3	Horizontal	15	1.55	-	34.49	7.20	34.87
PK	5.3532G	66.99	74.00	-7.01	60.15	3	Horizontal	15	1.55	-	34.51	7.20	34.87
AV	5.3752G	53.03	54.00	-0.97	46.15	3	Horizontal	15	1.55	-	34.55	7.20	34.87

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89572G	61.34	74.00	-12.66	45.14	3	Vertical	154	1.01	-	37.61	13.35	34.76
AV	15.89644G	48.02	54.00	-5.98	31.82	3	Vertical	154	1.01	-	37.61	13.35	34.76

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89838G	61.09	74.00	-12.91	44.90	3	Horizontal	133	2.90	-	37.60	13.35	34.76
AV	15.89806G	48.02	54.00	-5.98	31.82	3	Horizontal	133	2.90	-	37.61	13.35	34.76

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_Y_4TX
Setting 85
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3164G	123.31	Inf	-Inf	116.48	3	Vertical	36	2.38	-	34.50	7.20	34.87	
AV	5.3168G	113.09	Inf	-Inf	106.26	3	Vertical	36	2.38	-	34.50	7.20	34.87	
PK	5.3558G	68.10	74.00	-5.90	61.26	3	Vertical	36	2.38	-	34.51	7.20	34.87	
AV	5.3564G	53.96	54.00	-0.04	47.12	3	Vertical	36	2.38	-	34.51	7.20	34.87	

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 85
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3138G	121.17	Inf	-Inf	114.34	3	Horizontal	12	1.59	-	34.50	7.20	34.87
AV	5.3138G	111.17	Inf	-Inf	104.34	3	Horizontal	12	1.59	-	34.50	7.20	34.87
PK	5.3532G	67.04	74.00	-6.96	60.20	3	Horizontal	12	1.59	-	34.51	7.20	34.87
AV	5.3538G	53.52	54.00	-0.48	46.68	3	Horizontal	12	1.59	-	34.51	7.20	34.87

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 85
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95512G	60.49	74.00	-13.51	44.42	3	Vertical	28	2.67	-	37.49	13.38	34.80
AV	15.95858G	47.66	54.00	-6.34	31.60	3	Vertical	28	2.67	-	37.48	13.38	34.80

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 85
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9603G	61.20	74.00	-12.80	45.14	3	Horizontal	49	1.21	-	37.48	13.38	34.80
AV	15.95782G	47.63	54.00	-6.37	31.57	3	Horizontal	49	1.21	-	37.48	13.38	34.80

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4566G	67.59	74.00	-6.41	60.68	3	Vertical	38	1.56	-	34.51	7.26	34.86	
AV	5.4578G	53.80	54.00	-0.20	46.88	3	Vertical	38	1.56	-	34.52	7.26	34.86	
PK	5.47G	66.71	68.20	-1.49	59.76	3	Vertical	38	1.56	-	34.54	7.27	34.86	
PK	5.4972G	123.18	Inf	-Inf	116.15	3	Vertical	38	1.56	-	34.59	7.30	34.86	
AV	5.498G	113.23	Inf	-Inf	106.19	3	Vertical	38	1.56	-	34.60	7.30	34.86	

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	65.57	74.00	-8.43	58.66	3	Horizontal	9	1.49	-	34.51	7.26	34.86
AV	5.4536G	53.02	54.00	-0.98	46.12	3	Horizontal	9	1.49	-	34.51	7.25	34.86
PK	5.4626G	66.68	68.20	-1.52	59.75	3	Horizontal	9	1.49	-	34.53	7.26	34.86
PK	5.4936G	123.45	Inf	-Inf	116.43	3	Horizontal	9	1.49	-	34.59	7.29	34.86
AV	5.4938G	113.63	Inf	-Inf	106.61	3	Horizontal	9	1.49	-	34.59	7.29	34.86

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.99546G	55.79	74.00	-18.21	41.49	3	Vertical	149	2.87	-	38.40	10.65	34.75	
AV	11.00338G	42.29	54.00	-11.71	28.01	3	Vertical	149	2.87	-	38.40	10.65	34.77	

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99984G	55.17	74.00	-18.83	40.89	3	Horizontal	106	1.09	-	38.40	10.65	34.77
AV	11.0014G	42.37	54.00	-11.63	28.09	3	Horizontal	106	1.09	-	38.40	10.65	34.77

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 103
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4546G	63.01	74.00	-10.99	56.11	3	Vertical	31	2.18	-	34.51	7.25	34.86
AV	5.4582G	50.53	54.00	-3.47	43.61	3	Vertical	31	2.18	-	34.52	7.26	34.86
PK	5.4666G	63.50	68.20	-4.70	56.56	3	Vertical	31	2.18	-	34.53	7.27	34.86
PK	5.5764G	126.08	Inf	-Inf	118.98	3	Vertical	31	2.18	-	34.60	7.38	34.88
AV	5.5764G	116.24	Inf	-Inf	109.14	3	Vertical	31	2.18	-	34.60	7.38	34.88
PK	5.7276G	62.32	68.20	-5.88	55.59	3	Vertical	31	2.18	-	34.24	7.40	34.91

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 103
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4468G	63.18	74.00	-10.82	56.28	3	Horizontal	5	1.34	-	34.51	7.25	34.86
PK	5.469G	62.22	68.20	-5.98	55.27	3	Horizontal	5	1.34	-	34.54	7.27	34.86
AV	5.4582G	50.17	54.00	-3.83	43.25	3	Horizontal	5	1.34	-	34.52	7.26	34.86
PK	5.5734G	127.14	Inf	-Inf	120.05	3	Horizontal	5	1.34	-	34.60	7.37	34.88
AV	5.574G	117.01	Inf	-Inf	109.92	3	Horizontal	5	1.34	-	34.60	7.37	34.88
PK	5.7252G	61.43	68.20	-6.77	54.69	3	Horizontal	5	1.34	-	34.25	7.40	34.91

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 103
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.15696G	55.38	74.00	-18.62	40.95	3	Vertical	34	1.75	-	38.56	10.67	34.80	
AV	11.15618G	42.41	54.00	-11.59	27.98	3	Vertical	34	1.75	-	38.56	10.67	34.80	

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 103
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15886G	55.82	74.00	-18.18	41.39	3	Horizontal	228	2.19	-	38.56	10.67	34.80
AV	11.16224G	42.45	54.00	-11.55	28.02	3	Horizontal	228	2.19	-	38.56	10.67	34.80

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_Y_4TX
Setting 57
02-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7014G	117.27	Inf	-Inf	108.14	3	Vertical	332	2.37	-	33.90	6.10	30.87
AV	5.6966G	105.76	Inf	-Inf	96.64	3	Vertical	332	2.37	-	33.89	6.10	30.87
PK	5.727G	64.43	68.20	-3.77	55.37	3	Vertical	332	2.37	-	33.85	6.10	30.89

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_Y_4TX
Setting 57
02-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7054G	117.64	Inf	-Inf	108.53	3	Horizontal	357	2.31	-	33.89	6.10	30.88
AV	5.6956G	105.31	Inf	-Inf	96.19	3	Horizontal	357	2.31	-	33.89	6.10	30.87
PK	5.7258G	62.99	68.20	-5.21	53.93	3	Horizontal	357	2.31	-	33.85	6.10	30.89

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 63
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40296G	56.31	74.00	-17.69	41.63	3	Vertical	103	1.68	-	38.81	10.71	34.84
AV	11.4028G	43.17	54.00	-10.83	28.49	3	Vertical	103	1.68	-	38.81	10.71	34.84

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_Y_4TX
Setting 63
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40296G	56.31	74.00	-17.69	41.63	3	Vertical	103	1.68	-	38.81	10.71	34.84
AV	11.4028G	43.17	54.00	-10.83	28.49	3	Vertical	103	1.68	-	38.81	10.71	34.84

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 100
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.72G	125.32	Inf	-Inf	118.57	3	Vertical	13	1.57	-	34.26	7.40	34.91
AV	5.7208G	115.50	Inf	-Inf	108.75	3	Vertical	13	1.57	-	34.26	7.40	34.91
PK	5.8552G	67.57	68.20	-0.63	60.72	3	Vertical	13	1.57	-	34.33	7.46	34.94

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Y_4TX
Setting 100
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7136G	124.99	Inf	-Inf	118.23	3	Horizontal	7	1.17	-	34.27	7.40	34.91
AV	5.7144G	115.01	Inf	-Inf	108.25	3	Horizontal	7	1.17	-	34.27	7.40	34.91
PK	5.85G	65.92	68.20	-2.28	59.11	3	Horizontal	7	1.17	-	34.30	7.45	34.94

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 100
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43624G	56.33	74.00	-17.67	41.59	3	Vertical	336	1.59	-	38.87	10.72	34.85
AV	11.43276G	42.70	54.00	-11.30	27.97	3	Vertical	336	1.59	-	38.87	10.71	34.85
PK	17.15384G	64.94	68.20	-3.26	44.42	3	Vertical	360	1.61	-	40.42	14.21	34.11

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Y_4TX
Setting 100
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44288G	56.09	74.00	-17.91	41.33	3	Horizontal	248	1.18	-	38.89	10.72	34.85
AV	11.4316G	42.77	54.00	-11.23	28.05	3	Horizontal	248	1.18	-	38.86	10.71	34.85
PK	17.15952G	65.11	68.20	-3.09	44.57	3	Horizontal	360	1.49	-	40.44	14.21	34.11

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 105
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	61.59	74.00	-12.41	55.31	3	Vertical	34	1.45	-	33.99	7.17	34.88
AV	5.1484G	49.48	54.00	-4.52	43.19	3	Vertical	34	1.45	-	34.00	7.17	34.88
PK	5.2576G	129.02	Inf	-Inf	122.27	3	Vertical	34	1.45	-	34.42	7.20	34.87
AV	5.2528G	115.26	Inf	-Inf	108.52	3	Vertical	34	1.45	-	34.41	7.20	34.87
PK	5.3542G	65.25	74.00	-8.75	58.41	3	Vertical	34	1.45	-	34.51	7.20	34.87
AV	5.35G	52.22	54.00	-1.78	45.39	3	Vertical	34	1.45	-	34.50	7.20	34.87

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT V_4TX
Setting 105
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.83	74.00	-12.17	55.54	3	Horizontal	18	1.56	-	34.00	7.17	34.88
AV	5.1496G	48.79	54.00	-5.21	42.50	3	Horizontal	18	1.56	-	34.00	7.17	34.88
PK	5.257G	126.79	Inf	-Inf	120.05	3	Horizontal	18	1.56	-	34.41	7.20	34.87
AV	5.2624G	114.37	Inf	-Inf	107.62	3	Horizontal	18	1.56	-	34.42	7.20	34.87
PK	5.3524G	65.82	74.00	-8.18	58.99	3	Horizontal	18	1.56	-	34.50	7.20	34.87
AV	5.35G	51.83	54.00	-2.17	45.00	3	Horizontal	18	1.56	-	34.50	7.20	34.87

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 105
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.78436G	61.90	74.00	-12.10	45.45	3	Vertical	212	2.07	-	37.84	13.29	34.68	
AV	15.7839G	48.27	54.00	-5.73	31.82	3	Vertical	212	2.07	-	37.84	13.29	34.68	

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 105
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.78446G	61.98	74.00	-12.02	45.53	3	Horizontal	324	1.40	-	37.84	13.29	34.68	
AV	15.77912G	48.10	54.00	-5.90	31.67	3	Horizontal	324	1.40	-	37.82	13.29	34.68	

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 95
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3024G	127.60	Inf	-Inf	120.77	3	Vertical	34	2.66	-	34.50	7.20	34.87	
AV	5.3024G	113.98	Inf	-Inf	107.15	3	Vertical	34	2.66	-	34.50	7.20	34.87	
PK	5.3576G	66.66	74.00	-7.34	59.81	3	Vertical	34	2.66	-	34.52	7.20	34.87	
AV	5.3524G	53.77	54.00	-0.23	46.94	3	Vertical	34	2.66	-	34.50	7.20	34.87	

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 95
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.302G	124.29	Inf	-Inf	117.46	3	Horizontal	15	1.51	-	34.50	7.20	34.87	
AV	5.3024G	112.68	Inf	-Inf	105.85	3	Horizontal	15	1.51	-	34.50	7.20	34.87	
PK	5.3528G	67.56	74.00	-6.44	60.72	3	Horizontal	15	1.51	-	34.51	7.20	34.87	
AV	5.352G	52.35	54.00	-1.65	45.52	3	Horizontal	15	1.51	-	34.50	7.20	34.87	

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 95
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9011G	61.59	74.00	-12.41	45.40	3	Vertical	122	2.03	-	37.60	13.35	34.76
AV	15.89722G	47.86	54.00	-6.14	31.66	3	Vertical	122	2.03	-	37.61	13.35	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 95
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89774G	61.44	74.00	-12.56	45.24	3	Horizontal	115	1.65	-	37.61	13.35	34.76
AV	15.89544G	47.85	54.00	-6.15	31.65	3	Horizontal	115	1.65	-	37.61	13.35	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Y_4TX
Setting 79
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3274G	123.20	Inf	-Inf	116.37	3	Vertical	33	2.37	-	34.50	7.20	34.87
AV	5.3174G	110.16	Inf	-Inf	103.33	3	Vertical	33	2.37	-	34.50	7.20	34.87
PK	5.3526G	66.83	74.00	-7.17	59.99	3	Vertical	33	2.37	-	34.51	7.20	34.87
AV	5.3524G	53.77	54.00	-0.23	46.94	3	Vertical	33	2.37	-	34.50	7.20	34.87

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Y_4TX
Setting 79
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3264G	121.59	Inf	-Inf	114.76	3	Horizontal	350	2.12	-	34.50	7.20	34.87	
AV	5.3262G	109.25	Inf	-Inf	102.42	3	Horizontal	350	2.12	-	34.50	7.20	34.87	
PK	5.3562G	66.15	74.00	-7.85	59.31	3	Horizontal	350	2.12	-	34.51	7.20	34.87	
AV	5.3512G	52.90	54.00	-1.10	46.07	3	Horizontal	350	2.12	-	34.50	7.20	34.87	

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 79
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95632G	60.25	74.00	-13.75	44.18	3	Vertical	63	1.03	-	37.49	13.38	34.80
AV	15.9558G	47.52	54.00	-6.48	31.45	3	Vertical	63	1.03	-	37.49	13.38	34.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 79
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96076G	61.05	74.00	-12.95	44.99	3	Horizontal	275	1.72	-	37.48	13.38	34.80
AV	15.9576G	47.58	54.00	-6.42	31.52	3	Horizontal	275	1.72	-	37.48	13.38	34.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 85
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4572G	67.64	74.00	-6.36	60.73	3	Vertical	30	2.33	-	34.51	7.26	34.86	
AV	5.4574G	53.95	54.00	-0.05	47.04	3	Vertical	30	2.33	-	34.51	7.26	34.86	
PK	5.4676G	67.18	68.20	-1.02	60.23	3	Vertical	30	2.33	-	34.54	7.27	34.86	
PK	5.5022G	124.09	Inf	-Inf	117.05	3	Vertical	30	2.33	-	34.60	7.30	34.86	
AV	5.4974G	110.75	Inf	-Inf	103.72	3	Vertical	30	2.33	-	34.59	7.30	34.86	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 85
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4568G	65.82	74.00	-8.18	58.91	3	Horizontal	8	1.44	-	34.51	7.26	34.86	
AV	5.4568G	53.09	54.00	-0.91	46.18	3	Horizontal	8	1.44	-	34.51	7.26	34.86	
PK	5.4668G	67.35	68.20	-0.85	60.41	3	Horizontal	8	1.44	-	34.53	7.27	34.86	
PK	5.4968G	124.06	Inf	-Inf	117.03	3	Horizontal	8	1.44	-	34.59	7.30	34.86	
AV	5.5018G	111.04	Inf	-Inf	104.00	3	Horizontal	8	1.44	-	34.60	7.30	34.86	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 85
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.99794G	55.78	74.00	-18.22	41.49	3	Vertical	345	2.35	-	38.40	10.65	34.76	
AV	11.0039G	42.26	54.00	-11.74	27.98	3	Vertical	345	2.35	-	38.40	10.65	34.77	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 85
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00098G	55.56	74.00	-18.44	41.28	3	Horizontal	86	2.33	-	38.40	10.65	34.77
AV	10.99596G	42.07	54.00	-11.93	27.78	3	Horizontal	86	2.33	-	38.40	10.65	34.76

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 103
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4408G	61.85	74.00	-12.15	54.95	3	Vertical	26	1.80	-	34.52	7.24	34.86
AV	5.4492G	49.78	54.00	-4.22	42.89	3	Vertical	26	1.80	-	34.50	7.25	34.86
PK	5.4612G	62.52	68.20	-5.68	55.60	3	Vertical	26	1.80	-	34.52	7.26	34.86
PK	5.5824G	126.05	Inf	-Inf	118.95	3	Vertical	26	1.80	-	34.60	7.38	34.88
AV	5.5824G	114.38	Inf	-Inf	107.28	3	Vertical	26	1.80	-	34.60	7.38	34.88
PK	5.727G	61.86	68.20	-6.34	55.12	3	Vertical	26	1.80	-	34.25	7.40	34.91

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 103
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4366G	63.05	74.00	-10.95	56.14	3	Horizontal	10	1.43	-	34.53	7.24	34.86
AV	5.4492G	50.20	54.00	-3.80	43.31	3	Horizontal	10	1.43	-	34.50	7.25	34.86
PK	5.4666G	63.40	68.20	-4.80	56.46	3	Horizontal	10	1.43	-	34.53	7.27	34.86
PK	5.5716G	127.09	Inf	-Inf	120.00	3	Horizontal	10	1.43	-	34.60	7.37	34.88
AV	5.577G	115.21	Inf	-Inf	108.11	3	Horizontal	10	1.43	-	34.60	7.38	34.88
PK	5.7282G	62.14	68.20	-6.06	55.41	3	Horizontal	10	1.43	-	34.24	7.40	34.91

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 103
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16468G	55.14	74.00	-18.86	40.71	3	Vertical	210	2.56	-	38.56	10.67	34.80
AV	11.1619G	42.06	54.00	-11.94	27.63	3	Vertical	210	2.56	-	38.56	10.67	34.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 103
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15524G	56.55	74.00	-17.45	42.12	3	Horizontal	213	1.69	-	38.56	10.67	34.80
AV	11.15824G	41.98	54.00	-12.02	27.55	3	Horizontal	213	1.69	-	38.56	10.67	34.80

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Y_4TX
Setting 57
02-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7014G	117.27	Inf	-Inf	108.14	3	Vertical	332	2.37	-	33.90	6.10	30.87
AV	5.6966G	105.76	Inf	-Inf	96.64	3	Vertical	332	2.37	-	33.89	6.10	30.87
PK	5.727G	64.43	68.20	-3.77	55.37	3	Vertical	332	2.37	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 57
02-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7054G	117.64	Inf	-Inf	108.53	3	Horizontal	357	2.31	-	33.89	6.10	30.88
AV	5.6956G	105.31	Inf	-Inf	96.19	3	Horizontal	357	2.31	-	33.89	6.10	30.87
PK	5.7258G	62.99	68.20	-5.21	53.93	3	Horizontal	357	2.31	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 59
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3966G	55.88	74.00	-18.12	41.21	3	Vertical	318	1.52	-	38.80	10.71	34.84
AV	11.39594G	42.49	54.00	-11.51	27.82	3	Vertical	318	1.52	-	38.80	10.71	34.84

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 59
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40422G	55.57	74.00	-18.43	40.89	3	Horizontal	9	2.11	-	38.81	10.71	34.84
AV	11.40498G	42.62	54.00	-11.38	27.94	3	Horizontal	9	2.11	-	38.81	10.71	34.84

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 98
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.716G	126.64	Inf	-Inf	119.88	3	Vertical	356	1.78	-	34.27	7.40	34.91
AV	5.7208G	114.62	Inf	-Inf	107.87	3	Vertical	356	1.78	-	34.26	7.40	34.91
PK	5.9192G	60.73	68.20	-7.47	53.48	3	Vertical	356	1.78	-	34.68	7.52	34.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 98
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.716G	124.98	Inf	-Inf	118.22	3	Horizontal	360	1.89	-	34.27	7.40	34.91
AV	5.7208G	113.41	Inf	-Inf	106.66	3	Horizontal	360	1.89	-	34.26	7.40	34.91
PK	5.8528G	60.96	68.20	-7.24	54.13	3	Horizontal	360	1.89	-	34.32	7.45	34.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 98
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4449G	56.00	74.00	-18.00	41.24	3	Vertical	311	1.31	-	38.89	10.72	34.85
AV	11.44162G	42.60	54.00	-11.40	27.85	3	Vertical	311	1.31	-	38.88	10.72	34.85

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 98
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4351G	55.79	74.00	-18.21	41.05	3	Horizontal	202	1.75	-	38.87	10.72	34.85
AV	11.43794G	42.65	54.00	-11.35	27.90	3	Horizontal	202	1.75	-	38.88	10.72	34.85

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1446G	61.21	74.00	-12.79	54.93	3	Vertical	31	1.60	-	33.99	7.17	34.88
AV	5.1482G	49.87	54.00	-4.13	43.58	3	Vertical	31	1.60	-	34.00	7.17	34.88
PK	5.2826G	122.35	Inf	-Inf	115.55	3	Vertical	31	1.60	-	34.47	7.20	34.87
AV	5.2724G	110.45	Inf	-Inf	103.68	3	Vertical	31	1.60	-	34.44	7.20	34.87
PK	5.3576G	65.64	74.00	-8.36	58.79	3	Vertical	31	1.60	-	34.52	7.20	34.87
AV	5.3528G	53.78	54.00	-0.22	46.94	3	Vertical	31	1.60	-	34.51	7.20	34.87

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	60.71	74.00	-13.29	54.42	3	Horizontal	352	2.25	-	34.00	7.17	34.88
AV	5.15G	49.52	54.00	-4.48	43.23	3	Horizontal	352	2.25	-	34.00	7.17	34.88
PK	5.261G	120.78	Inf	-Inf	114.03	3	Horizontal	352	2.25	-	34.42	7.20	34.87
AV	5.2616G	109.29	Inf	-Inf	102.54	3	Horizontal	352	2.25	-	34.42	7.20	34.87
PK	5.3504G	64.85	74.00	-9.15	58.02	3	Horizontal	352	2.25	-	34.50	7.20	34.87
AV	5.3516G	52.74	54.00	-1.26	45.91	3	Horizontal	352	2.25	-	34.50	7.20	34.87

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81454G	61.09	74.00	-12.91	44.62	3	Vertical	214	1.39	-	37.86	13.31	34.70
AV	15.80676G	49.22	54.00	-4.78	32.74	3	Vertical	214	1.39	-	37.88	13.30	34.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8126G	61.29	74.00	-12.71	44.82	3	Horizontal	102	1.45	-	37.86	13.31	34.70
AV	15.81388G	48.83	54.00	-5.17	32.36	3	Horizontal	102	1.45	-	37.86	13.31	34.70

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Y_4TX
Setting 64
02-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	114.17	Inf	-Inf	105.23	3	Vertical	348	1.80	-	33.81	5.85	30.72
AV	5.304G	102.16	Inf	-Inf	93.22	3	Vertical	348	1.80	-	33.81	5.85	30.72
PK	5.3544G	67.20	74.00	-6.80	58.13	3	Vertical	348	1.80	-	33.91	5.88	30.72
AV	5.3508G	52.51	54.00	-1.49	43.45	3	Vertical	348	1.80	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Y_4TX
Setting 64
02-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3156G	115.28	Inf	-Inf	106.31	3	Horizontal	-0	2.56	-	33.83	5.86	30.72
AV	5.3052G	102.53	Inf	-Inf	93.59	3	Horizontal	-0	2.56	-	33.81	5.85	30.72
PK	5.3556G	66.86	74.00	-7.14	57.79	3	Horizontal	-0	2.56	-	33.91	5.88	30.72
AV	5.3504G	53.19	54.00	-0.81	44.13	3	Horizontal	-0	2.56	-	33.90	5.88	30.72

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 65
03-D-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.9282G	60.88	74.00	-13.12	44.76	3	Vertical	349	2.26	-	37.54	13.36	34.78
AV	15.93128G	48.47	54.00	-5.53	32.34	3	Vertical	349	2.26	-	37.54	13.37	34.78

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Y_4TX
Setting 65
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92506G	60.20	74.00	-13.80	44.07	3	Horizontal	19	2.45	-	37.55	13.36	34.78
AV	15.93194G	48.93	54.00	-5.07	32.80	3	Horizontal	19	2.45	-	37.54	13.37	34.78

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_V_4TX
Setting 71
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	64.18	74.00	-9.82	57.26	3	Vertical	42	1.61	-	34.52	7.26	34.86
AV	5.4596G	53.23	54.00	-0.77	46.31	3	Vertical	42	1.61	-	34.52	7.26	34.86
PK	5.4692G	67.66	68.20	-0.54	60.71	3	Vertical	42	1.61	-	34.54	7.27	34.86
PK	5.5144G	114.96	Inf	-Inf	107.91	3	Vertical	42	1.61	-	34.60	7.31	34.86
AV	5.5044G	104.29	Inf	-Inf	97.25	3	Vertical	42	1.61	-	34.60	7.30	34.86

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_V_4TX
Setting 71
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4568G	63.35	74.00	-10.65	56.44	3	Horizontal	8	1.51	-	34.51	7.26	34.86	
AV	5.4568G	51.88	54.00	-2.12	44.97	3	Horizontal	8	1.51	-	34.51	7.26	34.86	
PK	5.4664G	66.50	68.20	-1.70	59.56	3	Horizontal	8	1.51	-	34.53	7.27	34.86	
PK	5.502G	116.58	Inf	-Inf	109.54	3	Horizontal	8	1.51	-	34.60	7.30	34.86	
AV	5.502G	105.14	Inf	-Inf	98.10	3	Horizontal	8	1.51	-	34.60	7.30	34.86	

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 71
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02094G	55.68	74.00	-18.32	41.38	3	Vertical	185	2.45	-	38.42	10.65	34.77
AV	11.01628G	43.08	54.00	-10.92	28.78	3	Vertical	185	2.45	-	38.42	10.65	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 71
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0229G	55.56	74.00	-18.44	41.26	3	Horizontal	39	2.01	-	38.42	10.65	34.77
AV	11.02466G	43.17	54.00	-10.83	28.87	3	Horizontal	39	2.01	-	38.42	10.65	34.77

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_V_4TX
Setting 92
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4516G	63.34	74.00	-10.66	56.45	3	Vertical	26	2.14	-	34.50	7.25	34.86
PK	5.4644G	65.00	68.20	-3.20	58.07	3	Vertical	26	2.14	-	34.53	7.26	34.86
AV	5.4596G	52.79	54.00	-1.21	45.87	3	Vertical	26	2.14	-	34.52	7.26	34.86
PK	5.5372G	121.68	Inf	-Inf	114.61	3	Vertical	26	2.14	-	34.60	7.34	34.87
AV	5.5628G	110.28	Inf	-Inf	103.19	3	Vertical	26	2.14	-	34.60	7.36	34.87
PK	5.7428G	62.83	68.20	-5.37	56.13	3	Vertical	26	2.14	-	34.21	7.40	34.91

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT V_4TX
Setting 92
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4468G	63.48	74.00	-10.52	56.58	3	Horizontal	5	1.33	-	34.51	7.25	34.86
AV	5.4572G	52.32	54.00	-1.68	45.41	3	Horizontal	5	1.33	-	34.51	7.26	34.86
PK	5.4676G	67.21	68.20	-0.99	60.26	3	Horizontal	5	1.33	-	34.54	7.27	34.86
PK	5.5564G	122.66	Inf	-Inf	115.57	3	Horizontal	5	1.33	-	34.60	7.36	34.87
AV	5.5572G	110.89	Inf	-Inf	103.80	3	Horizontal	5	1.33	-	34.60	7.36	34.87
PK	5.742G	63.81	68.20	-4.39	57.10	3	Horizontal	5	1.33	-	34.22	7.40	34.91

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 92
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.09532G	55.64	74.00	-18.36	41.27	3	Vertical	140	2.00	-	38.50	10.66	34.79	
AV	11.09736G	43.13	54.00	-10.87	28.76	3	Vertical	140	2.00	-	38.50	10.66	34.79	

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 92
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.10298G	56.28	74.00	-17.72	41.90	3	Horizontal	104	1.89	-	38.50	10.67	34.79	
AV	11.09514G	43.21	54.00	-10.79	28.84	3	Horizontal	104	1.89	-	38.50	10.66	34.79	

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 77
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6772G	117.52	Inf	-Inf	110.63	3	Vertical	340	1.80	-	34.39	7.40	34.90
AV	5.6776G	105.28	Inf	-Inf	98.39	3	Vertical	340	1.80	-	34.39	7.40	34.90
PK	5.7276G	67.40	68.20	-0.80	60.67	3	Vertical	340	1.80	-	34.24	7.40	34.91

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 77
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6608G	116.60	Inf	-Inf	109.64	3	Horizontal	0	2.10	-	34.46	7.40	34.90
AV	5.676G	105.17	Inf	-Inf	98.27	3	Horizontal	0	2.10	-	34.40	7.40	34.90
PK	5.726G	66.91	68.20	-1.29	60.17	3	Horizontal	0	2.10	-	34.25	7.40	34.91

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 77
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.34082G	55.56	74.00	-18.44	40.95	3	Vertical	322	2.64	-	38.74	10.70	34.83	
AV	11.3361G	43.24	54.00	-10.76	28.63	3	Vertical	322	2.64	-	38.74	10.70	34.83	

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 77
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.34342G	55.22	74.00	-18.78	40.61	3	Horizontal	168	1.10	-	38.74	10.70	34.83	
AV	11.3441G	43.52	54.00	-10.48	28.91	3	Horizontal	168	1.10	-	38.74	10.70	34.83	

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 99
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7164G	123.86	Inf	-Inf	117.10	3	Vertical	356	1.79	-	34.27	7.40	34.91
AV	5.7164G	112.23	Inf	-Inf	105.47	3	Vertical	356	1.79	-	34.27	7.40	34.91
PK	5.8508G	64.60	68.20	-3.60	57.79	3	Vertical	356	1.79	-	34.30	7.45	34.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 99
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7116G	122.13	Inf	-Inf	115.36	3	Horizontal	360	1.90	-	34.28	7.40	34.91
AV	5.7212G	111.06	Inf	-Inf	104.31	3	Horizontal	360	1.90	-	34.26	7.40	34.91
PK	5.85G	67.96	68.20	-0.24	61.15	3	Horizontal	360	1.90	-	34.30	7.45	34.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 99
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41816G	56.00	74.00	-18.00	41.30	3	Vertical	131	1.66	-	38.84	10.71	34.85
AV	11.4243G	43.43	54.00	-10.57	28.72	3	Vertical	131	1.66	-	38.85	10.71	34.85

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 99
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41556G	55.63	74.00	-18.37	40.93	3	Horizontal	289	2.95	-	38.83	10.71	34.84
AV	11.41622G	43.31	54.00	-10.69	28.61	3	Horizontal	289	2.95	-	38.83	10.71	34.84

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_V_4TX
Setting 70
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1388G	59.33	74.00	-14.67	53.06	3	Vertical	32	1.57	-	33.98	7.17	34.88
AV	5.15G	47.30	54.00	-6.70	41.01	3	Vertical	32	1.57	-	34.00	7.17	34.88
PK	5.3172G	113.69	Inf	-Inf	106.86	3	Vertical	32	1.57	-	34.50	7.20	34.87
AV	5.3076G	98.85	Inf	-Inf	92.02	3	Vertical	32	1.57	-	34.50	7.20	34.87
PK	5.3524G	67.24	74.00	-6.76	60.41	3	Vertical	32	1.57	-	34.50	7.20	34.87
AV	5.3524G	53.99	54.00	-0.01	47.16	3	Vertical	32	1.57	-	34.50	7.20	34.87
PK	5.4628G	60.18	68.20	-8.02	53.25	3	Vertical	32	1.57	-	34.53	7.26	34.86

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT V_4TX
Setting 70
03-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1068G	59.39	74.00	-14.61	53.21	3	Horizontal	17	1.52	-	33.91	7.15	34.88
AV	5.1468G	47.30	54.00	-6.70	41.02	3	Horizontal	17	1.52	-	33.99	7.17	34.88
PK	5.3068G	113.09	Inf	-Inf	106.26	3	Horizontal	17	1.52	-	34.50	7.20	34.87
AV	5.3068G	98.23	Inf	-Inf	91.40	3	Horizontal	17	1.52	-	34.50	7.20	34.87
PK	5.3572G	65.80	74.00	-8.20	58.96	3	Horizontal	17	1.52	-	34.51	7.20	34.87
AV	5.3524G	53.37	54.00	-0.63	46.54	3	Horizontal	17	1.52	-	34.50	7.20	34.87
PK	5.4692G	60.72	68.20	-7.48	53.77	3	Horizontal	17	1.52	-	34.54	7.27	34.86

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 70
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.87486G	61.11	74.00	-12.89	44.83	3	Vertical	3	2.84	-	37.68	13.34	34.74	
AV	15.8699G	47.47	54.00	-6.53	31.19	3	Vertical	3	2.84	-	37.69	13.33	34.74	

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 70
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86738G	61.56	74.00	-12.44	45.27	3	Horizontal	307	1.92	-	37.70	13.33	34.74
AV	15.8721G	47.58	54.00	-6.42	31.30	3	Horizontal	307	1.92	-	37.68	13.34	34.74

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_V_4TX
Setting 76
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.331G	61.06	68.20	-7.14	54.23	3	Vertical	42	1.60	-	34.50	7.20	34.87
PK	5.449G	64.74	74.00	-9.26	57.85	3	Vertical	42	1.60	-	34.50	7.25	34.86
AV	5.459G	53.86	54.00	-0.14	46.94	3	Vertical	42	1.60	-	34.52	7.26	34.86
PK	5.47G	67.02	68.20	-1.18	60.07	3	Vertical	42	1.60	-	34.54	7.27	34.86
PK	5.515G	113.58	Inf	-Inf	106.52	3	Vertical	42	1.60	-	34.60	7.32	34.86
AV	5.544G	98.87	Inf	-Inf	91.80	3	Vertical	42	1.60	-	34.60	7.34	34.87
PK	5.78G	61.09	68.20	-7.11	54.41	3	Vertical	42	1.60	-	34.20	7.40	34.92

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT V_4TX
Setting 76
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.324G	60.46	68.20	-7.74	53.63	3	Horizontal	5	1.26	-	34.50	7.20	34.87
PK	5.457G	65.15	74.00	-8.85	58.24	3	Horizontal	5	1.26	-	34.51	7.26	34.86
AV	5.456G	52.00	54.00	-2.00	45.09	3	Horizontal	5	1.26	-	34.51	7.26	34.86
PK	5.462G	64.98	68.20	-3.22	58.06	3	Horizontal	5	1.26	-	34.52	7.26	34.86
PK	5.517G	113.89	Inf	-Inf	106.83	3	Horizontal	5	1.26	-	34.60	7.32	34.86
AV	5.542G	99.82	Inf	-Inf	92.75	3	Horizontal	5	1.26	-	34.60	7.34	34.87
PK	5.747G	59.90	68.20	-8.30	53.20	3	Horizontal	5	1.26	-	34.21	7.40	34.91

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 76
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05732G	54.98	74.00	-19.02	40.64	3	Vertical	301	1.92	-	38.46	10.66	34.78
AV	11.0558G	41.58	54.00	-12.42	27.24	3	Vertical	301	1.92	-	38.46	10.66	34.78

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 76
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06476G	55.11	74.00	-18.89	40.77	3	Horizontal	114	1.09	-	38.46	10.66	34.78
AV	11.06114G	41.52	54.00	-12.48	27.18	3	Horizontal	114	1.09	-	38.46	10.66	34.78

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	62.66	74.00	-11.34	55.77	3	Vertical	13	1.92	-	34.50	7.25	34.86
AV	5.448G	50.21	54.00	-3.79	43.32	3	Vertical	13	1.92	-	34.50	7.25	34.86
PK	5.469G	63.44	68.20	-4.76	56.49	3	Vertical	13	1.92	-	34.54	7.27	34.86
PK	5.6G	115.89	Inf	-Inf	108.77	3	Vertical	13	1.92	-	34.60	7.40	34.88
AV	5.64G	101.73	Inf	-Inf	94.70	3	Vertical	13	1.92	-	34.52	7.40	34.89
PK	5.725G	67.89	68.20	-0.31	61.15	3	Vertical	13	1.92	-	34.25	7.40	34.91

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_V_4TX
Setting 90
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.442G	63.11	74.00	-10.89	56.21	3	Horizontal	7	1.39	-	34.52	7.24	34.86
PK	5.461G	63.37	68.20	-4.83	56.45	3	Horizontal	7	1.39	-	34.52	7.26	34.86
AV	5.457G	50.71	54.00	-3.29	43.80	3	Horizontal	7	1.39	-	34.51	7.26	34.86
PK	5.602G	117.05	Inf	-Inf	109.93	3	Horizontal	7	1.39	-	34.60	7.40	34.88
AV	5.597G	102.99	Inf	-Inf	95.87	3	Horizontal	7	1.39	-	34.60	7.40	34.88
PK	5.727G	66.13	68.20	-2.07	59.39	3	Horizontal	7	1.39	-	34.25	7.40	34.91

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.22228G	54.92	74.00	-19.08	40.43	3	Vertical	347	1.77	-	38.62	10.68	34.81	
AV	11.22228G	41.26	54.00	-12.74	26.77	3	Vertical	347	1.77	-	38.62	10.68	34.81	

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2232G	55.05	74.00	-18.95	40.56	3	Horizontal	46	1.16	-	38.62	10.68	34.81
AV	11.2232G	41.24	54.00	-12.76	26.75	3	Horizontal	46	1.16	-	38.62	10.68	34.81

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 91
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.81	74.00	-11.19	55.89	3	Vertical	355	1.81	-	34.52	7.26	34.86
AV	5.46G	50.71	54.00	-3.29	43.79	3	Vertical	355	1.81	-	34.52	7.26	34.86
PK	5.465G	63.32	68.20	-4.88	56.39	3	Vertical	355	1.81	-	34.53	7.26	34.86
PK	5.701G	117.48	Inf	-Inf	110.68	3	Vertical	355	1.81	-	34.30	7.40	34.90
AV	5.701G	102.92	Inf	-Inf	96.12	3	Vertical	355	1.81	-	34.30	7.40	34.90
PK	5.851G	67.96	68.20	-0.24	61.14	3	Vertical	355	1.81	-	34.31	7.45	34.94

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 91
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	61.97	74.00	-12.03	55.06	3	Horizontal	360	1.98	-	34.51	7.26	34.86
AV	5.46G	50.11	54.00	-3.89	43.19	3	Horizontal	360	1.98	-	34.52	7.26	34.86
PK	5.468G	63.49	68.20	-4.71	56.54	3	Horizontal	360	1.98	-	34.54	7.27	34.86
PK	5.666G	116.42	Inf	-Inf	109.48	3	Horizontal	360	1.98	-	34.44	7.40	34.90
AV	5.701G	102.35	Inf	-Inf	95.55	3	Horizontal	360	1.98	-	34.30	7.40	34.90
PK	5.85G	67.92	68.20	-0.28	61.11	3	Horizontal	360	1.98	-	34.30	7.45	34.94

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3834G	55.90	74.00	-18.10	41.25	3	Vertical	329	2.28	-	38.78	10.71	34.84
AV	11.38054G	42.12	54.00	-11.88	27.47	3	Vertical	329	2.28	-	38.78	10.71	34.84

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37898G	55.63	74.00	-18.37	40.98	3	Horizontal	152	1.42	-	38.78	10.71	34.84
AV	11.3757G	42.14	54.00	-11.86	27.49	3	Horizontal	152	1.42	-	38.78	10.71	34.84

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Y_4TX
Setting 61
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	60.00	74.00	-14.00	53.72	3	Vertical	32	1.58	-	33.99	7.17	34.88
AV	5.146G	51.14	54.00	-2.86	44.86	3	Vertical	32	1.58	-	33.99	7.17	34.88
PK	5.2836G	108.27	Inf	-Inf	101.47	3	Vertical	32	1.58	-	34.47	7.20	34.87
AV	5.2772G	97.25	Inf	-Inf	90.47	3	Vertical	32	1.58	-	34.45	7.20	34.87
PK	5.3684G	63.73	74.00	-10.27	56.86	3	Vertical	32	1.58	-	34.54	7.20	34.87
AV	5.3876G	53.94	54.00	-0.06	47.03	3	Vertical	32	1.58	-	34.58	7.20	34.87
PK	5.5092G	60.42	68.20	-7.78	53.37	3	Vertical	32	1.58	-	34.60	7.31	34.86

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_4TX
Setting 61
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	60.88	74.00	-13.12	54.59	3	Horizontal	0	1.78	-	34.00	7.17	34.88
AV	5.146G	51.62	54.00	-2.38	45.34	3	Horizontal	0	1.78	-	33.99	7.17	34.88
PK	5.266G	105.74	Inf	-Inf	98.98	3	Horizontal	0	1.78	-	34.43	7.20	34.87
AV	5.2228G	95.78	Inf	-Inf	89.17	3	Horizontal	0	1.78	-	34.29	7.20	34.88
PK	5.3668G	61.28	74.00	-12.72	54.42	3	Horizontal	0	1.78	-	34.53	7.20	34.87
AV	5.3844G	51.91	54.00	-2.09	45.01	3	Horizontal	0	1.78	-	34.57	7.20	34.87
PK	5.5572G	60.12	68.20	-8.08	53.03	3	Horizontal	0	1.78	-	34.60	7.36	34.87

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 61
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75464G	59.86	74.00	-14.14	43.52	3	Vertical	33	2.17	-	37.72	13.28	34.66
AV	15.75354G	49.80	54.00	-4.20	33.47	3	Vertical	33	2.17	-	37.71	13.28	34.66

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 61
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75458G	60.33	74.00	-13.67	43.99	3	Horizontal	245	2.03	-	37.72	13.28	34.66
AV	15.7546G	49.26	54.00	-4.74	32.92	3	Horizontal	245	2.03	-	37.72	13.28	34.66

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 61
02-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.33G	61.04	68.20	-7.16	52.03	3	Vertical	38	1.52	-	33.86	5.87	30.72
PK	5.4548G	63.47	74.00	-10.53	54.24	3	Vertical	38	1.52	-	34.00	5.95	30.72
AV	5.4596G	52.08	54.00	-1.92	42.84	3	Vertical	38	1.52	-	34.00	5.96	30.72
PK	5.4644G	63.83	68.20	-4.37	54.59	3	Vertical	38	1.52	-	34.00	5.96	30.72
PK	5.5748G	108.05	Inf	-Inf	98.81	3	Vertical	38	1.52	-	33.95	6.07	30.78
AV	5.5492G	96.55	Inf	-Inf	87.26	3	Vertical	38	1.52	-	34.00	6.05	30.76
PK	5.7284G	63.82	68.20	-4.38	54.77	3	Vertical	38	1.52	-	33.84	6.10	30.89

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 61
02-F-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2676G	61.17	68.20	-7.03	52.32	3	Horizontal	350	1.94	-	33.74	5.83	30.72
PK	5.4548G	62.58	74.00	-11.42	53.35	3	Horizontal	350	1.94	-	34.00	5.95	30.72
AV	5.4596G	51.43	54.00	-2.57	42.19	3	Horizontal	350	1.94	-	34.00	5.96	30.72
PK	5.466G	62.57	68.20	-5.63	53.32	3	Horizontal	350	1.94	-	34.00	5.97	30.72
PK	5.5108G	107.31	Inf	-Inf	98.03	3	Horizontal	350	1.94	-	34.00	6.01	30.73
AV	5.5444G	95.70	Inf	-Inf	86.41	3	Horizontal	350	1.94	-	34.00	6.04	30.75
PK	5.7252G	61.49	68.20	-6.71	52.43	3	Horizontal	350	1.94	-	33.85	6.10	30.89

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 61
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13588G	54.72	74.00	-19.28	40.30	3	Vertical	217	1.35	-	38.54	10.67	34.79
AV	11.13552G	43.65	54.00	-10.35	29.23	3	Vertical	217	1.35	-	38.54	10.67	34.79

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT Y_4TX
Setting 61
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1364G	54.28	74.00	-19.72	39.86	3	Horizontal	232	1.70	-	38.54	10.67	34.79
AV	11.13816G	43.91	54.00	-10.09	29.49	3	Horizontal	232	1.70	-	38.54	10.67	34.79




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.98	54.00	-0.02	3	Vertical	354.9	1.53	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Y_4TX
Setting 89
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1422G	67.58	74.00	-6.42	59.49	3	Vertical	352	2.24	-	33.58	5.24	30.73	
AV	5.1498G	52.93	54.00	-1.07	44.81	3	Vertical	352	2.24	-	33.60	5.25	30.73	
PK	5.1792G	125.28	Inf	-Inf	117.07	3	Vertical	352	2.24	-	33.66	5.28	30.73	
AV	5.1818G	112.85	Inf	-Inf	104.64	3	Vertical	352	2.24	-	33.66	5.28	30.73	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Y_4TX
Setting 89
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	66.87	74.00	-7.13	58.78	3	Horizontal	322	1.63	-	33.58	5.24	30.73
AV	5.1482G	52.06	54.00	-1.94	43.94	3	Horizontal	322	1.63	-	33.60	5.25	30.73
PK	5.1864G	123.35	Inf	-Inf	115.12	3	Horizontal	322	1.63	-	33.67	5.29	30.73
AV	5.1876G	110.89	Inf	-Inf	102.65	3	Horizontal	322	1.63	-	33.68	5.29	30.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 89
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35484G	53.88	68.20	-14.32	39.62	3	Vertical	55	2.80	-	38.65	7.44	31.83
PK	15.54604G	58.46	74.00	-15.54	42.19	3	Vertical	242	1.63	-	37.82	9.80	31.35
AV	15.53852G	45.93	54.00	-8.07	29.62	3	Vertical	242	1.63	-	37.87	9.79	31.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 89
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35324G	54.18	68.20	-14.02	39.92	3	Horizontal	250	2.79	-	38.65	7.44	31.83
PK	15.53636G	58.27	74.00	-15.73	41.95	3	Horizontal	31	2.54	-	37.88	9.79	31.35
AV	15.53244G	45.96	54.00	-8.04	29.61	3	Horizontal	31	2.54	-	37.91	9.79	31.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 95
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1492G	71.28	74.00	-2.72	63.16	3	Vertical	351	2.58	-	33.60	5.25	30.73	
AV	5.15G	53.82	54.00	-0.18	45.70	3	Vertical	351	2.58	-	33.60	5.25	30.73	
PK	5.1952G	126.40	Inf	-Inf	118.14	3	Vertical	351	2.58	-	33.69	5.30	30.73	
AV	5.1948G	113.94	Inf	-Inf	105.69	3	Vertical	351	2.58	-	33.69	5.29	30.73	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 95
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	64.05	74.00	-9.95	55.93	3	Horizontal	356	1.80	-	33.60	5.25	30.73
AV	5.15G	51.06	54.00	-2.94	42.94	3	Horizontal	356	1.80	-	33.60	5.25	30.73
PK	5.1944G	122.50	Inf	-Inf	114.25	3	Horizontal	356	1.80	-	33.69	5.29	30.73
AV	5.1976G	109.23	Inf	-Inf	100.96	3	Horizontal	356	1.80	-	33.70	5.30	30.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 95
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40404G	53.85	68.20	-14.35	39.62	3	Vertical	323	2.40	-	38.60	7.46	31.83
PK	15.5908G	58.35	74.00	-15.65	42.35	3	Vertical	76	2.68	-	37.56	9.82	31.38
AV	15.59604G	45.32	54.00	-8.68	29.36	3	Vertical	76	2.68	-	37.52	9.82	31.38

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 95
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39208G	54.64	68.20	-13.56	40.40	3	Horizontal	30	1.70	-	38.61	7.46	31.83
PK	15.5912G	59.24	74.00	-14.76	43.25	3	Horizontal	354	2.46	-	37.55	9.82	31.38
AV	15.60164G	45.34	54.00	-8.66	29.40	3	Horizontal	354	2.46	-	37.50	9.82	31.38

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT V_4TX
Setting 104
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	63.92	74.00	-10.08	55.80	3	Vertical	30	2.01	-	33.60	5.25	30.73
AV	5.15G	50.73	54.00	-3.27	42.61	3	Vertical	30	2.01	-	33.60	5.25	30.73
PK	5.249G	127.65	Inf	-Inf	119.36	3	Vertical	30	2.01	-	33.70	5.32	30.73
AV	5.2484G	116.48	Inf	-Inf	108.19	3	Vertical	30	2.01	-	33.70	5.32	30.73
PK	5.3564G	62.79	74.00	-11.21	54.22	3	Vertical	30	2.01	-	33.91	5.38	30.72
AV	5.3528G	50.32	54.00	-3.68	41.75	3	Vertical	30	2.01	-	33.91	5.38	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT V_4TX
Setting 104
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1326G	61.92	74.00	-12.08	53.85	3	Horizontal	360	1.91	-	33.57	5.23	30.73
AV	5.15G	49.37	54.00	-4.63	41.25	3	Horizontal	360	1.91	-	33.60	5.25	30.73
PK	5.2478G	123.17	Inf	-Inf	114.88	3	Horizontal	360	1.91	-	33.70	5.32	30.73
AV	5.2484G	112.10	Inf	-Inf	103.81	3	Horizontal	360	1.91	-	33.70	5.32	30.73
PK	5.3618G	65.58	74.00	-8.42	57.00	3	Horizontal	360	1.91	-	33.92	5.38	30.72
AV	5.351G	49.75	54.00	-4.25	41.19	3	Horizontal	360	1.91	-	33.90	5.38	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 104
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48156G	54.12	68.20	-14.08	39.88	3	Vertical	177	2.62	-	38.60	7.49	31.85
PK	15.71076G	57.77	74.00	-16.23	41.84	3	Vertical	50	1.28	-	37.50	9.87	31.44
AV	15.71944G	44.70	54.00	-9.30	28.77	3	Vertical	50	1.28	-	37.50	9.87	31.44

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 104
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.48576G	54.48	68.20	-13.72	40.24	3	Horizontal	81	1.19	-	38.60	7.49	31.85	
PK	15.7188G	58.11	74.00	-15.89	42.18	3	Horizontal	40	1.20	-	37.50	9.87	31.44	
AV	15.72256G	44.71	54.00	-9.29	28.78	3	Horizontal	40	1.20	-	37.50	9.88	31.45	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_V_4TX
Setting 105
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1408G	60.48	74.00	-13.52	54.21	3	Vertical	35	2.39	-	33.98	7.17	34.88
AV	5.1488G	47.83	54.00	-6.17	41.54	3	Vertical	35	2.39	-	34.00	7.17	34.88
PK	5.2544G	126.02	Inf	-Inf	119.28	3	Vertical	35	2.39	-	34.41	7.20	34.87
AV	5.2528G	113.93	Inf	-Inf	107.19	3	Vertical	35	2.39	-	34.41	7.20	34.87
PK	5.3688G	73.91	74.00	-0.09	67.04	3	Vertical	35	2.39	-	34.54	7.20	34.87
AV	5.4584G	51.35	54.00	-2.65	44.43	3	Vertical	35	2.39	-	34.52	7.26	34.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT V_4TX
Setting 105
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1384G	63.08	74.00	-10.92	56.81	3	Horizontal	6	1.70	-	33.98	7.17	34.88
AV	5.148G	48.15	54.00	-5.85	41.86	3	Horizontal	6	1.70	-	34.00	7.17	34.88
PK	5.2512G	125.16	Inf	-Inf	118.43	3	Horizontal	6	1.70	-	34.40	7.20	34.87
AV	5.2536G	113.75	Inf	-Inf	107.01	3	Horizontal	6	1.70	-	34.41	7.20	34.87
PK	5.452G	63.51	74.00	-10.49	56.62	3	Horizontal	6	1.70	-	34.50	7.25	34.86
AV	5.35G	50.78	54.00	-3.22	43.95	3	Horizontal	6	1.70	-	34.50	7.20	34.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 105
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52476G	57.35	68.20	-10.85	41.71	3	Vertical	360	2.20	-	38.20	10.58	33.14
PK	15.78096G	59.57	74.00	-14.43	43.14	3	Vertical	246	2.22	-	37.82	13.29	34.68
AV	15.7848G	46.80	54.00	-7.20	30.35	3	Vertical	246	2.22	-	37.84	13.29	34.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 105
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52596G	55.89	68.20	-12.31	40.25	3	Horizontal	358	2.19	-	38.20	10.58	33.14
PK	15.78332G	60.30	74.00	-13.70	43.86	3	Horizontal	334	2.04	-	37.83	13.29	34.68
AV	15.7898G	46.58	54.00	-7.42	30.12	3	Horizontal	334	2.04	-	37.86	13.29	34.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 97
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2964G	123.21	Inf	-Inf	116.39	3	Vertical	350	2.48	-	34.49	7.20	34.87
AV	5.2976G	111.21	Inf	-Inf	104.38	3	Vertical	350	2.48	-	34.50	7.20	34.87
PK	5.3568G	67.99	74.00	-6.01	61.15	3	Vertical	350	2.48	-	34.51	7.20	34.87
AV	5.35G	53.83	54.00	-0.17	47.00	3	Vertical	350	2.48	-	34.50	7.20	34.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 97
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3048G	123.76	Inf	-Inf	116.93	3	Horizontal	12	1.65	-	34.50	7.20	34.87	
AV	5.3048G	112.22	Inf	-Inf	105.39	3	Horizontal	12	1.65	-	34.50	7.20	34.87	
PK	5.3504G	67.55	74.00	-6.45	60.72	3	Horizontal	12	1.65	-	34.50	7.20	34.87	
AV	5.35G	52.07	54.00	-1.93	45.24	3	Horizontal	12	1.65	-	34.50	7.20	34.87	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 97
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89596G	59.50	74.00	-14.50	43.30	3	Vertical	302	2.10	-	37.61	13.35	34.76
AV	15.89556G	46.55	54.00	-7.45	30.35	3	Vertical	302	2.10	-	37.61	13.35	34.76

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 97
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89834G	59.17	74.00	-14.83	42.98	3	Horizontal	55	2.77	-	37.60	13.35	34.76
AV	15.89586G	46.51	54.00	-7.49	30.31	3	Horizontal	55	2.77	-	37.61	13.35	34.76

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3244G	124.26	Inf	-Inf	117.43	3	Vertical	38	2.74	-	34.50	7.20	34.87
AV	5.326G	111.81	Inf	-Inf	104.98	3	Vertical	38	2.74	-	34.50	7.20	34.87
PK	5.35G	66.72	74.00	-7.28	59.89	3	Vertical	38	2.74	-	34.50	7.20	34.87
AV	5.35G	53.83	54.00	-0.17	47.00	3	Vertical	38	2.74	-	34.50	7.20	34.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Y_4TX
Setting 90
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3272G	121.39	Inf	-Inf	114.56	3	Horizontal	14	1.74	-	34.50	7.20	34.87	
AV	5.3288G	110.66	Inf	-Inf	103.83	3	Horizontal	14	1.74	-	34.50	7.20	34.87	
PK	5.3576G	66.85	74.00	-7.15	60.00	3	Horizontal	14	1.74	-	34.52	7.20	34.87	
AV	5.35G	53.78	54.00	-0.22	46.95	3	Horizontal	14	1.74	-	34.50	7.20	34.87	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96158G	59.07	74.00	-14.93	43.01	3	Vertical	102	2.97	-	37.48	13.38	34.80
AV	15.96084G	46.01	54.00	-7.99	29.95	3	Vertical	102	2.97	-	37.48	13.38	34.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95644G	59.53	74.00	-14.47	43.46	3	Horizontal	207	1.69	-	37.49	13.38	34.80
AV	15.95964G	46.01	54.00	-7.99	29.95	3	Horizontal	207	1.69	-	37.48	13.38	34.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	64.72	74.00	-9.28	57.80	3	Vertical	45.2	1.80	-	34.52	7.26	34.86
AV	5.46G	53.76	54.00	-0.24	46.84	3	Vertical	45.2	1.80	-	34.52	7.26	34.86
PK	5.4672G	66.75	68.20	-1.45	59.81	3	Vertical	45.2	1.80	-	34.53	7.27	34.86
PK	5.5028G	122.10	Inf	-Inf	115.06	3	Vertical	45.2	1.80	-	34.60	7.30	34.86
AV	5.4936G	109.96	Inf	-Inf	102.94	3	Vertical	45.2	1.80	-	34.59	7.29	34.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	66.92	74.00	-7.08	60.00	3	Horizontal	12	1.58	-	34.52	7.26	34.86
AV	5.4596G	53.10	54.00	-0.90	46.18	3	Horizontal	12	1.58	-	34.52	7.26	34.86
PK	5.4676G	67.65	68.20	-0.55	60.70	3	Horizontal	12	1.58	-	34.54	7.27	34.86
PK	5.4928G	123.28	Inf	-Inf	116.26	3	Horizontal	12	1.58	-	34.59	7.29	34.86
AV	5.492G	112.08	Inf	-Inf	105.07	3	Horizontal	12	1.58	-	34.58	7.29	34.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0048G	54.39	74.00	-19.61	40.11	3	Vertical	280	1.58	-	38.40	10.65	34.77
AV	11.00024G	41.47	54.00	-12.53	27.19	3	Vertical	280	1.58	-	38.40	10.65	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99592G	54.76	74.00	-19.24	40.47	3	Horizontal	16	2.44	-	38.40	10.65	34.76
AV	11.00082G	41.47	54.00	-12.53	27.19	3	Horizontal	16	2.44	-	38.40	10.65	34.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 101
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4152G	61.35	74.00	-12.65	54.43	3	Vertical	25	2.09	-	34.57	7.22	34.87
AV	5.388G	49.26	54.00	-4.74	42.35	3	Vertical	25	2.09	-	34.58	7.20	34.87
PK	5.464G	60.74	68.20	-7.46	53.81	3	Vertical	25	2.09	-	34.53	7.26	34.86
PK	5.576G	122.98	Inf	-Inf	115.88	3	Vertical	25	2.09	-	34.60	7.38	34.88
AV	5.5888G	108.56	Inf	-Inf	101.45	3	Vertical	25	2.09	-	34.60	7.39	34.88
PK	5.7472G	60.63	68.20	-7.57	53.93	3	Vertical	25	2.09	-	34.21	7.40	34.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 101
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3864G	66.85	74.00	-7.15	59.95	3	Horizontal	11	1.50	-	34.57	7.20	34.87
AV	5.388G	50.57	54.00	-3.43	43.66	3	Horizontal	11	1.50	-	34.58	7.20	34.87
PK	5.4672G	67.98	68.20	-0.22	61.04	3	Horizontal	11	1.50	-	34.53	7.27	34.86
PK	5.5832G	124.54	Inf	-Inf	117.44	3	Horizontal	11	1.50	-	34.60	7.38	34.88
AV	5.5824G	112.44	Inf	-Inf	105.34	3	Horizontal	11	1.50	-	34.60	7.38	34.88
PK	5.7456G	61.35	68.20	-6.85	54.65	3	Horizontal	11	1.50	-	34.21	7.40	34.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 101
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16308G	55.04	74.00	-18.96	40.61	3	Vertical	306	1.80	-	38.56	10.67	34.80
AV	11.16336G	41.62	54.00	-12.38	27.19	3	Vertical	306	1.80	-	38.56	10.67	34.80
PK	16.74384G	60.67	68.20	-7.53	41.98	3	Vertical	93	2.63	-	39.01	13.92	34.24

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 101
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15188G	54.89	74.00	-19.11	40.47	3	Horizontal	292	1.04	-	38.55	10.67	34.80
AV	11.17G	41.39	54.00	-12.61	26.94	3	Horizontal	292	1.04	-	38.57	10.68	34.80
PK	16.74996G	60.63	68.20	-7.57	41.90	3	Horizontal	49	2.60	-	39.05	13.92	34.24

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 63
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6916G	118.02	Inf	-Inf	111.19	3	Vertical	338	1.76	-	34.33	7.40	34.90
AV	5.6924G	105.79	Inf	-Inf	98.96	3	Vertical	338	1.76	-	34.33	7.40	34.90
PK	5.7252G	67.96	68.20	-0.24	61.22	3	Vertical	338	1.76	-	34.25	7.40	34.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 63
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6916G	116.81	Inf	-Inf	109.98	3	Horizontal	360	2.52	-	34.33	7.40	34.90
AV	5.6916G	104.77	Inf	-Inf	97.94	3	Horizontal	360	2.52	-	34.33	7.40	34.90
PK	5.7252G	66.56	68.20	-1.64	59.82	3	Horizontal	360	2.52	-	34.25	7.40	34.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 63
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40062G	55.39	74.00	-18.61	40.72	3	Vertical	8	2.54	-	38.80	10.71	34.84
AV	11.39896G	42.02	54.00	-11.98	27.35	3	Vertical	8	2.54	-	38.80	10.71	34.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 63
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40074G	55.82	74.00	-18.18	41.15	3	Horizontal	279	1.59	-	38.80	10.71	34.84
AV	11.4048G	42.09	54.00	-11.91	27.41	3	Horizontal	279	1.59	-	38.81	10.71	34.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 100
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7112G	124.03	Inf	-Inf	117.26	3	Vertical	334	1.80	-	34.28	7.40	34.91
AV	5.7112G	111.88	Inf	-Inf	105.11	3	Vertical	334	1.80	-	34.28	7.40	34.91
PK	5.8528G	68.05	68.20	-0.15	61.22	3	Vertical	334	1.80	-	34.32	7.45	34.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 100
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7168G	126.57	Inf	-Inf	119.81	3	Horizontal	0	2.50	-	34.27	7.40	34.91
AV	5.7112G	114.54	Inf	-Inf	107.77	3	Horizontal	0	2.50	-	34.28	7.40	34.91
PK	5.9128G	59.24	68.20	-8.96	52.03	3	Horizontal	0	2.50	-	34.65	7.51	34.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 100
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43932G	54.74	74.00	-19.26	39.99	3	Vertical	106	2.61	-	38.88	10.72	34.85
AV	11.44222G	41.92	54.00	-12.08	27.17	3	Vertical	106	2.61	-	38.88	10.72	34.85

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 100
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43506G	54.90	74.00	-19.10	40.16	3	Horizontal	342	2.49	-	38.87	10.72	34.85
AV	11.44028G	41.93	54.00	-12.07	27.18	3	Horizontal	342	2.49	-	38.88	10.72	34.85

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 101
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.539G	62.46	68.20	-5.74	53.67	3	Vertical	339	1.80	-	34.00	5.54	30.75
PK	5.753G	126.19	Inf	-Inf	117.70	3	Vertical	339	1.80	-	33.80	5.60	30.91
AV	5.739G	114.12	Inf	-Inf	105.60	3	Vertical	339	1.80	-	33.82	5.60	30.90
PK	5.946G	59.94	68.20	-8.26	51.06	3	Vertical	339	1.80	-	34.19	5.75	31.06

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 101
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	64.69	68.20	-3.51	56.12	3	Horizontal	2	2.41	-	33.80	5.60	30.83
PK	5.736G	125.88	Inf	-Inf	117.35	3	Horizontal	2	2.41	-	33.83	5.60	30.90
AV	5.736G	115.24	Inf	-Inf	106.71	3	Horizontal	2	2.41	-	33.83	5.60	30.90
PK	5.975G	59.32	68.20	-8.88	50.43	3	Horizontal	2	2.41	-	34.20	5.77	31.08

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 101
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.48604G	54.31	74.00	-19.69	39.56	3	Vertical	259	2.00	-	38.97	7.89	32.11	
AV	11.49804G	40.88	54.00	-13.12	26.10	3	Vertical	259	2.00	-	39.00	7.90	32.12	
PK	17.23648G	64.26	68.20	-3.94	41.70	3	Vertical	289	1.03	-	42.18	10.62	30.24	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 101
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.48332G	54.24	74.00	-19.76	39.49	3	Horizontal	161	1.40	-	38.97	7.89	32.11	
AV	11.48396G	40.97	54.00	-13.03	26.22	3	Horizontal	161	1.40	-	38.97	7.89	32.11	
PK	17.23192G	64.46	68.20	-3.74	41.92	3	Horizontal	75	1.49	-	42.16	10.62	30.24	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 104
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.586G	62.57	68.20	-5.63	53.84	3	Vertical	349	1.80	-	33.93	5.59	30.79	
PK	5.778G	124.27	Inf	-Inf	115.80	3	Vertical	349	1.80	-	33.80	5.60	30.93	
AV	5.777G	113.30	Inf	-Inf	104.83	3	Vertical	349	1.80	-	33.80	5.60	30.93	
PK	5.972G	59.95	68.20	-8.25	51.06	3	Vertical	349	1.80	-	34.20	5.77	31.08	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 104
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	64.61	68.20	-3.59	55.96	3	Horizontal	357	1.80	-	33.86	5.60	30.81
PK	5.787G	125.41	Inf	-Inf	116.95	3	Horizontal	357	1.80	-	33.80	5.60	30.94
AV	5.788G	114.63	Inf	-Inf	106.17	3	Horizontal	357	1.80	-	33.80	5.60	30.94
PK	5.992G	59.74	68.20	-8.46	50.84	3	Horizontal	357	1.80	-	34.20	5.79	31.09

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 104
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.576G	54.57	74.00	-19.43	39.57	3	Vertical	328	1.18	-	39.23	7.93	32.16	
AV	11.57388G	40.87	54.00	-13.13	25.88	3	Vertical	328	1.18	-	39.22	7.93	32.16	
PK	17.3562G	64.40	68.20	-3.80	41.10	3	Vertical	41	2.01	-	42.84	10.68	30.22	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 104
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56644G	55.45	74.00	-18.55	40.48	3	Horizontal	240	2.59	-	39.20	7.93	32.16
AV	11.56192G	40.92	54.00	-13.08	25.97	3	Horizontal	240	2.59	-	39.19	7.92	32.16
PK	17.35648G	64.23	68.20	-3.97	40.93	3	Horizontal	322	1.33	-	42.84	10.68	30.22

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Y_4TX
Setting 102
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	64.39	68.20	-3.81	55.77	3	Vertical	334	1.94	-	33.84	5.60	30.82
PK	5.828G	125.23	Inf	-Inf	116.77	3	Vertical	334	1.94	-	33.80	5.63	30.97
AV	5.828G	112.53	Inf	-Inf	104.07	3	Vertical	334	1.94	-	33.80	5.63	30.97
PK	6.046G	59.41	68.20	-8.79	50.43	3	Vertical	334	1.94	-	34.29	5.80	31.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 102
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.616G	63.29	68.20	-4.91	54.63	3	Horizontal	357	1.61	-	33.87	5.60	30.81	
PK	5.818G	122.87	Inf	-Inf	114.41	3	Horizontal	357	1.61	-	33.80	5.62	30.96	
AV	5.817G	111.28	Inf	-Inf	102.82	3	Horizontal	357	1.61	-	33.80	5.62	30.96	
PK	6.052G	59.61	68.20	-8.59	50.63	3	Horizontal	357	1.61	-	34.30	5.80	31.12	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 102
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65416G	54.42	74.00	-19.58	39.26	3	Vertical	340	1.67	-	39.41	7.96	32.21
AV	11.64804G	40.88	54.00	-13.12	25.73	3	Vertical	340	1.67	-	39.40	7.96	32.21
PK	17.48436G	65.72	68.20	-2.48	41.42	3	Vertical	190	2.86	-	43.77	10.74	30.21

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 102
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6424G	54.42	74.00	-19.58	39.28	3	Horizontal	206	2.62	-	39.38	7.96	32.20
AV	11.65956G	41.05	54.00	-12.95	25.88	3	Horizontal	206	2.62	-	39.42	7.96	32.21
PK	17.4724G	65.63	68.20	-2.57	41.42	3	Horizontal	54	2.30	-	43.68	10.74	30.21

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 86
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.136G	67.20	74.00	-6.80	59.12	3	Vertical	35	1.42	-	33.57	5.24	30.73
AV	5.15G	53.53	54.00	-0.47	45.41	3	Vertical	35	1.42	-	33.60	5.25	30.73
PK	5.1992G	119.11	Inf	-Inf	110.84	3	Vertical	35	1.42	-	33.70	5.30	30.73
AV	5.202G	107.18	Inf	-Inf	98.91	3	Vertical	35	1.42	-	33.70	5.30	30.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 86
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1492G	64.66	74.00	-9.34	56.54	3	Horizontal	330	1.70	-	33.60	5.25	30.73	
AV	5.1484G	52.86	54.00	-1.14	44.74	3	Horizontal	330	1.70	-	33.60	5.25	30.73	
PK	5.172G	117.54	Inf	-Inf	109.36	3	Horizontal	330	1.70	-	33.64	5.27	30.73	
AV	5.1724G	105.25	Inf	-Inf	97.07	3	Horizontal	330	1.70	-	33.64	5.27	30.73	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 86
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38756G	54.17	68.20	-14.03	39.93	3	Vertical	92	2.78	-	38.61	7.46	31.83
PK	15.56816G	59.12	74.00	-14.88	42.99	3	Vertical	20	2.15	-	37.69	9.81	31.37
AV	15.5764G	45.24	54.00	-8.76	29.16	3	Vertical	20	2.15	-	37.64	9.81	31.37

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 86
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.387G	53.82	68.20	-14.38	39.59	3	Horizontal	221	2.65	-	38.61	7.45	31.83
PK	15.568G	59.26	74.00	-14.74	43.13	3	Horizontal	152	2.58	-	37.69	9.81	31.37
AV	15.5604G	45.24	54.00	-8.76	29.06	3	Horizontal	152	2.58	-	37.74	9.80	31.36

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 96
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.06	74.00	-6.94	58.94	3	Vertical	12	1.78	-	33.60	5.25	30.73
AV	5.15G	51.72	54.00	-2.28	43.60	3	Vertical	12	1.78	-	33.60	5.25	30.73
PK	5.2228G	121.08	Inf	-Inf	112.80	3	Vertical	12	1.78	-	33.70	5.31	30.73
AV	5.212G	108.22	Inf	-Inf	99.94	3	Vertical	12	1.78	-	33.70	5.31	30.73
PK	5.3542G	63.33	74.00	-10.67	54.76	3	Vertical	12	1.78	-	33.91	5.38	30.72
AV	5.3776G	50.99	54.00	-3.01	42.36	3	Vertical	12	1.78	-	33.96	5.39	30.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Y_4TX
Setting 96
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	68.29	74.00	-5.71	60.18	3	Horizontal	360	1.50	-	33.59	5.25	30.73
AV	5.15G	53.60	54.00	-0.40	45.48	3	Horizontal	360	1.50	-	33.60	5.25	30.73
PK	5.2138G	122.88	Inf	-Inf	114.60	3	Horizontal	360	1.50	-	33.70	5.31	30.73
AV	5.2114G	107.29	Inf	-Inf	99.01	3	Horizontal	360	1.50	-	33.70	5.31	30.73
PK	5.374G	64.31	74.00	-9.69	55.69	3	Horizontal	360	1.50	-	33.95	5.39	30.72
AV	5.374G	51.40	54.00	-2.60	42.78	3	Horizontal	360	1.50	-	33.95	5.39	30.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 96
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46948G	54.14	68.20	-14.06	39.90	3	Vertical	301	1.31	-	38.60	7.49	31.85
PK	15.68188G	57.90	74.00	-16.10	41.96	3	Vertical	8	2.97	-	37.50	9.86	31.42
AV	15.68124G	44.74	54.00	-9.26	28.80	3	Vertical	8	2.97	-	37.50	9.86	31.42

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 96
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4698G	53.59	68.20	-14.61	39.35	3	Horizontal	331	1.48	-	38.60	7.49	31.85
PK	15.68776G	58.56	74.00	-15.44	42.63	3	Horizontal	277	2.29	-	37.50	9.86	31.43
AV	15.68516G	44.77	54.00	-9.23	28.84	3	Horizontal	277	2.29	-	37.50	9.86	31.43

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT V_4TX
Setting 98
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	63.06	74.00	-10.94	56.78	3	Vertical	40	1.80	-	33.99	7.17	34.88
AV	5.15G	49.43	54.00	-4.57	43.14	3	Vertical	40	1.80	-	34.00	7.17	34.88
PK	5.2524G	120.53	Inf	-Inf	113.80	3	Vertical	40	1.80	-	34.40	7.20	34.87
AV	5.2564G	108.24	Inf	-Inf	101.50	3	Vertical	40	1.80	-	34.41	7.20	34.87
PK	5.3548G	68.84	74.00	-5.16	62.00	3	Vertical	40	1.80	-	34.51	7.20	34.87
AV	5.35G	53.92	54.00	-0.08	47.09	3	Vertical	40	1.80	-	34.50	7.20	34.87
PK	5.4612G	61.52	68.20	-6.68	54.60	3	Vertical	40	1.80	-	34.52	7.26	34.86

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT V_4TX
Setting 98
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	61.04	74.00	-12.96	54.75	3	Horizontal	356	2.10	-	34.00	7.17	34.88
AV	5.1492G	48.62	54.00	-5.38	42.33	3	Horizontal	356	2.10	-	34.00	7.17	34.88
PK	5.2588G	119.93	Inf	-Inf	113.18	3	Horizontal	356	2.10	-	34.42	7.20	34.87
AV	5.2604G	107.49	Inf	-Inf	100.74	3	Horizontal	356	2.10	-	34.42	7.20	34.87
PK	5.3564G	69.56	74.00	-4.44	62.72	3	Horizontal	356	2.10	-	34.51	7.20	34.87
AV	5.35G	50.51	54.00	-3.49	43.68	3	Horizontal	356	2.10	-	34.50	7.20	34.87
PK	5.4612G	60.97	68.20	-7.23	54.05	3	Horizontal	356	2.10	-	34.52	7.26	34.86

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 98
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81124G	59.40	74.00	-14.60	42.92	3	Vertical	194	1.16	-	37.87	13.31	34.70
AV	15.80668G	46.29	54.00	-7.71	29.81	3	Vertical	194	1.16	-	37.88	13.30	34.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 98
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8059G	59.58	74.00	-14.42	43.10	3	Horizontal	170	2.88	-	37.88	13.30	34.70
AV	15.8143G	46.35	54.00	-7.65	29.88	3	Horizontal	170	2.88	-	37.86	13.31	34.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT V_4TX
Setting 71
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	58.53	74.00	-15.47	52.27	3	Vertical	354.9	1.53	-	33.97	7.17	34.88
AV	5.1492G	46.28	54.00	-7.72	39.99	3	Vertical	354.9	1.53	-	34.00	7.17	34.88
PK	5.322G	113.47	Inf	-Inf	106.64	3	Vertical	354.9	1.53	-	34.50	7.20	34.87
AV	5.318G	101.17	Inf	-Inf	94.34	3	Vertical	354.9	1.53	-	34.50	7.20	34.87
PK	5.3532G	66.84	74.00	-7.16	60.00	3	Vertical	354.9	1.53	-	34.51	7.20	34.87
AV	5.35G	53.98	54.00	-0.02	47.15	3	Vertical	354.9	1.53	-	34.50	7.20	34.87
PK	5.5092G	60.19	68.20	-8.01	53.14	3	Vertical	354.9	1.53	-	34.60	7.31	34.86

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT V_4TX
Setting 71
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1284G	58.37	74.00	-15.63	52.13	3	Horizontal	9	2.10	-	33.96	7.16	34.88
AV	5.146G	46.23	54.00	-7.77	39.95	3	Horizontal	9	2.10	-	33.99	7.17	34.88
PK	5.3124G	113.84	Inf	-Inf	107.01	3	Horizontal	9	2.10	-	34.50	7.20	34.87
AV	5.3148G	101.71	Inf	-Inf	94.88	3	Horizontal	9	2.10	-	34.50	7.20	34.87
PK	5.35G	64.69	74.00	-9.31	57.86	3	Horizontal	9	2.10	-	34.50	7.20	34.87
AV	5.35G	52.07	54.00	-1.93	45.24	3	Horizontal	9	2.10	-	34.50	7.20	34.87
PK	5.4732G	61.02	68.20	-7.18	54.06	3	Horizontal	9	2.10	-	34.55	7.27	34.86

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 71
03-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.9344G	59.26	74.00	-14.74	43.15	3	Vertical	120	2.04	-	37.53	13.37	34.79
AV	15.9308G	45.92	54.00	-8.08	29.79	3	Vertical	120	2.04	-	37.54	13.37	34.78

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 71
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92688G	59.57	74.00	-14.43	43.44	3	Horizontal	288	2.17	-	37.55	13.36	34.78
AV	15.92834G	45.90	54.00	-8.10	29.78	3	Horizontal	288	2.17	-	37.54	13.36	34.78

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_V_4TX
Setting 72
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4488G	61.53	74.00	-12.47	54.64	3	Vertical	352.7	1.80	-	34.50	7.25	34.86
PK	5.4648G	64.27	68.20	-3.93	57.34	3	Vertical	352.7	1.80	-	34.53	7.26	34.86
AV	5.46G	49.51	54.00	-4.49	42.59	3	Vertical	352.7	1.80	-	34.52	7.26	34.86
AV	5.4944G	101.17	Inf	-Inf	94.15	3	Vertical	352.7	1.80	-	34.59	7.29	34.86
PK	5.524G	113.90	Inf	-Inf	106.85	3	Vertical	352.7	1.80	-	34.60	7.32	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT V_4TX
Setting 72
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.45	74.00	-9.55	57.53	3	Horizontal	8	1.36	-	34.52	7.26	34.86
AV	5.46G	51.57	54.00	-2.43	44.65	3	Horizontal	8	1.36	-	34.52	7.26	34.86
PK	5.4684G	68.01	68.20	-0.19	61.06	3	Horizontal	8	1.36	-	34.54	7.27	34.86
PK	5.5256G	117.81	Inf	-Inf	110.75	3	Horizontal	8	1.36	-	34.60	7.33	34.87
AV	5.5272G	106.10	Inf	-Inf	99.04	3	Horizontal	8	1.36	-	34.60	7.33	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 72
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02104G	54.84	74.00	-19.16	40.54	3	Vertical	319	2.04	-	38.42	10.65	34.77
AV	11.02292G	40.97	54.00	-13.03	26.67	3	Vertical	319	2.04	-	38.42	10.65	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 72
03-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.02036G	54.67	74.00	-19.33	40.37	3	Horizontal	146	1.42	-	38.42	10.65	34.77
AV	11.02104G	40.96	54.00	-13.04	26.66	3	Horizontal	146	1.42	-	38.42	10.65	34.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT V_4TX
Setting 91
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	61.93	74.00	-12.07	55.03	3	Vertical	52	1.80	-	34.51	7.25	34.86
AV	5.46G	49.08	54.00	-4.92	42.16	3	Vertical	52	1.80	-	34.52	7.26	34.86
PK	5.47G	63.00	68.20	-5.20	56.05	3	Vertical	52	1.80	-	34.54	7.27	34.86
PK	5.5584G	120.79	Inf	-Inf	113.70	3	Vertical	52	1.80	-	34.60	7.36	34.87
AV	5.5554G	107.61	Inf	-Inf	100.52	3	Vertical	52	1.80	-	34.60	7.36	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT V_4TX
Setting 91
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.46G	63.56	74.00	-10.44	56.64	3	Horizontal	9	1.34	-	34.52	7.26	34.86	
AV	5.4588G	50.69	54.00	-3.31	43.77	3	Horizontal	9	1.34	-	34.52	7.26	34.86	
PK	5.4666G	67.96	68.20	-0.24	61.02	3	Horizontal	9	1.34	-	34.53	7.27	34.86	
PK	5.535G	124.22	Inf	-Inf	117.15	3	Horizontal	9	1.34	-	34.60	7.34	34.87	
AV	5.5338G	111.97	Inf	-Inf	104.91	3	Horizontal	9	1.34	-	34.60	7.33	34.87	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10094G	55.29	74.00	-18.71	40.91	3	Vertical	150	2.42	-	38.50	10.67	34.79
AV	11.09806G	41.00	54.00	-13.00	26.63	3	Vertical	150	2.42	-	38.50	10.66	34.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10372G	54.25	74.00	-19.75	39.87	3	Horizontal	181	3.00	-	38.50	10.67	34.79
AV	11.09748G	40.96	54.00	-13.04	26.59	3	Horizontal	181	3.00	-	38.50	10.66	34.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 80
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.673G	117.16	Inf	-Inf	110.25	3	Vertical	30.9	1.62	-	34.41	7.40	34.90
AV	5.6568G	107.38	Inf	-Inf	100.40	3	Vertical	30.9	1.62	-	34.47	7.40	34.89
PK	5.7258G	67.96	68.20	-0.24	61.22	3	Vertical	30.9	1.62	-	34.25	7.40	34.91

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 80
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.655G	117.07	Inf	-Inf	110.08	3	Horizontal	7	1.46	-	34.48	7.40	34.89
AV	5.6652G	103.09	Inf	-Inf	96.15	3	Horizontal	7	1.46	-	34.44	7.40	34.90
PK	5.7264G	67.78	68.20	-0.42	61.04	3	Horizontal	7	1.46	-	34.25	7.40	34.91

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 80
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34398G	55.68	74.00	-18.32	41.07	3	Vertical	118	2.67	-	38.74	10.70	34.83
AV	11.336G	41.52	54.00	-12.48	26.91	3	Vertical	118	2.67	-	38.74	10.70	34.83

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 80
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.33816G	55.45	74.00	-18.55	40.84	3	Horizontal	352	2.71	-	38.74	10.70	34.83	
AV	11.34208G	41.60	54.00	-12.40	26.99	3	Horizontal	352	2.71	-	38.74	10.70	34.83	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 99
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7068G	121.51	Inf	-Inf	114.73	3	Vertical	59	1.50	-	34.29	7.40	34.91
AV	5.706G	112.13	Inf	-Inf	105.35	3	Vertical	59	1.50	-	34.29	7.40	34.91
PK	5.85G	63.46	68.20	-4.74	56.65	3	Vertical	59	1.50	-	34.30	7.45	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 99
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7052G	123.14	Inf	-Inf	116.36	3	Horizontal	358	2.64	-	34.29	7.40	34.91
AV	5.706G	111.13	Inf	-Inf	104.35	3	Horizontal	358	2.64	-	34.29	7.40	34.91
PK	5.8508G	67.99	68.20	-0.21	61.18	3	Horizontal	358	2.64	-	34.30	7.45	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 99
03-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.4242G	55.06	74.00	-18.94	40.35	3	Vertical	22	2.88	-	38.85	10.71	34.85	
AV	11.42028G	41.55	54.00	-12.45	26.85	3	Vertical	22	2.88	-	38.84	10.71	34.85	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 99
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.417G	55.65	74.00	-18.35	40.96	3	Horizontal	54	1.16	-	38.83	10.71	34.85
AV	11.4171G	41.47	54.00	-12.53	26.78	3	Horizontal	54	1.16	-	38.83	10.71	34.85

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 98
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.637G	66.12	68.20	-2.08	57.51	3	Vertical	334	1.80	-	33.83	5.60	30.82	
PK	5.743G	123.24	Inf	-Inf	114.73	3	Vertical	334	1.80	-	33.81	5.60	30.90	
AV	5.748G	111.21	Inf	-Inf	102.72	3	Vertical	334	1.80	-	33.80	5.60	30.91	
PK	5.93G	59.02	68.20	-9.18	50.18	3	Vertical	334	1.80	-	34.16	5.73	31.05	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 98
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.649G	68.02	68.20	-0.18	59.45	3	Horizontal	360	1.65	-	33.80	5.60	30.83	
PK	5.751G	123.86	Inf	-Inf	115.37	3	Horizontal	360	1.65	-	33.80	5.60	30.91	
AV	5.751G	111.54	Inf	-Inf	103.05	3	Horizontal	360	1.65	-	33.80	5.60	30.91	
PK	5.951G	58.84	68.20	-9.36	49.95	3	Horizontal	360	1.65	-	34.20	5.75	31.06	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 98
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51556G	54.48	74.00	-19.52	39.65	3	Vertical	156	2.60	-	39.05	7.91	32.13
AV	11.51772G	40.36	54.00	-13.64	25.53	3	Vertical	156	2.60	-	39.05	7.91	32.13
PK	17.25564G	64.66	68.20	-3.54	41.98	3	Vertical	143	1.41	-	42.28	10.63	30.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 98
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5112G	54.72	74.00	-19.28	39.92	3	Horizontal	315	1.76	-	39.03	7.90	32.13
AV	11.51532G	40.38	54.00	-13.62	25.55	3	Horizontal	315	1.76	-	39.05	7.91	32.13
PK	17.26772G	64.77	68.20	-3.43	42.03	3	Horizontal	126	1.98	-	42.34	10.63	30.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.611G	65.24	68.20	-2.96	56.56	3	Vertical	360	1.91	-	33.88	5.60	30.80	
PK	5.793G	122.08	Inf	-Inf	113.62	3	Vertical	360	1.91	-	33.80	5.60	30.94	
AV	5.791G	109.07	Inf	-Inf	100.61	3	Vertical	360	1.91	-	33.80	5.60	30.94	
PK	6.014G	59.99	68.20	-8.21	51.06	3	Vertical	360	1.91	-	34.23	5.80	31.10	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	63.20	68.20	-5.00	54.61	3	Horizontal	360	1.51	-	33.82	5.60	30.83
PK	5.812G	123.72	Inf	-Inf	115.27	3	Horizontal	360	1.51	-	33.80	5.61	30.96
AV	5.813G	110.35	Inf	-Inf	101.90	3	Horizontal	360	1.51	-	33.80	5.61	30.96
PK	6.012G	61.29	68.20	-6.91	52.37	3	Horizontal	360	1.51	-	34.22	5.80	31.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.59892G	54.38	74.00	-19.62	39.32	3	Vertical	300	1.88	-	39.30	7.94	32.18	
AV	11.59788G	40.32	54.00	-13.68	25.27	3	Vertical	300	1.88	-	39.29	7.94	32.18	
PK	17.38692G	64.39	68.20	-3.81	40.90	3	Vertical	112	2.91	-	43.02	10.69	30.22	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 99
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59868G	54.20	74.00	-19.80	39.14	3	Horizontal	316	2.19	-	39.30	7.94	32.18
AV	11.59336G	40.23	54.00	-13.77	25.18	3	Horizontal	316	2.19	-	39.28	7.94	32.17
PK	17.37964G	64.87	68.20	-3.33	41.42	3	Horizontal	300	2.28	-	42.98	10.69	30.22

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Y_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.01	74.00	-8.99	56.90	3	Vertical	8	1.95	-	33.59	5.25	30.73
AV	5.15G	53.89	54.00	-0.11	45.77	3	Vertical	8	1.95	-	33.60	5.25	30.73
PK	5.202G	115.78	Inf	-Inf	107.51	3	Vertical	8	1.95	-	33.70	5.30	30.73
AV	5.208G	102.99	Inf	-Inf	94.72	3	Vertical	8	1.95	-	33.70	5.30	30.73
PK	5.4G	63.09	74.00	-10.91	54.41	3	Vertical	8	1.95	-	34.00	5.40	30.72
AV	5.352G	49.84	54.00	-4.16	41.28	3	Vertical	8	1.95	-	33.90	5.38	30.72

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Y_4TX
Setting 80
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.73	74.00	-8.27	57.61	3	Horizontal	358	1.80	-	33.60	5.25	30.73
AV	5.15G	53.98	54.00	-0.02	45.86	3	Horizontal	358	1.80	-	33.60	5.25	30.73
PK	5.224G	111.41	Inf	-Inf	103.13	3	Horizontal	358	1.80	-	33.70	5.31	30.73
AV	5.248G	98.93	Inf	-Inf	90.64	3	Horizontal	358	1.80	-	33.70	5.32	30.73
PK	5.351G	61.83	74.00	-12.17	53.27	3	Horizontal	358	1.80	-	33.90	5.38	30.72
AV	5.353G	49.68	54.00	-4.32	41.11	3	Horizontal	358	1.80	-	33.91	5.38	30.72

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41548G	53.59	68.20	-14.61	39.36	3	Vertical	121	1.44	-	38.60	7.47	31.84
PK	15.62256G	58.49	74.00	-15.51	42.55	3	Vertical	347	2.58	-	37.50	9.83	31.39
AV	15.62108G	45.08	54.00	-8.92	29.14	3	Vertical	347	2.58	-	37.50	9.83	31.39

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 80
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41912G	53.43	68.20	-14.77	39.20	3	Horizontal	293	2.93	-	38.60	7.47	31.84
PK	15.63192G	58.32	74.00	-15.68	42.39	3	Horizontal	8	1.87	-	37.50	9.83	31.40
AV	15.62356G	45.03	54.00	-8.97	29.09	3	Horizontal	8	1.87	-	37.50	9.83	31.39

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 71
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.074G	59.37	74.00	-14.63	53.27	3	Vertical	351.3	2.17	-	33.85	7.14	34.89
AV	5.148G	47.41	54.00	-6.59	41.12	3	Vertical	351.3	2.17	-	34.00	7.17	34.88
PK	5.294G	111.55	Inf	-Inf	104.73	3	Vertical	351.3	2.17	-	34.49	7.20	34.87
AV	5.252G	102.25	Inf	-Inf	95.52	3	Vertical	351.3	2.17	-	34.40	7.20	34.87
PK	5.35G	65.65	74.00	-8.35	58.82	3	Vertical	351.3	2.17	-	34.50	7.20	34.87
AV	5.35G	53.84	54.00	-0.16	47.01	3	Vertical	351.3	2.17	-	34.50	7.20	34.87
PK	5.462G	60.33	68.20	-7.87	53.41	3	Vertical	351.3	2.17	-	34.52	7.26	34.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_V_4TX
Setting 71
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	58.58	74.00	-15.42	52.30	3	Horizontal	360	1.61	-	33.99	7.17	34.88
AV	5.15G	47.09	54.00	-6.91	40.80	3	Horizontal	360	1.61	-	34.00	7.17	34.88
PK	5.255G	111.64	Inf	-Inf	104.90	3	Horizontal	360	1.61	-	34.41	7.20	34.87
AV	5.258G	99.25	Inf	-Inf	92.50	3	Horizontal	360	1.61	-	34.42	7.20	34.87
PK	5.359G	62.57	74.00	-11.43	55.72	3	Horizontal	360	1.61	-	34.52	7.20	34.87
AV	5.35G	50.45	54.00	-3.55	43.62	3	Horizontal	360	1.61	-	34.50	7.20	34.87
PK	5.529G	60.28	68.20	-7.92	53.22	3	Horizontal	360	1.61	-	34.60	7.33	34.87

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 71
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87186G	59.67	74.00	-14.33	43.39	3	Vertical	51	2.53	-	37.68	13.34	34.74
AV	15.8664G	46.69	54.00	-7.31	30.40	3	Vertical	51	2.53	-	37.70	13.33	34.74

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 71
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.8723G	59.64	74.00	-14.36	43.36	3	Horizontal	148	1.73	-	37.68	13.34	34.74	
AV	15.87264G	46.98	54.00	-7.02	30.70	3	Horizontal	148	1.73	-	37.68	13.34	34.74	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_V_4TX
Setting 86
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.336G	61.20	68.20	-7.00	54.37	3	Vertical	39.2	1.69	-	34.50	7.20	34.87
PK	5.456G	66.07	74.00	-7.93	59.16	3	Vertical	39.2	1.69	-	34.51	7.26	34.86
AV	5.46G	53.80	54.00	-0.20	46.88	3	Vertical	39.2	1.69	-	34.52	7.26	34.86
PK	5.47G	66.18	68.20	-2.02	59.23	3	Vertical	39.2	1.69	-	34.54	7.27	34.86
PK	5.558G	114.95	Inf	-Inf	107.86	3	Vertical	39.2	1.69	-	34.60	7.36	34.87
AV	5.558G	102.14	Inf	-Inf	95.05	3	Vertical	39.2	1.69	-	34.60	7.36	34.87
PK	5.725G	60.16	68.20	-8.04	53.42	3	Vertical	39.2	1.69	-	34.25	7.40	34.91

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Y_4TX
Setting 86
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.334G	61.83	68.20	-6.37	55.00	3	Horizontal	10.3	1.56	-	34.50	7.20	34.87
PK	5.403G	66.48	74.00	-7.52	59.56	3	Horizontal	10.3	1.56	-	34.59	7.20	34.87
PK	5.461G	66.08	68.20	-2.12	59.16	3	Horizontal	10.3	1.56	-	34.52	7.26	34.86
AV	5.46G	52.74	54.00	-1.26	45.82	3	Horizontal	10.3	1.56	-	34.52	7.26	34.86
PK	5.493G	119.75	Inf	-Inf	112.73	3	Horizontal	10.3	1.56	-	34.59	7.29	34.86
AV	5.535G	105.66	Inf	-Inf	98.59	3	Horizontal	10.3	1.56	-	34.60	7.34	34.87
PK	5.78G	61.28	68.20	-6.92	54.60	3	Horizontal	10.3	1.56	-	34.20	7.40	34.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 86
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05908G	54.96	74.00	-19.04	40.62	3	Vertical	23	1.40	-	38.46	10.66	34.78
AV	11.05764G	41.09	54.00	-12.91	26.75	3	Vertical	23	1.40	-	38.46	10.66	34.78

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 86
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0574G	54.71	74.00	-19.29	40.37	3	Horizontal	171	2.44	-	38.46	10.66	34.78
AV	11.0584G	41.07	54.00	-12.93	26.73	3	Horizontal	171	2.44	-	38.46	10.66	34.78

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_V_4TX
Setting 90
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.401G	63.23	74.00	-10.77	56.30	3	Vertical	54	2.41	-	34.60	7.20	34.87	
PK	5.464G	63.48	68.20	-4.72	56.55	3	Vertical	54	2.41	-	34.53	7.26	34.86	
AV	5.46G	50.04	54.00	-3.96	43.12	3	Vertical	54	2.41	-	34.52	7.26	34.86	
PK	5.604G	116.26	Inf	-Inf	109.15	3	Vertical	54	2.41	-	34.59	7.40	34.88	
AV	5.599G	102.81	Inf	-Inf	95.69	3	Vertical	54	2.41	-	34.60	7.40	34.88	
PK	5.737G	65.00	68.20	-3.20	58.28	3	Vertical	54	2.41	-	34.23	7.40	34.91	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_V_4TX
Setting 90
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.413G	61.48	74.00	-12.52	54.57	3	Horizontal	0	2.51	-	34.57	7.21	34.87
PK	5.469G	61.52	68.20	-6.68	54.57	3	Horizontal	0	2.51	-	34.54	7.27	34.86
AV	5.45G	48.93	54.00	-5.07	42.04	3	Horizontal	0	2.51	-	34.50	7.25	34.86
PK	5.633G	117.70	Inf	-Inf	110.66	3	Horizontal	0	2.51	-	34.53	7.40	34.89
AV	5.63G	105.83	Inf	-Inf	98.78	3	Horizontal	0	2.51	-	34.54	7.40	34.89
PK	5.732G	67.96	68.20	-0.24	61.23	3	Horizontal	0	2.51	-	34.24	7.40	34.91

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.21508G	54.59	74.00	-19.41	40.10	3	Vertical	142	2.07	-	38.62	10.68	34.81	
AV	11.2163G	41.01	54.00	-12.99	26.52	3	Vertical	142	2.07	-	38.62	10.68	34.81	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 90
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.22352G	54.51	74.00	-19.49	40.02	3	Horizontal	98	2.17	-	38.62	10.68	34.81	
AV	11.22356G	40.93	54.00	-13.07	26.44	3	Horizontal	98	2.17	-	38.62	10.68	34.81	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 92
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	64.17	74.00	-9.83	57.27	3	Vertical	337.2	1.80	-	34.51	7.25	34.86
AV	5.451G	50.40	54.00	-3.60	43.51	3	Vertical	337.2	1.80	-	34.50	7.25	34.86
PK	5.468G	64.03	68.20	-4.17	57.08	3	Vertical	337.2	1.80	-	34.54	7.27	34.86
PK	5.654G	120.25	Inf	-Inf	113.26	3	Vertical	337.2	1.80	-	34.48	7.40	34.89
AV	5.699G	104.89	Inf	-Inf	98.09	3	Vertical	337.2	1.80	-	34.30	7.40	34.90
PK	5.854G	67.96	68.20	-0.24	61.13	3	Vertical	337.2	1.80	-	34.32	7.45	34.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_4TX
Setting 92
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	65.60	74.00	-8.40	58.68	3	Horizontal	6	1.27	-	34.52	7.26	34.86
AV	5.46G	51.52	54.00	-2.48	44.60	3	Horizontal	6	1.27	-	34.52	7.26	34.86
PK	5.463G	65.67	68.20	-2.53	58.74	3	Horizontal	6	1.27	-	34.53	7.26	34.86
PK	5.706G	116.81	Inf	-Inf	110.03	3	Horizontal	6	1.27	-	34.29	7.40	34.91
AV	5.653G	111.19	Inf	-Inf	104.19	3	Horizontal	6	1.27	-	34.49	7.40	34.89
PK	5.854G	67.35	68.20	-0.85	60.52	3	Horizontal	6	1.27	-	34.32	7.45	34.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 92
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38098G	56.29	74.00	-17.71	41.64	3	Vertical	203	1.76	-	38.78	10.71	34.84
AV	11.38374G	41.76	54.00	-12.24	27.11	3	Vertical	203	1.76	-	38.78	10.71	34.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 92
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37508G	55.75	74.00	-18.25	41.10	3	Horizontal	123	1.26	-	38.78	10.71	34.84
AV	11.37596G	41.74	54.00	-12.26	27.09	3	Horizontal	123	1.26	-	38.78	10.71	34.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 83
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.649G	63.58	68.20	-4.62	55.01	3	Vertical	15	1.80	-	33.80	5.60	30.83	
PK	5.746G	119.85	Inf	-Inf	111.35	3	Vertical	15	1.80	-	33.81	5.60	30.91	
AV	5.779G	103.22	Inf	-Inf	94.75	3	Vertical	15	1.80	-	33.80	5.60	30.93	
PK	6.015G	59.22	68.20	-8.98	50.29	3	Vertical	15	1.80	-	34.23	5.80	31.10	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 83
02-F-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.67G	82.09	83.00	-0.91	73.50	3	Horizontal	0	2.47	-	33.84	5.60	30.85
PK	5.737G	117.46	Inf	-Inf	108.93	3	Horizontal	0	2.47	-	33.83	5.60	30.90
AV	5.737G	105.22	Inf	-Inf	96.69	3	Horizontal	0	2.47	-	33.83	5.60	30.90
PK	5.992G	59.74	68.20	-8.46	50.84	3	Horizontal	0	2.47	-	34.20	5.79	31.09

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 83
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55464G	53.72	74.00	-20.28	38.79	3	Vertical	359	1.06	-	39.16	7.92	32.15
AV	11.5462G	40.08	54.00	-13.92	25.17	3	Vertical	359	1.06	-	39.14	7.92	32.15
PK	17.31928G	64.94	68.20	-3.26	41.89	3	Vertical	46	2.07	-	42.62	10.66	30.23

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 83
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5538G	54.22	74.00	-19.78	39.29	3	Horizontal	229	2.61	-	39.16	7.92	32.15
AV	11.549G	40.09	54.00	-13.91	25.17	3	Horizontal	229	2.61	-	39.15	7.92	32.15
PK	17.32708G	65.06	68.20	-3.14	41.97	3	Horizontal	117	2.09	-	42.66	10.66	30.23

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_4TX
Setting 75
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	67.41	74.00	-6.59	61.13	3	Vertical	354	1.82	-	33.99	7.17	34.88
AV	5.1492G	51.80	54.00	-2.20	45.51	3	Vertical	354	1.82	-	34.00	7.17	34.88
PK	5.1716G	110.24	Inf	-Inf	103.84	3	Vertical	354	1.82	-	34.09	7.19	34.88
AV	5.2324G	97.17	Inf	-Inf	90.52	3	Vertical	354	1.82	-	34.33	7.20	34.88
PK	5.4004G	66.65	74.00	-7.35	59.72	3	Vertical	354	1.82	-	34.60	7.20	34.87
AV	5.35G	53.01	54.00	-0.99	46.18	3	Vertical	354	1.82	-	34.50	7.20	34.87
PK	5.482G	67.96	68.20	-0.24	60.98	3	Vertical	354	1.82	-	34.56	7.28	34.86

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_4TX
Setting 75
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	65.83	74.00	-8.17	59.55	3	Horizontal	11	1.80	-	33.99	7.17	34.88
AV	5.1492G	49.73	54.00	-4.27	43.44	3	Horizontal	11	1.80	-	34.00	7.17	34.88
PK	5.2772G	111.20	Inf	-Inf	104.42	3	Horizontal	11	1.80	-	34.45	7.20	34.87
AV	5.274G	99.12	Inf	-Inf	92.34	3	Horizontal	11	1.80	-	34.45	7.20	34.87
PK	5.4116G	66.44	74.00	-7.56	59.52	3	Horizontal	11	1.80	-	34.58	7.21	34.87
AV	5.3668G	52.18	54.00	-1.82	45.32	3	Horizontal	11	1.80	-	34.53	7.20	34.87
PK	5.4612G	65.95	68.20	-2.25	59.03	3	Horizontal	11	1.80	-	34.52	7.26	34.86

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 75
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75338G	59.49	74.00	-14.51	43.16	3	Vertical	306	1.17	-	37.71	13.28	34.66
AV	15.74752G	45.76	54.00	-8.24	29.46	3	Vertical	306	1.17	-	37.69	13.27	34.66

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 75
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74868G	59.44	74.00	-14.56	43.14	3	Horizontal	128	1.05	-	37.69	13.27	34.66
AV	15.74746G	45.74	54.00	-8.26	29.44	3	Horizontal	128	1.05	-	37.69	13.27	34.66

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT V_4TX
Setting 72
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2996G	62.72	68.20	-5.48	55.89	3	Vertical	352.7	1.80	-	34.50	7.20	34.87
PK	5.4548G	65.15	74.00	-8.85	58.25	3	Vertical	352.7	1.80	-	34.51	7.25	34.86
PK	5.4628G	66.48	68.20	-1.72	59.55	3	Vertical	352.7	1.80	-	34.53	7.26	34.86
AV	5.4596G	51.18	54.00	-2.82	44.26	3	Vertical	352.7	1.80	-	34.52	7.26	34.86
PK	5.5012G	110.28	Inf	-Inf	103.24	3	Vertical	352.7	1.80	-	34.60	7.30	34.86
AV	5.5396G	97.85	Inf	-Inf	90.78	3	Vertical	352.7	1.80	-	34.60	7.34	34.87
PK	5.7892G	67.96	68.20	-0.24	61.28	3	Vertical	352.7	1.80	-	34.20	7.40	34.92

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT V_4TX
Setting 72
03-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29G	62.90	68.20	-5.30	56.09	3	Horizontal	357.7	3.00	-	34.48	7.20	34.87
PK	5.442G	68.38	74.00	-5.62	61.48	3	Horizontal	357.7	3.00	-	34.52	7.24	34.86
PK	5.4628G	63.94	68.20	-4.26	57.01	3	Horizontal	357.7	3.00	-	34.53	7.26	34.86
AV	5.4532G	49.28	54.00	-4.72	42.38	3	Horizontal	357.7	3.00	-	34.51	7.25	34.86
PK	5.5028G	113.20	Inf	-Inf	106.16	3	Horizontal	357.7	3.00	-	34.60	7.30	34.86
PK	5.7284G	67.37	68.20	-0.83	60.64	3	Horizontal	357.7	3.00	-	34.24	7.40	34.91
AV	5.6292G	100.07	Inf	-Inf	93.02	3	Horizontal	357.7	3.00	-	34.54	7.40	34.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 72
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13656G	53.81	74.00	-20.19	39.39	3	Vertical	195	2.71	-	38.54	10.67	34.79
AV	11.14496G	40.52	54.00	-13.48	26.11	3	Vertical	195	2.71	-	38.54	10.67	34.80

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT Y_4TX
Setting 72
03-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14144G	54.19	74.00	-19.81	39.78	3	Horizontal	129	1.64	-	38.54	10.67	34.80
AV	11.13598G	40.53	54.00	-13.47	26.11	3	Horizontal	129	1.64	-	38.54	10.67	34.79




Radiated Emissions Co-location above 1GHz

Appendix F

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.74456G	25.13	54.00	-28.87	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.75236G	35.22	74.00	-38.78	-7.46	3	Vertical	111	1.50	-	42.68	25.20	3.75	36.41
AV	1.7477G	24.76	54.00	-29.24	-7.48	3	Vertical	111	1.50	"Worst"	32.24	25.18	3.75	36.41

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.74127G	32.77	74.00	-41.23	-7.54	3	Horizontal	221	1.50	-	40.31	25.13	3.74	36.41
AV	1.75864G	22.49	54.00	-31.51	-7.45	3	Horizontal	221	1.50	"Worst"	29.94	25.20	3.76	36.41