






Band66 5MHz DFT s OFDM_SCS15kHz BPSK RB1 1 CH342500 below 18G




Band66 5MHz DFT s OFDM_SCS15kHz BPSK RB1 1 CH349000 below 18G




Band66 5MHz DFT s OFDM_SCS15kHz BPSK RB1 1 CH355500 below 18G



Band66 10MHz DFT s OFDM_SCS15kHz BPSK RB1 1 CH343000 below 18G



Band66 10MHz DFT s OFDM_SCS15kHz BPSK RB1 1 CH349000 below 18G









Band66 10MHz DFT s OFDM_SCS15kHz BPSK RB1 1 CH355000 below 18G

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。





This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Band77-Part27 10MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH647000 below 18G




Band77-Part27 10MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH647000 upper 18G




Band77-Part27 10MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH656000 below 18G



Band77-Part27 10MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH656000 upper 18G



Band77-Part27 10MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH665000 below 18G




Band77-Part27 10MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH665000 upper 18G

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Band77-Part27 15MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH630500 below 18G




Band77-Part27 15MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH630500 upper 18G



Band77-Part27 15MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH633334 below 18G



Band77-Part27 15MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH633334 upper 18G



Band77-Part27 15MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH636166 below 18G






Band77-Part27 15MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH636166 upper 18G

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band77-Part27 20MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH630668 below 18G




Band77-Part27 20MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH630668 upper 18G




Band77-Part27 20MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH633334 below 18G



Band77-Part27 20MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH633334 upper 18G



Band77-Part27 20MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH636000 below 18G



Band77-Part27 20MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH636000 upper 18G

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號





台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.sgs.com.tw

Member of SGS Group

7.5 Field Strength Of Spurious Radiation

Report Number :TERF2511003793ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1857.5 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
32.91	-62.59	-50.20	-11.34	-1.05	-13.00	-49.59
60.07	-72.90	-63.91	-7.57	-1.42	-13.00	-59.90
250.19	-68.60	-72.11	6.39	-2.88	-13.00	-55.60
350.10	-58.14	-61.45	6.71	-3.41	-13.00	-45.14
470.38	-75.17	-77.59	6.38	-3.96	-13.00	-62.17
626.55	-72.34	-73.82	6.04	-4.57	-13.00	-59.34
3715.00	-53.91	-55.06	12.47	-11.31	-13.00	-40.91
5572.50	-36.72	-35.75	12.99	-13.96	-13.00	-23.72
7410.00	-42.36	-37.06	10.90	-16.20	-13.00	-29.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1857.5 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.97	-63.85	-50.98	-11.85	-1.02	-13.00	-50.85
159.01	-74.00	-72.56	0.86	-2.30	-13.00	-61.00
231.76	-72.61	-76.82	6.98	-2.77	-13.00	-59.61
325.85	-75.81	-78.87	6.36	-3.30	-13.00	-62.81
434.49	-76.57	-79.17	6.41	-3.81	-13.00	-63.57
548.95	-75.20	-77.55	6.62	-4.28	-13.00	-62.20
3715.00	-55.14	-56.30	12.47	-11.31	-13.00	-42.14
5572.50	-47.63	-46.66	12.99	-13.96	-13.00	-34.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1880 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
32.91	-61.57	-49.18	-11.34	-1.05	-13.00	-48.57
84.32	-69.40	-68.40	0.68	-1.68	-13.00	-56.40
139.61	-75.35	-73.77	0.59	-2.17	-13.00	-62.35
250.19	-70.18	-73.69	6.39	-2.88	-13.00	-57.18
491.72	-75.12	-77.63	6.56	-4.05	-13.00	-62.12
585.81	-71.40	-73.34	6.35	-4.41	-13.00	-58.40
3760.00	-54.38	-55.42	12.42	-11.38	-13.00	-41.38
5640.00	-29.91	-28.89	13.02	-14.05	-13.00	-16.91
7520.00	-39.44	-34.07	10.98	-16.35	-13.00	-26.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1880 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-64.97	-52.58	-11.34	-1.05	-13.00	-51.97
153.19	-74.70	-73.23	0.79	-2.26	-13.00	-61.70
231.76	-72.16	-76.37	6.98	-2.77	-13.00	-59.16
325.85	-76.06	-79.12	6.36	-3.30	-13.00	-63.06
502.39	-76.20	-78.77	6.66	-4.09	-13.00	-63.20
597.45	-75.42	-77.17	6.21	-4.46	-13.00	-62.42
3760.00	-53.24	-54.28	12.42	-11.38	-13.00	-40.24
5640.00	-38.66	-37.63	13.02	-14.05	-13.00	-25.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1902.5 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-62.24	-49.85	-11.34	-1.05	-13.00	-49.24
84.32	-71.12	-70.13	0.68	-1.68	-13.00	-58.12
227.88	-71.39	-75.93	7.29	-2.75	-13.00	-58.39
325.85	-75.40	-78.46	6.36	-3.30	-13.00	-62.40
450.01	-54.60	-57.02	6.29	-3.87	-13.00	-41.60
549.92	-67.16	-69.52	6.64	-4.28	-13.00	-54.16
3805.00	-47.71	-48.73	12.47	-11.45	-13.00	-34.71
5707.50	-30.59	-29.24	12.80	-14.14	-13.00	-17.59
7610.00	-41.64	-36.46	11.30	-16.48	-13.00	-28.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1902.5 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.97	-64.31	-51.44	-11.85	-1.02	-13.00	-51.31
159.98	-72.91	-71.61	1.01	-2.31	-13.00	-59.91
231.76	-71.62	-75.83	6.98	-2.77	-13.00	-58.62
399.57	-73.93	-76.84	6.56	-3.66	-13.00	-60.93
580.96	-75.49	-77.49	6.39	-4.39	-13.00	-62.49
731.31	-74.71	-75.66	5.89	-4.94	-13.00	-61.71
3805.00	-43.08	-44.10	12.47	-11.45	-13.00	-30.08
5707.50	-37.41	-36.07	12.80	-14.14	-13.00	-24.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :829 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
33.88	-64.21	-51.72	-11.42	-1.06	-13.00	-51.21
60.07	-72.50	-63.51	-7.57	-1.42	-13.00	-59.50
325.85	-74.22	-77.29	6.36	-3.30	-13.00	-61.22
399.57	-70.38	-73.29	6.56	-3.66	-13.00	-57.38
549.92	-68.87	-71.23	6.64	-4.28	-13.00	-55.87
993.21	-64.98	-65.70	6.47	-5.75	-13.00	-51.98
1658.00	-59.94	-61.79	9.30	-7.44	-13.00	-46.94
2487.00	-53.68	-55.05	10.53	-9.17	-13.00	-40.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :829 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.97	-65.70	-52.83	-11.85	-1.02	-13.00	-52.70
114.39	-73.63	-72.77	1.10	-1.96	-13.00	-60.63
235.64	-73.52	-77.33	6.61	-2.80	-13.00	-60.52
325.85	-74.45	-77.52	6.36	-3.30	-13.00	-61.45
549.92	-72.10	-74.46	6.64	-4.28	-13.00	-59.10
739.07	-73.44	-74.38	5.90	-4.97	-13.00	-60.44
1658.00	-60.77	-62.63	9.30	-7.44	-13.00	-47.77
2487.00	-54.03	-55.40	10.53	-9.17	-13.00	-41.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-63.01	-50.62	-11.34	-1.05	-13.00	-50.01
81.41	-72.64	-70.87	-0.11	-1.65	-13.00	-59.64
350.10	-55.49	-58.79	6.71	-3.41	-13.00	-42.49
399.57	-64.73	-67.64	6.56	-3.66	-13.00	-51.73
450.01	-55.02	-57.44	6.29	-3.87	-13.00	-42.02
547.98	-68.83	-71.17	6.61	-4.27	-13.00	-55.83
1673.00	-58.79	-60.64	9.33	-7.48	-13.00	-45.79
2509.50	-51.39	-52.88	10.69	-9.21	-13.00	-38.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :836.5 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
32.91	-64.58	-52.20	-11.34	-1.05	-13.00	-51.58
159.01	-73.85	-72.41	0.86	-2.30	-13.00	-60.85
231.76	-71.09	-75.30	6.98	-2.77	-13.00	-58.09
325.85	-75.96	-79.02	6.36	-3.30	-13.00	-62.96
549.92	-71.85	-74.21	6.64	-4.28	-13.00	-58.85
653.71	-76.40	-77.79	6.06	-4.66	-13.00	-63.40
1673.00	-60.54	-62.40	9.33	-7.48	-13.00	-47.54
2509.50	-56.48	-57.96	10.69	-9.21	-13.00	-43.48


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :844 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
32.91	-63.37	-50.98	-11.34	-1.05	-13.00	-50.37
92.08	-72.94	-72.87	1.69	-1.76	-13.00	-59.94
227.88	-73.69	-78.23	7.29	-2.75	-13.00	-60.69
321.97	-73.83	-76.97	6.41	-3.27	-13.00	-60.83
550.89	-69.84	-72.21	6.65	-4.28	-13.00	-56.84
991.27	-66.28	-66.99	6.45	-5.74	-13.00	-53.28
1688.00	-59.80	-61.77	9.48	-7.51	-13.00	-46.80
2532.00	-53.80	-55.05	10.50	-9.25	-13.00	-40.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2511003793ER
Operation Mode :NR n5
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :844 MHz

Test Site :SAC 1
Test Date :2026-01-16
Temp./Humi. :23.2°C/50%
Antenna Pol. :Horizontal
Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
32.91	-64.78	-52.39	-11.34	-1.05	-13.00	-51.78
158.04	-74.88	-73.48	0.90	-2.30	-13.00	-61.88
226.91	-72.44	-77.05	7.35	-2.74	-13.00	-59.44
325.85	-75.06	-78.13	6.36	-3.30	-13.00	-62.06
549.92	-72.48	-74.84	6.64	-4.28	-13.00	-59.48
625.58	-76.66	-78.14	6.05	-4.56	-13.00	-63.66
1688.00	-60.37	-62.34	9.48	-7.51	-13.00	-47.37
2532.00	-56.69	-57.93	10.50	-9.25	-13.00	-43.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER

Test Site :SAC 1

Operation Mode :NR n66

Test Date :2026-01-16

Test Mode :Tx


Temp./Humi. :23.2°C/50%

EUT Pol :E2 Plane

Antenna Pol. :Vertical

Test Frequency :1715 MHz

Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.97	-61.85	-48.98	-11.85	-1.02	-13.00	-48.85
84.32	-68.43	-67.43	0.68	-1.68	-13.00	-55.43
226.91	-72.53	-77.14	7.35	-2.74	-13.00	-59.53
321.97	-73.99	-77.12	6.41	-3.27	-13.00	-60.99
410.24	-74.06	-76.95	6.59	-3.70	-13.00	-61.06
572.23	-72.84	-74.95	6.48	-4.37	-13.00	-59.84
3430.00	-55.25	-56.96	12.56	-10.85	-13.00	-42.25
5145.00	-45.89	-44.71	12.22	-13.40	-13.00	-32.89
6860.00	-34.56	-31.12	12.14	-15.58	-13.00	-21.56
8575.00	-38.28	-32.61	11.80	-17.48	-13.00	-25.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1715 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
32.91	-64.48	-52.09	-11.34	-1.05	-13.00	-51.48
154.16	-74.12	-72.53	0.67	-2.27	-13.00	-61.12
231.76	-70.80	-75.01	6.98	-2.77	-13.00	-57.80
325.85	-75.75	-78.81	6.36	-3.30	-13.00	-62.75
461.65	-76.09	-78.45	6.29	-3.93	-13.00	-63.09
641.10	-74.95	-76.37	6.04	-4.62	-13.00	-61.95
3430.00	-55.01	-56.72	12.56	-10.85	-13.00	-42.01
5145.00	-49.02	-47.84	12.22	-13.40	-13.00	-36.02
6860.00	-41.80	-38.36	12.14	-15.58	-13.00	-28.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.97	-61.96	-49.09	-11.85	-1.02	-13.00	-48.96
90.14	-68.46	-68.34	1.62	-1.74	-13.00	-55.46
231.76	-71.51	-75.72	6.98	-2.77	-13.00	-58.51
350.10	-58.39	-61.69	6.71	-3.41	-13.00	-45.39
399.57	-64.20	-67.10	6.56	-3.66	-13.00	-51.20
450.01	-56.26	-58.68	6.29	-3.87	-13.00	-43.26
3490.00	-55.26	-56.75	12.44	-10.95	-13.00	-42.26
5235.00	-46.08	-45.34	12.78	-13.52	-13.00	-33.08
6980.00	-39.17	-35.00	11.54	-15.72	-13.00	-26.17
8725.00	-33.91	-28.35	12.10	-17.67	-13.00	-20.91
12215.00	-36.17	-28.05	12.96	-21.08	-13.00	-23.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.00	-63.85	-50.52	-12.33	-1.00	-13.00	-50.85
150.28	-74.66	-72.99	0.57	-2.24	-13.00	-61.66
231.76	-72.29	-76.50	6.98	-2.77	-13.00	-59.29
325.85	-76.14	-79.21	6.36	-3.30	-13.00	-63.14
517.91	-74.89	-77.26	6.52	-4.15	-13.00	-61.89
3490.00	-54.08	-55.57	12.44	-10.95	-13.00	-41.08
5235.00	-48.32	-47.58	12.78	-13.52	-13.00	-35.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1775 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-63.21	-50.40	-11.77	-1.03	-13.00	-50.21
83.35	-71.28	-70.03	0.42	-1.67	-13.00	-58.28
136.70	-74.17	-72.77	0.74	-2.14	-13.00	-61.17
227.88	-71.75	-76.29	7.29	-2.75	-13.00	-58.75
450.01	-57.52	-59.94	6.29	-3.87	-13.00	-44.52
588.72	-71.88	-73.74	6.28	-4.42	-13.00	-58.88
3550.00	-53.55	-54.60	12.10	-11.05	-13.00	-40.55
5325.00	-43.63	-43.09	13.10	-13.64	-13.00	-30.63
7100.00	-38.55	-33.79	11.10	-15.86	-13.00	-25.55


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1775 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.97	-63.98	-51.11	-11.85	-1.02	-13.00	-50.98
159.01	-74.62	-73.18	0.86	-2.30	-13.00	-61.62
231.76	-72.88	-77.09	6.98	-2.77	-13.00	-59.88
325.85	-76.31	-79.37	6.36	-3.30	-13.00	-63.31
463.59	-76.45	-78.80	6.28	-3.93	-13.00	-63.45
589.69	-75.15	-76.98	6.26	-4.43	-13.00	-62.15
3550.00	-55.44	-56.49	12.10	-11.05	-13.00	-42.44
5325.00	-45.59	-45.06	13.10	-13.64	-13.00	-32.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3455.01 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-67.07	-54.68	-11.34	-1.05	-13.00	-54.07
92.08	-72.80	-72.73	1.69	-1.76	-13.00	-59.80
250.19	-68.96	-72.48	6.39	-2.88	-13.00	-55.96
350.10	-55.33	-58.63	6.71	-3.41	-13.00	-42.33
399.57	-68.37	-71.27	6.56	-3.66	-13.00	-55.37
590.66	-71.91	-73.72	6.25	-4.43	-13.00	-58.91
6910.02	-33.39	-29.59	11.84	-15.63	-13.00	-20.39
7000.00	-46.61	-42.37	11.50	-15.74	-13.00	-33.61
10365.03	-43.98	-36.23	11.57	-19.33	-13.00	-30.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3455.01 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.97	-65.66	-52.79	-11.85	-1.02	-13.00	-52.66
120.21	-75.07	-74.22	1.15	-2.00	-13.00	-62.07
226.91	-74.17	-78.78	7.35	-2.74	-13.00	-61.17
450.01	-66.11	-68.53	6.29	-3.87	-13.00	-53.11
549.92	-70.70	-73.06	6.64	-4.28	-13.00	-57.70
738.10	-73.55	-74.48	5.89	-4.96	-13.00	-60.55
6910.02	-35.11	-31.32	11.84	-15.63	-13.00	-22.11
10365.03	-41.99	-34.23	11.57	-19.33	-13.00	-28.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3500.01 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
32.91	-66.09	-53.70	-11.34	-1.05	-13.00	-53.09
92.08	-72.15	-72.08	1.69	-1.76	-13.00	-59.15
350.10	-60.67	-63.98	6.71	-3.41	-13.00	-47.67
399.57	-68.56	-71.46	6.56	-3.66	-13.00	-55.56
450.01	-53.92	-56.34	6.29	-3.87	-13.00	-40.92
549.92	-64.43	-66.79	6.64	-4.28	-13.00	-51.43
7000.02	-47.08	-42.84	11.50	-15.74	-13.00	-34.08
10500.03	-42.15	-34.09	11.40	-19.46	-13.00	-29.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3500.01 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.97	-65.81	-52.94	-11.85	-1.02	-13.00	-52.81
162.89	-74.63	-73.56	1.26	-2.33	-13.00	-61.63
265.71	-75.09	-78.49	6.37	-2.97	-13.00	-62.09
399.57	-70.27	-73.17	6.56	-3.66	-13.00	-57.27
450.01	-58.48	-60.90	6.29	-3.87	-13.00	-45.48
549.92	-61.08	-63.44	6.64	-4.28	-13.00	-48.08
7000.02	-48.94	-44.70	11.50	-15.74	-13.00	-35.94
10500.03	-43.09	-35.03	11.40	-19.46	-13.00	-30.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3544.98 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
32.91	-66.43	-54.04	-11.34	-1.05	-13.00	-53.43
60.07	-72.69	-63.70	-7.57	-1.42	-13.00	-59.69
140.58	-75.63	-74.09	0.63	-2.17	-13.00	-62.63
265.71	-71.77	-75.17	6.37	-2.97	-13.00	-58.77
414.12	-72.52	-75.39	6.59	-3.72	-13.00	-59.52
574.17	-70.81	-72.95	6.51	-4.37	-13.00	-57.81
7089.96	-46.94	-42.23	11.14	-15.85	-13.00	-33.94
10634.94	-43.19	-34.92	11.33	-19.59	-13.00	-30.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3544.98 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-65.13	-51.80	-12.33	-1.00	-13.00	-52.13
160.95	-74.61	-73.36	1.07	-2.32	-13.00	-61.61
250.19	-67.79	-71.30	6.39	-2.88	-13.00	-54.79
350.10	-54.16	-57.46	6.71	-3.41	-13.00	-41.16
399.57	-63.83	-66.73	6.56	-3.66	-13.00	-50.83
557.68	-71.74	-74.14	6.70	-4.30	-13.00	-58.74
7089.96	-48.32	-43.61	11.14	-15.85	-13.00	-35.32
10634.94	-41.91	-33.65	11.33	-19.59	-13.00	-28.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3555 MHz

Test Site :SAC 1
 Test Date :2026-01-20
 Temp./Humi. :23.8°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
32.91	-65.65	-53.26	-11.34	-1.05	-13.00	-52.65
90.14	-69.05	-68.93	1.62	-1.74	-13.00	-56.05
223.03	-51.68	-56.27	7.32	-2.73	-13.00	-38.68
296.75	-55.21	-58.31	6.24	-3.14	-13.00	-42.21
371.44	-60.04	-63.18	6.67	-3.53	-13.00	-47.04
519.85	-62.25	-64.64	6.55	-4.16	-13.00	-49.25
7110.00	-45.10	-40.31	11.08	-15.87	-13.00	-32.10
10665.00	-41.90	-33.63	11.36	-19.63	-13.00	-28.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3555 MHz

Test Site :SAC 1
 Test Date :2026-01-20
 Temp./Humi. :23.8°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
32.91	-66.26	-53.87	-11.34	-1.05	-13.00	-53.26
161.92	-62.69	-61.58	1.21	-2.33	-13.00	-49.69
223.03	-74.37	-78.96	7.32	-2.73	-13.00	-61.37
350.10	-63.87	-67.17	6.71	-3.41	-13.00	-50.87
371.44	-66.80	-69.94	6.67	-3.53	-13.00	-53.80
519.85	-70.38	-72.77	6.55	-4.16	-13.00	-57.38
7110.00	-46.96	-42.17	11.08	-15.87	-13.00	-33.96
10665.00	-40.77	-32.50	11.36	-19.63	-13.00	-27.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3625.02 MHz

Test Site :SAC 1
 Test Date :2026-01-20
 Temp./Humi. :23.8°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
34.85	-65.04	-52.65	-11.31	-1.08	-13.00	-52.04
84.32	-70.58	-69.58	0.68	-1.68	-13.00	-57.58
223.03	-51.67	-56.26	7.32	-2.73	-13.00	-38.67
296.75	-55.05	-58.15	6.24	-3.14	-13.00	-42.05
450.01	-54.34	-56.76	6.29	-3.87	-13.00	-41.34
519.85	-62.64	-65.03	6.55	-4.16	-13.00	-49.64
7250.04	-45.00	-39.86	10.90	-16.04	-13.00	-32.00
10875.06	-41.30	-32.63	11.15	-19.82	-13.00	-28.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3625.02 MHz

Test Site :SAC 1
 Test Date :2026-01-20
 Temp./Humi. :23.8°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.97	-64.89	-52.02	-11.85	-1.02	-13.00	-51.89
161.92	-63.02	-61.90	1.21	-2.33	-13.00	-50.02
223.03	-73.86	-78.46	7.32	-2.73	-13.00	-60.86
325.85	-71.21	-74.27	6.36	-3.30	-13.00	-58.21
371.44	-67.26	-70.41	6.67	-3.53	-13.00	-54.26
519.85	-69.91	-72.29	6.55	-4.16	-13.00	-56.91
7250.04	-45.66	-40.52	10.90	-16.04	-13.00	-32.66
10875.06	-40.92	-32.25	11.15	-19.82	-13.00	-27.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3694.98 MHz

Test Site :SAC 1
 Test Date :2026-01-20
 Temp./Humi. :23.8°C/58%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
33.88	-65.89	-53.40	-11.42	-1.06	-13.00	-52.89
92.08	-68.04	-67.97	1.69	-1.76	-13.00	-55.04
223.03	-51.70	-56.29	7.32	-2.73	-13.00	-38.70
296.75	-55.13	-58.23	6.24	-3.14	-13.00	-42.13
371.44	-60.08	-63.22	6.67	-3.53	-13.00	-47.08
519.85	-62.69	-65.08	6.55	-4.16	-13.00	-49.69
7389.96	-44.58	-39.26	10.86	-16.18	-13.00	-31.58
11084.94	-39.84	-31.16	11.34	-20.01	-13.00	-26.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3694.98 MHz

Test Site :SAC 1
 Test Date :2026-01-20
 Temp./Humi. :23.8°C/58%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
33.88	-65.81	-53.33	-11.42	-1.06	-13.00	-52.81
161.92	-63.10	-61.98	1.21	-2.33	-13.00	-50.10
223.03	-73.65	-78.24	7.32	-2.73	-13.00	-60.65
325.85	-71.59	-74.66	6.36	-3.30	-13.00	-58.59
371.44	-67.53	-70.67	6.67	-3.53	-13.00	-54.53
519.85	-69.81	-72.20	6.55	-4.16	-13.00	-56.81
7389.96	-45.75	-40.42	10.86	-16.18	-13.00	-32.75
11084.94	-40.98	-32.31	11.34	-20.01	-13.00	-27.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3705 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.97	-65.71	-52.84	-11.85	-1.02	-13.00	-52.71
92.08	-72.75	-72.68	1.69	-1.76	-13.00	-59.75
262.80	-72.25	-75.71	6.41	-2.95	-13.00	-59.25
399.57	-66.27	-69.17	6.56	-3.66	-13.00	-53.27
450.01	-54.77	-57.19	6.29	-3.87	-13.00	-41.77
549.92	-63.42	-65.78	6.64	-4.28	-13.00	-50.42
7410.00	-45.59	-40.29	10.90	-16.20	-13.00	-32.59
11115.00	-38.35	-29.76	11.46	-20.05	-13.00	-25.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3705 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
32.91	-66.30	-53.91	-11.34	-1.05	-13.00	-53.30
159.01	-74.63	-73.19	0.86	-2.30	-13.00	-61.63
231.76	-73.76	-77.97	6.98	-2.77	-13.00	-60.76
350.10	-72.73	-76.04	6.71	-3.41	-13.00	-59.73
483.96	-72.19	-74.72	6.54	-4.02	-13.00	-59.19
580.96	-71.44	-73.44	6.39	-4.39	-13.00	-58.44
7410.00	-45.60	-40.30	10.90	-16.20	-13.00	-32.60
11115.00	-41.12	-32.53	11.46	-20.05	-13.00	-28.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3840 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
32.91	-66.82	-54.43	-11.34	-1.05	-13.00	-53.82
93.05	-70.04	-69.78	1.51	-1.77	-13.00	-57.04
250.19	-70.67	-74.18	6.39	-2.88	-13.00	-57.67
350.10	-55.81	-59.12	6.71	-3.41	-13.00	-42.81
399.57	-63.25	-66.16	6.56	-3.66	-13.00	-50.25
591.63	-70.64	-72.45	6.24	-4.44	-13.00	-57.64
7680.00	-46.96	-41.79	11.36	-16.53	-13.00	-33.96
11520.00	-26.32	-17.42	11.54	-20.44	-13.00	-13.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3840 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-65.63	-52.30	-12.33	-1.00	-13.00	-52.63
155.13	-73.42	-71.80	0.66	-2.28	-13.00	-60.42
231.76	-73.85	-78.06	6.98	-2.77	-13.00	-60.85
350.10	-54.61	-57.92	6.71	-3.41	-13.00	-41.61
399.57	-64.16	-67.06	6.56	-3.66	-13.00	-51.16
450.01	-56.02	-58.44	6.29	-3.87	-13.00	-43.02
7680.00	-47.13	-41.95	11.36	-16.53	-13.00	-34.13
11520.00	-35.01	-26.11	11.54	-20.44	-13.00	-22.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3975 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Vertical
 Engineer :WJ Lin




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
32.91	-65.53	-53.14	-11.34	-1.05	-13.00	-52.53
60.07	-72.38	-63.39	-7.57	-1.42	-13.00	-59.38
250.19	-68.71	-72.23	6.39	-2.88	-13.00	-55.71
350.10	-54.22	-57.53	6.71	-3.41	-13.00	-41.22
399.57	-64.33	-67.24	6.56	-3.66	-13.00	-51.33
450.01	-58.54	-60.96	6.29	-3.87	-13.00	-45.54
7950.00	-44.55	-38.81	11.10	-16.84	-13.00	-31.55
11925.00	-13.96	-6.06	12.90	-20.79	-13.00	-0.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER
 Operation Mode :NR n77
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :3975 MHz

Test Site :SAC 1
 Test Date :2026-01-16
 Temp./Humi. :23.2°C/50%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
30.00	-65.30	-51.97	-12.33	-1.00	-13.00	-52.30
156.10	-71.88	-70.39	0.80	-2.28	-13.00	-58.88
250.19	-68.74	-72.25	6.39	-2.88	-13.00	-55.74
352.04	-71.66	-75.00	6.76	-3.42	-13.00	-58.66
458.74	-70.63	-73.00	6.29	-3.91	-13.00	-57.63
576.11	-69.70	-71.82	6.49	-4.38	-13.00	-56.70
7950.00	-45.40	-39.65	11.10	-16.84	-13.00	-32.40
11925.00	-25.91	-18.02	12.90	-20.79	-13.00	-12.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Additional measurement

Report Number :TERF2511003793ER
 Operation Mode :NR n2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1880 MHz

Test Site :SAC 1
 Test Date :2026-03-25
 Temp./Humi. :23.0°C/64%
 Antenna Pol. :Vertical
 Engineer :WJ Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
48.43	-63.96	-52.71	-9.97	-1.28	-13.00	-50.96
85.29	-67.40	-66.64	0.94	-1.69	-13.00	-54.40
152.22	-66.29	-64.66	0.63	-2.26	-13.00	-53.29
180.35	-69.14	-70.49	3.79	-2.45	-13.00	-56.14
223.03	-68.44	-73.03	7.32	-2.73	-13.00	-55.44
387.93	-74.59	-77.54	6.55	-3.59	-13.00	-61.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER

Test Site :SAC 1

Operation Mode :NR n2

Test Date :2026-03-25

Test Mode :Tx


Temp./Humi. :23.0°C/64%

EUT Pol :E2 Plane

Antenna Pol. :Horizontal

Test Frequency :1880 MHz

Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-63.61	-50.81	-11.77	-1.03	-13.00	-50.61
142.52	-72.97	-71.29	0.51	-2.19	-13.00	-59.97
272.50	-75.90	-79.12	6.24	-3.02	-13.00	-62.90
399.57	-66.11	-69.01	6.56	-3.66	-13.00	-53.11
482.02	-75.46	-78.00	6.55	-4.01	-13.00	-62.46
558.65	-73.98	-76.37	6.70	-4.31	-13.00	-60.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2511003793ER

Operation Mode :NR n5

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :829 MHz


Test Site :SAC 1

Test Date :2026-03-25

Temp./Humi. :23.0°C/64%

Antenna Pol. :Vertical

Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.00	-67.62	-54.29	-12.33	-1.00	-13.00	-54.62
48.43	-64.42	-53.17	-9.97	-1.28	-13.00	-51.42
120.21	-69.69	-68.83	1.15	-2.00	-13.00	-56.69
182.29	-69.60	-71.30	4.17	-2.47	-13.00	-56.60
224.00	-68.42	-73.08	7.39	-2.73	-13.00	-55.42
351.07	-74.11	-77.43	6.74	-3.42	-13.00	-61.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2511003793ER
 Operation Mode :NR n5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :829 MHz

Test Site :SAC 1
 Test Date :2026-03-25
 Temp./Humi. :23.0°C/64%
 Antenna Pol. :Horizontal
 Engineer :WJ Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.00	-63.93	-50.60	-12.33	-1.00	-13.00	-50.93
141.55	-73.78	-72.14	0.54	-2.18	-13.00	-60.78
181.32	-74.46	-76.10	4.10	-2.46	-13.00	-61.46
283.17	-75.58	-78.64	6.14	-3.08	-13.00	-62.58
383.08	-71.02	-73.98	6.54	-3.57	-13.00	-58.02
482.99	-74.04	-76.57	6.54	-4.01	-13.00	-61.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.6 Frequency Stability

Part22

5G NR BAND n5				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15 kHz		Bandwidth:	20MHz
CH	167300		Frequency(MHz) :	836.50
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
138	20	836.500012	0.0137	+/- 2.5 ppm
120	20	836.499995	-0.0055	
102	20	836.499998	-0.0027	
20.6 (End Point)	20	836.500006	0.0075	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
120	-30	836.499988	-0.0139	+/- 2.5 ppm
120	-20	836.500007	0.0086	
120	-10	836.500002	0.0025	
120	0	836.500005	0.0060	
120	10	836.500012	0.0143	
120	20	836.499993	-0.0084	
120	30	836.500008	0.0092	
120	40	836.500004	0.0049	
120	50	836.500009	0.0106	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR BAND n2				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15 kHz		Bandwidth:	20MHz
CH	376000		Frequency(MHz) :	1880.00
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
138	20	1880.000010	0.0052	+/- 2.5 ppm
120	20	1880.000006	0.0030	
102	20	1879.999988	-0.0063	
20.6 (End Point)	20	1879.999995	-0.0027	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
120	-30	1879.999996	-0.0023	+/- 2.5 ppm
120	-20	1880.000005	0.0028	
120	-10	1879.999998	-0.0011	
120	0	1879.999992	-0.0044	
120	10	1880.000012	0.0064	
120	20	1880.000004	0.0022	
120	30	1879.999990	-0.0053	
120	40	1880.000002	0.0011	
120	50	1880.000003	0.0018	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR BAND n66					
Reference Freq.:			Modulation.:	CP-OFDM QPSK	
SCS.:	15	kHz		Bandwidth:	20MHz
CH	349000		Frequency(MHz)	1745.00	
Freq. ERROR vs. VOLTAGE					
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
138	20	1745.000011	0.0064	+/- 2.5 ppm	
120	20	1744.999991	-0.0052		
102	20	1744.999992	-0.0045		
20.6 (End Point)	20	1745.000006	0.0037		
Freq. ERROR vs. Temp.					
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
120	-30	1744.999997	-0.0019	+/- 2.5 ppm	
120	-20	1745.000005	0.0029		
120	-10	1745.000007	0.0042		
120	0	1745.000000	-0.0001		
120	10	1744.999995	-0.0027		
120	20	1745.000001	0.0005		
120	30	1744.999988	-0.0069		
120	40	1745.000004	0.0020		
120	50	1745.000011	0.0061		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR BAND n77				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	30	kHz	Bandwidth:	20MHz
CH	656000		Frequency(MHz)	3840.00
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
138	20	3839.999999	-0.0002	+/- 2.5 ppm
120	20	3839.999993	-0.0018	
102	20	3840.000005	0.0014	
20.6 (End Point)	20	3840.000012	0.0030	
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
120	-30	3840.000010	0.0026	+/- 2.5 ppm
120	-20	3840.000003	0.0008	
120	-10	3839.999996	-0.0010	
120	0	3840.000001	0.0003	
120	10	3839.999996	-0.0012	
120	20	3840.000006	0.0015	
120	30	3840.000007	0.0019	
120	40	3839.999998	-0.0007	
120	50	3839.999994	-0.0016	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

7.7 Peak To Average Ratio

Part22

5G NR BAND n5							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
CH	Freq. (MHz)	PAPR (dB)		CH	Freq. (MHz)	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
165300	826.50	6.49	13	165800	829.00	6.46	13
167300	836.50	6.46	13	167300	836.50	6.63	13
169300	846.50	6.04	13	168800	844.00	6.53	13

5G NR BAND n5							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
CH	Freq. (MHz)	PAPR (dB)		CH	Freq. (MHz)	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
166300	831.50	6.28	13	166800	834.00	6.63	13
167300	836.50	6.41	13	167300	836.50	6.36	13
168300	841.50	6.08	13	167800	839.00	6.39	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR BAND n2							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
CH	Freq. (MHz)	PAPR (dB)		CH	Freq. (MHz)	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
370500	1852.50	6.66	13	371000	1855.00	6.39	13
376000	1880.00	6.82	13	376000	1880.00	6.60	13
381500	1907.50	6.51	13	381000	1905.00	6.65	13

5G NR BAND n2							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
CH	Freq. (MHz)	PAPR (dB)		CH	Freq. (MHz)	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
371500	1857.50	6.45	13	372000	1860.00	6.81	13
376000	1880.00	6.23	13	376000	1880.00	6.42	13
380500	1902.50	6.97	13	380000	1900.00	6.78	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR BAND n66							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
CH	Freq. (MHz)	PAPR (dB)		CH	Freq. (MHz)	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
342500	1712.50	6.73	13	343000	1715.00	7.02	13
349000	1745.00	6.60	13	349000	1745.00	6.87	13
355500	1777.50	6.81	13	355000	1775.00	6.33	13

5G NR BAND n66							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
CH	Freq. (MHz)	PAPR (dB)		CH	Freq. (MHz)	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
343500	1717.50	6.65	13	344000	1720.00	6.34	13
349000	1745.00	7.06	13	349000	1745.00	6.79	13
354500	1772.50	6.65	13	354000	1770.00	6.60	13

5G NR BAND n77(3450 to 3550 MHz)							
DFT-S-OFDM_SCS 30 kHz							
Channel bandwidth: 10MHz				Channel bandwidth: 15MHz			
CH	Freq. (MHz)	PAPR (dB)		CH	Freq. (MHz)	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
630334	3455.01	7.22	13	630500	3457.50	6.70	13
633334	3500.01	7.69	13	633334	3500.01	6.64	13
636332	3544.98	6.66	13	636166	3542.49	9.84	13

5G NR BAND n77(3450 to 3550 MHz)							
DFT-S-OFDM_SCS 30 kHz							
Channel bandwidth: 20MHz							
CH	Freq. (MHz)	PAPR (dB)					
		256QAM	Limit				
630668	3460.02	6.30	13				
633334	3500.01	6.74	13				
636000	3540.00	6.40	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR BAND n77 (3700 to 3980 MHz)							
DFT-S-OFDM_SCS 30 kHz							
Channel bandwidth: 10MHz				Channel bandwidth: 15MHz			
CH	Freq. (MHz)	PAPR (dB)		CH	Freq. (MHz)	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
647000	3705.00	6.66	13	647168	3707.52	6.54	13
656000	3840.00	6.56	13	656000	3840.00	6.29	13
665000	3975.00	7.21	13	664832	3972.48	6.51	13

5G NR BAND n77 (3700 to 3980 MHz)							
DFT-S-OFDM_SCS 30 kHz							
Channel bandwidth: 20MHz							
CH	Freq. (MHz)	PAPR (dB)					
		256QAM	Limit				
647334	3710.01	6.47	13				
656000	3840.00	6.51	13				
664666	3969.99	6.01	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.