

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

<Adapter A>


Band Edges, 2.31GHz ~ 2.9GHz

SRD 2.4G


Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




SRD 2.4G

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2325.64	42.37	4.57	37.80	54.00	-11.63	186	300	Average	Horizontal		
2 *	2402.00	98.26	60.16	38.10	54.00	44.26	196	300	Average	Horizontal		
3	2494.49	43.15	4.84	38.31	54.00	-10.85	186	300	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2372.13	42.30	4.30	38.00	54.00	-11.70	320	195	Average	Vertical		
2 *	2402.00	100.37	62.27	38.10	54.00	46.37	320	195	Average	Vertical		
3	2488.41	42.96	4.64	38.32	54.00	-11.04	320	195	Average	Vertical		

SRD 2.4G

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




SRD 2.4G

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2352.81	42.21	4.27	37.94	54.00	-11.79	131	297	Average	Horizontal		
2 *	2440.00	99.11	60.81	38.30	54.00	45.11	131	297	Average	Horizontal		
3	2488.16	43.07	4.75	38.32	54.00	-10.93	131	297	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2311.71	42.39	4.66	37.73	54.00	-11.61	317	348	Average	Vertical		
2 *	2440.00	100.85	62.55	38.30	54.00	46.85	317	348	Average	Vertical		
3	2491.83	42.98	4.66	38.32	54.00	-11.02	317	348	Average	Vertical		

SRD 2.4G

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2343.57	54.70	16.81	37.89	74.00	-19.30	152	295	Peak	Horizontal	
2 *	2480.00	100.72	62.39	38.33	74.00	26.72	132	295	Peak	Horizontal	
3	2483.60	60.78	22.46	38.32	74.00	-13.22	152	295	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2346.99	54.56	16.64	37.92	74.00	-19.44	346	346	Peak	Vertical	
2 *	2480.00	101.94	63.61	38.33	74.00	27.94	346	346	Peak	Vertical	
3	2483.66	61.71	23.39	38.32	74.00	-12.29	346	346	Peak	Vertical	

SRD 2.4G

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

SRD 2.4G

High Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.01	61.35	43.04	18.31	127.60	-66.25	100			211 Peak	Open	
2	0.03	62.88	43.07	19.81	119.13	-56.25	100			290 Peak	Open	
3	0.03	48.27	28.46	19.81	118.05	-69.78	100			211 Peak	Open	
4	0.06	60.09	41.29	18.80	111.84	-51.75	100			186 Peak	Open	
5	0.12	48.91	30.29	18.62	106.11	-57.20	100			214 Peak	Open	
6	0.13	49.77	31.08	18.69	105.35	-55.58	100			233 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.24	55.50	36.42	19.08	100.01	-44.51	100			254 Peak	Open	
2	5.52	34.90	14.63	20.27	69.50	-34.60	100			269 Peak	Open	
3	11.64	35.03	13.57	21.46	69.50	-34.47	100			0 Peak	Open	
4	16.69	35.17	13.11	22.06	69.50	-34.33	100			127 Peak	Open	
5	22.33	35.49	13.67	21.82	69.50	-34.01	100			217 Peak	Open	
6	26.78	36.08	13.30	22.78	69.50	-33.42	100			20 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


SRD 2.4G

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	88.20	27.01	39.44	-12.43	43.50	-16.49	100	306	Peak	Horizontal		
2	229.12	33.23	41.86	-8.63	46.00	-12.77	100	46	Peak	Horizontal		
3	263.77	38.88	45.61	-6.73	46.00	-7.12	100	306	Peak	Horizontal		
4	312.27	38.08	43.47	-5.39	46.00	-7.92	100	75	Peak	Horizontal		
5	359.80	37.40	41.71	-4.31	46.00	-8.60	100	168	Peak	Horizontal		
6	488.30	35.08	38.48	-3.40	46.00	-10.92	100	66	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	58.13	28.49	35.04	-6.55	40.00	-11.51	100	292	Peak	Vertical		
2	159.01	25.54	31.59	-6.05	43.50	-17.96	100	164	Peak	Vertical		
3	263.77	32.18	38.91	-6.73	46.00	-13.82	100	30	Peak	Vertical		
4	312.27	29.20	34.59	-5.39	46.00	-16.80	100	185	Peak	Vertical		
5	359.80	29.64	33.95	-4.31	46.00	-16.36	100	296	Peak	Vertical		
6	482.99	30.85	32.97	-2.12	46.00	-15.15	100	307	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


SRD 2.4G

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




SRD 2.4G

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4880.00	47.20	55.12	-7.92	74.00	-26.80	311	177	Peak	Horizontal		
2	4880.00	45.58	53.50	-7.92	54.00	-8.42	311	177	Average	Horizontal		
3	7320.00	45.57	50.93	-5.36	74.00	-28.43	100	273	Peak	Horizontal		
4	7320.00	41.66	47.02	-5.36	54.00	-12.34	100	273	Average	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4880.00	46.43	54.35	-7.92	74.00	-27.57	100	153	Peak	Vertical		
2	4880.00	42.14	50.06	-7.92	54.00	-11.86	100	153	Average	Vertical		
3	7320.00	49.13	54.49	-5.36	74.00	-24.67	100	4	Peak	Vertical		
4	7320.00	42.64	48.00	-5.36	54.00	-11.36	100	4	Average	Vertical		


SRD 2.4G

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	52.10	59.89	-7.79	74.00	-21.90	100	291	Peak	Horizontal		
2	4960.00	47.39	55.18	-7.79	54.00	-6.61	100	291	Average	Horizontal		
3	7440.00	44.95	50.33	-5.38	74.00	-29.05	100	280	Peak	Horizontal		
4	7440.00	40.37	45.75	-5.38	54.00	-13.63	100	280	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	49.56	57.35	-7.79	74.00	-24.44	100	161	Peak	Vertical		
2	4960.00	46.28	54.07	-7.79	54.00	-7.72	100	161	Average	Vertical		
3	7440.00	47.23	52.61	-5.38	74.00	-26.77	100	193	Peak	Vertical		
4	7440.00	40.69	46.07	-5.38	54.00	-13.31	100	193	Average	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dBuV	dB		
1	0.17	11.42	1.80	9.62	55.13	-43.71 Average	line1
2	0.17	29.20	19.58	9.62	65.13	-35.93 QP	line1
3	0.28	10.11	0.49	9.62	50.87	-40.76 Average	line1
4	0.28	23.27	13.65	9.62	60.87	-37.60 QP	line1
5	1.19	5.84	-3.80	9.64	46.00	-40.16 Average	line1
6	1.19	9.21	-0.43	9.64	56.00	-46.79 QP	line1
7	3.18	7.68	-2.00	9.68	46.00	-38.32 Average	line1
8	3.18	22.41	12.73	9.68	56.00	-33.59 QP	line1
9	10.22	18.60	8.84	9.76	50.00	-31.40 Average	line1
10	10.22	36.72	26.96	9.76	60.00	-23.28 QP	line1
11	27.84	13.69	3.95	9.74	50.00	-36.31 Average	line1
12	27.84	19.79	10.05	9.74	60.00	-40.21 QP	line1



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dBuV	dB		
1	0.17	10.00	0.38	9.62	54.84	-44.84 Average	neutral
2	0.17	27.22	17.60	9.62	64.84	-37.62 QP	neutral
3	0.28	9.42	-0.20	9.62	50.78	-41.36 Average	neutral
4	0.28	21.55	11.93	9.62	60.78	-39.23 QP	neutral
5	0.92	7.39	-2.25	9.64	46.00	-38.61 Average	neutral
6	0.92	16.94	7.30	9.64	56.00	-39.06 QP	neutral
7	3.36	7.78	-1.91	9.69	46.00	-38.22 Average	neutral
8	3.36	20.99	11.30	9.69	56.00	-35.01 QP	neutral
9	10.12	21.11	11.32	9.79	50.00	-28.89 Average	neutral
10	10.12	39.76	29.97	9.79	60.00	-20.24 QP	neutral
11	28.54	16.25	6.37	9.88	50.00	-33.75 Average	neutral
12	28.54	21.43	11.55	9.88	60.00	-38.57 QP	neutral

<Adapter A + Adapter B>

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


SRD 2.4G

High Channel (Open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	61.66	43.35	18.31	127.60	-65.94	100	299 Peak	Open	
2	0.04	62.56	42.95	19.61	116.28	-53.72	100	208 Peak	Open	
3	0.06	67.69	48.92	18.77	111.41	-43.72	100	189 Peak	Open	
4	0.08	47.20	28.65	18.55	109.08	-61.88	100	217 Peak	Open	
5	0.10	41.52	23.00	18.52	107.72	-66.20	100	215 Peak	Open	
6	0.13	61.88	43.19	18.69	105.33	-43.45	100	200 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.39	62.54	43.42	19.12	95.81	-33.27	100	201 Peak	Open	
2	2.81	37.67	18.60	19.07	69.50	-31.83	100	201 Peak	Open	
3	10.27	34.21	12.97	21.24	69.50	-35.29	100	128 Peak	Open	
4	17.34	35.27	13.04	22.23	69.50	-34.23	100	178 Peak	Open	
5	21.22	35.81	13.61	22.20	69.50	-33.69	100	360 Peak	Open	
6	25.43	36.23	13.39	22.84	69.50	-33.27	100	37 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


SRD 2.4G

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	144.46	27.02	33.74	-6.72	43.50	-16.48	100	269	Peak	Horizontal		
2	216.24	29.66	36.44	-6.78	46.00	-16.34	100	8	Peak	Horizontal		
3	263.77	39.05	45.78	-6.73	46.00	-6.95	100	143	Peak	Horizontal		
4	312.27	34.91	40.30	-5.39	46.00	-11.09	100	68	Peak	Horizontal		
5	359.80	36.23	40.54	-4.31	46.00	-9.77	100	266	Peak	Horizontal		
6	408.30	35.44	38.84	-3.40	46.00	-10.56	100	158	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	34.85	27.81	35.56	-7.75	40.00	-12.19	100	324	Peak	Vertical		
2	144.46	29.93	36.65	-6.72	43.50	-13.57	100	169	Peak	Vertical		
3	216.24	27.11	35.89	-8.78	46.00	-18.89	100	92	Peak	Vertical		
4	263.77	32.00	38.73	-6.73	46.00	-14.00	100	3	Peak	Vertical		
5	312.27	33.19	38.58	-5.39	46.00	-12.81	100	157	Peak	Vertical		
6	408.30	33.35	36.75	-3.40	46.00	-12.65	100	159	Peak	Vertical		

Mains Conducted Emission, TX 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dBuV	dB		
1	0.26	28.23	18.61	9.62	51.32	-23.09 Average	line1
2	0.26	39.59	29.97	9.62	61.32	-21.73 QP	line1
3	0.51	35.19	25.56	9.63	46.00	-10.81 Average	line1
4	0.51	42.95	32.42	9.63	56.00	-13.95 QP	line1
5	1.50	38.88	29.22	9.66	46.00	-7.12 Average	line1
6	1.50	42.69	33.03	9.66	56.00	-13.31 QP	line1
7	4.49	22.56	12.86	9.70	46.00	-23.44 Average	line1
8	4.49	28.80	19.10	9.70	56.00	-27.20 QP	line1
9	10.17	26.50	16.74	9.76	50.00	-23.50 Average	line1
10	10.17	35.49	25.73	9.76	60.00	-24.51 QP	line1
11	20.34	15.53	5.76	9.77	50.00	-34.47 Average	line1
12	20.34	20.54	10.77	9.77	60.00	-39.46 QP	line1



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dBuV	dB		
1	0.26	27.55	17.93	9.62	51.45	-23.90 Average	neutral
2	0.26	42.11	32.49	9.62	61.45	-19.34 QP	neutral
3	0.50	38.19	28.56	9.63	46.00	-7.87 Average	neutral
4	0.50	46.30	36.75	9.63	56.00	-9.68 QP	neutral
5	1.29	34.62	24.98	9.64	46.00	-11.38 Average	neutral
6	1.29	40.05	30.41	9.64	56.00	-15.95 QP	neutral
7	3.30	33.74	24.06	9.68	46.00	-12.26 Average	neutral
8	3.30	37.27	27.59	9.68	56.00	-18.73 QP	neutral
9	10.12	25.90	16.11	9.79	50.00	-24.10 Average	neutral
10	10.12	36.14	26.35	9.79	60.00	-23.86 QP	neutral
11	20.34	15.87	6.01	9.86	50.00	-34.13 Average	neutral
12	20.34	20.99	11.13	9.86	60.00	-39.01 QP	neutral