

U-NII-2C


802.11a

CH 100 (Horizontal)


CH 100 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 116 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	11160.00	61.92	61.41	0.51	74.00	-12.08	100	152 Peak	Horizontal	
2	11160.00	48.98	48.47	0.51	54.00	-5.02	100	152 Average	Horizontal	

CH 116 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	11160.00	65.91	65.40	0.51	74.00	-8.09	100	246 Peak	Vertical	
2	11160.00	52.33	51.82	0.51	54.00	-1.67	100	246 Average	Vertical	


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	59.96	59.01	0.95	74.00	-14.04	380	97	Peak	Horizontal	
2	11400.00	49.50	48.55	0.95	54.00	-4.50	380	97	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	65.02	64.07	0.95	74.00	-8.98	100	142	Peak	Vertical	
2	11400.00	51.24	50.29	0.95	54.00	-2.76	100	142	Average	Vertical	


802.11ax HE20

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	11800.00	67.25	66.96	0.29	74.00	-6.75	300	302 Peak	Horizontal	
2	11800.00	52.28	51.99	0.29	54.00	-1.72	300	302 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	11800.00	68.30	68.01	0.29	74.00	-5.70	100	130 Peak	Vertical	
2	11800.00	51.95	51.66	0.29	54.00	-2.05	100	130 Average	Vertical	


802.11ax HE20

CH 116 (Horizontal)


CH 116 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	65.60	64.65	0.95	74.00	-8.40	200	298 Peak	Horizontal	
2	11400.00	49.74	48.79	0.95	54.00	-4.26	200	298 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	66.03	65.08	0.95	74.00	-7.97	100	140 Peak	Vertical	
2	11400.00	50.63	49.68	0.95	54.00	-3.37	100	140 Average	Vertical	


802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.00	62.73	62.40	0.33	74.00	-11.27	100	239 Peak	Horizontal	
2	11020.00	48.38	48.05	0.33	54.00	-5.62	100	239 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.00	64.60	64.27	0.33	74.00	-9.40	100	126 Peak	Vertical	
2	11020.00	50.64	50.51	0.33	54.00	-3.16	100	126 Average	Vertical	


802.11ax HE40

CH 110 (Horizontal)


CH 110 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	63.26	62.44	0.82	74.00	-10.74	100	116	Peak	Vertical	
2	11340.00	49.92	49.10	0.82	54.00	-4.08	100	116	Average	Vertical	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	63.26	62.44	0.82	74.00	-10.74	100	116	Peak	Vertical	
2	11340.00	49.92	49.10	0.82	54.00	-4.08	100	116	Average	Vertical	


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel.: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11860.00	60.91	60.49	0.42	74.00	-13.09	300	305 Peak	Horizontal	
2	11860.00	46.56	46.14	0.42	54.00	-7.44	300	305 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel.: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11860.00	59.82	59.40	0.42	74.00	-14.18	281	360 Peak	Vertical	
2	11860.00	47.37	46.95	0.42	54.00	-6.63	281	360 Average	Vertical	


802.11ax HE80

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	11220.00	68.54	59.98	0.56	74.00	-13.46	267	213 Peak	Vertical	
2	11220.00	48.02	47.46	0.56	54.00	-5.98	267	213 Average	Vertical	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	11220.00	68.54	59.98	0.56	74.00	-13.46	267	213 Peak	Vertical	
2	11220.00	48.02	47.46	0.56	54.00	-5.98	267	213 Average	Vertical	


802.11ax HE160

CH 114 (Horizontal)

CH 114 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	50.33	49.82	0.51	74.00	-23.67	100	75	Peak	Horizontal	
2	11140.00	39.81	39.30	0.51	54.00	-14.19	100	75	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	55.00	54.49	0.51	74.00	-19.00	100	122	Peak	Vertical	
2	11140.00	43.06	42.55	0.51	54.00	-10.94	100	122	Average	Vertical	

U-NII-2C & U-NII-3


802.11a

CH 144 (Horizontal)

CH 144 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11440.00	47.33	46.29	1.04	54.00	-6.67	100	67	Average	Horizontal	
2	11440.00	61.98	60.94	1.04	74.00	-12.02	100	67	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11440.00	51.96	50.92	1.04	54.00	-2.04	100	142	Average	Vertical	
2	11440.00	66.49	65.45	1.04	74.00	-7.51	100	142	Peak	Vertical	


802.11ax HE20

CH 144 (Horizontal)

CH 144 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11440.00	64.57	63.53	1.04	74.00	-9.43	200	360	Peak	Horizontal		
2	11440.00	47.20	46.16	1.04	54.00	-6.80	200	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11440.00	65.35	64.31	1.04	74.00	-8.65	100	140	Peak	Vertical		
2	11440.00	49.76	48.72	1.04	54.00	-4.24	100	140	Average	Vertical		


802.11ax HE40

CH 142 (Horizontal)

CH 142 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11420.00	62.03	61.04	0.99	74.00	-11.97		300	347	Peak	Horizontal	
2	11420.00	48.12	47.13	0.99	54.00	-5.88		300	347	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11420.00	63.50	62.51	0.99	74.00	-10.50		100	140	Peak	Vertical	
2	11420.00	48.86	47.87	0.99	54.00	-5.14		100	140	Average	Vertical	


802.11ax HE80

CH 138 (Horizontal)

CH 138 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11380.00	56.09	55.18	0.91	74.00	-17.91	100	67 Peak	Horizontal	
2	11380.00	43.42	42.51	0.91	54.00	-10.58	100	67 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11380.00	58.10	57.19	0.91	74.00	-15.90	100	138 Peak	Vertical	
2	11380.00	44.88	43.97	0.91	54.00	-9.12	100	138 Average	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11490.00	62.90	61.76	1.14	74.00	-11.10	140	360	Peak	Horizontal	
2	11490.00	48.46	47.32	1.14	54.00	-5.54	140	360	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11490.00	64.16	63.02	1.14	74.00	-9.84	100	13	Peak	Vertical	
2	11490.00	49.93	48.79	1.14	54.00	-4.07	100	13	Average	Vertical	


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	11650.00	60.48	59.14	1.34	74.00	-13.52	161	360 Peak	Horizontal	
2	11650.00	45.95	44.61	1.34	54.00	-8.05	161	360 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	11650.00	61.10	59.76	1.34	74.00	-12.90	121	153 Peak	Vertical	
2	11650.00	46.61	45.27	1.34	54.00	-7.39	121	153 Average	Vertical	


802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	47.17	46.03	1.14	54.00	-6.83	100	154 Average	Horizontal	
2	11490.00	61.59	60.45	1.14	74.00	-12.41	100	154 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	50.09	48.95	1.14	54.00	-3.91	100	134 Average	Vertical	
2	11490.00	63.95	62.81	1.14	74.00	-10.95	100	134 Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	11570.00	61.15	59.95	1.20	74.00	-12.85	100	152 Peak	Horizontal	
2	11570.00	45.26	44.96	1.20	54.00	-8.74	100	152 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	11570.00	64.56	63.36	1.20	74.00	-9.44	100	140 Peak	Vertical	
2	11570.00	47.96	46.76	1.20	54.00	-6.04	100	140 Average	Vertical	


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	59.90	58.56	1.34	74.00	-14.10	100	172 Peak	Horizontal	
2	11650.00	44.74	43.40	1.34	54.00	-9.26	100	172 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	61.31	59.97	1.34	74.00	-12.69	100	133 Peak	Vertical	
2	11650.00	46.84	45.50	1.34	54.00	-7.16	100	133 Average	Vertical	


802.11ax HE40

CH 151 (Horizontal)


CH 151 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.00	56.49	55.28	1.21	74.00	-17.51	180	360 Peak	Horizontal	
2	11590.00	42.85	41.64	1.21	54.00	-11.15	180	360 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.00	58.87	57.66	1.21	74.00	-15.13	180	142 Peak	Vertical	
2	11590.00	45.03	43.82	1.21	54.00	-8.97	180	142 Average	Vertical	


802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11550.00	53.81	52.62	1.19	74.00	-20.19	100	71	Peak	Horizontal	
2	11550.00	41.56	40.37	1.19	54.00	-12.44	100	71	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11550.00	56.39	55.20	1.19	74.00	-17.61	100	130	Peak	Vertical	
2	11550.00	44.13	42.94	1.19	54.00	-9.87	100	130	Average	Vertical	

<Partial RU>
Band Edges, 4.5GHz ~ 5.15GHz
U-NII-1


802.11ax HE40_RU484

CH38 (Horizontal) Peak

CH38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.00	67.14	23.95	43.19	74.00	-6.86	379	203	Peak	Horizontal		
2 *	5190.00	113.71	70.32	43.39	68.20	45.51	379	203	Peak	Horizontal		
3	5438.50	57.57	13.67	43.70	74.00	-16.43	379	203	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.50	69.38	26.11	43.19	74.00	-4.70	314	86	Peak	Vertical		
2 *	5190.00	107.68	64.29	43.39	68.20	39.48	314	86	Peak	Vertical		
3	5403.50	58.28	14.40	43.88	74.00	-15.72	314	86	Peak	Vertical		

802.11ax HE40_RU484

CH38 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.00	51.29	8.18	43.19	54.00	-2.71	379	203 Average	Horizontal	
2	5190.00	103.49	60.19	43.39	54.00	49.49	379	203 Average	Horizontal	
3	5400.00	47.45	3.55	43.90	54.00	-6.55	379	203 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.50	52.82	9.64	43.18	54.00	-1.18	314	86 Average	Vertical	
2	5190.00	98.32	54.93	43.39	54.00	44.32	314	86 Average	Vertical	
3	5395.00	47.74	3.91	43.83	54.00	-6.26	314	86 Average	Vertical	

Band Edges, 5.35GHz

U-NII-2A


802.11ax HE40_RU484

CH62 (Horizontal) Peak


CH62 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40_RU484

CH62 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5110.50	47.00	3.92	43.08	54.00	-7.00	343	180 Average	Horizontal	
2 *	5318.00	101.56	57.86	43.70	54.00	47.56	343	180 Average	Horizontal	
3 †	5350.00	52.82	9.56	43.26	54.00	-1.18	343	180 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5103.00	47.42	4.36	43.06	54.00	-6.58	294	67 Average	Vertical	
2 *	5318.00	95.83	52.13	43.70	54.00	41.83	294	67 Average	Vertical	
3	5352.50	47.89	4.60	43.29	54.00	-6.11	294	67 Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11ax HE40_RU484

CH110 (Horizontal) Peak

CH110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5389.50	57.54	13.78	43.76	74.00	-16.46	149	100 Peak	Horizontal	
2	5466.00	57.89	14.21	43.68	68.20	-10.31	149	100 Peak	Horizontal	
3 *	5559.00	110.61	66.89	43.72	68.20	42.41	149	100 Peak	Horizontal	
4	5781.00	59.65	15.54	44.11	68.20	-8.55	149	100 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5377.00	57.61	14.01	43.68	74.00	-16.39	237	80 Peak	Vertical	
2	5461.50	57.12	13.45	43.67	68.20	-11.08	237	80 Peak	Vertical	
3 *	5559.00	108.37	64.65	43.72	68.20	40.17	237	80 Peak	Vertical	
4	5761.50	58.52	14.43	44.09	68.20	-9.68	237	80 Peak	Vertical	

802.11ax HE40_RU484

CH110 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5412.50	48.18	4.35	43.83	54.00	-5.82	149	100	Average	Horizontal
2	5550.00	100.04	57.12	43.72	54.00	46.04	149	100	Average	Horizontal

CH110 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5412.50	47.91	4.06	43.85	54.00	-6.09	237	80	Average	Vertical
2	5550.00	98.15	54.43	43.72	54.00	44.15	237	80	Average	Vertical

Mask, 5.725GHz ~ 5.85GHz
U-NII-3


802.11ax HE20_RU242

CH149 (Horizontal) Peak

CH149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5542.00	57.40	13.67	43.73	68.20	-10.00	100	115 Peak	Horizontal	
2	5676.50	58.12	14.55	43.57	87.85	-29.73	100	115 Peak	Horizontal	
3	5719.50	68.03	24.27	43.76	110.66	-42.63	100	115 Peak	Horizontal	
4	5722.50	68.90	25.12	43.78	122.90	-54.00	100	115 Peak	Horizontal	
5	5745.00	111.19	67.16	44.03	135.00	-23.81	100	115 Peak	Horizontal	
6	5851.50	57.13	12.85	44.28	127.74	-70.61	100	115 Peak	Horizontal	
7	5869.50	57.88	13.52	44.36	106.74	-48.86	100	115 Peak	Horizontal	
8	5904.00	58.59	14.09	44.50	83.70	-25.11	100	115 Peak	Horizontal	
9	5930.50	58.60	14.13	44.47	68.20	-9.60	100	115 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5590.50	57.08	13.51	43.57	68.20	-11.12	100	65 Peak	Vertical	
2	5663.00	56.56	12.98	43.58	77.85	-21.29	100	65 Peak	Vertical	
3	5719.50	66.78	23.02	43.76	110.66	-43.88	100	65 Peak	Vertical	
4	5720.00	66.78	23.02	43.76	110.80	-44.02	100	65 Peak	Vertical	
5	5745.00	109.15	65.12	44.03	135.00	-25.85	100	65 Peak	Vertical	
6	5854.50	57.00	12.71	44.29	113.22	-56.22	100	65 Peak	Vertical	
7	5860.00	57.59	13.27	44.32	109.40	-51.81	100	65 Peak	Vertical	
8	5883.50	58.26	13.84	44.42	98.89	-40.63	100	65 Peak	Vertical	
9	5996.50	58.11	13.53	44.58	68.20	-10.09	100	65 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11ax HE40_RU484

CH38 (Horizontal)

CH38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.00	59.26	59.96	-0.70	68.20	-8.94	294	318 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.00	62.53	63.23	-0.70	68.20	-5.67	383	336 Peak	Vertical	

U-NII-2A


802.11ax HE40_RU484

CH62 (Horizontal)

CH62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10620.00	43.21	43.64	-0.43	54.00	-10.79	100	105 Average	Horizontal	
2	10620.00	51.44	51.87	-0.43	74.00	-22.56	100	105 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10620.00	44.97	45.40	-0.43	54.00	-9.03	100	165 Average	Vertical	
2	10620.00	52.87	53.30	-0.43	74.00	-21.13	100	165 Peak	Vertical	

U-NII-2C


802.11ax HE40_RU484

CH110 (Horizontal)

CH110 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11100.00	49.88	48.58	0.50	54.00	-4.92	100	73 Average	Horizontal	
2	11100.00	58.78	58.28	0.50	74.00	-15.22	100	73 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11100.00	50.88	50.38	0.50	54.00	-3.12	100	123 Average	Vertical	
2	11100.00	58.79	58.29	0.50	74.00	-15.21	100	123 Peak	Vertical	

U-NII-3


802.11ax HE20_RU242

CH149 (Horizontal)

CH149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11490.00	48.82	46.88	1.14	54.00	-5.98	280	291 Average	Horizontal	
2 11490.00	62.79	61.65	1.14	74.00	-11.21	280	291 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11490.00	47.43	46.29	1.14	54.00	-6.57	305	316 Average	Vertical	
2 11490.00	61.60	60.46	1.14	74.00	-12.40	305	316 Peak	Vertical	


Mains Conducted Emission, (150kHz ~ 30MHz)

Worst Band

(Line)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dB	dB			
1	0.19	24.55	14.93	9.62	54.22	-29.67 Average	line1	
2	0.19	41.34	31.72	9.62	64.22	-22.88 QP	line1	
3	0.46	23.52	13.89	9.63	46.69	-23.17 Average	line1	
4	0.46	36.05	26.42	9.63	56.69	-20.64 QP	line1	
5	2.33	23.52	13.86	9.66	46.00	-22.48 Average	line1	
6	2.33	37.40	27.74	9.66	56.00	-18.60 QP	line1	
7	3.87	28.75	19.07	9.68	46.00	-17.25 Average	line1	
8	3.87	40.74	31.06	9.68	56.00	-15.26 QP	line1	
9	9.63	41.00	31.24	9.76	50.00	-9.00 Average	line1	
10	9.63	50.61	40.85	9.76	60.00	-9.39 QP	line1	
11	20.95	21.00	12.04	9.76	50.00	-28.20 Average	line1	
12	20.95	27.40	17.64	9.76	60.00	-32.60 QP	line1	

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dB	dB			
1	0.18	23.39	13.77	9.62	54.30	-30.91 Average	neutral	
2	0.18	41.20	31.58	9.62	64.30	-23.10 QP	neutral	
3	0.46	23.52	13.89	9.63	46.77	-23.25 Average	neutral	
4	0.46	36.50	26.87	9.63	56.77	-20.27 QP	neutral	
5	2.12	19.73	10.07	9.66	46.00	-26.27 Average	neutral	
6	2.12	35.61	25.95	9.66	56.00	-20.39 QP	neutral	
7	6.63	31.64	21.90	9.74	50.00	-18.36 Average	neutral	
8	6.63	42.63	32.89	9.74	60.00	-17.37 QP	neutral	
9	9.63	42.45	32.66	9.79	50.00	-7.55 Average	neutral	
10	9.63	50.81	41.02	9.79	60.00	-9.19 QP	neutral	
11	20.75	21.84	11.98	9.86	50.00	-28.16 Average	neutral	
12	20.75	27.48	17.62	9.86	60.00	-32.52 QP	neutral	

<Adapter A + Adapter B>

Spurious Emissions, Tx Mode, 9kHz ~30MHz

U-NII-2C


802.11ax HE40

CH 110(Open) (9kHz ~ 150kHz)

CH 110(Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	61.48	43.17	18.31	127.68	-66.12	100	169 Peak	Open	
2	0.03	62.68	42.79	19.81	119.13	-56.53	100	107 Peak	Open	
3	0.06	69.45	50.69	18.76	111.36	-41.91	100	173 Peak	Open	
4	0.09	33.33	14.77	18.56	108.96	-75.63	100	173 Peak	Open	
5	0.12	48.18	29.48	18.62	106.15	-58.05	100	309 Peak	Open	
6	0.13	61.84	43.15	18.69	105.37	-43.53	100	190 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.45	60.38	41.24	19.14	94.57	-34.19	100	199 Peak	Open	
2	2.78	40.12	21.05	19.07	69.50	-29.35	100	224 Peak	Open	
3	6.78	34.68	13.83	20.85	69.50	-34.82	100	257 Peak	Open	
4	13.67	34.92	13.57	21.35	69.50	-34.58	100	252 Peak	Open	
5	18.42	35.70	13.29	22.41	69.50	-33.00	100	79 Peak	Open	
6	26.57	36.16	13.43	22.73	69.50	-33.34	100	22 Peak	Open	

Spurious Emissions, 30MHz ~ 1GHz

U-NII-2C


802.11ax HE40

CH 110 (Horizontal)

CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	144.46	32.29	39.01	-6.72	43.50	-11.21	100	263	Peak	Horizontal	
2	263.77	39.72	46.45	-6.73	46.00	-6.28	100	104	Peak	Horizontal	
3	312.27	38.04	43.43	-5.39	46.00	-7.96	100	64	Peak	Horizontal	
4	359.80	37.06	41.37	-4.31	46.00	-8.94	100	267	Peak	Horizontal	
5	399.57	39.71	43.26	-3.55	46.00	-6.29	100	172	Peak	Horizontal	
6	408.38	39.75	43.15	-3.40	46.00	-6.25	100	172	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	144.46	28.76	35.48	-6.72	43.50	-14.74	100	168	Peak	Vertical	
2	225.94	26.53	34.84	-8.31	46.00	-19.47	100	51	Peak	Vertical	
3	263.77	34.28	41.01	-6.73	46.00	-11.72	100	0	Peak	Vertical	
4	312.27	32.14	37.53	-5.39	46.00	-13.86	100	144	Peak	Vertical	
5	399.57	36.92	40.47	-3.55	46.00	-9.08	100	180	Peak	Vertical	
6	408.38	37.55	40.95	-3.40	46.00	-8.45	100	193	Peak	Vertical	


Mains Conducted Emission, TX (150kHz ~ 30MHz)

Worst Band

(Line)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	Factor	dB	dBuV	dB		
1	0.19	38.12	28.50	9.62	53.93	-15.81 Average	line1	
2	0.19	42.08	32.46	9.62	63.93	-21.85 QP	line1	
3	0.50	37.11	27.48	9.63	46.00	-8.89 Average	line1	
4	0.50	43.59	33.96	9.63	56.00	-12.41 QP	line1	
5	1.50	36.78	27.12	9.66	46.00	-9.22 Average	line1	
6	1.50	41.46	31.80	9.66	56.00	-14.54 QP	line1	
7	5.09	23.57	13.87	9.70	50.00	-26.43 Average	line1	
8	5.09	30.27	20.57	9.70	60.00	-29.73 QP	line1	
9	9.82	28.39	18.63	9.76	50.00	-21.61 Average	line1	
10	9.82	36.29	26.53	9.76	60.00	-23.71 QP	line1	
11	19.74	15.29	5.52	9.77	50.00	-34.71 Average	line1	
12	19.74	20.70	10.93	9.77	60.00	-39.30 QP	line1	

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	Factor	dB	dBuV	dB		
1	0.33	37.32	27.70	9.62	49.33	-12.01 Average	neutral	
2	0.33	46.13	36.51	9.62	59.33	-13.20 QP	neutral	
3	0.47	36.86	27.23	9.63	46.52	-9.66 Average	neutral	
4	0.47	46.20	36.65	9.63	56.52	-10.34 QP	neutral	
5	1.50	39.35	29.69	9.66	46.00	-6.65 Average	neutral	
6	1.50	44.02	34.36	9.66	56.00	-11.98 QP	neutral	
7	4.49	25.38	15.67	9.71	46.00	-20.62 Average	neutral	
8	4.49	31.55	21.84	9.71	56.00	-24.45 QP	neutral	
9	9.87	27.28	17.49	9.79	50.00	-22.72 Average	neutral	
10	9.87	36.26	26.47	9.79	60.00	-23.74 QP	neutral	
11	19.74	16.10	6.24	9.86	50.00	-33.90 Average	neutral	
12	19.74	21.65	11.79	9.86	60.00	-38.35 QP	neutral	