

typ

REF -20.0 dBm

AT 10 dB

MKA 35.625 msec

-42.26 dB

PEAK


LOG

10

dB/

$$\begin{aligned}\text{Average Factor} &= \frac{0.5 \times 20 + 1 \times 5}{35.625} \\ &= \frac{15}{35.625} \\ &= 0.42 \approx -7.5 \text{ dB}\end{aligned}$$

VA SB
SC FC
CORR



CENTER 433.954 MHz

SPAN 0 Hz

#RES BW 100 KHz

#VBW 100 KHz

#SWP 50.0 msec

hp

REF -20.0 dBm

AT 10 dB

PEAK

LOG

10

dB/

0.5ms

←1ms→

*

VA SB

SC VC

CORR

CENTER 433.955 MHz

SPAN 0 Hz

#RES BW 100 KHz

#VBW 100 KHz

#SWP 20.0 msec

17

REF -20.0 dBm

AT 10 dB

PEAK

LOG

10

dB/

VA SB

SC VS

CORR


CENTER 433.954 MHz

#RES BW 100 KHz

#VBW 100 KHz

SPAN 0 Hz

#SWP 100 msec




hp

MKR 4.6000 sec

REF -20.0 dBm AT 10 dB

-.45 dB

PEAK
LOG
10
dB/



VA SB
SC FC
CORR

CENTER 433.954 MHz

SPAN 0 Hz

#RES BW 100 kHz

#VBW 100 kHz

#SWP 5.00 sec