




GSM D Band




07:28:28 SEP 08, 1999

REF 2.4 dBm AT 10 dB

SMPL
LOG
10
dB/
OFFST
8.6
dB
ARFCN
598
TN 0

WA SB
SC EC
CORR

CENTER 1.947400 GHz
#RES BW 300 kHz #VBW 300 kHz #SWP 80 μ sec



PCS1900

REPEAT
MEAS

NUMBER
BURSTS

TRIG
DELAY

MEASURE
AVG PKS

Physical
Channel

Previous
Menu

07:29:50 SEP 08, 1999


REF 2.9 dBm AT 10 dB

SMPL
LOG
10
dB/
OFFST
8.6
dB
ARFCN
598
TN 0

WA SB
SC EC
CORR

CARRIER POWER
Mean TX RF Power: 0.8 dBm

CENTER 1.947400 GHz
#RES BW 1.0 MHz #VBW 300 kHz #SWP 640 μ sec



PCS1900

REPEAT
MEAS

NUMBER
BURSTS

Physical
Channel


Previous
Menu

07:34:18 SEP 08, 1999

REF -4.2 dBm AT 10 dB

ARFCN
598
TN 0

COLOR
0



PCS1900

REPEAT
MEAS

NUMBER
BURSTS

MEASURE
AVG PKS

STD DEV
ON OFF

Physical
Channel

Previous
Menu

07:36:04 SEP 08, 1999

REF -4.2 dBm

AT 10 dB

PCS1900

REPEAT
MEAS


NUMBER
BURSTS

MEASURE
AVG PK

Zoom

Physical
Channel




Previous
Menu







OFFST
8.6
dB
ARFCN
598
TN 0




COLOR
0




Status: SIGNAL Good
Phase: RMS: 0.6° Pk: 1.9° FREQ 1947.400 MHz
Error: 1 Hz











08:32:09 SEP 08, 1999


(c)HP 1990-1996

REF -1.2 dBm

AT 10 dB

PCS1900 ANALYZER B.01.28

PCS1900



Status: SIGNAL Good
Phase: RMS: 2.2° Pk: 5.7°
FREQ 1867.400 MHz
Error: -4 Hz

REPEAT
MEAS

NUMBER
BURSTS

MEASURE
AVG PKS

Zoom

Physical
Channel

Previous
Menu

