






Title		Vertical AMP & Rotation	
Size		Document Number	
Customer		9c-V	
Date		Thursday, August 13, 1998	
Sheet		6 of 11	
Rev		A	





C128 POSITION AS CLOSE TO C101 PINS (VCC) & PINS (GND) AND AS POSSIBLE WHILE PCB LAYOUT


C132 POSITION AS CLOSE TO IC103 PIN 9 AS POSSIBLE WHILE PCB LAYOUT OSD PINS (SS) MUST BE FLOATING

RAC BLOCK AS CLOSE TO MINOR PINS & PIN WHILE PCB LAYOUT

HF18 & VFL8 MUST BE NEGATIVE POLARITY


D2103 : VTC201 USED ONLY (FOR USB) R146 must be 100 - 10K when need VTC201 (USB)


File	180-UP
Size	Document Number
Micro Processor	
Date	Wednesday, September 30, 1998
Sheet	4 of 11
Rev	A





Size	Document Number	Rev
19CH-1		A
Date	Wednesday, September 30, 1998	Sheet 5 of 11















No.	Value
1	Document Number
2	18-VOLT
3	WATERLOO, OLYMPIA 14, 1958
4	Sheet 1 of 1



Title		
SMPS		
Size	Document Number	Rev
A4	74HC74 除頻	A
Date	Wednesday, September 30, 1998	Sheet 3 of 11