

Report No.: 9807436


Tx mode

Tested By:Hong, Report No.:9807436

Scan Settings (1 Range)

| Frequencies |      |      |       | Receiver Settings |        |       |        |       |
|-------------|------|------|-------|-------------------|--------|-------|--------|-------|
| Start       | Stop | Step | IF BW | Detector          | M-Time | Atten | Preamp | OpRge |
| 450k        | 30M  | 5k   | 10k   | PK                | 20ms   | AUTO  | LN OFF | 60dB  |

|                         |  |                |       |      |       |
|-------------------------|--|----------------|-------|------|-------|
| Final Measurement: x QF |  | Transducer No. | Start | Stop | Name  |
|                         |  | 3              | 9k    | 30M  | EI078 |
| Meas Time: 1 s          |  |                |       |      |       |
| Subranges: 16           |  |                |       |      |       |
| Acc Margin: 20dB        |  |                |       |      |       |



Ctrl. No.: N/A

Report No.: 9807436

*Tx mode*

Tested By: Hong, Report No.: 9807436

Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |        |       |        |       |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|
| Start       | Stop | Step | IF BW             | Detector | M-Time | Atten | Preamp | OpRge |
| 450k        | 30M  | 5k   | 10k               | PK       | 20ms   | AUTO  | LN OFF | 60dB  |

Final Measurement Results:

no Results

Ctrl. No.: N/A

*Stand-by mode*


Report No.: 9807436

Tested By: Hong, Report No.: 9807436

Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |        |       |              |       |
|-------------|------|------|-------------------|----------|--------|-------|--------------|-------|
| Start       | Stop | Step | IF BW             | Detector | M-Time | Atten | Preamplifier | OpRge |
| 450k        | 30M  | 5k   | 10k               | PK       | 20ms   | AUTO  | LN OFF       | 60dB  |

| Final Measurement: x QP |      | Transducer No. | Start | Stop | Name  |
|-------------------------|------|----------------|-------|------|-------|
| Meas Time:              | 1 s  | 3              | 9k    | 30M  | EI078 |
| Subranges:              | 16   |                |       |      |       |
| Acc Margin:             | 20dB |                |       |      |       |



Ctrl. No.: N/A

*Stand-by mode*

Report No.: 98074367

Tested By: Hong, Report No.: 9807436

Scan Settings (1 Range)

| ----- Frequencies ----- |      |      | ----- Receiver Settings ----- |          |        |       |        |       |
|-------------------------|------|------|-------------------------------|----------|--------|-------|--------|-------|
| Start                   | Stop | Step | IF BW                         | Detector | M-Time | Atten | Preamp | OpRge |
| 450k                    | 30M  | 5k   | 10k                           | PK       | 20ms   | AUTO  | LN OFF | 60dB  |

Final Measurement Results:

no Results

Ctrl. No.: N/A

Report No.: 9807436

*Charging mode*

Tested By: Hong, Report No.: 9807436


Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |        |       |        |       |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|
| Start       | Stop | Step | IF BW             | Detector | M-Time | Atten | Preamp | OpRge |
| 450k        | 30M  | 5k   | 10k               | PK       | 20ms   | AUTO  | LN OFF | 60dB  |

Final Measurement: x QP

Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

| Transducer No. | Start | Stop | Name  |
|----------------|-------|------|-------|
| 3              | 9k    | 30M  | EI078 |



PAGE 1

Ctrl. No.: N/A

FCC ID: NS2MH9003

Report No.: 98074360

*Charging mode*

Tested By: Hong, Report No.: 9807436

Scan Settings (1 Range)

| ----- Frequencies ----- |      |      | ----- Receiver Settings ----- |          |        |       |        |       |
|-------------------------|------|------|-------------------------------|----------|--------|-------|--------|-------|
| Start                   | Stop | Step | IF BW                         | Detector | M-Time | Atten | Preamp | OpRge |
| 450k                    | 30M  | 5k   | 10k                           | PK       | 20ms   | AUTO  | LN OFF | 60dB  |

Final Measurement Results:

no Results

Ctrl. No.: N/A