



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#3


Date: 2024/4/24

Temperature:26.1 °C

100.0 dBuV/m

Time: 上午 11:32:50

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 915.5MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4577.500	42.13	peak	-1.87	40.26	74.00	150	183	-33.74	
	5493.000	39.40	peak	1.14	40.54	74.00	150	63	-33.46	
	6408.500	39.91	peak	2.66	42.57	74.00	150	207	-31.43	
*	7324.000	40.35	peak	3.96	44.31	74.00	150	115	-29.69	



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#7


Date: 2024/4/24

Temperature:26.1 °C

100.0 dBuV/m

Time: 上午 11:36:17

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 915.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4577.500	41.43	peak	-1.87	39.56	74.00	150	163	-34.44	
	5493.000	39.34	peak	1.14	40.48	74.00	150	83	-33.52	
	6408.500	39.91	peak	2.66	42.57	74.00	150	207	-31.43	
*	7324.000	40.29	peak	3.96	44.25	74.00	150	134	-29.75	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #4


Date: 2024/4/24

Temperature: 26.1 °C

100.0 dBuV/m

Time: 上午 11:33:39

Humidity: 69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 915.5MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	8239.500	41.18	peak	5.10	46.28	74.00	150	158	-27.72	
	9155.000	39.87	peak	6.04	45.91	74.00	150	48	-28.09	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#8


Date: 2024/4/24

Temperature:26.1 °C

100.0 dBuV/m

Time: 上午 11:37:11

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 915.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	8239.500	41.16	peak	5.10	46.26	74.00	150	187	-27.74	
	9155.000	40.17	peak	6.04	46.21	74.00	150	64	-27.79	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #1


Date: 2024/4/24

Temperature: 26.1 °C

100.0 dBuV/m

Time: 上午 11:42:44

Humidity: 69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 927.5MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1599.198	56.18	peak	-9.17	47.01	74.00	150	207	-26.99	
*	1855.711	69.15	peak	-6.82	62.33	74.00	150	136	-11.67	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#5


Date: 2024/4/24

Temperature:26.1 °C

100.0 dBuV/m

Time: 上午 11:45:46

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 927.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1599.198	57.03	peak	-9.17	47.86	74.00	150	23	-26.14	
*	1855.711	75.84	peak	-6.82	69.02	74.00	150	137	-4.98	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#2


Date: 2024/4/24

Temperature:26.1 °C

100.0 dBuV/m

Time: 上午 11:43:27

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 927.5MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2781.563	57.02	peak	-4.57	52.45	74.00	150	138	-21.55	
	3711.423	50.79	peak	-2.45	48.34	74.00	150	34	-25.66	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#6


Date: 2024/4/24

Temperature:26.1 °C

100.0 dBuV/m

Time: 上午 11:46:30

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 927.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2781.563	56.20	peak	-4.57	51.63	74.00	150	39	-22.37	
	3711.423	51.11	peak	-2.45	48.66	74.00	150	118	-25.34	



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#3


Date: 2024/4/24

Temperature:26.1 °C

100.0 dBuV/m

Time: 上午 11:44:11

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 927.5MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4637.500	40.16	peak	-1.82	38.34	74.00	150	136	-35.66	
	5565.000	40.14	peak	0.96	41.10	74.00	150	83	-32.90	
	6492.500	39.82	peak	3.10	42.92	74.00	150	207	-31.08	
*	7420.000	40.62	peak	4.30	44.92	74.00	150	184	-29.08	



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#7


Date: 2024/4/24

Temperature:26.1 °C

100.0 dBuV/m

Time: 上午 11:47:15

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 927.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4637.500	40.27	peak	-1.82	38.45	74.00	150	231	-35.55	
	5565.000	39.77	peak	0.96	40.73	74.00	150	83	-33.27	
	6492.500	39.67	peak	3.10	42.77	74.00	150	172	-31.23	
*	7420.000	40.59	peak	4.30	44.89	74.00	150	64	-29.11	



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#4


Date: 2024/4/24

Temperature:26.1 °C

100.0 dBuV/m

Time: 上午 11:44:57

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 927.5MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	8347.500	40.08	peak	5.03	45.11	74.00	150	193	-28.89	
*	9275.000	39.75	peak	6.25	46.00	74.00	150	82	-28.00	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#8


Date: 2024/4/24

Temperature:26.1 °C

100.0 dBuV/m

Time: 上午 11:48:01

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 927.5MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	8347.500	40.32	peak	5.03	45.35	74.00	150	199	-28.65	
*	9275.000	40.36	peak	6.25	46.61	74.00	150	76	-27.39	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#1


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:24:58

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1595.190	56.78	peak	-9.15	47.63	74.00	150	213	-26.37	
	1853.707	58.79	peak	-6.85	51.94	74.00	150	86	-22.06	
	2785.571	46.88	peak	-4.58	42.30	74.00	150	309	-31.70	
	3711.423	58.74	peak	-2.45	56.29	74.00	150	59	-17.71	
*	3711.423	45.56	AVG	-2.45	43.11	54.00	150	59	-10.89	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#6


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:27:47

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1595.190	60.40	peak	-9.15	51.25	74.00	150	133	-22.75	
	1853.707	64.02	peak	-6.85	57.17	74.00	150	25	-16.83	
*	1853.707	48.66	AVG	-6.85	41.81	54.00	150	25	-12.19	
	2785.571	45.75	peak	-4.58	41.17	74.00	150	276	-32.83	
	3711.423	53.55	peak	-2.45	51.10	74.00	150	192	-22.90	



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#2


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:25:42

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4801.603	52.14	peak	-1.54	50.60	74.00	150	307	-23.40	
	6492.986	57.75	peak	3.10	60.85	74.00	150	258	-13.15	
*	6492.986	39.03	AVG	3.10	42.13	54.00	150	258	-11.87	
	7206.000	41.19	peak	4.49	45.68	74.00	150	223	-28.32	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #7


Date: 2024/4/23

Temperature: 25.8 °C

90.0 dBuV/m

Time: 下午 04:28:32

Humidity: 67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4801.603	50.89	peak	-1.54	49.35	74.00	150	203	-24.65	
	6492.986	57.20	peak	3.10	60.30	74.00	150	19	-13.70	
*	6492.986	39.10	AVG	3.10	42.20	54.00	150	19	-11.80	
	7206.000	40.95	peak	4.49	45.44	74.00	150	136	-28.56	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#3


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:26:37

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	9608.000	34.20	peak	7.32	41.52	74.00	150	136	-32.48	
*	12010.000	33.91	peak	12.40	46.31	74.00	150	83	-27.69	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#8


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:29:16

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	9608.000	34.88	peak	7.32	42.20	74.00	150	136	-31.80	
*	12010.000	34.49	peak	12.40	46.89	74.00	150	83	-27.11	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#4


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:26:52

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#9


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:29:32

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#5


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:27:03

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#10


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:29:42

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Jeff

File :BandEdge

Data :#1


Date: 2024/4/23

Temperature:25.8 °C

120.0 dBuV/m

Time: 下午 05:03:20

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2390.000	9.43	peak	36.89	46.32	74.00	150	251	-27.68	
*	2390.000	1.70	AVG	36.89	38.59	54.00	150	251	-15.41	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : BandEdge

Data : #2


Date: 2024/4/23

Temperature: 25.8 °C

120.0 dBuV/m

Time: 下午 05:07:26

Humidity: 67.7 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2390.000	11.28	peak	36.89	48.17	74.00	150	78	-25.83	
*	2390.000	1.70	AVG	36.89	38.59	54.00	150	78	-15.41	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#1


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:05:54

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1595.190	52.67	peak	-9.15	43.52	74.00	150	142	-30.48	
	1853.707	58.45	peak	-6.85	51.60	74.00	150	207	-22.40	
	2785.571	46.99	peak	-4.58	42.41	74.00	150	83	-31.59	
	3711.423	58.74	peak	-2.45	56.29	74.00	150	51	-17.71	
*	3711.423	42.81	AVG	-2.45	40.36	54.00	150	51	-13.64	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#6


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:09:10

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1595.190	60.45	peak	-9.15	51.30	74.00	150	271	-22.70	
*	1853.707	59.10	peak	-6.85	52.25	74.00	150	196	-21.75	
	2785.571	46.85	peak	-4.58	42.27	74.00	150	88	-31.73	
	3711.423	53.07	peak	-2.45	50.62	74.00	150	203	-23.38	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#2


Date: 2024/4/23

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 04:06:37

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4881.764	58.13	peak	-1.09	57.04	74.00	150	222	-16.96	
*	4881.764	49.42	AVG	-1.09	48.33	54.00	150	222	-5.67	
	6492.986	49.51	peak	3.10	52.61	74.00	150	207	-21.39	
	7323.000	39.44	peak	3.95	43.39	74.00	150	143	-30.61	

*:Maximum data x:Over limit !:over margin