



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#4


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 09:41:15

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#9


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 09:44:42

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#5


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 09:41:27

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#10


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 09:44:53

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Jeff

File : BandEdge

Data : #1


Date: 2024/4/23

Temperature: 25.8 °C

120.0 dBuV/m

Time: 下午 05:49:55

Humidity: 67.7 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 2390.000        | 9.02           | peak     | 36.89               | 45.91           | 74.00          | 150          | 252            | -28.09      |         |
| *   | 2390.000        | 1.73           | AVG      | 36.89               | 38.62           | 54.00          | 150          | 252            | -15.38      |         |

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Jeff

File :BandEdge

Data :#2


Date: 2024/4/23

Temperature:25.8 °C

120.0 dBuV/m

Time: 下午 05:53:58

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22402-23278

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 2390.000        | 9.11           | peak     | 36.89               | 46.00           | 74.00          | 150          | 247            | -28.00      |         |
| *   | 2390.000        | 1.65           | AVG      | 36.89               | 38.54           | 54.00          | 150          | 247            | -15.46      |         |



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#1


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 09:58:14

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 1595.190        | 55.82          | peak     | -9.15               | 46.67           | 74.00          | 150          | 113            | -27.33      |         |
|     | 1853.707        | 65.39          | peak     | -6.85               | 58.54           | 74.00          | 150          | 74             | -15.46      |         |
| *   | 1853.707        | 50.18          | AVG      | -6.85               | 43.33           | 54.00          | 150          | 74             | -10.67      |         |
|     | 2785.571        | 47.03          | peak     | -4.58               | 42.45           | 74.00          | 150          | 82             | -31.55      |         |
|     | 3711.423        | 55.47          | peak     | -2.45               | 53.02           | 74.00          | 150          | 169            | -20.98      |         |



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City  
Tel: +886-2-2646-1508  
Fax: +886-2-2646-1533

# Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #6


Date: 2024/4/24

Temperature: 26.1 °C

90.0 dBuV/m

Time: 上午 10:02:04

Humidity: 69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 1589.178        | 57.19          | peak     | -9.12               | 48.07           | 74.00          | 150          | 273            | -25.93      |         |
|     | 1853.707        | 63.45          | peak     | -6.85               | 56.60           | 74.00          | 150          | 145            | -17.40      |         |
| *   | 1853.707        | 48.90          | AVG      | -6.85               | 42.05           | 54.00          | 150          | 145            | -11.95      |         |
|     | 2779.559        | 46.57          | peak     | -4.57               | 42.00           | 74.00          | 150          | 83             | -32.00      |         |
|     | 3711.423        | 54.58          | peak     | -2.45               | 52.13           | 74.00          | 150          | 169            | -21.87      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#2


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 09:58:58

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 4881.764        | 53.98          | peak     | -1.09               | 52.89           | 74.00          | 150          | 138            | -21.11      |         |
|     | 6492.986        | 57.37          | peak     | 3.10                | 60.47           | 74.00          | 150          | 204            | -13.53      |         |
| *   | 6492.986        | 39.43          | AVG      | 3.10                | 42.53           | 54.00          | 150          | 204            | -11.47      |         |
|     | 7323.000        | 40.22          | peak     | 3.95                | 44.17           | 74.00          | 150          | 28             | -29.83      |         |

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#7


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 10:02:48

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 4881.764        | 52.04          | peak     | -1.09               | 50.95           | 74.00          | 150          | 196            | -23.05      |         |
|     | 6492.986        | 56.90          | peak     | 3.10                | 60.00           | 74.00          | 150          | 15             | -14.00      |         |
| *   | 6492.986        | 39.15          | AVG      | 3.10                | 42.25           | 54.00          | 150          | 15             | -11.75      |         |
|     | 7323.000        | 40.22          | peak     | 3.95                | 44.17           | 74.00          | 150          | 273            | -29.83      |         |



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#3


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 10:00:55

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 9764.000        | 34.66          | peak     | 7.49                | 42.15           | 74.00          | 150          | 163            | -31.85      |         |
| *   | 12205.000       | 32.51          | peak     | 12.94               | 45.45           | 74.00          | 150          | 83             | -28.55      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#8


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 10:03:32

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 9764.000        | 34.53          | peak     | 7.49                | 42.02           | 74.00          | 150          | 196            | -31.98      |         |
| *   | 12205.000       | 32.88          | peak     | 12.94               | 45.82           | 74.00          | 150          | 73             | -28.18      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#4


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 10:01:10

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#9


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 10:03:47

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#5


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 10:01:20

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#10


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 10:03:58

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2441MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#1


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 10:25:59

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 1589.178        | 56.03          | peak     | -9.12               | 46.91           | 74.00          | 150          | 123            | -27.09      |         |
|     | 1853.707        | 63.53          | peak     | -6.85               | 56.68           | 74.00          | 150          | 153            | -17.32      |         |
|     | 1853.707        | 48.80          | AVG      | -6.85               | 41.95           | 54.00          | 150          | 153            | -12.05      |         |
|     | 2785.571        | 46.63          | peak     | -4.58               | 42.05           | 74.00          | 150          | 77             | -31.95      |         |
|     | 3711.423        | 60.65          | peak     | -2.45               | 58.20           | 74.00          | 150          | 312            | -15.80      |         |
| *   | 3711.423        | 44.67          | AVG      | -2.45               | 42.22           | 54.00          | 150          | 312            | -11.78      |         |



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#6


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 10:28:48

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 1589.178        | 61.79          | peak     | -9.12               | 52.67           | 74.00          | 150          | 134            | -21.33      |         |
|     | 1853.707        | 63.34          | peak     | -6.85               | 56.49           | 74.00          | 150          | 126            | -17.51      |         |
|     | 1853.707        | 47.56          | AVG      | -6.85               | 40.71           | 54.00          | 150          | 126            | -13.29      |         |
|     | 2785.571        | 48.20          | peak     | -4.58               | 43.62           | 74.00          | 150          | 27             | -30.38      |         |
|     | 3711.423        | 61.06          | peak     | -2.45               | 58.61           | 74.00          | 150          | 25             | -15.39      |         |
| *   | 3711.423        | 45.12          | AVG      | -2.45               | 42.67           | 54.00          | 150          | 25             | -11.33      |         |



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#2


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 10:26:42

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 4961.924        | 52.60          | peak     | -0.70               | 51.90           | 74.00          | 150          | 143            | -22.10      |         |
|     | 5563.126        | 45.13          | peak     | 0.97                | 46.10           | 74.00          | 150          | 207            | -27.90      |         |
| *   | 6492.986        | 49.10          | peak     | 3.10                | 52.20           | 74.00          | 150          | 166            | -21.80      |         |
|     | 7440.000        | 40.94          | peak     | 4.21                | 45.15           | 74.00          | 150          | 83             | -28.85      |         |



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#7


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 10:29:32

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 4961.924        | 52.28          | peak     | -0.70               | 51.58           | 74.00          | 150          | 136            | -22.42      |         |
|     | 5563.126        | 45.84          | peak     | 0.97                | 46.81           | 74.00          | 150          | 73             | -27.19      |         |
|     | 6492.986        | 56.80          | peak     | 3.10                | 59.90           | 74.00          | 150          | 200            | -14.10      |         |
| *   | 6492.986        | 39.21          | AVG      | 3.10                | 42.31           | 54.00          | 150          | 200            | -11.69      |         |
|     | 7440.000        | 41.08          | peak     | 4.21                | 45.29           | 74.00          | 150          | 214            | -28.71      |         |



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#3


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 10:27:35

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 9920.000        | 34.46          | peak     | 7.79                | 42.25           | 74.00          | 150          | 128            | -31.75      |         |
| *   | 12400.000       | 34.16          | peak     | 13.47               | 47.63           | 74.00          | 150          | 37             | -26.37      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#8


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 10:30:16

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 9920.000        | 35.15          | peak     | 7.79                | 42.94           | 74.00          | 150          | 163            | -31.06      |         |
| *   | 12400.000       | 33.31          | peak     | 13.47               | 46.78           | 74.00          | 150          | 83             | -27.22      |         |

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#4


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 10:27:50

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#9


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 10:30:31

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#5


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 10:28:01

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#10


Date: 2024/4/24

Temperature:26.1 °C

90.0 dBuV/m

Time: 上午 10:30:41

Humidity:69.3 %



Site : 966A Chamber

Condition : FCC\_part 15 RE-Class C\_Above 1GHz\_PK

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

\*:Maximum data    x:Over limit    !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City  
Tel:+886-2-2646-1508  
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :BandEdge

Data :#1


Date: 2024/4/23

Temperature:25.8 °C

120.0 dBuV/m

Time: 下午 05:42:18

Humidity:67.7 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22402-23278

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|     | 2483.500        | 11.95          | peak     | 37.59               | 49.54           | 74.00          | 150          | 183            | -24.46      |         |
| *   | 2483.500        | 3.21           | AVG      | 37.59               | 40.80           | 54.00          | 150          | 183            | -13.20      |         |

\*:Maximum data    x:Over limit    !:over margin