







Parts in the box

|                                                                                                                                                                                                    |                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Latch<br><br><b>A</b>                                                                                           | Exterior Assembly<br><br><b>W</b> <b>F</b> | Interior Assembly<br><br><b>K</b> <b>L</b> <b>M</b>                                                                                                                                                                                                                                                                                                                             |
| <br><b>B</b><br>"B" is not included. If needed, please contact Kwikset to order a drive-in latch for your lock. | Mounting Plate<br><br><b>G</b>             | Fasteners<br><div>03809<br/><br/><b>N</b><br/><br/><b>P</b></div> <div>46780<br/><br/><b>Q</b><br/><br/><b>S</b></div> |
| Strike<br><br><b>C</b>                                                                                          | Adapter ring<br><br><b>D</b>               | SmartKey Tool<br><br><b>H</b>                                                                                                                                                                                                                                                                                                                                                   |
| Keys<br><br><b>E</b>                                                                                            |                                                                                                                               | <div>48654<br/><br/><b>T</b></div> <div>27526<br/><br/><b>U</b></div> <div>64109<br/><br/><b>V</b></div>                                                                                                  |

Required tools

 4 AA Batteries     Ruler     Phillips head screwdriver

Additional Tools (depending on application)


 Hammer     Wood block

**Kwikset**  
**Technical Support**  
1-866-863-6584  
www.kwikset.com

1 Prepare the door and check dimensions


If drilling a new door, use the supplied template and the complete door drilling instructions available at [www.kwikset.com/doorprep](http://www.kwikset.com/doorprep).

**A** Measure to confirm that the hole in the door is either 2-1/8" (54 mm) or 1-1/2" (38 mm).




Note: Additional door preparation may be required for doors with 1-1/2" (38 mm) holes. Consult the deadbolt drilling instructions at [www.kwikset.com/doorprep](http://www.kwikset.com/doorprep).


**B** Measure to confirm that the backset is either 2-3/8" or 2-3/4" (60 or 70 mm).



**C** Measure to confirm that the hole in the door edge is 1" (25 mm).




**D** Measure to confirm that the door is between 1-3/8" and 1-3/4"\* (35 mm and 44 mm\*) thick.




\*Service kits for 2-1/4" (57 mm) thick doors are available through Kwikset.

2 Install the latch and strike


**A** Is the door edge chiseled?




**B** Hold the latch in front of the door hole, with the latch face flush against the door edge.



**C** Is the D-shaped hole centered in the door hole?




**D** Which latch are you installing?



**E** Install strike on the door frame.


⚠ Make sure the hole in the door frame is drilled a minimum of 1" (25 mm) deep.



### 3 Install the exterior keypad




**A** Insert cylinder into keypad.




**B** What is the diameter of the hole in the door?


**Diameter is 2-1/8"**  
**(54 mm)**



"D" is required for installation.  
Install "D" on "F".




**Diameter is 1-1/2"**  
**(38 mm)**



"D" is not needed for  
installation. Discard "D".




**C** Install exterior keypad and mounting plate.



### 4 Install the interior assembly




**A** Remove battery cover.




**B** Remove battery pack.




**C** Make sure the turnpiece is in the vertical position.




**D** Connect cable. Ensure tight cable connection.




**E** Lay cable flat against the interior housing.



**F** Push turnpiece shaft onto torque blade.




**G** Secure interior assembly with supplied screws.




### 5 Install the batteries and perform the door handing process

This step will teach your lock the orientation of your door and is crucial to lock operation.


**A** Install 4 AA batteries in battery pack.



**B** Press and HOLD the Lock button while installing battery pack.  
Hold button until the latch bolt starts moving on its own.




**C** Did the latch bolt retract and extend on its own when the battery pack was installed?



## 6 Pair the lock with your smart home system

If your controller is S2-compatible, please refer to the S2 Pairing Guide on the SmartCode 910 page at [www.kwikset.com](http://www.kwikset.com).

- A** Initiate the pairing process at your smart home controller. Refer to your smart home system instructions for more information.
- B** When prompted by your smart home system to initiate pairing at the lock, press button “A” on the lock interior one time. The red LED will illuminate when pairing mode has been entered.



button “A”

Please allow time for the controller to pair with the lock.
- C** If the pairing process is successful, re-name the lock in your system (if applicable).
- D** If pairing is unsuccessful, follow your system's instructions to remove the lock from the controller and any other network, then press button “A” on the lock one time.

Perform steps 6A-6C again.


If pairing is still unsuccessful, consult the Programming and Troubleshooting Guide on the SmartCode 910 page at [www.kwikset.com](http://www.kwikset.com).

## 7 Add user codes (30 max)


It is recommended that you add and delete all user codes through your smart home control system. If your system does not allow this, codes may be added directly to the lock as shown here.

**Programming Timeout**  
If no button is pressed for five seconds, the system will time out and you will need to restart the procedure.


- A** Make sure the door is open. Press the Program button the number of times that corresponds to the user code position being programmed.




Example: If programming the third code, press the button three times.
- B** Enter user code. A total of 30 user codes may be programmed.



Each user code must be a unique code between 4 and 8 digits, depending on your smart home system.
- C** Press Lock button once.


- D** What lights and sounds does the lock produce?

**One green flash with one beep\***




green

1x

Programming was successful.

**or**

**Three red flashes with three beeps\***



red

3x

Programming was unsuccessful.

Make sure the user code is not a duplicate and that it is between 4 and 8 digits during your next attempt.

**or**

**Two beeps\***



2x

Programming time out.

Make sure not to pause for more than 5 seconds during programming.

\*Beeping sound will only be heard if switch #3 (on the lock interior) is in the on position. See “Switches and Status LED Colors” on page 4.

### Mastercode


For enhanced security, a mastercode may be used when adding and deleting user codes. For more information about the mastercode, download the Programming and Troubleshooting Guide on the SmartCode 910 page at [www.kwikset.com](http://www.kwikset.com).

## 8 Test the lock (review normal operation)

Confirm that the code(s) added in previous step can unlock the door.

### Locking the Door


Press Lock button once.



### Unlocking the Door

Enter user code.


Tip: You can press the Lock button before entering your user code to light up the keypad at night.



## 9 Re-key the lock (if needed) and install the battery cover


actual size 

- A** Re-key the lock (if needed).

**a** 


**K**

IMPORTANT: Remove battery pack before re-keying.

**b** 


**H**

Re-key the lock to work with your existing key. See the supplied SmartKey Re-key instructions for more information.


**c** 

**K**

Reinstall battery pack.
- B** Install the battery cover.

**a** 

**M**

**b** 

**V (3x)**

<