RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	**Occupied Bandwidth**				
Customer:	Cellular Specialties, Inc.	**Test Sample:**	Digital Repeater	**Job No:**	R-4681N-1
Model No:	CSI-DSP85-1W-C	**Serial No:**	ENG060007	**Technician:**	M.Seamans
Test Specification:	FCC Part 2	Paragraph: 2.1049		**Date:**	9/12/2006
Operating Mode:	Amplifying input signal				
Notes:	GSM - Uplink (Low) - Output at 824.20 MHz				



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	**Occupied Bandwidth**				
Customer:	Cellular Specialties, Inc.	**Test Sample:**	Digital Repeater	**Job No:**	R-4681N-1
Model No:	CSI-DSP85-1W-C	**Serial No:**	ENG060007	**Technician:**	M.Seamans
Test Specification:	FCC Part 2	Paragraph: 2.1049		**Date:**	9/12/2006
Operating Mode:	Amplifying input signal				
Notes:	GSM - Uplink (Low) - Input at 824.20 MHz				



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	**Occupied Bandwidth**				
Customer:	Cellular Specialties, Inc.	**Test Sample:**	Digital Repeater	**Job No:**	R-4681N-1
Model No:	CSI-DSP85-1W-C	**Serial No:**	ENG060007	**Technician:**	M.Seamans
Test Specification:	FCC Part 2	Paragraph: 2.1049		**Date:**	9/12/2006
Operating Mode:	Amplifying input signal				
Notes:	GSM- Uplink (High) - Output at 848.97 MHz				



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	**Occupied Bandwidth**				
Customer:	Cellular Specialties, Inc.	**Test Sample:**	Digital Repeater	**Job No:**	R-4681N-1
Model No:	CSI-DSP85-1W-C	**Serial No:**	ENG060007	**Technician:**	M.Seamans
Test Specification:	FCC Part 2	Paragraph: 2.1049		**Date:**	9/12/2006
Operating Mode:	Amplifying input signal				
Notes:	GSM- Uplink (High) - Input at 848.97 MHz				



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	**Occupied Bandwidth**				
Customer:	Cellular Specialties, Inc.	**Test Sample:**	Digital Repeater	**Job No:**	R-4681N-1
Model No:	CSI-DSP85-1W-C	**Serial No:**	ENG060007	**Technician:**	M.Seamans
Test Specification:	FCC Part 2	Paragraph: 2.1049		**Date:**	9/12/2006
Operating Mode:	Amplifying input signal				
Notes:	GSM - Downlink (low) - Output at 869.03 MHz				



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	**Occupied Bandwidth**				
Customer:	Cellular Specialties, Inc.	**Test Sample:**	Digital Repeater	**Job No:**	R-4681N-1
Model No:	CSI-DSP85-1W-C	**Serial No:**	ENG060007	**Technician:**	M.Seamans
Test Specification:	FCC Part 2	Paragraph: 2.1049		**Date:**	9/12/2006
Operating Mode:	Amplifying input signal				
Notes:	GSM - Downlink (low) - Input at 869.03 MHz				



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	**Occupied Bandwidth**				
Customer:	Cellular Specialties, Inc.	**Test Sample:**	Digital Repeater	**Job No:**	R-4681N-1
Model No:	CSI-DSP85-1W-C	**Serial No:**	ENG060007	**Technician:**	M.Seamans
Test Specification:	FCC Part 2	Paragraph: 2.1049		**Date:**	9/12/2006
Operating Mode:	Amplifying input signal				
Notes:	GSM - Downlink (High) - Output at 893.97 MHz				



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	**Occupied Bandwidth**				
Customer:	Cellular Specialties, Inc.	**Test Sample:**	Digital Repeater	**Job No:**	R-4681N-1
Model No:	CSI-DSP85-1W-C	**Serial No:**	ENG060007	**Technician:**	M.Seamans
Test Specification:	FCC Part 2	Paragraph: 2.1049		**Date:**	9/12/2006
Operating Mode:	Amplifying input signal				
Notes:	GSM - Downlink (High) - Input at 893.97 MHz