



APOLLO MICROWAVES LTD.

275 Hymus Boulevard, Pointe-Claire, Quebec H9R 1G6, Canada

TEST REPORT

Apollo Model No. : 16230	Customer P/N : BS-104996
Serial No. : CO-06731 - 1 → 5	Customer P.O. : 6730
Project No. : CO-06731	Date : MARCH 28 / 03
Tested by : G.S	

PARAMETER	SPECIFICATION	MEASURED
Passband	5.4 — 5.7 GHz	5.4 — 5.7 GHz
Return Loss : Input	19.08 dB	20.3 dB
Return Loss : Output	19.08 dB	20.2 dB
Insertion Loss	0.35 dB	0.25 dB
Stop Band	5.85 — 6.425 GHz	5.85 — 6.425 GHz
Rejection	50.0 dB	53.4 dB
Stop Band		
Return Loss		

Pressure tested at:	PSIG	N/A
---------------------	------	-----



APOLLO MICROWAVES LTD.

275 Hymus Boulevard, Pointe-Claire, Quebec H9R 1G6, Canada

TEST REPORT

Apollo Model No. : 16230	Customer P/N : BS-104996
Serial No. : CO-06731-6 → 10	Customer P.O. : 6730
Project No. : CO-06731	Date : MARCH 28 / 03
Tested by : G-S	

PARAMETER	SPECIFICATION	MEASURED
Passband	5.4 - 5.7 GHz	5.4 - 5.7 GHz
Return Loss : Input	19.08 dB	19.9 dB
Return Loss : Output	19.08 dB	19.5 dB
Insertion Loss	0.35 dB	0.27 dB
Stop Band	5.85 - 6.425 GHz	5.85 - 6.425 GHz
Rejection	50.0 dB	52.5 dB
Stop Band		
Return Loss		

Pressure tested at:	PSIG	N/A
---------------------	------	-----




Insertion Loss

CH1: A/R-M - :25 dB
1.0 dB/ REF + :00 dB

Model #
16230
Serial #
60-06731-1
Tested by
G.S.
Witnessed by

Date
MARCH 28/03
Pressure tested
by

PSIG





RETURN LOSS

CH2: B/R-M - 20.30 dB
5.0 dB/ REF - 19.08 dB

Model #

16230

Serial #

00-06731-1

Tested by

G.S.


Witnessed by

Date

MARCH 28/03

Pressure tested
by

PSIG





REJECTION


CH1: A/R-M - 53.48 dB
10.0 dB/ REF + .00 dB

Model #
16230
Serial #
CO-06731-1
Tested by
G.S.
Witnessed by

Date
MARCH 28/03
Pressure tested
by

PSIG

1



1