

4 3 2 1


ZONE	REV	DESCRIPTION	DATE	APPROVED
	C	REVISED	01/05/98	

68 2 PL
70 2 PL
71 2 PL
72 2 PL

69 2 PL
70 2 PL
71 2 PL
72 2 PL

WIRING CHART

WIRE	FROM	TO
26AWG	E1	E2



67 2 PL

65

SEE SEPARATE PARTS LIST

5. USE SCHEMATIC NO. TT21000 FOR REFERENCE.
 4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
 3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
 2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
 1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.
- NOTES: UNLESS OTHERWISE SPECIFIED.


UNLESS OTHERWISE SPECIFIED TOLERANCES ARE: FRACTIONS DECIMALS ANGLES 1/32 .003 81° MATERIAL FINISH		CONTRACT NO.		DATE	
NEXT ASSY		USED ON		APPLICATION	
DO NOT SCALE DRAWING		APPROVALS		DATE	
DRAWN K KOENIG		CHECKED		11/10/95	
ISSUED		SCALE NONE		SHEET 1 OF 1	
JAYCOR, HPM DIVISION		CNTRL/CONDITIONER		REV. C	
TT21000A		DWG. NO.		TT21000A	

4 3 2 1

ZONE	REV	DESCRIPTION	DATE	APPROVED
	B	REVISED	01/05/98	

- 54 2 PL
- 57 2 PL
- 58 2 PL
- 59 2 PL

- 2 PL 55
- 2 PL 57
- 2 PL 58
- 2 PL 59



5. USE SCHEMATIC NO. FPO1104 FOR REFERENCE.
 4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
 3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
 2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
 1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.
- NOTES: UNLESS OTHERWISE SPECIFIED.

SEE SEPARATE PARTS LIST

CONTRACT NO.		APPROVALS		DATE	
JAYCOR, HPM DIVISION		DRAWN K KOENIG		10/07/96	
MASTER REGULATOR		CHECKED			
FPO1104A		ISSUED			
SIZE FROM NO.		B		SHEET 1 OF 1	
SCALE NONE					

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	FRACTIONS	DECIMALS	ANGLES
	1/32	.XX .X .03	° ' "
		.XXX & DTD	
MATERIAL			
FRESH			
DO NOT SCALE DRAWING			


↑

?

1

3

4



5. USE SCHEMATIC NO. TT10600 FOR REFERENCE.
 4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
 3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
 2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
 1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.
- NOTES: UNLESS OTHERWISE SPECIFIED.


SEE SEPARATE PARTS LIST

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES FRACTIONS DECIMALS ANGLES 81/32 .001 81"		CONTRACT NO. N68936-93-C-0125		DATE 11/10/95	
MATERIAL FRESH		APPROVALS DRAWN K KOENIG CHECKED R SCURIA ISSUED		DATE 07/20/94	
APPLICATION FPQ8000 NEXT ASSY USED ON		DO NOT SCALE DRAWING		SCALE NONE	
JAYCOR, HPM DIVISION		LOW VOLTAGE P.S.		REV. TT10600A	
FSCU NO.		DWC NO.		SHEET 1 OF 1	

ZONE	REV	DESCRIPTION	DATE	APPROVED
	-	INITIAL RELEASE	08/14/97	

22 2 PL
24 2 PL
25 2 PL
26 2 PL

20




23 2 PL
24 2 PL
25 2 PL
26 2 PL

SEE SEPARATE PARTS LIST

5. USE SCHEMATIC NO. RC2002 FOR REFERENCE.
 4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
 3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
 2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
 1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.
- NOTES: UNLESS OTHERWISE SPECIFIED.

CONTRACT NO.		DATE	
APPROVALS		08/14/97	
DRAWN K KOENIG			
CHECKED			
ISSUED			
MATERIAL		FRESH	
NEXT ASSY		USED ON	
APPLICATION			
DO NOT SCALE DRAWING			
SCALE NONE		SHEET 1 OF 1	

JAYCOR, HPM DIVISION	
LV MONITOR	
REV.	RC2002
DATE	08/14/97
APPROVALS	
DRAWN	K KOENIG
CHECKED	
ISSUED	
MATERIAL	FRESH
NEXT ASSY	USED ON
APPLICATION	
DO NOT SCALE DRAWING	
SCALE NONE	SHEET 1 OF 1






SEE SEPARATE PARTS LIST

ZONE	REV	DESCRIPTION	DATE	APPROVED
	-	INITIAL RELEASE	11/10/95	


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES 1/16 0.001 1/16 0.001 1/16 0.001		CONTRACT NO. N68936-93-C-0125		JAYCOR, HPM DIVISION	
MATERIAL FPMH		APPROVALS DRAWN K. KOENIG CHECKED R. SORRIA ISSUED		DATE 11/10/95 07/28/95	
APPLICATION FPQ1000A NEXT ASSY USED ON		EXTENDER BOARD		REV. -	
DO NOT SCALE DRAWING		SCALE NONE		SHEET 1 OF 1	

- MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
 - SOLDER PADS INDICATE PIN 1 OR CATHODE END.
 - SOLDER PER MIL-STD-454, REQUIREMENT 5.
 - COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.
- NOTES: UNLESS OTHERWISE SPECIFIED.

DATE	11/02/97
INITIAL RELEASE	
ZONE KEY	



SECTION A-A






SEE SEPARATE PARTS LIST

JAYCOR, HPM DIVISION	
MODULATOR ASSY	
CONTRACT NO.	DATE
APPROVALS	11/02/97
DESIGN	K. KODING
CHECKED	
SCALE	
SCALE NAME	BA16000
SHEET	1 OF 1

5. USE SCHEMATIC NO. BA16000 FOR REFERENCE.
4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.

NOTES: UNLESS OTHERWISE SPECIFIED.

ZONE	REV	DESCRIPTION	DATE	APPROVED
		INITIAL RELEASE	10/22/97	



SECTION A-A

SEE SEPARATE PARTS LIST

5. USE SCHEMATIC NO. BA16500 FOR REFERENCE.

4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.

3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.

2. SOLDER PER MIL-STD-454, REQUIREMENT 5.

1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.

NOTES: UNLESS OTHERWISE SPECIFIED.

CONTRACT NO.		DATE	
APPROVALS		10/22/97	
DESIGNER		K. EDDING	
CHECKER		J. EDDING	
DRAWN		J. EDDING	
SCALE		1 OF 1	
PART NO.		BA16500	
SCALE		1 OF 1	
SCALE		1 OF 1	

JAYCOR, HPM DIVISION

OIL CAN ASSY

BA16500

SHEET 1 OF 1

DO NOT SCALE DRAWING

APPLICATION


USED ON

NEAT ASSY

DO NOT SCALE DRAWING

DO NOT SCALE DRAWING


ZONE	REV	DESCRIPTION	DATE	APPROVED
	B	REVISED	01/05/98	



5. USE SCHEMATIC NO. TT10210 FOR REFERENCE.
 4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
 3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
 2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
 1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.
- NOTES: UNLESS OTHERWISE SPECIFIED.

SEE SEPARATE PARTS LIST

JAYCOR, HPM DIVISION		IGBT DRIVER	
CONTRACT NO.	APPROVALS	DATE	11/10/95
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. TOLERANCES ARE:	DRAWN K. KOENIG	CHECKED	ISSUED
FRACTIONS DECIMALS ANGLES			
1/16 1/32 .001 .002 .005 .010			
MATERIAL			
FINISH			
DO NOT SCALE DRAWING			
SCALE NONE			
SIZE B			
FORM NO.			
DWG. NO.			
TT10210			
REV B			
SHEET 1 OF 1			




CONTRACT NO.		DATE	
APPROVALS		DATE	
DRAWN		DATE	
CHECKED		DATE	
ISSUED		DATE	
MATERIAL		FRESH	
NEXT ASSY		USED ON	
APPLICATION		DO NOT SCALE DRAWING	

JAYCOR, HPM DIVISION	
28V & BIAS P.S.	
QTY	REV
B	A
FORM NO.	ENG. NO.
RC2003	RC2003
SHEET	1 OF 1

UNLESS OTHERWISE SPECIFIED	
DIMENSIONS ARE IN INCHES	
FRACTIONS	DECIMALS
1/32	.03125
3/16	.1875
1/2	.5000
3/4	.7500
1	1.0000

SCALE NONE	
SHEET 1 OF 1	





5. USE SCHEMATIC NO. T10110 FOR REFERENCE.
4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.
- NOTES: UNLESS OTHERWISE SPECIFIED.

DETAIL A

SEE SEPARATE PARTS LIST

JAYCOR, IIPM DIVISION	
FILAMENT P.S. ASSY	
RC4000	1 of 1
DATE	06/20/97
DESIGNER	
APPROVED	
DO NOT SCALE DRAWING	



JAYCOR, HPM DIVISION

DC-DC CONV ASSY

RC3000

1991


—

3. USE SCHEMATIC NO. T72030 FOR REFERENCE.
4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
5. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
6. SOLDER PER MIL-STD-454, REQUIREMENT 5.
7. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.

NOTES: UNLESS OTHERWISE SPECIFIED.

NOTES: UNLESS OTHERWISE SPECIFIED,

DATE	09/24/97
INITIAL RELEASE	





SEE SEPARATE PARTS LIST

JAYCOR, HPM DIVISION		DATE: 09/24/97	
CARD CAGE ASSY		RC7000	
CONTRACT NO.	APPROVALS	CHECKER	SCALE: NONE
DESIGNED BY: J. L. B. 11/73	APPROVED BY: J. L. B. 11/73	CHECKED BY: J. L. B. 11/73	SCALE: 1 OF 1
INTERNAL	PERM	DO NOT SCALE DRAWING	
NEXT ASSY	USED ON	APPLICATION	

5. USE SCHEMATIC NO. RC9000 FOR REFERENCE.
4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.

NOTES: UNLESS OTHERWISE SPECIFIED.





4 3 2 1


ZONE	REV	DESCRIPTION	DATE	APPROVED
	C	REVISED	01/05/98	

- 68 2 PL
- 70 2 PL
- 71 2 PL
- 72 2 PL

- 69 2 PL
- 70 2 PL
- 71 2 PL
- 72 2 PL

WIRING CHART

WIRE	FROM	TO
26AWG	E1	E2



- 5. USE SCHEMATIC NO. TT21000 FOR REFERENCE.
 - 4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
 - 3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
 - 2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
 - 1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.
- NOTES: UNLESS OTHERWISE SPECIFIED.

SEE SEPARATE PARTS LIST

CONTRACT NO.		JAYCOR, HPM DIVISION	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		CNTRL/CONDITIONER	
FRACTIONS	DECIMALS	ANGLES	REV
1/32	.XX .X	31°	C
MATERIAL		FINISH	SIZE
			B
NEXT ASSY		USED ON	FSM NO.
			TT21000A
APPLICATION		SCALE NONE	
		SHEET 1 OF 1	

4 3 2 1

4 3 2 1


ZONE	REV	DESCRIPTION	DATE	APPROVED
	A	REVISED	01/13/98	

- 2 PL 86
- 2 PL 87
- 2 PL 88
- 2 PL 89

WIRING CHART

CONFIGURATION	-1	-2
WIRE 1	E1-E2	E1-E4
WIRE 2	E3-E4	E3-E2
WIRE 3	E5-E6	E5-E8
WIRE 4	E7-E8	E7-E6

- 85 2 PL
- 87 2 PL
- 88 2 PL
- 89 2 PL



- 84 2 PL

SEE SEPARATE PARTS LIST

5. USE SCHEMATIC NO. RC2004 FOR REFERENCE.
4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.


NOTES: UNLESS OTHERWISE SPECIFIED.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES FRACTIONS DECIMALS ANGLES 1/32 .XX 3.03 .01 XXX 8.010 .01		CONTRACT NO.		JAYCOR, HPM DIVISION	
MATERIAL		APPROVALS		DATE	
PM SH		DRAWN K KOENIG		08/14/97	
NEXT ASSY		CHECKED		SITE	
USED ON		ISSUED		FSCM NO.	
APPLICATION		DO NOT SCALE DRAWING		RC2004	
				REV. A	
				SHEET 1 OF 1	

4 3 2 1

4 3 2 1

ZONE	REV	DESCRIPTION	DATE	APPROVED
	B	REVISED	01/05/98	




5. USE SCHEMATIC NO. FPQ1104 FOR REFERENCE.
4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.
- NOTES: UNLESS OTHERWISE SPECIFIED.

SEE SEPARATE PARTS LIST

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES FRACTIONS DECIMALS ANGLES 1/32 XX.10 31"		CONTRACT NO.		JAYCOR, HPM DIVISION	
MATERIAL		APPROVALS		DATE	
FINISH		DRAWN K KOENIG		10/07/96	
DO NOT SCALE DRAWING		CHECKED		ISSUED	
NEXT ASSY		USED ON		APPLICATION	
APPLICATION		SCALE NONE		SHEET 1 OF 1	
REV. B		FSCM NO.		DWC NO. FPQ1104A	
SIZE B		REV. B		REV. B	

4 3 2 1



5. USE SCHEMATIC NO. TT10600 FOR REFERENCE.
 4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
 3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
 2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
 1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.
- NOTES: UNLESS OTHERWISE SPECIFIED.

SEE SEPARATE PARTS LIST

UNLESS OTHERWISE SPECIFIED TOLERANCES ARE: FRACTIONS DECIMALS ANGLES 1/32 .015 90°		CONTRACT NO. N68936-93-C-0125		DATE 11/10/95	
MATERIAL		APPROVALS		DRAWN K. KOENIG	
MEGAWATT		CHECKED R. SCURIA		DATE 07/28/95	
NEXT ASSY		ISSUED		REV. TT10600A	
APPLICATION		DO NOT SCALE DRAWING		SCALE NONE	
FPQ8000		JAYCOR, HPM DIVISION		SHEET 1 OF 1	
NEXT ASSY		LOW VOLTAGE P.S.		REV.	

1

2


3

4

ZONE	REV	DESCRIPTION	DATE	APPROVED
	-	INITIAL RELEASE	08/14/97	

22 2 PL
24 2 PL
25 2 PL
26 2 PL

23 2 PL
24 2 PL
25 2 PL
26 2 PL



20

5. USE SCHEMATIC NO. RC2002 FOR REFERENCE.
4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.

NOTES: UNLESS OTHERWISE SPECIFIED.

SEE SEPARATE PARTS LIST

CONTRACT NO.		DATE	
APPROVALS		08/14/97	
DRAWN	K KOENIG	CHECKED	ISSUED
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES FRACTIONS DECIMALS ANGLES 1/16 1/32 1/64 1/8 1/4 1/2 3/4 1		MATERIAL	
NEXT ASSY		USED ON	
APPLICATION		DO NOT SCALE DRAWING	

JAYCOR, HPM DIVISION		LV MONITOR	
SIZE	FORM NO.	DWG NO.	REV.
B		RC2002	-
SCALE NONE		SHEET 1 OF 1	


1

2

3

4

ZONE	REV	DESCRIPTION	DATE	APPROVED
		INITIAL RELEASE	10/22/97	




SECTION A--A

SEE SEPARATE PARTS LIST

CONTRACT NO.		DATE		APPROVAL	
		10/22/97			
DRAWN		CHECKED		DESIGNED	
K. K. KONG					
SCALE		SCALE NO.		SHEET	
1 OF 1		1 OF 1		1 OF 1	
JAYCOR, HPM DIVISION					
OIL CAN ASSY					
PART NO. BA16500					
SHEET 1 OF 1					

5. USE SCHEMATIC NO. BA16500 FOR REFERENCE.
4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.


NOTES: UNLESS OTHERWISE SPECIFIED.



5. USE SCHEMATIC NO. TT10210 FOR REFERENCE.
4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.

NOTES: UNLESS OTHERWISE SPECIFIED.

IGNATOR.		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:		CONTRACT NO.	JAYCOR, HPM DIVISION			
		FRACTIONS	DECIMALS				ANGLES	
		±1/32	.XX ±.03	±1°				
		JAN 8 1980						
		MATERIAL		DRAWN	K. KOENIG	DATE	11/10/95	ICBT DRIVER
		FINISH		CHECKED				
	NEXT ASSY	USED ON		ISSUED				
	APPLICATION							
				DO NOT SCALE DRAWING				
				SCALE NONE		SHEET 1 OF 1		



WIRE LIST

AWG	COLOR	FROM	TO
16	WHT	E1	J1-A1
16	BLK	E2	J1-A3
18	WHT	E3	J1-A2
18	BLK	E4	J1-A4


SEE SEPARATE PARTS LIST

ZONE	REV	DESCRIPTION	DATE	APPROVED
	A	REVISED	01/05/98	

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES 1/32 .001 .01		CONTRACT NO.	
MATERIAL		APPROVALS	DATE
FINISH		DRAWN K.KOENIG	08/14/97
NEXT ASSY		CHECKED	
APPLICATION		ISSUED	
DO NOT SCALE DRAWING			

JAYCOR, HPM DIVISION	
28V & BIAS P.S.	
SIZE B	FORM NO. RC2003
SCALE NONE	SHEET 1 OF 1

- 6. SOLDER EVENLY .10 OFF BOARD SURFACE.
 - 5. USE SCHEMATIC NO. RC2003 FOR REFERENCE.
 - 4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
 - 3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
 - 2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
 - 1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.
- NOTES: UNLESS OTHERWISE SPECIFIED.



RC-4000		DATE		APPROVED	
ZONE	REV	DATE	BY	DATE	BY

SEE SEPARATE PARTS LIST

JAYCOR, IIPM DIVISION		DATE		APPROVED	
FILAMENT P.S. ASSY		DATE		BY	
RC-4000		DATE		BY	
SCALE		DATE		BY	
1 OF 1		DATE		BY	

DETAIL A


5. USE SCHEMATIC NO. TT10110 FOR REFERENCE.
 4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
 3. SQUARE PADS INDICATE PM 1 OR CATHODE END.
 2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
 1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.
 NOTES: UNLESS OTHERWISE SPECIFIED.



5. USE SCHEMATIC NO. TT20130 FOR REFERENCE.
6. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.
7. 3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.
8. 2. SOLDER PER MIL-STD-454, REQUIREMENT 5.
9. 1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.
NOTES: UNLESS OTHERWISE SPECIFIED.

[illegible]

ZONE	REV	DESCRIPTION	DATE	APPROVED
	-	INITIAL RELEASE	09/24/97	



5. USE SCHEMATIC NO. RC9000 FOR REFERENCE.

4. MARK SERIAL NUMBER USING PERMANENT EPOXY INK.

3. SQUARE PADS INDICATE PIN 1 OR CATHODE END.

2. SOLDER PER MIL-STD-454, REQUIREMENT 5.

1. COMPONENTS ARE IDENTIFIED BY REFERENCE DESIGNATOR.

NOTES: UNLESS OTHERWISE SPECIFIED.

SEE SEPARATE PARTS LIST

JAYCOR, HPM DIVISION		CARD CAGE ASSY		RC7000		SHEET 1 OF 1	
FROM MR.		WORK ING.					
SALE NONE							

UNLESS OTHERWISE SPECIFIED CONCRETE SHALL BE 4000 PSI REINFORCEMENT #4 BARS		DATE		SCALE	C
FRACIONS IN CHAIRS 6" X 8"	APPROVALS	K. KOENIG	29/24/97		
1 1/2" 320 LBS	DRAWN	CHECKED		ISSUED	
MATERIAL					
FURNISH					
DO NOT SCALE DRAWING					

APPLICATION	
NEXT ASSY	USED ON

4

3

2

—