





Report No. R-9105


Customer:	Telephonics	Model:	RT-1601, FCC ID: 02IMCB-RT-1601
Test:	Airborne Radar Transmitter	No.:	Temperature= -20C
Sample:	87.139(a)(3), Antenna conducted Spurious	Notes:	Mode= SEARCH
Test:	emissions, 10 kHz to 18 GHz	Tech:	TS/RPW JP
Method:			Sheet 1 of 8



Report No. R-9105


Customer:	Telephonics	Model:	RT-1601, FCC ID: 02IMCB-RT-1601
Test:	Airborne Radar Transmitter	No.:	Temperature= -10C
Sample:	87.139(a)(3), Antenna conducted Spurious	Notes:	Mode= SEARCH
Test:	emissions, 10 kHz to 18 GHz		
Method:		Tech.:	TS/RPW

Sheet 2 of 8



Report No. R-9105


Customer:	Telephonics	Model:	RT-1601, FCC ID:02IMCB-RT-1601
Test:	Airborne Radar Transmitter	Rev.:	Temperature= 0C
Sample:	87.139(a)(3), Antenna conducted Spurious	Notes:	Mode= SEARCH
Test:	emissions, 10 kHz to 18 GHz		
Method:		Tech.:	TS/RPW
		Sheet 3 of 8	



Report No. R-9105

Customer:	Telephonics	Model:	RT-1601, FCC ID:02IMCB-RT-1601
Test:	Airborne Radar Transmitter	Rev.:	Temperature= +10C
Sample:	87.139(a)(3), Antenna conducted Spurious	Notes:	Mode= SEARCH
Test:	emissions, 10 kHz to 18 GHz		
Method:		Tech.:	TS/RPM


Sheet 4 of 8



Report No. R-9105


Customer: Telephonics Test: Airborne Radar Transmitter Sample: 87.139(a)(3), Antenna conducted Spurious emissions, 10 kHz to 18 GHz Test: Method:	Model: RT-1601, FCC ID:021MCB-RT-1601 No.: Notes: Temperature= +20C Mode= SEARCH Tech.: TS/RPW
--	--

Level [dBm]



Report No. R-9105


Customer:	Telephonics	Model:	RT-1601, FCC ID:02IMCB-RT-1601
Test:	Airborne Radar Transmitter	No.:	Temperature= +30C
Sample:	87.139(a)(3), Antenna conducted Spurious emissions, 10 kHz to 18 GHz	Notes:	Mode= SEARCH
Test Method:		Tech.:	TS/RPM
		Sheet 6 of 8	



Report No. R-9105


Customer:	Telephonics	Model:	RT-1601, FCC ID:02IMCB-RT-1601
Test:	Airborne Radar Transmitter	No.:	Temperature= +40C
Sample:	87.139(a)(3), Antenna conducted Spurious	Notes:	Mode= SEARCH
Test:	emissions, 10 kHz to 18 GHz		
Method:		Tech.:	TS/RPM

Sheet 7 of 8




Report No. R-9105

Customer: Telephonics	Model: RT-1601, FCC ID: 02IMCB-RT-1601
Test: Airborne Radar Transmitter	Notes: Temperature= +50C
Sample: 87.139(a)(3), Antenna conducted Spurious	Mode= SEARCH
Test: emissions, 10 kHz to 18 GHz	
Method:	
Tech:	TS/RPM
Sheet 8 of 8	




Report No. R-9105

Customer:	Telephonics	Model:	RT-1601, FCC ID:02IMCB-RT-1601
Test:	Airborne Radar Transmitter	No.:	Temperature= -20C
Sample:	87.139(a)(3), Antenna conducted Spurious	Notes:	Mode= Weather(WX)
Test:	emissions, 10 kHz to 18 GHz	Tech:	T.S/RPW
Method:			Sheet 1 of 8




Report No. R-9105

Customer:	Telephonics	Model:	RT-1601, FCC ID:021MCB-RT-1601
Test:	Airborne Radar Transmitter	No.:	Temperature= -10C
Sample:	87.139(a)(3), Antenna conducted Spurious	Notes:	Mode= Weather(hk)
Test:	emissions, 10 kHz to 18 GHz		
Method:		Tech.:	TS/RPW
		Sheet 2 of 8	




Customer:	Telephonics	Model:	RT-1601, FCC ID:02IMCB-RT-1601
Test:	Airborne Radar Transmitter	No.:	Temperature= 0C
Sample:	87.139(a)(3), Antenna conducted Spurious	Notes:	Mode= Weather(WX)
Test:	emissions, 10 kHz to 18 GHz	Tech:	TJ/DPW
Method:			Sheet 3 of 8



Report No. R-9105


Customer:	Telephonics	Model:	RT-1601, FCC ID:02IMCB-RT-1601
Test:	Airborne Radar Transmitter	No.:	Temperature= +10C
Sample:	87.139(a)(3), Antenna conducted Spurious	Notes:	Mode= Weather(WX)
Test:	emissions, 10 kHz to 18 GHz	Tech:	TS/RPW
Method:			Sheet 4 of 8

Level [dBm]




Report No. R-9105

Customer:	Telephonics	Model:	RT-1601, FCC ID: 02IMCB-RT-1601
Test:	Airborne Radar Transmitter	No.:	Temperature= +20C
Sample:	87.139(a)(3), Antenna conducted Spurious	Notes:	Mode= Weather(WX)
Test:	emissions, 10 kHz to 18 GHz	Tech.:	TS/RPW
Method:			Sheet 5 of 8




Report No. R-9105

Customer:	Telephonics	Model:	RT-1601, FCC ID:02IMCB-RT-1601
Test:	Airborne Radar Transmitter	No.:	Temperature= +30C
Sample:	87.139(a)(3), Antenna conducted Spurious	Notes:	Mode= Weather(WX)
Test:	emissions, 10 kHz to 18 GHz		
Method:		Tech.:	+S/APW
			Sheet 6 of



Report No. R-9105

Customer:	Telephonics	Model	RT-1601, FCC ID:02IMCB-RT-1601
Test	Airborne Radar Transmitter	Rev:	Temperature= +40C
Sample:	87.139(a)(3), Antenna conducted Spurious	Notes:	Mode= Weather(WX)
Test	emissions, 10 kHz to 18 GHz	Tech:	TS/CPW
Method:			Sheet 7 of 8



Report No. R-9105

Customer:	Telephonics	Model:	RT-1601, FCC ID: 02IMCB-RT-1601
Test:	Airborne Radar Transmitter	No.:	Temperature= +50C
Sample:	87.139(a)(3), Antenna conducted Spurious	Notes:	Mode= Weather(WX)
Test:	emissions, 10 kHz to 18 GHz	Tech:	TS/apw
Method:			Sheet 8 of 8