


Directory

Welcome to TOUCH-BOLT System.....	
Introduction.....	
System Requirement.....	
Minimum Requirement.....	
Recommended Specification.....	
Supported input/output Device.....	
Start and Close the Application.....	
User Guide.....	
Project Management.....	
Construction Key.....	
Create a Programming Key.....	

Project Management



The screenshot displays a software window titled "Project Management System". It features a tabbed interface with "Project Management" selected, alongside "Construction Key" and "Programming Key". Below the tabs is a toolbar with four icons and labels: "Add" (plus icon), "Edit" (pencil icon), "Delete" (trash icon), and "Report" (flame icon). The main area contains a table with four columns: an empty header cell, "Customer Name", "Project Name", and "Project Code". The table has two data rows. The first row is highlighted in blue and contains "TFH", "TFH R&D", and "72662432". The second row contains "ABC", "ABC-1", and "07842582".

	Customer Name	Project Name	Project Code
▶	TFH	TFH R&D	72662432
	ABC	ABC-1	07842582


Project Management

The screenshot shows a window titled "Edit Project" with a standard Windows-style title bar (minimize, maximize, close buttons). Inside the window, there is a "Save" button with a floppy disk icon. Below it, the form contains the following fields:

- Customer Name:** A text box containing "DEF".
- Project Name:** A text box containing "DEF-1".
- Invoice:** A text box.
- Contact:** A text box.
- TEL:** A text box containing "1234567".
- Address:** A text box containing "88 TF".
- Project Code:** A text box containing "25178469".
- Large Text Area:** A large text box at the bottom containing the string "Oo5+e9RFZuqe+CaVHGOSL3yZKhAFaUDzy1mxjaHMeY=".

Please refer to the user guide for more details.

Project Management



The screenshot displays a software window titled "Project Management System". Inside, there are tabs for "Project Management", "Construction Key", and "Programming Key". Below the tabs is a toolbar with four icons: a plus sign for "Add", a pencil for "Edit", a trash can for "Delete", and a magnifying glass for "Report". The main area contains a table with three columns: "Customer Name", "Project Name", and "Project Code". The first row is highlighted in blue and contains the values "TFH", "TFH R&D", and "72662432". The second row contains "ABC", "ABC-1", and "07842582". The third row contains "DEF", "DEF-1", and "25178469".

	Customer Name	Project Name	Project Code
▶	TFH	TFH R&D	72662432
	ABC	ABC-1	07842582
	DEF	DEF-1	25178469

Construction Key

Project Management System

Project Management Construction Key Programming Key

Create Key

UID

1297461883 R

The key is assigned to project:

ABC-1
DEF-1
TFH R&D
2013/09/14

Ending date

2015/09/14


Search

Customer name: Project name: 🔍

Customer Name	Project Name	Project Code	UID
TFH	TFH R&D	72662432	1297462907

Please refer to the user guide for more details.

Construction Key



DECLARATIONS AND SAFETY STATEMENTS

FEDERAL COMMUNICATIONS COMMISSION STATEMENT

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement:

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 0.5 centimeters between the radiator and your body.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The antennas used for this transmitter must be installed to provide a separation distance of at least 0.5 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

IC REGULATIONS

RÈGLEMENTS D'IC

This device complies with Industry Canada licence-exempt RSS-210, RSS-247 standard. Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.