



Appendix A1: Emission Bandwidth


Test Result

TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	20.84	5169.52	5190.36	---	---
		5220	20.84	5209.56	5230.40	---	---
		5240	20.92	5229.48	5250.40	---	---
		5745	20.96	5734.48	5755.44	---	---
		5785	21.08	5774.44	5795.52	---	---
		5825	21.16	5814.44	5835.60	---	---
11N20SISO	Ant1	5180	21.40	5169.20	5190.60	---	---
		5220	21.64	5209.32	5230.96	---	---
		5240	21.28	5229.24	5250.52	---	---
		5745	21.20	5734.40	5755.60	---	---
		5785	22.84	5774.32	5797.16	---	---
		5825	22.96	5814.28	5837.24	---	---
11N40SISO	Ant1	5190	48.80	5170.00	5218.80	---	---
		5230	48.48	5210.00	5258.48	---	---
		5755	56.88	5734.92	5791.80	---	---
		5795	56.56	5774.92	5831.48	---	---
11AC80SISO	Ant1	5210	86.56	5169.36	5255.92	---	---
		5775	108.00	5734.36	5842.36	---	---




Test Graphs


11A_Ant1_5180




11A_Ant1_5220




11A_Ant1_5240




11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5220




11N20SISO_Ant1_5240




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795



11AC80SISO_Ant1_5210



11AC80SISO_Ant1_5775





Appendix A2: Occupied channel bandwidth


Test Result

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	17.582	5171.089	5188.671	---	---
		5220	17.622	5211.089	5228.711	---	---
		5240	17.582	5231.009	5248.591	---	---
		5745	17.662	5736.049	5753.711	---	---
		5785	17.902	5775.969	5793.871	---	---
		5825	17.862	5816.009	5833.871	---	---
11N20SISO	Ant1	5180	18.541	5170.689	5189.231	---	---
		5220	18.621	5210.649	5229.271	---	---
		5240	18.621	5230.569	5249.191	---	---
		5745	18.581	5735.689	5754.271	---	---
		5785	18.781	5775.649	5794.431	---	---
		5825	18.861	5815.569	5834.431	---	---
11N40SISO	Ant1	5190	36.683	5171.698	5208.382	---	---
		5230	36.523	5211.778	5248.302	---	---
		5755	36.843	5736.778	5773.621	---	---
		5795	36.923	5776.778	5813.701	---	---
11AC80SISO	Ant1	5210	75.445	5172.438	5247.882	---	---
		5775	76.244	5737.278	5813.521	---	---



Test Graphs


11A_Ant1_5180




11A_Ant1_5220




11A_Ant1_5240



11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5220




11N20SISO_Ant1_5240




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795



11AC80SISO_Ant1_5210



11AC80SISO_Ant1_5775





Appendix A3: Min emission bandwidth


Test Result B4

TestMode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	15.48	5737.36	5752.84	0.5	PASS
		5785	16.00	5777.08	5793.08	0.5	PASS
		5825	16.04	5817.04	5833.08	0.5	PASS
11N20SISO	Ant1	5745	15.48	5737.04	5752.52	0.5	PASS
		5785	16.52	5776.80	5793.32	0.5	PASS
		5825	16.92	5816.40	5833.32	0.5	PASS
11N40SISO	Ant1	5755	35.20	5737.32	5772.52	0.5	PASS
		5795	35.28	5777.32	5812.60	0.5	PASS
11AC80SISO	Ant1	5775	75.20	5737.40	5812.60	0.5	PASS




Test Graphs B4


11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5755



11N40SISO_Ant1_5795



11AC80SISO_Ant1_5775



Date: 20.OCT.2023 16:24:51



Appendix B: Duty Cycle


Test Result

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11A	Ant1	5180	1.40	1.50	93.33
		5220	1.40	1.50	93.33
		5240	1.40	1.50	93.33
		5745	1.40	1.50	93.33
		5785	1.39	1.50	92.67
		5825	1.40	1.50	93.33
11N20SISO	Ant1	5180	1.31	1.41	92.91
		5220	1.31	1.41	92.91
		5240	1.31	1.41	92.91
		5745	1.31	1.41	92.91
		5785	1.30	1.41	92.20
		5825	1.31	1.41	92.91
11N40SISO	Ant1	5190	0.95	0.99	95.96
		5230	0.94	0.98	95.92
		5755	0.94	0.98	95.92
		5795	0.94	0.98	95.92
11AC80SISO	Ant1	5210	0.60	0.62	96.77
		5775	0.60	0.63	95.24




Test Graphs


11A_Ant1_5180




11A_Ant1_5220




11A_Ant1_5240




11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5220




11N20SISO_Ant1_5240




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795



11AC80SISO_Ant1_5210



11AC80SISO_Ant1_5775





Appendix C: Maximum conducted output power

Test Result Channel Power


Test Mode	Antenna	Frequency [MHz]	Set Power	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11A	Ant1	5180	---	14.01	93.33	0.30	14.31	≤23.98	2.64	16.95	---	PASS
		5220	---	14.01	93.33	0.30	14.31	≤23.98	2.64	16.95	---	PASS
		5240	---	14.54	93.33	0.30	14.84	≤23.98	2.64	17.48	---	PASS
		5745	---	11.37	93.33	0.30	11.67	≤30.00	3.20	14.87	---	PASS
		5785	---	10.89	92.67	0.33	11.22	≤30.00	3.20	14.42	---	PASS
		5825	---	10.83	93.33	0.30	11.13	≤30.00	3.20	14.33	---	PASS
11N20SI SO	Ant1	5180	---	13.84	92.91	0.32	14.16	≤23.98	2.64	16.80	---	PASS
		5220	---	13.71	92.91	0.32	14.03	≤23.98	2.64	16.67	---	PASS
		5240	---	14.23	92.91	0.32	14.55	≤23.98	2.64	17.19	---	PASS
		5745	---	10.89	92.91	0.32	11.21	≤30.00	3.20	14.41	---	PASS
		5785	---	10.47	92.20	0.35	10.82	≤30.00	3.20	14.02	---	PASS
		5825	---	10.64	92.91	0.32	10.96	≤30.00	3.20	14.16	---	PASS
11N40SI SO	Ant1	5190	---	13.79	95.96	0.18	13.97	≤23.98	2.64	16.61	---	PASS
		5230	---	13.93	95.92	0.18	14.11	≤23.98	2.64	16.75	---	PASS
		5755	---	11.20	95.92	0.18	11.38	≤30.00	3.20	14.58	---	PASS
		5795	---	10.46	95.92	0.18	10.64	≤30.00	3.20	13.84	---	PASS
11AC80S ISO	Ant1	5210	---	13.98	96.77	0.14	14.12	≤23.98	2.64	16.76	---	PASS
		5775	---	10.88	95.24	0.21	11.09	≤30.00	3.20	14.29	---	PASS

Note: The Duty Cycle Factor is compensated in the graph.




Test Graphs Channel Power


11A_Ant1_5180




11A_Ant1_5220




11A_Ant1_5240




11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5220




11N20SISO_Ant1_5240




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825



11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795



11AC80SISO_Ant1_5210



11AC80SISO_Ant1_5775





Appendix D: Maximum power spectral density

Test Result

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	4.92	≤11.00	PASS
		5220	4.86	≤11.00	PASS
		5240	5.35	≤11.00	PASS
		5745	-0.5	≤30.00	PASS
		5785	-1.02	≤30.00	PASS
		5825	-1.14	≤30.00	PASS
11N20SISO	Ant1	5180	4.52	≤11.00	PASS
		5220	4.23	≤11.00	PASS
		5240	4.87	≤11.00	PASS
		5745	-1	≤30.00	PASS
		5785	-1.6	≤30.00	PASS
		5825	-1.52	≤30.00	PASS
11N40SISO	Ant1	5190	1.46	≤11.00	PASS
		5230	1.71	≤11.00	PASS
		5755	-4.11	≤30.00	PASS
		5795	-4.68	≤30.00	PASS
11AC80SISO	Ant1	5210	-1.46	≤11.00	PASS
		5775	-7.47	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.




Test Graphs

11A_Ant1_5180



11A_Ant1_5220



11A_Ant1_5240



11A_Ant1_5745




11A_Ant1_5785



Date: 20.OCT.2023 14:37:01

11A_Ant1_5825



Date: 20.OCT.2023 14:45:58

11N20SISO_Ant1_5180




Date: 20.OCT.2023 14:52:41

11N20SISO_Ant1_5220




Date: 20.OCT.2023 15:02:37

11N20SISO_Ant1_5240




Date: 20.OCT.2023 15:09:49

11N20SISO_Ant1_5745




Date: 20.OCT.2023 15:22:23

11N20SISO_Ant1_5785




Date: 20.OCT.2023 15:32:22

11N20SISO_Ant1_5825




Date: 20.OCT.2023 15:41:37

11N40SISO_Ant1_5190




Date: 20.OCT.2023 15:55:03

11N40SISO_Ant1_5230



Date: 20.OCT.2023 16:00:11

11N40SISO_Ant1_5755



Date: 20.OCT.2023 16:06:12

11N40SISO_Ant1_5795



Date: 20.OCT.2023 16:13:49

11AC80SISO_Ant1_5210



Date: 20.OCT.2023 16:20:15

11AC80SISO_Ant1_5775



Date: 20.OCT.2023 16:26:15



Appendix E: Frequency Stability

Test Result

Voltage								
TestMode	Antenna	Frequen cy[MHz]	Voltage [Vdc]	Temper ature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-52500.00	-10.135135	20	PASS
			LV	NT	-52500.00	-10.135135	20	PASS
			HV	NT	-57500.00	-11.100386	20	PASS
		5220	NV	NT	-55000.00	-10.536398	20	PASS
			LV	NT	-52500.00	-10.057471	20	PASS
			HV	NT	-55000.00	-10.536398	20	PASS
		5240	NV	NT	-55000.00	-10.496183	20	PASS
			LV	NT	-55000.00	-10.496183	20	PASS
			HV	NT	-55000.00	-10.496183	20	PASS
		5745	NV	NT	-80000.00	-13.925152	20	PASS
			LV	NT	-62500.00	-10.879025	20	PASS
			HV	NT	-62500.00	-10.879025	20	PASS
		5785	NV	NT	-62500.00	-10.803803	20	PASS
			LV	NT	-62500.00	-10.803803	20	PASS
			HV	NT	-62500.00	-10.803803	20	PASS
		5825	NV	NT	-62500.00	-10.729614	20	PASS
			LV	NT	-65000.00	-11.158798	20	PASS
			HV	NT	-67500.00	-11.587983	20	PASS
11N20SI SO	Ant1	5180	NV	NT	-67500.00	-13.030888	20	PASS
			LV	NT	-47500.00	-9.169884	20	PASS
			HV	NT	-67500.00	-13.030888	20	PASS
		5220	NV	NT	-67500.00	-12.931034	20	PASS
			LV	NT	-62500.00	-11.973180	20	PASS
			HV	NT	-67500.00	-12.931034	20	PASS
		5240	NV	NT	-55000.00	-10.496183	20	PASS
			LV	NT	-80000.00	-15.267176	20	PASS
			HV	NT	-87500.00	-16.698473	20	PASS
		5745	NV	NT	-77500.00	-13.489991	20	PASS
			LV	NT	-75000.00	-13.054830	20	PASS
			HV	NT	-65000.00	-11.314186	20	PASS
		5785	NV	NT	-75000.00	-12.964564	20	PASS
			LV	NT	-52500.00	-9.075194	20	PASS
			HV	NT	-75000.00	-12.964564	20	PASS



		5825	NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	-75000.00	-12.875536	20	PASS
			HV	NT	-45000.00	-7.725322	20	PASS
11N40SI SO	Ant1	5190	NV	NT	-75000.00	-14.450867	20	PASS
			LV	NT	-85000.00	-16.377649	20	PASS
			HV	NT	-70000.00	-13.487476	20	PASS
		5230	NV	NT	-80000.00	-15.296367	20	PASS
			LV	NT	-70000.00	-13.384321	20	PASS
			HV	NT	-80000.00	-15.296367	20	PASS
		5755	NV	NT	-105000.00	-18.245004	20	PASS
			LV	NT	-70000.00	-12.163336	20	PASS
			HV	NT	-75000.00	-13.032146	20	PASS
		5795	NV	NT	-65000.00	-11.216566	20	PASS
			LV	NT	-50000.00	-8.628128	20	PASS
			HV	NT	-55000.00	-9.490940	20	PASS
11AC80S ISO	Ant1	5210	NV	NT	-100000.00	-19.193858	20	PASS
			LV	NT	-30000.00	-5.758157	20	PASS
			HV	NT	-50000.00	-9.596929	20	PASS
		5775	NV	NT	-50000.00	-8.658009	20	PASS
			LV	NT	-40000.00	-6.926407	20	PASS
			HV	NT	-20000.00	-3.463203	20	PASS

Temperature								
TestMode	Antenna	Frequen cy[MHz]	Voltage [Vdc]	Temper ature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	-52500.00	-10.135135	20	PASS
			NV	-20	-55000.00	-10.617761	20	PASS
			NV	-10	-52500.00	-10.135135	20	PASS
			NV	0	-55000.00	-10.617761	20	PASS
			NV	10	-57500.00	-11.100386	20	PASS
			NV	20	-52500.00	-10.135135	20	PASS
			NV	30	-57500.00	-11.100386	20	PASS
			NV	40	-55000.00	-10.617761	20	PASS
			NV	50	-55000.00	-10.617761	20	PASS
		5220	NV	-30	-55000.00	-10.536398	20	PASS
			NV	-20	-57500.00	-11.015326	20	PASS
			NV	-10	-57500.00	-11.015326	20	PASS
			NV	0	-52500.00	-10.057471	20	PASS
			NV	10	-55000.00	-10.536398	20	PASS
			NV	20	-57500.00	-11.015326	20	PASS
			NV	20	-57500.00	-11.015326	20	PASS



			NV	30	-55000.00	-10.536398	20	PASS
			NV	40	-52500.00	-10.057471	20	PASS
			NV	50	-57500.00	-11.015326	20	PASS
		5240	NV	-30	-60000.00	-11.450382	20	PASS
			NV	-20	-55000.00	-10.496183	20	PASS
			NV	-10	-55000.00	-10.496183	20	PASS
			NV	0	-55000.00	-10.496183	20	PASS
			NV	10	-57500.00	-10.973282	20	PASS
			NV	20	-60000.00	-11.450382	20	PASS
			NV	30	-52500.00	-10.019084	20	PASS
			NV	40	-55000.00	-10.496183	20	PASS
			NV	50	-52500.00	-10.019084	20	PASS
		5745	NV	-30	-65000.00	-11.314186	20	PASS
			NV	-20	-60000.00	-10.443864	20	PASS
			NV	-10	-62500.00	-10.879025	20	PASS
			NV	0	-62500.00	-10.879025	20	PASS
			NV	10	-60000.00	-10.443864	20	PASS
			NV	20	-62500.00	-10.879025	20	PASS
			NV	30	-65000.00	-11.314186	20	PASS
			NV	40	-60000.00	-10.443864	20	PASS
			NV	50	-62500.00	-10.879025	20	PASS
		5785	NV	-30	-65000.00	-11.235955	20	PASS
			NV	-20	-65000.00	-11.235955	20	PASS
			NV	-10	-65000.00	-11.235955	20	PASS
			NV	0	-60000.00	-10.371651	20	PASS
			NV	10	-62500.00	-10.803803	20	PASS
			NV	20	-60000.00	-10.371651	20	PASS
			NV	30	-62500.00	-10.803803	20	PASS
			NV	40	-55000.00	-9.507347	20	PASS
			NV	50	-62500.00	-10.803803	20	PASS
		5825	NV	-30	-60000.00	-10.300429	20	PASS
			NV	-20	-65000.00	-11.158798	20	PASS
			NV	-10	-60000.00	-10.300429	20	PASS
			NV	0	-65000.00	-11.158798	20	PASS
			NV	10	-65000.00	-11.158798	20	PASS
			NV	20	-65000.00	-11.158798	20	PASS
			NV	30	-52500.00	-9.012876	20	PASS
			NV	40	-65000.00	-11.158798	20	PASS
			NV	50	-65000.00	-11.158798	20	PASS
11N20SI	Ant1	5180	NV	-30	-87500.00	-16.891892	20	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2023-0011-RF1-A1

Page 60 of 62

SO			NV	-20	-67500.00	-13.030888	20	PASS
			NV	-10	-72500.00	-13.996139	20	PASS
			NV	0	-62500.00	-12.065637	20	PASS
			NV	10	-65000.00	-12.548263	20	PASS
			NV	20	-47500.00	-9.169884	20	PASS
			NV	30	-50000.00	-9.652510	20	PASS
			NV	40	-62500.00	-12.065637	20	PASS
			NV	50	-70000.00	-13.513514	20	PASS
		5220	NV	-30	-55000.00	-10.536398	20	PASS
			NV	-20	-67500.00	-12.931034	20	PASS
			NV	-10	-72500.00	-13.888889	20	PASS
			NV	0	-77500.00	-14.846743	20	PASS
			NV	10	-90000.00	-17.241379	20	PASS
			NV	20	-60000.00	-11.494253	20	PASS
			NV	30	-50000.00	-9.578544	20	PASS
			NV	40	-70000.00	-13.409962	20	PASS
			NV	50	-67500.00	-12.931034	20	PASS
		5240	NV	-30	-82500.00	-15.744275	20	PASS
			NV	-20	-85000.00	-16.221374	20	PASS
			NV	-10	-67500.00	-12.881679	20	PASS
			NV	0	-72500.00	-13.835878	20	PASS
			NV	10	-60000.00	-11.450382	20	PASS
			NV	20	-65000.00	-12.404580	20	PASS
			NV	30	-77500.00	-14.790076	20	PASS
			NV	40	-67500.00	-12.881679	20	PASS
			NV	50	-97500.00	-18.606870	20	PASS
		5745	NV	-30	-67500.00	-11.749347	20	PASS
			NV	-20	-65000.00	-11.314186	20	PASS
			NV	-10	-65000.00	-11.314186	20	PASS
			NV	0	-77500.00	-13.489991	20	PASS
			NV	10	-67500.00	-11.749347	20	PASS
			NV	20	-90000.00	-15.665796	20	PASS
			NV	30	-65000.00	-11.314186	20	PASS
			NV	40	-65000.00	-11.314186	20	PASS
			NV	50	-75000.00	-13.054830	20	PASS
		5785	NV	-30	-72500.00	-12.532411	20	PASS
			NV	-20	-75000.00	-12.964564	20	PASS
			NV	-10	-72500.00	-12.532411	20	PASS
			NV	0	-85000.00	-14.693172	20	PASS
			NV	10	-52500.00	-9.075194	20	PASS



			NV	20	-72500.00	-12.532411	20	PASS
			NV	30	-35000.00	-6.050130	20	PASS
			NV	40	-80000.00	-13.828868	20	PASS
			NV	50	-57500.00	-9.939499	20	PASS
		5825	NV	-30	-55000.00	-9.442060	20	PASS
			NV	-20	-67500.00	-11.587983	20	PASS
			NV	-10	-85000.00	-14.592275	20	PASS
			NV	0	-72500.00	-12.446352	20	PASS
			NV	10	-72500.00	-12.446352	20	PASS
			NV	20	-62500.00	-10.729614	20	PASS
			NV	30	-77500.00	-13.304721	20	PASS
			NV	40	-85000.00	-14.592275	20	PASS
			NV	50	-62500.00	-10.729614	20	PASS
11N40SI SO	Ant1	5190	NV	-30	-70000.00	-13.487476	20	PASS
			NV	-20	-75000.00	-14.450867	20	PASS
			NV	-10	-65000.00	-12.524085	20	PASS
			NV	0	-25000.00	-4.816956	20	PASS
			NV	10	-70000.00	-13.487476	20	PASS
			NV	20	-70000.00	-13.487476	20	PASS
			NV	30	-60000.00	-11.560694	20	PASS
			NV	40	-65000.00	-12.524085	20	PASS
			NV	50	-70000.00	-13.487476	20	PASS
		5230	NV	-30	-60000.00	-11.472275	20	PASS
			NV	-20	-60000.00	-11.472275	20	PASS
			NV	-10	-55000.00	-10.516252	20	PASS
			NV	0	-55000.00	-10.516252	20	PASS
			NV	10	-95000.00	-18.164436	20	PASS
			NV	20	-65000.00	-12.428298	20	PASS
			NV	30	-60000.00	-11.472275	20	PASS
			NV	40	-85000.00	-16.252390	20	PASS
			NV	50	-75000.00	-14.340344	20	PASS
		5755	NV	-30	-85000.00	-14.769765	20	PASS
			NV	-20	-60000.00	-10.425717	20	PASS
			NV	-10	-65000.00	-11.294526	20	PASS
			NV	0	-90000.00	-15.638575	20	PASS
			NV	10	-10000.00	-1.737619	20	PASS
			NV	20	-70000.00	-12.163336	20	PASS
			NV	30	-50000.00	-8.688097	20	PASS
			NV	40	-65000.00	-11.294526	20	PASS
			NV	50	-60000.00	-10.425717	20	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2023-0011-RF1-A1

Page 62 of 62

		5795	NV	-30	-65000.00	-11.216566	20	PASS
			NV	-20	-45000.00	-7.765315	20	PASS
			NV	-10	-90000.00	-15.530630	20	PASS
			NV	0	-65000.00	-11.216566	20	PASS
			NV	10	-55000.00	-9.490940	20	PASS
			NV	20	-55000.00	-9.490940	20	PASS
			NV	30	-70000.00	-12.079379	20	PASS
			NV	40	-55000.00	-9.490940	20	PASS
			NV	50	-70000.00	-12.079379	20	PASS
11AC80S ISO	Ant1	5210	NV	-30	-60000.00	-11.516315	20	PASS
			NV	-20	-70000.00	-13.435701	20	PASS
			NV	-10	-50000.00	-9.596929	20	PASS
			NV	0	-50000.00	-9.596929	20	PASS
			NV	10	-80000.00	-15.355086	20	PASS
			NV	20	-70000.00	-13.435701	20	PASS
			NV	30	-30000.00	-5.758157	20	PASS
			NV	40	-60000.00	-11.516315	20	PASS
			NV	50	-100000.00	-19.193858	20	PASS
		5775	NV	-30	290000.00	50.216450	20	FAIL
			NV	-20	-60000.00	-10.389610	20	PASS
			NV	-10	-70000.00	-12.121212	20	PASS
			NV	0	-50000.00	-8.658009	20	PASS
			NV	10	-10000.00	-1.731602	20	PASS
			NV	20	-60000.00	-10.389610	20	PASS
			NV	30	-30000.00	-5.194805	20	PASS
			NV	40	-70000.00	-12.121212	20	PASS
			NV	50	-30000.00	-5.194805	20	PASS