

ACCESSORIES:
QUICK GUIDE / USER MANUAL



1

Carque por 24 horas antes de usar

Conserva su teléfono 1.600

THE

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

lowest certified power level, the actual SAR level of the phone with operating can be well below the maximum value. This is because the phone is designed to operate at much lower power levels so as to use only the power required to reach the network. In general, the closer you are to a wireless base station antenna, the lower the power output. Before a phone model is available for sale to the public, it must be tested and certified to the FCC that it does not exceed the limit established by the government, additional requirement for sale expansion.

Body-worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided. Use only the suggested or an approved

LOGIC

Warranty Certificate
 Bureau of Animal Health

LOC2: warrants that this Product will be free from defects in material and workmanship. The warranty period is 36 months for this product and its OEM components for the economies which are one of the original locations where the battery. The warranty period begins the date of purchase by the first owner who is present on invoice as a purchase receipt when requiring warranty service otherwise the warranty period will begin from the date of purchase by the first owner who is present on invoice as a purchase receipt when requiring manufacturing defect or defect in workmanship during the warranty period and if the defect occurred under normal conditions of use in accordance with the instructions and specifications stated in the user's manual.

Certificado de Garantia

LOQ: garantiza que sus productos estarán libres de defectos de materia prima y mano de obra. El periodo de garantía es de 12 años para los productos y de tres (3) meses para los servicios. El cliente debe presentar el producto a la tienda de la Leyenda de la Luz para obtener garantía. El cliente debe presentar una factura o un recibo de compra cuando haga el servicio de garantía. La garantía comienza al periodo de garantía comenzará a partir de la fecha de fabricación del producto. LOQ, repuestos de repuestos, no están garantizados. El cliente debe presentar un defecto de garantía en un momento determinado durante el periodo de garantía a su defecto si el producto en condiciones normales de uso de acuerdo con las instrucciones y especificaciones indicadas en el manual del usuario.

Para más detalles de la Garantía Leyenda de LOQ, o para obtener información de Leyenda de garantía, así como las ubicaciones de soporte al cliente, visite www.boschfr.com.

Le programme de la soirée :

Made in China 天龍00


Copyright Swagtek, Inc. 2022

OPEN SIZE WITH BLEED: 100.33mm X 405.892mm

CLOSE FINISHED SIZE: 67.31mm X 95.758mm

OPEN SIZE WITH BLEED: 100.33mm X 405.892mm

CLOSE FINISHED SIZE: 67.31mm X 95.758mm



WARNING

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

This Product meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health.

FCC RF Exposure Information and Statement the SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of this Device (FCC ID: O55634521 has been tested against this SAR limit. SAR information on this can be viewed on-line at <http://www.fcc.gov/oet/ea/fccid/>. Please use the device FCC ID number for search. This device was tested for typical operations 10mm from the body. To maintain compliance with FCC RF exposure requirements, 10mm separation distance should be maintained to the user's bodies

NOTE:

This equipment has been tested and found to comply with the limits for a Class B digital

device, pursuant to Part 15 of the FCC Rules.

These limits are

designed to provide reasonable protection against harmful interference

in a

residential installation. This equipment generates, uses and can radiate radio

o frequency energy and, if not installed and used in accordance with the instructions,

may cause harmful interference to radio communications.

However,

there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception,

which can be determined by turning the equipment off and on, the user is encouraged to

try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.