

AppendixA: Effective (Isotropic) Radiated Power Output Data

Test Result(WCDMA)

Band	Type	Channel	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	Voice	9262	22.30	23.2	33.01	PASS
Band2	TestMode	9262	22.38	23.28	33.01	PASS
Band2	TestMode	9400	22.75	23.65	33.01	PASS
Band2	Voice	9400	22.75	23.65	33.01	PASS
Band2	TestMode	9538	22.86	23.76	33.01	PASS
Band2	Voice	9538	22.77	23.67	33.01	PASS
Band4	Voice	1312	22.85	23.65	30.00	PASS
Band4	TestMode	1312	22.89	23.69	30.00	PASS
Band4	Voice	1413	22.53	23.33	30.00	PASS
Band4	TestMode	1413	22.74	23.54	30.00	PASS
Band4	TestMode	1513	22.76	23.56	30.00	PASS
Band4	Voice	1513	22.68	23.48	30.00	PASS
Band5	Voice	4132	22.96	20.53	38.45	PASS
Band5	TestMode	4132	23.03	20.6	38.45	PASS
Band5	TestMode	4183	23.17	20.74	38.45	PASS
Band5	Voice	4183	23.18	20.75	38.45	PASS
Band5	Voice	4233	23.19	20.76	38.45	PASS
Band5	TestMode	4233	23.16	20.73	38.45	PASS

Test Result(HSDPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	21.96	22.86	33.01	PASS
Band2	9262	2	21.69	22.59	33.01	PASS
Band2	9262	3	21.46	22.36	33.01	PASS
Band2	9262	4	21.49	22.39	33.01	PASS
Band2	9400	1	22.94	23.84	33.01	PASS
Band2	9400	2	22.58	23.48	33.01	PASS
Band2	9400	3	22.37	23.27	33.01	PASS
Band2	9400	4	22.44	23.34	33.01	PASS
Band2	9538	1	22.75	23.65	33.01	PASS
Band2	9538	2	22.43	23.33	33.01	PASS
Band2	9538	3	22.21	23.11	33.01	PASS
Band2	9538	4	22.29	23.19	33.01	PASS

Band4	1312	1	22.61	23.41	30.00	PASS
Band4	1312	2	22.66	23.46	30.00	PASS
Band4	1312	3	22.62	23.42	30.00	PASS
Band4	1312	4	22.62	23.42	30.00	PASS
Band4	1413	1	22.08	22.88	30.00	PASS
Band4	1413	2	22.17	22.97	30.00	PASS
Band4	1413	3	22.15	22.95	30.00	PASS
Band4	1413	4	22.15	22.95	30.00	PASS
Band4	1513	1	22.10	22.9	30.00	PASS
Band4	1513	2	21.98	22.78	30.00	PASS
Band4	1513	3	21.91	22.71	30.00	PASS
Band4	1513	4	21.89	22.69	30.00	PASS
Band5	4132	1	22.29	19.86	38.5	PASS
Band5	4132	2	22.30	19.87	38.5	PASS
Band5	4132	3	21.88	19.45	38.5	PASS
Band5	4132	4	21.92	19.49	38.5	PASS
Band5	4183	1	22.31	19.88	38.5	PASS
Band5	4183	2	22.04	19.61	38.5	PASS
Band5	4183	3	21.65	19.22	38.5	PASS
Band5	4183	4	21.68	19.25	38.5	PASS
Band5	4233	1	22.68	20.25	38.5	PASS
Band5	4233	2	22.46	20.03	38.5	PASS
Band5	4233	3	22.12	19.69	38.5	PASS
Band5	4233	4	22.14	19.71	38.5	PASS

Test Result(HSUPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	19.62	20.52	33.01	PASS
Band2	9262	2	20.28	21.18	33.01	PASS
Band2	9262	3	20.03	20.93	33.01	PASS
Band2	9262	4	20.33	21.23	33.01	PASS
Band2	9262	5	22.00	22.9	33.01	PASS
Band2	9400	1	20.80	21.7	33.01	PASS
Band2	9400	2	21.21	22.11	33.01	PASS
Band2	9400	3	21.02	21.92	33.01	PASS
Band2	9400	4	21.23	22.13	33.01	PASS
Band2	9400	5	22.88	23.78	33.01	PASS
Band2	9538	1	20.68	21.58	33.01	PASS
Band2	9538	2	21.15	22.05	33.01	PASS
Band2	9538	3	20.70	21.6	33.01	PASS

Band2	9538	4	21.18	22.08	33.01	PASS
Band2	9538	5	22.73	23.63	33.01	PASS
Band4	1312	1	22.52	23.32	30.00	PASS
Band4	1312	2	22.57	23.37	30.00	PASS
Band4	1312	3	22.36	23.16	30.00	PASS
Band4	1312	4	22.62	23.42	30.00	PASS
Band4	1312	5	22.73	23.53	30.00	PASS
Band4	1413	1	22.02	22.82	30.00	PASS
Band4	1413	2	22.03	22.83	30.00	PASS
Band4	1413	3	21.91	22.71	30.00	PASS
Band4	1413	4	22.25	23.05	30.00	PASS
Band4	1413	5	22.20	23	30.00	PASS
Band4	1513	1	21.94	22.74	30.00	PASS
Band4	1513	2	21.82	22.62	30.00	PASS
Band4	1513	3	21.74	22.54	30.00	PASS
Band4	1513	4	21.84	22.64	30.00	PASS
Band4	1513	5	22.07	22.87	30.00	PASS
Band5	4132	1	20.76	18.33	38.5	PASS
Band5	4132	2	20.90	18.47	38.5	PASS
Band5	4132	3	20.65	18.22	38.5	PASS
Band5	4132	4	20.47	18.04	38.5	PASS
Band5	4132	5	22.68	20.25	38.5	PASS
Band5	4183	1	20.65	18.22	38.5	PASS
Band5	4183	2	20.83	18.4	38.5	PASS
Band5	4183	3	20.52	18.09	38.5	PASS
Band5	4183	4	20.32	17.89	38.5	PASS
Band5	4183	5	22.64	20.21	38.5	PASS
Band5	4233	1	20.79	18.36	38.5	PASS
Band5	4233	2	21.02	18.59	38.5	PASS
Band5	4233	3	20.73	18.3	38.5	PASS
Band5	4233	4	20.52	18.09	38.5	PASS
Band5	4233	5	22.98	20.55	38.5	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band2 & 4)
ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band5)


AppendixB:Peak-to-Average Ratio

Test Result(WCDMA)

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9400	2.95	13	PASS
Band4	1413	3.17	13	PASS
Band5	4183	3.18	13	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs(WCDMA)




AppendixC:26dB Bandwidth andOccupied Bandwidth

Test Result(WCDMA)

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	4.1477	4.669	---	PASS
Band2	9400	4.1429	4.666	---	PASS
Band2	9538	4.1434	4.661	---	PASS
Band4	1312	4.1470	4.665	---	PASS
Band4	1413	4.1508	4.664	---	PASS
Band4	1513	4.1623	4.686	---	PASS
Band5	4132	4.1430	4.660	---	PASS
Band5	4183	4.1506	4.656	---	PASS
Band5	4233	4.1442	4.662	---	PASS

Test Graphs(WCDMA)






AppendixD:Band Edge

Test Result(WCDMA)

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-16.94	-13	PASS
Band2	9538	1910.00	-13.62	-13	PASS
Band4	1312	1710.00	-15.61	-13	PASS
Band4	1513	1755.00	-13.86	-13	PASS
Band5	4132	824.00	-16.34	-13	PASS
Band5	4233	849.00	-16.07	-13	PASS

Test Graphs(WCDMA)



JianYan Testing Group Shenzhen Co., Ltd.

No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.

Tel: +86-755-23118282, Fax: +86-755-23116366


Project No.: JYTSZR2605018

AppendixE:Conducted SpuriousEmission

Test Result(WCDMA)

Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.01	-52.44	-43	PASS
Band2	9262	0.15~30MHz	0.16	-35.32	-23	PASS
Band2	9262	30~1000MHz	993.37	-46.47	-13	PASS
Band2	9262	1000~20000MHz	16816.87	-30.8	-13	PASS
Band2	9400	0.009~0.15MHz	0.01	-51.86	-43	PASS
Band2	9400	0.15~30MHz	0.17	-35.84	-23	PASS
Band2	9400	30~1000MHz	461.91	-46.41	-13	PASS
Band2	9400	1000~20000MHz	17093.63	-30.43	-13	PASS
Band2	9538	0.009~0.15MHz	0.01	-50.6	-43	PASS
Band2	9538	0.15~30MHz	0.15	-36.4	-23	PASS
Band2	9538	30~1000MHz	238.36	-45.86	-13	PASS
Band2	9538	1000~20000MHz	18057.57	-30.76	-13	PASS
Band4	1312	0.009~0.15MHz	0.01	-52.41	-43	PASS
Band4	1312	0.15~30MHz	0.16	-37.78	-23	PASS
Band4	1312	30~1000MHz	890.55	-46.55	-13	PASS
Band4	1312	1000~20000MHz	17095.53	-29.91	-13	PASS
Band4	1413	0.009~0.15MHz	0.01	-52.81	-43	PASS
Band4	1413	0.15~30MHz	0.15	-35.72	-23	PASS
Band4	1413	30~1000MHz	435.72	-46.77	-13	PASS
Band4	1413	1000~20000MHz	17093.63	-30.55	-13	PASS
Band4	1513	0.009~0.15MHz	0.01	-52.19	-43	PASS
Band4	1513	0.15~30MHz	0.16	-35.43	-23	PASS
Band4	1513	30~1000MHz	774.6	-46.39	-13	PASS
Band4	1513	1000~20000MHz	17097.43	-30.7	-13	PASS
Band5	4132	0.009~0.15MHz	0.01	-53.92	-33	PASS
Band5	4132	0.15~30MHz	0.15	-44.69	-13	PASS
Band5	4132	30~1000MHz	968.6	-54.32	-13	PASS
Band5	4132	1000~10000MHz	5860.6	-36.66	-13	PASS
Band5	4183	0.009~0.15MHz	0.01	-55.88	-33	PASS
Band5	4183	0.15~30MHz	0.15	-46.57	-13	PASS
Band5	4183	30~1000MHz	495.57	-54.59	-13	PASS
Band5	4183	1000~10000MHz	3350.2	-36.31	-13	PASS
Band5	4233	0.009~0.15MHz	0.01	-56.95	-33	PASS
Band5	4233	0.15~30MHz	0.15	-47.42	-13	PASS
Band5	4233	30~1000MHz	378.65	-54.42	-13	PASS
Band5	4233	1000~10000MHz	5927.2	-36.5	-13	PASS

Test Graphs(WCDMA)





JianYan Testing Group Shenzhen Co., Ltd.


No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.


Tel: +86-755-23118282, Fax: +86-755-23116366


Project No.: JYTSZR2605018











Appendix F: Frequency Stability

Test Result

Reference Frequency: WCDMA BAND V 12.2k RMC Middle channel=4183 Frequency=836.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.85	-30	-0.49	-0.000586	±2.5	Pass
	-20	-0.65	-0.000777		
	-10	0.29	0.000347		
	0	-0.68	-0.000813		
	10	-0.87	-0.001040		
	20	-0.02	-0.000024		
	30	0.41	0.000490		
	40	2.21	0.002642		
	50	0.64	0.000765		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.00	1.12	0.001339	±2.5	Pass
	3.85	-0.19	-0.000227		
	4.40	0.42	0.000502		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND IV 12.2k RMC Middle Frequency=1413 channel=1732.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (℃)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.85	-30	-0.46	-0.000265	Within authorized band for BAND IV	Pass
	-20	-2.29	-0.001322		
	-10	-7.42	-0.004283		
	0	4.17	0.002407		
	10	-0.76	-0.000439		
	20	-1.04	-0.000600		
	30	-2.05	-0.001183		
	40	-3.53	-0.002037		
	50	-3.25	-0.001876		
Voltage					
Temperature (℃)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.00	4.49	0.002591	Within authorized band for BAND IV	Pass
	3.85	-4.32	-0.002493		
	4.40	2.05	0.001183		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND II 12.2k RMC Middle Frequency=9400 channel=1880MHz					
Temperature					
Power supplied (Vdc)	Temperature (℃)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.85	-30	-0.34	-0.000181	Within authorized band for BAND II	Pass
	-20	-0.61	-0.000324		
	-10	-2.50	-0.001330		
	0	0.36	0.000191		
	10	-3.03	-0.001612		
	20	-0.95	-0.000505		
	30	-3.05	-0.001622		
	40	-2.60	-0.001383		
	50	-1.66	-0.000883		
Voltage					
Temperature (℃)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.00	6.82	0.003628	Within authorized band for BAND II	Pass
	3.85	-4.69	-0.002495		
	4.40	3.36	0.001787		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band2	9400	PASS	PASS
Band4	1413	PASS	PASS
Band5	4183	PASS	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs

