11AX20MIMO_Ant1_6415_106Tone_RU54



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.200 MHz	200.000 kHz	6.37905 GHz	-66.03 dBm	-51.52 dB	-11.52 dB
-31.200 MHz	-20.800 MHz	200.000 kHz	6.38384 GHz	-66.38 dBm	-51.87 dB	-11.91 dB
-20.800 MHz	-11.400 MHz	200.000 kHz	6.40336 GHz	-57.06 dBm	-42.55 dB	-22.34 dB
-11.400 MHz	-10.400 MHz	200.000 kHz	6.40361 GHz	-57.44 dBm	-42.94 dB	-23.04 dB
10.400 MHz	11.400 MHz	200.000 kHz	6.42640 GHz	-48.62 dBm	-34.11 dB	-14.21 dB
11.400 MHz	20.800 MHz	200.000 kHz	6.42642 GHz	-48.03 dBm	-33.53 dB	-13.51 dB
20.800 MHz	31.200 MHz	200.000 kHz	6.44611 GHz	-66.44 dBm	-51.93 dB	-12.03 dB
31.200 MHz	50.000 MHz	200.000 kHz	6.45711 GHz	-65.99 dBm	-51.49 dB	-11.49 dB

Date: 1.FEB.2024 21:18:49

11AX20MIMO_Ant2_6415_26Tone_RU8



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	200.000 kHz	6.38078 GHz	-66.01 dBm	-51.17 dB	-11.17 dB
-31.500 MHz	-21.000 MHz	200.000 kHz	6.38369 GHz	-66.45 dBm	-51.61 dB	-11.83 dB
-21.000 MHz	-11.500 MHz	200.000 kHz	6.39406 GHz	-66.56 dBm	-51.71 dB	-23.76 dB
-11.500 MHz	-10.500 MHz	200.000 kHz	6.40351 GHz	-62.18 dBm	-47.34 dB	-27.44 dB
10.500 MHz	11.500 MHz	200.000 kHz	6.42650 GHz	-50.80 dBm	-35.96 dB	-16.06 dB
11.500 MHz	21.000 MHz	200.000 kHz	6.42654 GHz	-50.47 dBm	-35.63 dB	-15.60 dB
21.000 MHz	31.500 MHz	200.000 kHz	6.44627 GHz	-66.39 dBm	-51.55 dB	-11.82 dB
31.500 MHz	50.000 MHz	200.000 kHz	6.46064 GHz	-66.01 dBm	-51.16 dB	-11.16 dB

Date: 1.FEB.2024 21:10:09

11AX20MIMO_Ant2_6415_52Tone_RU40



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	200.000 kHz	6.37240 GHz	-65.96 dBm	-53.85 dB	-13.85 dB
-31.500 MHz	-21.000 MHz	200.000 kHz	6.38363 GHz	-66.49 dBm	-54.38 dB	-14.53 dB
-21.000 MHz	-11.500 MHz	200.000 kHz	6.40332 GHz	-57.34 dBm	-45.23 dB	-25.08 dB
-11.500 MHz	-10.500 MHz	200.000 kHz	6.40351 GHz	-58.30 dBm	-46.19 dB	-26.29 dB
10.500 MHz	11.500 MHz	200.000 kHz	6.42650 GHz	-47.51 dBm	-35.40 dB	-15.50 dB
11.500 MHz	21.000 MHz	200.000 kHz	6.42656 GHz	-47.14 dBm	-35.03 dB	-14.99 dB
21.000 MHz	31.500 MHz	200.000 kHz	6.44637 GHz	-66.39 dBm	-54.28 dB	-14.42 dB
31.500 MHz	50.000 MHz	200.000 kHz	6.45234 GHz	-65.93 dBm	-53.82 dB	-13.82 dB

Date: 1.FEB.2024 21:14:25

11AX20MIMO_Ant2_6415_106Tone_RU54



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	200.000 kHz	6.36712 GHz	-65.95 dBm	-52.05 dB	-12.05 dB
-31.500 MHz	-21.000 MHz	200.000 kHz	6.38352 GHz	-66.33 dBm	-52.42 dB	-12.44 dB
-21.000 MHz	-11.500 MHz	200.000 kHz	6.40350 GHz	-56.87 dBm	-42.96 dB	-22.95 dB
-11.500 MHz	-10.500 MHz	200.000 kHz	6.40351 GHz	-57.45 dBm	-43.55 dB	-23.65 dB
10.500 MHz	11.500 MHz	200.000 kHz	6.42649 GHz	-48.07 dBm	-34.17 dB	-14.47 dB
11.500 MHz	21.000 MHz	200.000 kHz	6.42659 GHz	-48.60 dBm	-34.69 dB	-14.62 dB
21.000 MHz	31.500 MHz	200.000 kHz	6.44642 GHz	-66.38 dBm	-52.47 dB	-12.57 dB
31.500 MHz	50.000 MHz	200.000 kHz	6.44663 GHz	-65.77 dBm	-51.86 dB	-11.86 dB

Date: 1.FEB.2024 21:19:51

11AX20MIMO_Ant1_6435_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.200 MHz	200.000 kHz	6.38698 GHz	-65.97 dBm	-54.72 dB	-14.72 dB
-31.200 MHz	-20.800 MHz	200.000 kHz	6.40386 GHz	-66.36 dBm	-55.12 dB	-15.19 dB
-20.800 MHz	-11.400 MHz	200.000 kHz	6.42357 GHz	-46.21 dBm	-34.96 dB	-14.93 dB
-11.400 MHz	-10.400 MHz	200.000 kHz	6.42361 GHz	-46.62 dBm	-35.38 dB	-15.68 dB
10.400 MHz	11.400 MHz	200.000 kHz	6.44639 GHz	-58.91 dBm	-47.66 dB	-27.96 dB
11.400 MHz	20.800 MHz	200.000 kHz	6.44653 GHz	-58.09 dBm	-46.84 dB	-26.73 dB
20.800 MHz	31.200 MHz	200.000 kHz	6.46618 GHz	-66.50 dBm	-55.25 dB	-15.28 dB
31.200 MHz	50.000 MHz	200.000 kHz	6.47273 GHz	-66.06 dBm	-54.82 dB	-14.82 dB

Date: 1.FEB.2024 21:24:04

11AX20MIMO_Ant1_6435_52Tone_RU37



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.200 MHz	200.000 kHz	6.39494 GHz	-65.80 dBm	-54.56 dB	-14.56 dB
-31.200 MHz	-20.800 MHz	200.000 kHz	6.40382 GHz	-66.43 dBm	-55.18 dB	-15.20 dB
-20.800 MHz	-11.400 MHz	200.000 kHz	6.42357 GHz	-46.12 dBm	-34.88 dB	-14.86 dB
-11.400 MHz	-10.400 MHz	200.000 kHz	6.42363 GHz	-46.33 dBm	-35.08 dB	-15.58 dB
10.400 MHz	11.400 MHz	200.000 kHz	6.44640 GHz	-57.80 dBm	-46.56 dB	-26.66 dB
11.400 MHz	20.800 MHz	200.000 kHz	6.44672 GHz	-56.40 dBm	-45.15 dB	-24.88 dB
20.800 MHz	31.200 MHz	200.000 kHz	6.46619 GHz	-66.42 dBm	-55.18 dB	-15.19 dB
31.200 MHz	50.000 MHz	200.000 kHz	6.47319 GHz	-65.84 dBm	-54.60 dB	-14.60 dB

Date: 1.FEB.2024 21:27:24

11AX20MIMO_Ant1_6435_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.200 MHz	200.000 kHz	6.39232 GHz	-65.76 dBm	-54.81 dB	-14.81 dB
-31.200 MHz	-20.800 MHz	200.000 kHz	6.40385 GHz	-66.46 dBm	-55.50 dB	-15.55 dB
-20.800 MHz	-11.400 MHz	200.000 kHz	6.42360 GHz	-44.44 dBm	-33.48 dB	-13.48 dB
-11.400 MHz	-10.400 MHz	200.000 kHz	6.42361 GHz	-45.17 dBm	-34.21 dB	-14.31 dB
10.400 MHz	11.400 MHz	200.000 kHz	6.44637 GHz	-55.15 dBm	-44.19 dB	-24.69 dB
11.400 MHz	20.800 MHz	200.000 kHz	6.44676 GHz	-54.36 dBm	-43.40 dB	-23.10 dB
20.800 MHz	31.200 MHz	200.000 kHz	6.46611 GHz	-66.33 dBm	-55.37 dB	-15.48 dB
31.200 MHz	50.000 MHz	200.000 kHz	6.47259 GHz	-65.78 dBm	-54.82 dB	-14.82 dB

11AX20MIMO_Ant2_6435_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.800 MHz	200.000 kHz	6.39505 GHz	-65.86 dBm	-54.37 dB	-14.37 dB
-31.800 MHz	-21.200 MHz	200.000 kHz	6.40324 GHz	-66.19 dBm	-54.70 dB	-14.74 dB
-21.200 MHz	-11.600 MHz	200.000 kHz	6.42321 GHz	-47.60 dBm	-36.11 dB	-15.95 dB
-11.600 MHz	-10.600 MHz	200.000 kHz	6.42342 GHz	-47.64 dBm	-36.15 dB	-16.45 dB
10.600 MHz	11.600 MHz	200.000 kHz	6.44660 GHz	-59.72 dBm	-48.22 dB	-28.32 dB
11.600 MHz	21.200 MHz	200.000 kHz	6.45614 GHz	-66.46 dBm	-54.96 dB	-27.02 dB
21.200 MHz	31.800 MHz	200.000 kHz	6.46678 GHz	-66.34 dBm	-54.85 dB	-14.87 dB
31.800 MHz	50.000 MHz	200.000 kHz	6.47295 GHz	-65.95 dBm	-54.46 dB	-14.46 dB

11AX20MIMO_Ant2_6435_52Tone_RU37



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.800 MHz	200.000 kHz	6.39184 GHz	-65.55 dBm	-54.04 dB	-14.04 dB
-31.800 MHz	-21.200 MHz	200.000 kHz	6.40332 GHz	-66.15 dBm	-54.64 dB	-14.78 dB
-21.200 MHz	-11.600 MHz	200.000 kHz	6.42340 GHz	-46.71 dBm	-35.19 dB	-15.19 dB
-11.600 MHz	-10.600 MHz	200.000 kHz	6.42340 GHz	-47.45 dBm	-35.94 dB	-16.04 dB
10.600 MHz	11.600 MHz	200.000 kHz	6.44660 GHz	-58.41 dBm	-46.89 dB	-26.99 dB
11.600 MHz	21.200 MHz	200.000 kHz	6.44684 GHz	-58.08 dBm	-46.57 dB	-26.37 dB
21.200 MHz	31.800 MHz	200.000 kHz	6.46673 GHz	-66.27 dBm	-54.75 dB	-14.83 dB
31.800 MHz	50.000 MHz	200.000 kHz	6.48346 GHz	-65.76 dBm	-54.24 dB	-14.24 dB

Date: 1.FEB.2024 21:28:03

11AX20MIMO_Ant2_6435_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.800 MHz	200.000 kHz	6.38919 GHz	-65.66 dBm	-54.73 dB	-14.73 dB
-31.800 MHz	-21.200 MHz	200.000 kHz	6.40326 GHz	-66.17 dBm	-55.24 dB	-15.30 dB
-21.200 MHz	-11.600 MHz	200.000 kHz	6.42339 GHz	-45.16 dBm	-34.23 dB	-14.21 dB
-11.600 MHz	-10.600 MHz	200.000 kHz	6.42340 GHz	-45.75 dBm	-34.82 dB	-14.92 dB
10.600 MHz	11.600 MHz	200.000 kHz	6.44658 GHz	-55.24 dBm	-44.31 dB	-24.61 dB
11.600 MHz	21.200 MHz	200.000 kHz	6.44681 GHz	-54.53 dBm	-43.60 dB	-23.43 dB
21.200 MHz	31.800 MHz	200.000 kHz	6.46680 GHz	-66.20 dBm	-55.27 dB	-15.28 dB
31.800 MHz	50.000 MHz	200.000 kHz	6.47094 GHz	-65.72 dBm	-54.78 dB	-14.78 dB

Date: 1.FEB.2024 21:30:04

11AX20MIMO_Ant1_6475_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.650 MHz	200.000 kHz	6.43465 GHz	-65.94 dBm	-54.19 dB	-14.19 dB
-31.650 MHz	-21.100 MHz	200.000 kHz	6.44359 GHz	-66.09 dBm	-54.35 dB	-14.62 dB
-21.100 MHz	-11.550 MHz	200.000 kHz	6.46339 GHz	-47.56 dBm	-35.82 dB	-15.76 dB
-11.550 MHz	-10.550 MHz	200.000 kHz	6.46347 GHz	-47.78 dBm	-36.03 dB	-16.33 dB
10.550 MHz	11.550 MHz	200.000 kHz	6.48655 GHz	-59.64 dBm	-47.89 dB	-27.99 dB
11.550 MHz	21.100 MHz	200.000 kHz	6.49604 GHz	-66.49 dBm	-54.75 dB	-26.80 dB
21.100 MHz	31.650 MHz	200.000 kHz	6.50663 GHz	-66.53 dBm	-54.79 dB	-14.82 dB
31.650 MHz	50.000 MHz	200.000 kHz	6.51907 GHz	-66.09 dBm	-54.34 dB	-14.34 dB

Date: 1.FEB.2024 21:32:49

11AX20MIMO_Ant1_6475_52Tone_RU37



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.650 MHz	200.000 kHz	6.43269 GHz	-65.91 dBm	-54.10 dB	-14.11 dB
-31.650 MHz	-21.100 MHz	200.000 kHz	6.44336 GHz	-66.06 dBm	-54.25 dB	-14.25 dB
-21.100 MHz	-11.550 MHz	200.000 kHz	6.46342 GHz	-47.83 dBm	-36.02 dB	-16.00 dB
-11.550 MHz	-10.550 MHz	200.000 kHz	6.46345 GHz	-48.22 dBm	-36.41 dB	-16.51 dB
10.550 MHz	11.550 MHz	200.000 kHz	6.48655 GHz	-58.01 dBm	-46.21 dB	-26.31 dB
11.550 MHz	21.100 MHz	200.000 kHz	6.48664 GHz	-58.06 dBm	-46.25 dB	-26.18 dB
21.100 MHz	31.650 MHz	200.000 kHz	6.50664 GHz	-66.55 dBm	-54.74 dB	-14.76 dB
31.650 MHz	50.000 MHz	200.000 kHz	6.51753 GHz	-65.91 dBm	-54.10 dB	-14.10 dB

Date: 1.FEB.2024 21:34:29

11AX20MIMO_Ant1_6475_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.650 MHz	200.000 kHz	6.42891 GHz	-65.86 dBm	-54.52 dB	-14.52 dB
-31.650 MHz	-21.100 MHz	200.000 kHz	6.44344 GHz	-66.18 dBm	-54.83 dB	-14.94 dB
-21.100 MHz	-11.550 MHz	200.000 kHz	6.46339 GHz	-45.88 dBm	-34.53 dB	-14.48 dB
-11.550 MHz	-10.550 MHz	200.000 kHz	6.46348 GHz	-45.69 dBm	-34.34 dB	-14.84 dB
10.550 MHz	11.550 MHz	200.000 kHz	6.48655 GHz	-55.61 dBm	-44.26 dB	-24.36 dB
11.550 MHz	21.100 MHz	200.000 kHz	6.48663 GHz	-55.12 dBm	-43.78 dB	-23.71 dB
21.100 MHz	31.650 MHz	200.000 kHz	6.50643 GHz	-66.14 dBm	-54.79 dB	-15.05 dB
31.650 MHz	50.000 MHz	200.000 kHz	6.51798 GHz	-65.81 dBm	-54.47 dB	-14.47 dB

11AX20MIMO_Ant2_6475_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.650 MHz	200.000 kHz	6.43948 GHz	-66.15 dBm	-53.79 dB	-13.79 dB
-31.650 MHz	-21.100 MHz	200.000 kHz	6.44339 GHz	-66.76 dBm	-54.39 dB	-14.43 dB
-21.100 MHz	-11.550 MHz	200.000 kHz	6.46344 GHz	-47.74 dBm	-35.38 dB	-15.37 dB
-11.550 MHz	-10.550 MHz	200.000 kHz	6.46345 GHz	-48.44 dBm	-36.08 dB	-16.18 dB
10.550 MHz	11.550 MHz	200.000 kHz	6.48655 GHz	-60.01 dBm	-47.65 dB	-27.75 dB
11.550 MHz	21.100 MHz	200.000 kHz	6.49606 GHz	-66.89 dBm	-54.53 dB	-26.57 dB
21.100 MHz	31.650 MHz	200.000 kHz	6.50645 GHz	-66.68 dBm	-54.32 dB	-14.54 dB
31.650 MHz	50.000 MHz	200.000 kHz	6.50896 GHz	-66.44 dBm	-54.08 dB	-14.08 dB

11AX20MIMO_Ant2_6475_52Tone_RU37



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.650 MHz	200.000 kHz	6.44006 GHz	-66.20 dBm	-54.03 dB	-14.03 dB
-31.650 MHz	-21.100 MHz	200.000 kHz	6.44341 GHz	-66.62 dBm	-54.45 dB	-14.53 dB
-21.100 MHz	-11.550 MHz	200.000 kHz	6.46340 GHz	-47.67 dBm	-35.51 dB	-15.46 dB
-11.550 MHz	-10.550 MHz	200.000 kHz	6.46345 GHz	-48.19 dBm	-36.03 dB	-16.13 dB
10.550 MHz	11.550 MHz	200.000 kHz	6.48655 GHz	-58.82 dBm	-46.66 dB	-26.76 dB
11.550 MHz	21.100 MHz	200.000 kHz	6.48665 GHz	-57.30 dBm	-45.14 dB	-25.05 dB
21.100 MHz	31.650 MHz	200.000 kHz	6.50657 GHz	-66.76 dBm	-54.60 dB	-14.68 dB
31.650 MHz	50.000 MHz	200.000 kHz	6.50770 GHz	-66.25 dBm	-54.09 dB	-14.09 dB

Date: 1.FEB.2024 21:35:09

11AX20MIMO_Ant2_6475_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.650 MHz	200.000 kHz	6.43319 GHz	-66.10 dBm	-54.31 dB	-14.31 dB
-31.650 MHz	-21.100 MHz	200.000 kHz	6.44336 GHz	-66.50 dBm	-54.72 dB	-14.72 dB
-21.100 MHz	-11.550 MHz	200.000 kHz	6.46338 GHz	-45.85 dBm	-34.07 dB	-14.01 dB
-11.550 MHz	-10.550 MHz	200.000 kHz	6.46345 GHz	-46.00 dBm	-34.21 dB	-14.31 dB
10.550 MHz	11.550 MHz	200.000 kHz	6.48653 GHz	-55.57 dBm	-43.79 dB	-24.09 dB
11.550 MHz	21.100 MHz	200.000 kHz	6.48678 GHz	-54.57 dBm	-42.79 dB	-22.60 dB
21.100 MHz	31.650 MHz	200.000 kHz	6.50660 GHz	-66.69 dBm	-54.91 dB	-14.97 dB
31.650 MHz	50.000 MHz	200.000 kHz	6.51702 GHz	-66.16 dBm	-54.37 dB	-14.37 dB

Date: 1.FEB.2024 21:37:26

11AX20MIMO_Ant1_6515_26Tone_RU8



Spectrum Emission Mask Standard: None

Peak Power -11.61 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.650 MHz	200.000 kHz	6.47423 GHz	-65.96 dBm	-54.36 dB	-14.36 dB
-31.650 MHz	-21.100 MHz	200.000 kHz	6.48344 GHz	-66.51 dBm	-54.90 dB	-15.01 dB
-21.100 MHz	-11.550 MHz	200.000 kHz	6.49419 GHz	-66.39 dBm	-54.78 dB	-27.02 dB
-11.550 MHz	-10.550 MHz	200.000 kHz	6.50345 GHz	-60.08 dBm	-48.48 dB	-28.58 dB
10.550 MHz	11.550 MHz	200.000 kHz	6.52655 GHz	-48.34 dBm	-36.73 dB	-16.83 dB
11.550 MHz	21.100 MHz	200.000 kHz	6.52677 GHz	-48.22 dBm	-36.61 dB	-16.43 dB
21.100 MHz	31.650 MHz	200.000 kHz	6.54653 GHz	-66.47 dBm	-54.86 dB	-15.01 dB
31.650 MHz	50.000 MHz	200.000 kHz	6.55157 GHz	-66.08 dBm	-54.47 dB	-14.47 dB

Date: 1.FEB.2024 21:45:01

11AX20MIMO_Ant1_6515_52Tone_RU40



Spectrum Emission Mask Standard: None

Peak Power -11.83 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.650 MHz	200.000 kHz	6.46934 GHz	-65.90 dBm	-54.07 dB	-14.07 dB
-31.650 MHz	-21.100 MHz	200.000 kHz	6.48371 GHz	-66.12 dBm	-54.29 dB	-14.70 dB
-21.100 MHz	-11.550 MHz	200.000 kHz	6.50328 GHz	-57.58 dBm	-45.75 dB	-25.61 dB
-11.550 MHz	-10.550 MHz	200.000 kHz	6.50347 GHz	-58.28 dBm	-46.45 dB	-26.75 dB
10.550 MHz	11.550 MHz	200.000 kHz	6.52653 GHz	-47.08 dBm	-35.25 dB	-15.56 dB
11.550 MHz	21.100 MHz	200.000 kHz	6.52656 GHz	-46.67 dBm	-34.84 dB	-14.84 dB
21.100 MHz	31.650 MHz	200.000 kHz	6.54644 GHz	-66.46 dBm	-54.63 dB	-14.86 dB
31.650 MHz	50.000 MHz	200.000 kHz	6.55586 GHz	-65.97 dBm	-54.15 dB	-14.15 dB

Date: 1.FEB.2024 21:46:48

11AX20MIMO_Ant1_6515_106Tone_RU54



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.650 MHz	200.000 kHz	6.47816 GHz	-65.75 dBm	-53.84 dB	-13.84 dB
-31.650 MHz	-21.100 MHz	200.000 kHz	6.48362 GHz	-66.23 dBm	-54.32 dB	-14.63 dB
-21.100 MHz	-11.550 MHz	200.000 kHz	6.50328 GHz	-55.44 dBm	-43.53 dB	-23.40 dB
-11.550 MHz	-10.550 MHz	200.000 kHz	6.50345 GHz	-55.71 dBm	-43.80 dB	-23.90 dB
10.550 MHz	11.550 MHz	200.000 kHz	6.52655 GHz	-46.48 dBm	-34.57 dB	-14.67 dB
11.550 MHz	21.100 MHz	200.000 kHz	6.52660 GHz	-46.16 dBm	-34.25 dB	-14.22 dB
21.100 MHz	31.650 MHz	200.000 kHz	6.54656 GHz	-66.32 dBm	-54.41 dB	-14.52 dB
31.650 MHz	50.000 MHz	200.000 kHz	6.54788 GHz	-65.86 dBm	-53.95 dB	-13.95 dB

Date: 1.FEB.2024 21:48:50

11AX20MIMO_Ant2_6515_26Tone_RU8



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	200.000 kHz	6.47921 GHz	-65.83 dBm	-54.20 dB	-14.20 dB
-31.500 MHz	-21.000 MHz	200.000 kHz	6.48358 GHz	-66.51 dBm	-54.88 dB	-14.96 dB
-21.000 MHz	-11.500 MHz	200.000 kHz	6.49402 GHz	-66.63 dBm	-55.00 dB	-27.02 dB
-11.500 MHz	-10.500 MHz	200.000 kHz	6.50351 GHz	-60.01 dBm	-48.38 dB	-28.48 dB
10.500 MHz	11.500 MHz	200.000 kHz	6.52649 GHz	-48.28 dBm	-36.65 dB	-16.75 dB
11.500 MHz	21.000 MHz	200.000 kHz	6.52658 GHz	-47.98 dBm	-36.35 dB	-16.29 dB
21.000 MHz	31.500 MHz	200.000 kHz	6.54640 GHz	-66.48 dBm	-54.85 dB	-14.97 dB
31.500 MHz	50.000 MHz	200.000 kHz	6.55314 GHz	-66.10 dBm	-54.47 dB	-14.47 dB

Date: 1.FEB.2024 21:45:46

11AX20MIMO_Ant2_6515_52Tone_RU40



11AX20MIMO_Ant2_6515_106Tone_RU54



11AX20MIMO_Ant1_6535_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	200.000 kHz	6.49974 GHz	-66.05 dBm	-54.02 dB	-14.02 dB
-31.500 MHz	-21.000 MHz	200.000 kHz	6.50354 GHz	-66.45 dBm	-54.42 dB	-14.47 dB
-21.000 MHz	-11.500 MHz	200.000 kHz	6.52337 GHz	-47.39 dBm	-35.36 dB	-15.24 dB
-11.500 MHz	-10.500 MHz	200.000 kHz	6.52352 GHz	-47.65 dBm	-35.62 dB	-15.92 dB
10.500 MHz	11.500 MHz	200.000 kHz	6.54650 GHz	-59.71 dBm	-47.68 dB	-27.78 dB
11.500 MHz	21.000 MHz	200.000 kHz	6.55593 GHz	-66.48 dBm	-54.45 dB	-26.51 dB
21.000 MHz	31.500 MHz	200.000 kHz	6.56648 GHz	-66.60 dBm	-54.57 dB	-14.60 dB
31.500 MHz	50.000 MHz	200.000 kHz	6.57049 GHz	-65.91 dBm	-53.88 dB	-13.88 dB

Date: 1.FEB.2024 21:50:47

11AX20MIMO_Ant1_6535_52Tone_RU37



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	200.000 kHz	6.48709 GHz	-65.90 dBm	-54.40 dB	-14.40 dB
-31.500 MHz	-21.000 MHz	200.000 kHz	6.50357 GHz	-66.42 dBm	-54.92 dB	-15.00 dB
-21.000 MHz	-11.500 MHz	200.000 kHz	6.52348 GHz	-46.76 dBm	-35.25 dB	-15.23 dB
-11.500 MHz	-10.500 MHz	200.000 kHz	6.52352 GHz	-47.22 dBm	-35.72 dB	-16.02 dB
10.500 MHz	11.500 MHz	200.000 kHz	6.54649 GHz	-57.69 dBm	-46.19 dB	-26.49 dB
11.500 MHz	21.000 MHz	200.000 kHz	6.54688 GHz	-57.09 dBm	-45.59 dB	-25.27 dB
21.000 MHz	31.500 MHz	200.000 kHz	6.56643 GHz	-66.50 dBm	-55.00 dB	-15.08 dB
31.500 MHz	50.000 MHz	200.000 kHz	6.56919 GHz	-66.04 dBm	-54.54 dB	-14.54 dB

Date: 1.FEB.2024 21:53:59

11AX20MIMO_Ant1_6535_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	200.000 kHz	6.50194 GHz	-65.79 dBm	-54.98 dB	-14.98 dB
-31.500 MHz	-21.000 MHz	200.000 kHz	6.50359 GHz	-66.33 dBm	-55.52 dB	-15.62 dB
-21.000 MHz	-11.500 MHz	200.000 kHz	6.52344 GHz	-44.96 dBm	-34.15 dB	-14.09 dB
-11.500 MHz	-10.500 MHz	200.000 kHz	6.52351 GHz	-45.48 dBm	-34.67 dB	-14.77 dB
10.500 MHz	11.500 MHz	200.000 kHz	6.54650 GHz	-55.51 dBm	-44.69 dB	-24.79 dB
11.500 MHz	21.000 MHz	200.000 kHz	6.54666 GHz	-54.26 dBm	-43.45 dB	-23.31 dB
21.000 MHz	31.500 MHz	200.000 kHz	6.56632 GHz	-66.28 dBm	-55.47 dB	-15.68 dB
31.500 MHz	50.000 MHz	200.000 kHz	6.58338 GHz	-65.83 dBm	-55.02 dB	-15.02 dB

Date: 1.FEB.2024 21:55:33

11AX20MIMO_Ant2_6535_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.200 MHz	200.000 kHz	6.50267 GHz	-66.09 dBm	-54.12 dB	-14.12 dB
-31.200 MHz	-20.800 MHz	200.000 kHz	6.50384 GHz	-66.36 dBm	-54.39 dB	-14.43 dB
-20.800 MHz	-11.400 MHz	200.000 kHz	6.52355 GHz	-46.62 dBm	-34.65 dB	-14.61 dB
-11.400 MHz	-10.400 MHz	200.000 kHz	6.52361 GHz	-47.02 dBm	-35.05 dB	-15.15 dB
10.400 MHz	11.400 MHz	200.000 kHz	6.54640 GHz	-59.38 dBm	-47.41 dB	-27.51 dB
11.400 MHz	20.800 MHz	200.000 kHz	6.55558 GHz	-66.28 dBm	-54.30 dB	-26.49 dB
20.800 MHz	31.200 MHz	200.000 kHz	6.56611 GHz	-66.47 dBm	-54.50 dB	-14.60 dB
31.200 MHz	50.000 MHz	200.000 kHz	6.57620 GHz	-66.19 dBm	-54.22 dB	-14.22 dB

Date: 1.FEB.2024 21:51:26

11AX20MIMO_Ant2_6535_52Tone_RU37



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.200 MHz	200.000 kHz	6.48581 GHz	-65.86 dBm	-54.46 dB	-14.46 dB
-31.200 MHz	-20.800 MHz	200.000 kHz	6.50386 GHz	-66.65 dBm	-55.26 dB	-15.33 dB
-20.800 MHz	-11.400 MHz	200.000 kHz	6.52360 GHz	-45.85 dBm	-34.46 dB	-14.46 dB
-11.400 MHz	-10.400 MHz	200.000 kHz	6.52361 GHz	-46.29 dBm	-34.90 dB	-15.00 dB
10.400 MHz	11.400 MHz	200.000 kHz	6.54640 GHz	-57.73 dBm	-46.34 dB	-26.44 dB
11.400 MHz	20.800 MHz	200.000 kHz	6.54643 GHz	-56.22 dBm	-44.82 dB	-24.80 dB
20.800 MHz	31.200 MHz	200.000 kHz	6.56619 GHz	-66.57 dBm	-55.18 dB	-15.20 dB
31.200 MHz	50.000 MHz	200.000 kHz	6.57799 GHz	-66.07 dBm	-54.68 dB	-14.68 dB

11AX20MIMO_Ant2_6535_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.200 MHz	200.000 kHz	6.50328 GHz	-65.80 dBm	-53.62 dB	-13.62 dB
-31.200 MHz	-20.800 MHz	200.000 kHz	6.50390 GHz	-66.34 dBm	-54.16 dB	-14.27 dB
-20.800 MHz	-11.400 MHz	200.000 kHz	6.52358 GHz	-45.18 dBm	-33.00 dB	-12.98 dB
-11.400 MHz	-10.400 MHz	200.000 kHz	6.52361 GHz	-45.24 dBm	-33.06 dB	-13.16 dB
10.400 MHz	11.400 MHz	200.000 kHz	6.54635 GHz	-54.94 dBm	-42.76 dB	-23.86 dB
11.400 MHz	20.800 MHz	200.000 kHz	6.54734 GHz	-55.84 dBm	-43.66 dB	-22.86 dB
20.800 MHz	31.200 MHz	200.000 kHz	6.56618 GHz	-66.48 dBm	-54.30 dB	-14.32 dB
31.200 MHz	50.000 MHz	200.000 kHz	6.57508 GHz	-65.81 dBm	-53.63 dB	-13.63 dB

11AX20MIMO_Ant1_6695_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.350 MHz	200.000 kHz	6.65709 GHz	-66.24 dBm	-55.32 dB	-15.32 dB
-31.350 MHz	-20.900 MHz	200.000 kHz	6.66375 GHz	-66.47 dBm	-55.56 dB	-15.67 dB
-20.900 MHz	-11.450 MHz	200.000 kHz	6.68354 GHz	-45.67 dBm	-34.75 dB	-14.74 dB
-11.450 MHz	-10.450 MHz	200.000 kHz	6.68358 GHz	-46.12 dBm	-35.20 dB	-15.70 dB
10.450 MHz	11.450 MHz	200.000 kHz	6.70644 GHz	-58.72 dBm	-47.80 dB	-28.10 dB
11.450 MHz	20.900 MHz	200.000 kHz	6.70659 GHz	-58.35 dBm	-47.44 dB	-27.32 dB
20.900 MHz	31.350 MHz	200.000 kHz	6.72609 GHz	-66.34 dBm	-55.42 dB	-15.72 dB
31.350 MHz	50.000 MHz	200.000 kHz	6.74323 GHz	-65.98 dBm	-55.06 dB	-15.06 dB

11AX20MIMO_Ant1_6695_52Tone_RU37



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.350 MHz	200.000 kHz	6.65916 GHz	-66.08 dBm	-54.72 dB	-14.72 dB
-31.350 MHz	-20.900 MHz	200.000 kHz	6.66375 GHz	-66.49 dBm	-55.13 dB	-15.24 dB
-20.900 MHz	-11.450 MHz	200.000 kHz	6.68355 GHz	-46.32 dBm	-34.96 dB	-14.96 dB
-11.450 MHz	-10.450 MHz	200.000 kHz	6.68357 GHz	-46.73 dBm	-35.37 dB	-15.67 dB
10.450 MHz	11.450 MHz	200.000 kHz	6.70644 GHz	-57.53 dBm	-46.17 dB	-26.47 dB
11.450 MHz	20.900 MHz	200.000 kHz	6.70664 GHz	-56.61 dBm	-45.25 dB	-25.10 dB
20.900 MHz	31.350 MHz	200.000 kHz	6.72634 GHz	-66.45 dBm	-55.09 dB	-15.11 dB
31.350 MHz	50.000 MHz	200.000 kHz	6.73771 GHz	-66.03 dBm	-54.67 dB	-14.67 dB

11AX20MIMO_Ant1_6695_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.350 MHz	200.000 kHz	6.64742 GHz	-66.09 dBm	-54.76 dB	-14.76 dB
-31.350 MHz	-20.900 MHz	200.000 kHz	6.66369 GHz	-66.70 dBm	-55.37 dB	-15.43 dB
-20.900 MHz	-11.450 MHz	200.000 kHz	6.68348 GHz	-45.27 dBm	-33.94 dB	-13.88 dB
-11.450 MHz	-10.450 MHz	200.000 kHz	6.68356 GHz	-46.10 dBm	-34.77 dB	-14.87 dB
10.450 MHz	11.450 MHz	200.000 kHz	6.70644 GHz	-55.22 dBm	-43.89 dB	-23.99 dB
11.450 MHz	20.900 MHz	200.000 kHz	6.70657 GHz	-54.31 dBm	-42.98 dB	-22.88 dB
20.900 MHz	31.350 MHz	200.000 kHz	6.72628 GHz	-66.46 dBm	-55.13 dB	-15.20 dB
31.350 MHz	50.000 MHz	200.000 kHz	6.73789 GHz	-66.01 dBm	-54.68 dB	-14.68 dB

11AX20MIMO_Ant2_6695_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.650 MHz	200.000 kHz	6.65228 GHz	-66.33 dBm	-55.88 dB	-15.88 dB
-31.650 MHz	-21.100 MHz	200.000 kHz	6.66344 GHz	-66.65 dBm	-56.20 dB	-16.30 dB
-21.100 MHz	-11.550 MHz	200.000 kHz	6.68344 GHz	-45.46 dBm	-35.02 dB	-15.02 dB
-11.550 MHz	-10.550 MHz	200.000 kHz	6.68346 GHz	-46.56 dBm	-36.12 dB	-16.22 dB
10.550 MHz	11.550 MHz	200.000 kHz	6.70655 GHz	-58.50 dBm	-48.05 dB	-28.15 dB
11.550 MHz	21.100 MHz	200.000 kHz	6.70667 GHz	-57.87 dBm	-47.43 dB	-27.33 dB
21.100 MHz	31.650 MHz	200.000 kHz	6.72663 GHz	-66.63 dBm	-56.18 dB	-16.21 dB
31.650 MHz	50.000 MHz	200.000 kHz	6.72846 GHz	-66.06 dBm	-55.61 dB	-15.61 dB

11AX20MIMO_Ant2_6695_52Tone_RU37



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.650 MHz	200.000 kHz	6.66183 GHz	-66.21 dBm	-55.21 dB	-15.21 dB
-31.650 MHz	-21.100 MHz	200.000 kHz	6.66340 GHz	-66.65 dBm	-55.65 dB	-15.70 dB
-21.100 MHz	-11.550 MHz	200.000 kHz	6.68337 GHz	-46.42 dBm	-35.42 dB	-15.35 dB
-11.550 MHz	-10.550 MHz	200.000 kHz	6.68346 GHz	-46.73 dBm	-35.73 dB	-15.83 dB
10.550 MHz	11.550 MHz	200.000 kHz	6.70655 GHz	-57.77 dBm	-46.77 dB	-26.87 dB
11.550 MHz	21.100 MHz	200.000 kHz	6.70662 GHz	-56.37 dBm	-45.38 dB	-25.32 dB
21.100 MHz	31.650 MHz	200.000 kHz	6.72665 GHz	-66.65 dBm	-55.65 dB	-15.66 dB
31.650 MHz	50.000 MHz	200.000 kHz	6.74155 GHz	-66.06 dBm	-55.06 dB	-15.06 dB

Date: 1.FEB.2024 23:18:20

11AX20MIMO_Ant2_6695_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.650 MHz	200.000 kHz	6.65331 GHz	-65.79 dBm	-54.73 dB	-14.73 dB
-31.650 MHz	-21.100 MHz	200.000 kHz	6.66342 GHz	-66.46 dBm	-55.40 dB	-15.47 dB
-21.100 MHz	-11.550 MHz	200.000 kHz	6.68340 GHz	-45.25 dBm	-34.19 dB	-14.14 dB
-11.550 MHz	-10.550 MHz	200.000 kHz	6.68346 GHz	-45.46 dBm	-34.40 dB	-14.70 dB
10.550 MHz	11.550 MHz	200.000 kHz	6.70655 GHz	-55.10 dBm	-44.03 dB	-24.13 dB
11.550 MHz	21.100 MHz	200.000 kHz	6.70665 GHz	-54.11 dBm	-43.04 dB	-22.96 dB
21.100 MHz	31.650 MHz	200.000 kHz	6.72661 GHz	-66.52 dBm	-55.46 dB	-15.51 dB
31.650 MHz	50.000 MHz	200.000 kHz	6.72942 GHz	-65.85 dBm	-54.78 dB	-14.78 dB

Date: 1.FEB.2024 23:20:00

11AX20MIMO_Ant1_6855_26Tone_RU8



Spectrum Emission Mask Standard: None

Peak Power -11.65 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.800 MHz	200.000 kHz	6.82149 GHz	-65.73 dBm	-54.08 dB	-14.08 dB
-31.800 MHz	-21.200 MHz	200.000 kHz	6.82325 GHz	-66.13 dBm	-54.48 dB	-14.53 dB
-21.200 MHz	-11.600 MHz	200.000 kHz	6.83383 GHz	-66.10 dBm	-54.45 dB	-26.47 dB
-11.600 MHz	-10.600 MHz	200.000 kHz	6.84340 GHz	-59.59 dBm	-47.94 dB	-28.04 dB
10.600 MHz	11.600 MHz	200.000 kHz	6.86660 GHz	-48.84 dBm	-37.19 dB	-17.29 dB
11.600 MHz	21.200 MHz	200.000 kHz	6.86662 GHz	-48.25 dBm	-36.60 dB	-16.58 dB
21.200 MHz	31.800 MHz	200.000 kHz	6.88665 GHz	-65.82 dBm	-54.18 dB	-14.35 dB
31.800 MHz	50.000 MHz	200.000 kHz	6.89598 GHz	-65.24 dBm	-53.59 dB	-13.59 dB

Date: 1.FEB.2024 23:22:01

11AX20MIMO_Ant1_6855_52Tone_RU40



Spectrum Emission Mask Standard: None

Peak Power -10.90 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.800 MHz	200.000 kHz	6.82305 GHz	-65.36 dBm	-54.47 dB	-14.47 dB
-31.800 MHz	-21.200 MHz	200.000 kHz	6.82325 GHz	-65.94 dBm	-55.04 dB	-15.09 dB
-21.200 MHz	-11.600 MHz	200.000 kHz	6.83382 GHz	-64.69 dBm	-53.79 dB	-25.80 dB
-11.600 MHz	-10.600 MHz	200.000 kHz	6.84342 GHz	-57.44 dBm	-46.55 dB	-26.85 dB
10.600 MHz	11.600 MHz	200.000 kHz	6.86660 GHz	-47.38 dBm	-36.48 dB	-16.58 dB
11.600 MHz	21.200 MHz	200.000 kHz	6.86669 GHz	-46.81 dBm	-35.91 dB	-15.84 dB
21.200 MHz	31.800 MHz	200.000 kHz	6.88677 GHz	-65.65 dBm	-54.76 dB	-14.80 dB
31.800 MHz	50.000 MHz	200.000 kHz	6.90497 GHz	-65.15 dBm	-54.25 dB	-14.25 dB

Date: 1.FEB.2024 23:25:40

11AX20MIMO_Ant1_6855_106Tone_RU54



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.800 MHz	200.000 kHz	6.82149 GHz	-65.31 dBm	-54.49 dB	-14.49 dB
-31.800 MHz	-21.200 MHz	200.000 kHz	6.82327 GHz	-65.76 dBm	-54.94 dB	-15.01 dB
-21.200 MHz	-11.600 MHz	200.000 kHz	6.84324 GHz	-54.27 dBm	-43.45 dB	-23.31 dB
-11.600 MHz	-10.600 MHz	200.000 kHz	6.84340 GHz	-55.23 dBm	-44.41 dB	-24.51 dB
10.600 MHz	11.600 MHz	200.000 kHz	6.86659 GHz	-46.13 dBm	-35.31 dB	-15.61 dB
11.600 MHz	21.200 MHz	200.000 kHz	6.86668 GHz	-45.57 dBm	-34.75 dB	-14.68 dB
21.200 MHz	31.800 MHz	200.000 kHz	6.88672 GHz	-65.57 dBm	-54.75 dB	-14.85 dB
31.800 MHz	50.000 MHz	200.000 kHz	6.89769 GHz	-65.25 dBm	-54.42 dB	-14.42 dB

Date: 1.FEB.2024 23:27:59

11AX20MIMO_Ant2_6855_26Tone_RU8



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.050 MHz	200.000 kHz	6.82308 GHz	-65.54 dBm	-53.83 dB	-13.83 dB
-31.050 MHz	-20.700 MHz	200.000 kHz	6.82403 GHz	-66.09 dBm	-54.38 dB	-14.47 dB
-20.700 MHz	-11.350 MHz	200.000 kHz	6.83432 GHz	-65.94 dBm	-54.24 dB	-26.25 dB
-11.350 MHz	-10.350 MHz	200.000 kHz	6.84366 GHz	-59.45 dBm	-47.74 dB	-28.04 dB
10.350 MHz	11.350 MHz	200.000 kHz	6.86634 GHz	-46.97 dBm	-35.27 dB	-15.57 dB
11.350 MHz	20.700 MHz	200.000 kHz	6.86647 GHz	-47.05 dBm	-35.34 dB	-15.25 dB
20.700 MHz	31.050 MHz	200.000 kHz	6.88597 GHz	-65.68 dBm	-53.97 dB	-14.07 dB
31.050 MHz	50.000 MHz	200.000 kHz	6.90491 GHz	-65.29 dBm	-53.58 dB	-13.59 dB

Date: 1.FEB.2024 23:22:40

11AX20MIMO_Ant2_6855_52Tone_RU40



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.050 MHz	200.000 kHz	6.82236 GHz	-65.20 dBm	-53.76 dB	-13.76 dB
-31.050 MHz	-20.700 MHz	200.000 kHz	6.82400 GHz	-65.75 dBm	-54.31 dB	-14.37 dB
-20.700 MHz	-11.350 MHz	200.000 kHz	6.84363 GHz	-57.16 dBm	-45.73 dB	-25.70 dB
-11.350 MHz	-10.350 MHz	200.000 kHz	6.84366 GHz	-57.15 dBm	-45.71 dB	-26.01 dB
10.350 MHz	11.350 MHz	200.000 kHz	6.86632 GHz	-45.93 dBm	-34.50 dB	-15.00 dB
11.350 MHz	20.700 MHz	200.000 kHz	6.86639 GHz	-46.03 dBm	-34.59 dB	-14.56 dB
20.700 MHz	31.050 MHz	200.000 kHz	6.88598 GHz	-65.73 dBm	-54.29 dB	-14.38 dB
31.050 MHz	50.000 MHz	200.000 kHz	6.90086 GHz	-65.12 dBm	-53.69 dB	-13.69 dB

11AX20MIMO_Ant2_6855_106Tone_RU54



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.050 MHz	200.000 kHz	6.82369 GHz	-65.30 dBm	-54.36 dB	-14.36 dB
-31.050 MHz	-20.700 MHz	200.000 kHz	6.82404 GHz	-65.70 dBm	-54.76 dB	-14.86 dB
-20.700 MHz	-11.350 MHz	200.000 kHz	6.84346 GHz	-54.15 dBm	-43.21 dB	-23.04 dB
-11.350 MHz	-10.350 MHz	200.000 kHz	6.84366 GHz	-54.27 dBm	-43.33 dB	-23.43 dB
10.350 MHz	11.350 MHz	200.000 kHz	6.86634 GHz	-44.22 dBm	-33.28 dB	-13.58 dB
11.350 MHz	20.700 MHz	200.000 kHz	6.86636 GHz	-44.09 dBm	-33.15 dB	-13.14 dB
20.700 MHz	31.050 MHz	200.000 kHz	6.88599 GHz	-65.56 dBm	-54.62 dB	-14.69 dB
31.050 MHz	50.000 MHz	200.000 kHz	6.89213 GHz	-64.90 dBm	-53.96 dB	-13.96 dB

11AX20MIMO_Ant1_6875_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	200.000 kHz	6.83845 GHz	-65.26 dBm	-54.39 dB	-14.39 dB
-31.500 MHz	-21.000 MHz	200.000 kHz	6.84359 GHz	-65.78 dBm	-54.90 dB	-15.00 dB
-21.000 MHz	-11.500 MHz	200.000 kHz	6.86348 GHz	-46.26 dBm	-35.38 dB	-15.36 dB
-11.500 MHz	-10.500 MHz	200.000 kHz	6.86350 GHz	-46.75 dBm	-35.87 dB	-15.97 dB
10.500 MHz	11.500 MHz	200.000 kHz	6.88650 GHz	-59.34 dBm	-48.46 dB	-28.56 dB
11.500 MHz	21.000 MHz	200.000 kHz	6.89600 GHz	-65.68 dBm	-54.81 dB	-26.81 dB
21.000 MHz	31.500 MHz	200.000 kHz	6.90644 GHz	-65.57 dBm	-54.69 dB	-14.77 dB
31.500 MHz	50.000 MHz	200.000 kHz	6.91051 GHz	-65.06 dBm	-54.18 dB	-14.18 dB

11AX20MIMO_Ant1_6875_52Tone_RU37



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	200.000 kHz	6.84269 GHz	-65.36 dBm	-53.92 dB	-13.92 dB
-31.500 MHz	-21.000 MHz	200.000 kHz	6.84365 GHz	-65.68 dBm	-54.23 dB	-14.40 dB
-21.000 MHz	-11.500 MHz	200.000 kHz	6.86336 GHz	-46.40 dBm	-34.95 dB	-14.83 dB
-11.500 MHz	-10.500 MHz	200.000 kHz	6.86353 GHz	-46.79 dBm	-35.34 dB	-16.04 dB
10.500 MHz	11.500 MHz	200.000 kHz	6.88650 GHz	-58.22 dBm	-46.77 dB	-26.87 dB
11.500 MHz	21.000 MHz	200.000 kHz	6.89599 GHz	-64.95 dBm	-53.51 dB	-25.52 dB
21.000 MHz	31.500 MHz	200.000 kHz	6.90637 GHz	-65.39 dBm	-53.94 dB	-14.08 dB
31.500 MHz	50.000 MHz	200.000 kHz	6.91066 GHz	-65.06 dBm	-53.62 dB	-13.62 dB

11AX20MIMO_Ant1_6875_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	200.000 kHz	6.83123 GHz	-65.23 dBm	-53.92 dB	-13.92 dB
-31.500 MHz	-21.000 MHz	200.000 kHz	6.84352 GHz	-65.67 dBm	-54.37 dB	-14.38 dB
-21.000 MHz	-11.500 MHz	200.000 kHz	6.86348 GHz	-46.02 dBm	-34.72 dB	-14.70 dB
-11.500 MHz	-10.500 MHz	200.000 kHz	6.86353 GHz	-46.12 dBm	-34.82 dB	-15.32 dB
10.500 MHz	11.500 MHz	200.000 kHz	6.88650 GHz	-55.91 dBm	-44.61 dB	-24.71 dB
11.500 MHz	21.000 MHz	200.000 kHz	6.88687 GHz	-54.91 dBm	-43.60 dB	-23.29 dB
21.000 MHz	31.500 MHz	200.000 kHz	6.90641 GHz	-65.35 dBm	-54.05 dB	-14.15 dB
31.500 MHz	50.000 MHz	200.000 kHz	6.91584 GHz	-64.87 dBm	-53.57 dB	-13.57 dB

Date: 1.FEB.2024 23:36:38

11AX20MIMO_Ant2_6875_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.350 MHz	200.000 kHz	6.83048 GHz	-65.39 dBm	-54.21 dB	-14.21 dB
-31.350 MHz	-20.900 MHz	200.000 kHz	6.84368 GHz	-66.03 dBm	-54.85 dB	-14.88 dB
-20.900 MHz	-11.450 MHz	200.000 kHz	6.86350 GHz	-46.16 dBm	-34.99 dB	-14.94 dB
-11.450 MHz	-10.450 MHz	200.000 kHz	6.86356 GHz	-46.35 dBm	-35.18 dB	-15.28 dB
10.450 MHz	11.450 MHz	200.000 kHz	6.88645 GHz	-59.02 dBm	-47.84 dB	-27.94 dB
11.450 MHz	20.900 MHz	200.000 kHz	6.89574 GHz	-65.58 dBm	-54.40 dB	-26.54 dB
20.900 MHz	31.350 MHz	200.000 kHz	6.90632 GHz	-65.64 dBm	-54.46 dB	-14.49 dB
31.350 MHz	50.000 MHz	200.000 kHz	6.91767 GHz	-65.05 dBm	-53.88 dB	-13.88 dB

Date: 1.FEB.2024 23:31:29

11AX20MIMO_Ant2_6875_52Tone_RU37



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.350 MHz	200.000 kHz	6.84241 GHz	-65.42 dBm	-53.55 dB	-13.55 dB
-31.350 MHz	-20.900 MHz	200.000 kHz	6.84366 GHz	-65.93 dBm	-54.06 dB	-14.08 dB
-20.900 MHz	-11.450 MHz	200.000 kHz	6.86355 GHz	-46.74 dBm	-34.87 dB	-14.86 dB
-11.450 MHz	-10.450 MHz	200.000 kHz	6.86356 GHz	-47.02 dBm	-35.15 dB	-15.25 dB
10.450 MHz	11.450 MHz	200.000 kHz	6.88645 GHz	-58.29 dBm	-46.42 dB	-26.52 dB
11.450 MHz	20.900 MHz	200.000 kHz	6.89577 GHz	-65.13 dBm	-53.26 dB	-25.38 dB
20.900 MHz	31.350 MHz	200.000 kHz	6.90634 GHz	-65.60 dBm	-53.73 dB	-13.75 dB
31.350 MHz	50.000 MHz	200.000 kHz	6.90794 GHz	-65.16 dBm	-53.29 dB	-13.29 dB

Date: 1.FEB.2024 23:35:19

11AX20MIMO_Ant2_6875_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.350 MHz	200.000 kHz	6.83381 GHz	-65.05 dBm	-53.46 dB	-13.46 dB
-31.350 MHz	-20.900 MHz	200.000 kHz	6.84378 GHz	-65.44 dBm	-53.85 dB	-14.01 dB
-20.900 MHz	-11.450 MHz	200.000 kHz	6.86349 GHz	-44.66 dBm	-33.08 dB	-13.02 dB
-11.450 MHz	-10.450 MHz	200.000 kHz	6.86356 GHz	-45.09 dBm	-33.50 dB	-13.60 dB
10.450 MHz	11.450 MHz	200.000 kHz	6.88643 GHz	-54.78 dBm	-43.20 dB	-23.70 dB
11.450 MHz	20.900 MHz	200.000 kHz	6.88656 GHz	-55.21 dBm	-43.62 dB	-23.53 dB
20.900 MHz	31.350 MHz	200.000 kHz	6.90627 GHz	-65.45 dBm	-53.87 dB	-13.96 dB
31.350 MHz	50.000 MHz	200.000 kHz	6.91573 GHz	-64.96 dBm	-53.37 dB	-13.37 dB

Date: 1.FEB.2024 23:37:31

11AX20MIMO_Ant1_6895_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.200 MHz	200.000 kHz	6.85933 GHz	-65.10 dBm	-54.27 dB	-14.27 dB
-31.200 MHz	-20.800 MHz	200.000 kHz	6.86382 GHz	-65.64 dBm	-54.81 dB	-14.83 dB
-20.800 MHz	-11.400 MHz	200.000 kHz	6.88344 GHz	-46.00 dBm	-35.17 dB	-15.03 dB
-11.400 MHz	-10.400 MHz	200.000 kHz	6.88361 GHz	-45.85 dBm	-35.02 dB	-15.12 dB
10.400 MHz	11.400 MHz	200.000 kHz	6.90637 GHz	-58.10 dBm	-47.27 dB	-27.97 dB
11.400 MHz	20.800 MHz	200.000 kHz	6.90661 GHz	-56.90 dBm	-46.07 dB	-25.89 dB
20.800 MHz	31.200 MHz	200.000 kHz	6.92607 GHz	-65.26 dBm	-54.43 dB	-14.59 dB
31.200 MHz	50.000 MHz	200.000 kHz	6.93569 GHz	-64.75 dBm	-53.92 dB	-13.92 dB

11AX20MIMO_Ant1_6895_52Tone_RU37



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.200 MHz	200.000 kHz	6.86206 GHz	-65.03 dBm	-54.31 dB	-14.31 dB
-31.200 MHz	-20.800 MHz	200.000 kHz	6.86389 GHz	-65.51 dBm	-54.79 dB	-14.89 dB
-20.800 MHz	-11.400 MHz	200.000 kHz	6.88352 GHz	-45.91 dBm	-35.18 dB	-15.11 dB
-11.400 MHz	-10.400 MHz	200.000 kHz	6.88361 GHz	-46.47 dBm	-35.75 dB	-16.05 dB
10.400 MHz	11.400 MHz	200.000 kHz	6.90637 GHz	-56.82 dBm	-46.10 dB	-26.60 dB
11.400 MHz	20.800 MHz	200.000 kHz	6.90698 GHz	-56.22 dBm	-45.50 dB	-25.01 dB
20.800 MHz	31.200 MHz	200.000 kHz	6.92615 GHz	-65.31 dBm	-54.59 dB	-14.64 dB
31.200 MHz	50.000 MHz	200.000 kHz	6.94236 GHz	-64.87 dBm	-54.15 dB	-14.15 dB

11AX20MIMO_Ant1_6895_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.200 MHz	200.000 kHz	6.86137 GHz	-65.05 dBm	-53.87 dB	-13.87 dB
-31.200 MHz	-20.800 MHz	200.000 kHz	6.86389 GHz	-65.53 dBm	-54.35 dB	-14.45 dB
-20.800 MHz	-11.400 MHz	200.000 kHz	6.88356 GHz	-44.50 dBm	-33.32 dB	-13.28 dB
-11.400 MHz	-10.400 MHz	200.000 kHz	6.88361 GHz	-45.61 dBm	-34.43 dB	-14.53 dB
10.400 MHz	11.400 MHz	200.000 kHz	6.90640 GHz	-54.61 dBm	-43.43 dB	-23.53 dB
11.400 MHz	20.800 MHz	200.000 kHz	6.90646 GHz	-54.48 dBm	-43.30 dB	-23.24 dB
20.800 MHz	31.200 MHz	200.000 kHz	6.92612 GHz	-65.10 dBm	-53.93 dB	-14.02 dB
31.200 MHz	50.000 MHz	200.000 kHz	6.93940 GHz	-64.70 dBm	-53.52 dB	-13.52 dB

Date: 1.FEB.2024 23:43:40

11AX20MIMO_Ant2_6895_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.050 MHz	200.000 kHz	6.85690 GHz	-65.21 dBm	-53.73 dB	-13.73 dB
-31.050 MHz	-20.700 MHz	200.000 kHz	6.86399 GHz	-65.60 dBm	-54.12 dB	-14.16 dB
-20.700 MHz	-11.350 MHz	200.000 kHz	6.88359 GHz	-46.14 dBm	-34.67 dB	-14.61 dB
-11.350 MHz	-10.350 MHz	200.000 kHz	6.88366 GHz	-46.37 dBm	-34.89 dB	-14.99 dB
10.350 MHz	11.350 MHz	200.000 kHz	6.90634 GHz	-59.13 dBm	-47.65 dB	-27.75 dB
11.350 MHz	20.700 MHz	200.000 kHz	6.91569 GHz	-65.58 dBm	-54.10 dB	-26.10 dB
20.700 MHz	31.050 MHz	200.000 kHz	6.92603 GHz	-65.29 dBm	-53.81 dB	-13.83 dB
31.050 MHz	50.000 MHz	200.000 kHz	6.93053 GHz	-64.90 dBm	-53.42 dB	-13.42 dB

Date: 1.FEB.2024 23:40:15

11AX20MIMO_Ant2_6895_52Tone_RU37



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.050 MHz	200.000 kHz	6.85776 GHz	-64.97 dBm	-53.41 dB	-13.41 dB
-31.050 MHz	-20.700 MHz	200.000 kHz	6.86419 GHz	-65.39 dBm	-53.83 dB	-14.11 dB
-20.700 MHz	-11.350 MHz	200.000 kHz	6.88356 GHz	-46.39 dBm	-34.84 dB	-14.75 dB
-11.350 MHz	-10.350 MHz	200.000 kHz	6.88366 GHz	-46.26 dBm	-34.70 dB	-14.80 dB
10.350 MHz	11.350 MHz	200.000 kHz	6.90634 GHz	-57.93 dBm	-46.37 dB	-26.47 dB
11.350 MHz	20.700 MHz	200.000 kHz	6.90637 GHz	-56.77 dBm	-45.21 dB	-25.19 dB
20.700 MHz	31.050 MHz	200.000 kHz	6.92591 GHz	-65.30 dBm	-53.75 dB	-13.90 dB
31.050 MHz	50.000 MHz	200.000 kHz	6.93061 GHz	-64.98 dBm	-53.43 dB	-13.43 dB

Date: 1.FEB.2024 23:42:45

11AX20MIMO_Ant2_6895_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.050 MHz	200.000 kHz	6.84628 GHz	-65.15 dBm	-54.06 dB	-14.06 dB
-31.050 MHz	-20.700 MHz	200.000 kHz	6.86401 GHz	-65.56 dBm	-54.46 dB	-14.53 dB
-20.700 MHz	-11.350 MHz	200.000 kHz	6.88363 GHz	-43.69 dBm	-32.60 dB	-12.58 dB
-11.350 MHz	-10.350 MHz	200.000 kHz	6.88366 GHz	-44.60 dBm	-33.51 dB	-13.61 dB
10.350 MHz	11.350 MHz	200.000 kHz	6.90634 GHz	-54.29 dBm	-43.20 dB	-23.30 dB
11.350 MHz	20.700 MHz	200.000 kHz	6.90641 GHz	-53.49 dBm	-42.40 dB	-22.34 dB
20.700 MHz	31.050 MHz	200.000 kHz	6.92599 GHz	-65.36 dBm	-54.27 dB	-14.34 dB
31.050 MHz	50.000 MHz	200.000 kHz	6.92765 GHz	-64.80 dBm	-53.71 dB	-13.71 dB

Date: 1.FEB.2024 23:44:50

11AX20MIMO_Ant1_6995_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	200.000 kHz	6.94581 GHz	-64.82 dBm	-54.14 dB	-14.14 dB
-31.500 MHz	-21.000 MHz	200.000 kHz	6.96375 GHz	-65.19 dBm	-54.51 dB	-14.79 dB
-21.000 MHz	-11.500 MHz	200.000 kHz	6.98337 GHz	-46.37 dBm	-35.69 dB	-15.58 dB
-11.500 MHz	-10.500 MHz	200.000 kHz	6.98352 GHz	-47.18 dBm	-36.51 dB	-16.81 dB
10.500 MHz	11.500 MHz	200.000 kHz	7.00649 GHz	-59.14 dBm	-48.47 dB	-28.77 dB
11.500 MHz	21.000 MHz	200.000 kHz	7.00678 GHz	-58.60 dBm	-47.93 dB	-27.69 dB
21.000 MHz	31.500 MHz	200.000 kHz	7.02644 GHz	-68.72 dBm	-58.04 dB	-18.10 dB
31.500 MHz	50.000 MHz	200.000 kHz	7.04235 GHz	-68.42 dBm	-57.74 dB	-17.74 dB

Date: 1.FEB.2024 23:47:08

11AX20MIMO_Ant1_6995_52Tone_RU37



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	200.000 kHz	6.95674 GHz	-64.87 dBm	-55.56 dB	-15.56 dB
-31.500 MHz	-21.000 MHz	200.000 kHz	6.96375 GHz	-65.10 dBm	-55.79 dB	-16.07 dB
-21.000 MHz	-11.500 MHz	200.000 kHz	6.98336 GHz	-46.15 dBm	-36.83 dB	-16.71 dB
-11.500 MHz	-10.500 MHz	200.000 kHz	6.98352 GHz	-46.34 dBm	-37.03 dB	-17.33 dB
10.500 MHz	11.500 MHz	200.000 kHz	7.00650 GHz	-57.00 dBm	-47.69 dB	-27.79 dB
11.500 MHz	21.000 MHz	200.000 kHz	7.00655 GHz	-56.39 dBm	-47.08 dB	-27.04 dB
21.000 MHz	31.500 MHz	200.000 kHz	7.02649 GHz	-68.50 dBm	-59.18 dB	-19.20 dB
31.500 MHz	50.000 MHz	200.000 kHz	7.03869 GHz	-67.97 dBm	-58.65 dB	-18.65 dB

Date: 1.FEB.2024 23:50:24

11AX20MIMO_Ant1_6995_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	200.000 kHz	6.94968 GHz	-64.70 dBm	-55.41 dB	-15.41 dB
-31.500 MHz	-21.000 MHz	200.000 kHz	6.96366 GHz	-65.28 dBm	-55.99 dB	-16.16 dB
-21.000 MHz	-11.500 MHz	200.000 kHz	6.98347 GHz	-44.88 dBm	-35.58 dB	-15.55 dB
-11.500 MHz	-10.500 MHz	200.000 kHz	6.98351 GHz	-45.27 dBm	-35.98 dB	-16.08 dB
10.500 MHz	11.500 MHz	200.000 kHz	7.00649 GHz	-54.46 dBm	-45.16 dB	-25.46 dB
11.500 MHz	21.000 MHz	200.000 kHz	7.00689 GHz	-53.76 dBm	-44.47 dB	-24.15 dB
21.000 MHz	31.500 MHz	200.000 kHz	7.02639 GHz	-68.31 dBm	-59.02 dB	-19.15 dB
31.500 MHz	50.000 MHz	200.000 kHz	7.03078 GHz	-68.01 dBm	-58.72 dB	-18.72 dB

Date: 1.FEB.2024 23:52:19

11AX20MIMO_Ant2_6995_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.200 MHz	200.000 kHz	6.95332 GHz	-64.80 dBm	-53.69 dB	-13.69 dB
-31.200 MHz	-20.800 MHz	200.000 kHz	6.96399 GHz	-65.40 dBm	-54.29 dB	-14.52 dB
-20.800 MHz	-11.400 MHz	200.000 kHz	6.98360 GHz	-46.39 dBm	-35.29 dB	-15.28 dB
-11.400 MHz	-10.400 MHz	200.000 kHz	6.98361 GHz	-46.96 dBm	-35.85 dB	-15.95 dB
10.400 MHz	11.400 MHz	200.000 kHz	7.00639 GHz	-58.66 dBm	-47.55 dB	-27.85 dB
11.400 MHz	20.800 MHz	200.000 kHz	7.00645 GHz	-58.50 dBm	-47.40 dB	-27.35 dB
20.800 MHz	31.200 MHz	200.000 kHz	7.02616 GHz	-69.07 dBm	-57.96 dB	-18.00 dB
31.200 MHz	50.000 MHz	200.000 kHz	7.04428 GHz	-68.26 dBm	-57.15 dB	-17.15 dB

Date: 1.FEB.2024 23:48:01

11AX20MIMO_Ant2_6995_52Tone_RU37



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.200 MHz	200.000 kHz	6.96186 GHz	-64.62 dBm	-54.85 dB	-14.85 dB
-31.200 MHz	-20.800 MHz	200.000 kHz	6.96385 GHz	-65.51 dBm	-55.74 dB	-15.79 dB
-20.800 MHz	-11.400 MHz	200.000 kHz	6.98356 GHz	-45.20 dBm	-35.43 dB	-15.39 dB
-11.400 MHz	-10.400 MHz	200.000 kHz	6.98361 GHz	-45.39 dBm	-35.62 dB	-15.72 dB
10.400 MHz	11.400 MHz	200.000 kHz	7.00639 GHz	-56.35 dBm	-46.58 dB	-26.88 dB
11.400 MHz	20.800 MHz	200.000 kHz	7.00685 GHz	-56.26 dBm	-46.49 dB	-26.11 dB
20.800 MHz	31.200 MHz	200.000 kHz	7.02619 GHz	-68.65 dBm	-58.88 dB	-18.89 dB
31.200 MHz	50.000 MHz	200.000 kHz	7.03284 GHz	-68.04 dBm	-58.27 dB	-18.27 dB

Date: 1.FEB.2024 23:51:27

11AX20MIMO_Ant2_6995_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.200 MHz	200.000 kHz	6.94637 GHz	-64.74 dBm	-55.12 dB	-15.13 dB
-31.200 MHz	-20.800 MHz	200.000 kHz	6.96387 GHz	-65.24 dBm	-55.62 dB	-15.70 dB
-20.800 MHz	-11.400 MHz	200.000 kHz	6.98357 GHz	-43.83 dBm	-34.21 dB	-14.18 dB
-11.400 MHz	-10.400 MHz	200.000 kHz	6.98361 GHz	-43.73 dBm	-34.12 dB	-14.22 dB
10.400 MHz	11.400 MHz	200.000 kHz	7.00640 GHz	-53.68 dBm	-44.07 dB	-24.17 dB
11.400 MHz	20.800 MHz	200.000 kHz	7.00645 GHz	-52.64 dBm	-43.03 dB	-22.99 dB
20.800 MHz	31.200 MHz	200.000 kHz	7.02603 GHz	-68.39 dBm	-58.78 dB	-18.98 dB
31.200 MHz	50.000 MHz	200.000 kHz	7.03326 GHz	-67.82 dBm	-58.21 dB	-18.21 dB

Date: 1.FEB.2024 23:53:02

11AX20MIMO_Ant1_7095_26Tone_RU8



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	200.000 kHz	7.05757 GHz	-68.10 dBm	-59.03 dB	-19.03 dB
-31.500 MHz	-21.000 MHz	200.000 kHz	7.06351 GHz	-68.77 dBm	-59.70 dB	-19.70 dB
-21.000 MHz	-11.500 MHz	200.000 kHz	7.08338 GHz	-57.03 dBm	-47.95 dB	-27.84 dB
-11.500 MHz	-10.500 MHz	200.000 kHz	7.08351 GHz	-57.94 dBm	-48.86 dB	-28.96 dB
10.500 MHz	11.500 MHz	200.000 kHz	7.10649 GHz	-45.82 dBm	-36.74 dB	-16.84 dB
11.500 MHz	21.000 MHz	200.000 kHz	7.10651 GHz	-45.17 dBm	-36.09 dB	-16.09 dB
21.000 MHz	31.500 MHz	200.000 kHz	7.12650 GHz	-69.53 dBm	-60.45 dB	-20.45 dB
31.500 MHz	50.000 MHz	200.000 kHz	7.12716 GHz	-68.98 dBm	-59.90 dB	-19.90 dB

Date: 1.FEB.2024 23:54:20

11AX20MIMO_Ant1_7095_52Tone_RU40



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	200.000 kHz	7.05762 GHz	-68.19 dBm	-55.89 dB	-15.89 dB
-31.500 MHz	-21.000 MHz	200.000 kHz	7.06351 GHz	-68.45 dBm	-56.15 dB	-16.16 dB
-21.000 MHz	-11.500 MHz	200.000 kHz	7.08318 GHz	-57.89 dBm	-45.59 dB	-25.31 dB
-11.500 MHz	-10.500 MHz	200.000 kHz	7.08351 GHz	-58.38 dBm	-46.08 dB	-26.18 dB
10.500 MHz	11.500 MHz	200.000 kHz	7.10648 GHz	-47.71 dBm	-35.41 dB	-15.91 dB
11.500 MHz	21.000 MHz	200.000 kHz	7.10652 GHz	-47.22 dBm	-34.92 dB	-14.91 dB
21.000 MHz	31.500 MHz	200.000 kHz	7.12638 GHz	-69.31 dBm	-57.01 dB	-17.15 dB
31.500 MHz	50.000 MHz	200.000 kHz	7.12885 GHz	-68.88 dBm	-56.57 dB	-16.57 dB

Date: 1.FEB.2024 23:57:22

11AX20MIMO_Ant1_7095_106Tone_RU54



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	200.000 kHz	7.06155 GHz	-67.82 dBm	-56.77 dB	-16.77 dB
-31.500 MHz	-21.000 MHz	200.000 kHz	7.06367 GHz	-68.23 dBm	-57.18 dB	-17.37 dB
-21.000 MHz	-11.500 MHz	200.000 kHz	7.08314 GHz	-54.28 dBm	-43.23 dB	-22.92 dB
-11.500 MHz	-10.500 MHz	200.000 kHz	7.08351 GHz	-54.64 dBm	-43.59 dB	-23.69 dB
10.500 MHz	11.500 MHz	200.000 kHz	7.10649 GHz	-45.13 dBm	-34.08 dB	-14.38 dB
11.500 MHz	21.000 MHz	200.000 kHz	7.10652 GHz	-44.67 dBm	-33.62 dB	-13.61 dB
21.000 MHz	31.500 MHz	200.000 kHz	7.12623 GHz	-69.20 dBm	-58.15 dB	-18.47 dB
31.500 MHz	50.000 MHz	200.000 kHz	7.13210 GHz	-68.67 dBm	-57.62 dB	-17.62 dB

Date: 2.FEB.2024 00:02:52

11AX20MIMO_Ant2_7095_26Tone_RU8



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.800 MHz	200.000 kHz	7.05386 GHz	-68.06 dBm	-58.87 dB	-18.87 dB
-31.800 MHz	-21.200 MHz	200.000 kHz	7.06327 GHz	-68.69 dBm	-59.50 dB	-19.58 dB
-21.200 MHz	-11.600 MHz	200.000 kHz	7.08314 GHz	-57.95 dBm	-48.76 dB	-28.54 dB
-11.600 MHz	-10.600 MHz	200.000 kHz	7.08344 GHz	-58.07 dBm	-48.88 dB	-29.58 dB
10.600 MHz	11.600 MHz	200.000 kHz	7.10658 GHz	-46.01 dBm	-36.83 dB	-17.33 dB
11.600 MHz	21.200 MHz	200.000 kHz	7.10663 GHz	-45.43 dBm	-36.24 dB	-16.22 dB
21.200 MHz	31.800 MHz	200.000 kHz	7.12671 GHz	-69.39 dBm	-60.20 dB	-20.30 dB
31.800 MHz	50.000 MHz	200.000 kHz	7.13065 GHz	-68.90 dBm	-59.72 dB	-19.72 dB

Date: 1.FEB.2024 23:55:05

11AX20MIMO_Ant2_7095_52Tone_RU40



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.800 MHz	200.000 kHz	7.04578 GHz	-68.08 dBm	-55.74 dB	-15.74 dB
-31.800 MHz	-21.200 MHz	200.000 kHz	7.06336 GHz	-68.55 dBm	-56.21 dB	-16.39 dB
-21.200 MHz	-11.600 MHz	200.000 kHz	7.08336 GHz	-58.29 dBm	-45.95 dB	-25.92 dB
-11.600 MHz	-10.600 MHz	200.000 kHz	7.08340 GHz	-58.90 dBm	-46.57 dB	-26.67 dB
10.600 MHz	11.600 MHz	200.000 kHz	7.10660 GHz	-48.59 dBm	-36.25 dB	-16.35 dB
11.600 MHz	21.200 MHz	200.000 kHz	7.10672 GHz	-47.81 dBm	-35.47 dB	-15.37 dB
21.200 MHz	31.800 MHz	200.000 kHz	7.12677 GHz	-69.44 dBm	-57.10 dB	-17.14 dB
31.800 MHz	50.000 MHz	200.000 kHz	7.13403 GHz	-68.86 dBm	-56.52 dB	-16.53 dB

Date: 1.FEB.2024 23:57:58

11AX20MIMO_Ant2_7095_106Tone_RU54



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.800 MHz	200.000 kHz	7.06230 GHz	-67.84 dBm	-57.52 dB	-17.52 dB
-31.800 MHz	-21.200 MHz	200.000 kHz	7.06325 GHz	-68.56 dBm	-58.24 dB	-18.29 dB
-21.200 MHz	-11.600 MHz	200.000 kHz	7.08338 GHz	-53.72 dBm	-43.40 dB	-23.38 dB
-11.600 MHz	-10.600 MHz	200.000 kHz	7.08340 GHz	-54.64 dBm	-44.32 dB	-24.42 dB
10.600 MHz	11.600 MHz	200.000 kHz	7.10660 GHz	-45.22 dBm	-34.90 dB	-15.00 dB
11.600 MHz	21.200 MHz	200.000 kHz	7.10665 GHz	-44.76 dBm	-34.43 dB	-14.39 dB
21.200 MHz	31.800 MHz	200.000 kHz	7.12676 GHz	-68.99 dBm	-58.67 dB	-18.72 dB
31.800 MHz	50.000 MHz	200.000 kHz	7.12751 GHz	-68.44 dBm	-58.12 dB	-18.12 dB

Date: 2.FEB.2024 00:03:40

Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	**Temperature :**	25.3~26.2℃
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	**Phase :**	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1 *	0.171	47.06	-17.84	64.90	36.60	0.04	10.42	QP
2	0.171	35.06	-19.84	54.90	24.60	0.04	10.42	Average
3	0.184	44.35	-19.93	64.28	33.90	0.04	10.41	QP
4	0.184	32.55	-21.73	54.28	22.10	0.04	10.41	Average
5	0.255	39.10	-22.50	61.60	28.70	0.04	10.36	QP
6	0.255	28.20	-23.40	51.60	17.80	0.04	10.36	Average
7	0.452	38.53	-18.32	56.85	28.30	-0.02	10.25	QP
8	0.452	19.13	-27.72	46.85	8.90	-0.02	10.25	Average
9	1.303	35.77	-20.23	56.00	25.80	-0.12	10.09	QP
10	1.303	20.77	-25.23	46.00	10.80	-0.12	10.09	Average
11	2.448	32.56	-23.44	56.00	22.60	-0.11	10.07	QP
12	2.448	21.66	-24.34	46.00	11.70	-0.11	10.07	Average

Test Engineer :	Amos Zhang	**Temperature :**	25.3~26.2℃
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	**Phase :**	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

		Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
		MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1		0.162	46.96	-18.38	65.34	36.50	0.04	10.42	QP
2		0.162	34.06	-21.28	55.34	23.60	0.04	10.42	Average
3		0.206	38.35	-25.01	63.36	27.91	0.04	10.40	QP
4		0.206	26.25	-27.11	53.36	15.81	0.04	10.40	Average
5		0.246	39.77	-22.14	61.91	29.40	0.00	10.37	QP
6		0.246	29.27	-22.64	51.91	18.90	0.00	10.37	Average
7	*	0.454	39.48	-17.32	56.80	29.29	-0.06	10.25	QP
8		0.454	29.48	-17.32	46.80	19.29	-0.06	10.25	Average
9		1.544	34.87	-21.13	56.00	24.90	-0.11	10.08	QP
10		1.544	21.37	-24.63	46.00	11.40	-0.11	10.08	Average
11		15.552	31.91	-28.09	60.00	20.80	-0.12	11.23	QP
12		15.552	24.31	-25.69	50.00	13.20	-0.12	11.23	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)

Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jian kang jiang	**Relative Humidity :**	41 ~ 42 %
		Temperature :	22 ~ 23 ℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 1+2	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	CDD 1+2	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	CDD 1+2	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-6	6.425-6.525	CDD 1+2	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6.425-6.525	CDD 1+2	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6.425-6.525	CDD 1+2	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	CDD 1+2	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	CDD 1+2	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6.525-6.875	CDD 1+2	802.11a	185	6875	6Mbps	-	-
Mode 10	U-NII-8	6.875-7.125	CDD 1+2	802.11a	189	6895	6Mbps	-	-
Mode 11	U-NII-8	6.875-7.125	CDD 1+2	802.11a	209	6995	6Mbps	-	-
Mode 12	U-NII-8	6.875-7.125	CDD 1+2	802.11a	229	7095	6Mbps	-	-
Mode 13	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE20	1	5955	MCS0	-	-
Mode 14	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE20	1	5955	MCS0	Partial_26/0RU	-
Mode 15	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE20	1	5955	MCS0	Partial_52/37RU	-
Mode 16	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE20	1	5955	MCS0	Partial_106/53RU	-
Mode 17	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE20	45	6175	MCS0	-	-
Mode 18	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE20	93	6415	MCS0	-	-
Mode 19	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE40	3	5965	MCS0	-	-
Mode 20	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE40	43	6165	MCS0	-	-
Mode 21	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE40	91	6405	MCS0	-	-
Mode 22	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE80	7	5985	MCS0	-	-
Mode 23	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE80	39	6145	MCS0	-	-
Mode 24	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE80	87	6385	MCS0	-	-
Mode 25	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE160	15	6025	MCS0	-	-
Mode 26	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE160	47	6185	MCS0	-	-
Mode 27	U-NII-5	5.925-6.425	CDD 1+2	802.11ax HE160	79	6345	MCS0	-	-
Mode 28	U-NII-6	6.425-6.525	CDD 1+2	802.11ax HE20	97	6435	MCS0	-	-
Mode 29	U-NII-6	6.425-6.525	CDD 1+2	802.11ax HE20	105	6475	MCS0	-	-
Mode 30	U-NII-6	6.425-6.525	CDD 1+2	802.11ax HE20	113	6515	MCS0	-	-
Mode 31	U-NII-6	6.425-6.525	CDD 1+2	802.11ax HE40	99	6445	MCS0	-	-
Mode 32	U-NII-6	6.425-6.525	CDD 1+2	802.11ax HE40	107	6485	MCS0	-	-
Mode 33	U-NII-6	6.425-6.525	CDD 1+2	802.11ax HE80	103	6465	MCS0	-	-
Mode 34	U-NII-6	6.425-6.525	CDD 1+2	802.11ax HE40	115	6525	MCS0	-	-
Mode 35	U-NII-6	6.425-6.525	CDD 1+2	802.11ax HE80	119	6545	MCS0	-	-
Mode 36	U-NII-6	6.425-6.525	CDD 1+2	802.11ax HE160	111	6505	MCS0	-	-
Mode 37	U-NII-7	6.525-6.875	CDD 1+2	802.11ax HE20	117	6535	MCS0	-	-

Mode 38	U-NII-7	6.525-6.875	CDD 1+2	802.11ax HE20	149	6695	MCS0	-	-
Mode 39	U-NII-7	6.525-6.875	CDD 1+2	802.11ax HE40	123	6565	MCS0	-	-
Mode 40	U-NII-7	6.525-6.875	CDD 1+2	802.11ax HE40	147	6685	MCS0	-	-
Mode 41	U-NII-7	6.525-6.875	CDD 1+2	802.11ax HE40	179	6845	MCS0	-	-
Mode 42	U-NII-7	6.525-6.875	CDD 1+2	802.11ax HE80	135	6625	MCS0	-	-
Mode 43	U-NII-7	6.525-6.875	CDD 1+2	802.11ax HE80	151	6705	MCS0	-	-
Mode 44	U-NII-7	6.525-6.875	CDD 1+2	802.11ax HE160	143	6665	MCS0	-	-
Mode 45	U-NII-7	6.525-6.875	CDD 1+2	802.11ax HE20	185	6875	MCS0	-	-
Mode 46	U-NII-7	6.525-6.875	CDD 1+2	802.11ax HE80	183	6865	MCS0	-	-
Mode 47	U-NII-7	6.525-6.875	CDD 1+2	802.11ax HE160	175	6825	MCS0	-	-
Mode 48	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE20	189	6895	MCS0	-	-
Mode 49	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE20	209	6995	MCS0	-	-
Mode 50	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE20	229	7095	MCS0	-	-
Mode 51	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE20	229	7095	MCS0	Partial_26/8RU	-
Mode 52	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE20	229	7095	MCS0	Partial_52/40RU	-
Mode 53	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE20	229	7095	MCS0	Partial_106/54RU	-
Mode 54	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE40	203	6965	MCS0	-	-
Mode 55	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE40	227	7085	MCS0	-	-
Mode 56	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE80	199	6945	MCS0	-	-
Mode 57	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE80	215	7025	MCS0	-	-
Mode 58	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE160	207	6985	MCS0	-	-
Mode 59	U-NII-7	6.525-6.875	CDD 1+2	802.11ax HE40	187	6885	MCS0	-	-
Mode 60	U-NII-8	6.875-7.125	CDD 1+2	802.11ax HE20	229	7095	MCS0	-	LF

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.84	45.60	68.20	-22.60	V	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	47.39	74.00	-26.61	V	PEAK	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	46.62	74.00	-27.38	H	PEAK	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	46.53	88.20	-41.67	V	PEAK	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	47.47	88.20	-40.73	H	PEAK	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	46.33	88.20	-41.87	V	PEAK	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	47.12	88.20	-41.08	H	PEAK	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	46.82	88.20	-41.38	V	PEAK	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	36.58	54.00	-17.42	V	AVERAGE	Pass	Harmonic
9	802.11a	185	-	-	-	-	-	-	-	Band Edge
9	802.11a	185	13750.00	46.48	88.20	-41.72	H	PEAK	Pass	Harmonic
10	802.11a	189	-	-	-	-	-	-	-	Band Edge
10	802.11a	189	13790.00	47.55	88.20	-40.65	H	PEAK	Pass	Harmonic
11	802.11a	209	-	-	-	-	-	-	-	Band Edge
11	802.11a	209	13990.00	46.39	88.20	-41.81	H	PEAK	Pass	Harmonic
12	802.11a	229	7126.76	48.98	68.20	-19.22	V	AVERAGE	Pass	Band Edge
12	802.11a	229	14190.00	45.98	88.20	-42.22	H	PEAK	Pass	Harmonic
13	802.11ax HE20	1	5924.84	47.64	68.20	-20.56	V	AVERAGE	Pass	Band Edge
13	802.11ax HE20	1	11910.00	36.99	54.00	-17.01	H	AVERAGE	Pass	Harmonic
14	802.11ax HE20	1	5924.97	48.10	68.20	-20.10	V	AVERAGE	Pass	Band Edge
14	802.11ax HE20	1	11910.00	46.85	74.00	-27.15	H	PEAK	Pass	Harmonic
15	802.11ax HE20	1	5917.43	75.03	88.20	-13.17	V	PEAK	Pass	Band Edge
15	802.11ax HE20	1	11910.00	46.53	74.00	-27.47	V	PEAK	Pass	Harmonic
16	802.11ax HE20	1	5924.45	72.81	88.20	-15.39	H	PEAK	Pass	Band Edge
16	802.11ax HE20	1	11910.00	46.33	74.00	-27.67	V	PEAK	Pass	Harmonic
17	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	45	12350.00	37.11	54.00	-16.89	V	AVERAGE	Pass	Harmonic
18	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	93	12830.00	47.44	88.20	-40.76	H	PEAK	Pass	Harmonic
19	802.11ax HE40	3	5924.96	47.21	68.20	-20.99	V	AVERAGE	Pass	Band Edge
19	802.11ax HE40	3	11930.00	36.99	54.00	-17.01	V	AVERAGE	Pass	Harmonic
20	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE40	43	12330.00	44.93	74.00	-29.07	H	PEAK	Pass	Harmonic
21	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE40	91	12810.00	45.38	88.20	-42.82	V	PEAK	Pass	Harmonic
22	802.11ax HE80	7	5916.52	47.78	68.20	-20.42	V	AVERAGE	Pass	Band Edge
22	802.11ax HE80	7	11970.00	44.91	74.00	-29.09	V	PEAK	Pass	Harmonic

23	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE80	39	12290.00	45.43	74.00	-28.57	H	PEAK	Pass	Harmonic
24	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE80	87	12770.00	44.40	88.20	-43.80	V	PEAK	Pass	Harmonic
25	802.11ax HE160	15	5897.60	49.17	68.20	-19.03	V	AVERAGE	Pass	Band Edge
25	802.11ax HE160	15	12050.00	45.40	74.00	-28.60	H	PEAK	Pass	Harmonic
26	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE160	47	12370.00	37.34	54.00	-16.66	V	AVERAGE	Pass	Harmonic
27	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE160	79	12690.00	37.22	54.00	-16.78	V	AVERAGE	Pass	Harmonic
28	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE20	97	12870.00	47.29	88.20	-40.91	H	PEAK	Pass	Harmonic
29	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE20	105	12950.00	46.66	88.20	-41.54	H	PEAK	Pass	Harmonic
30	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE20	113	13030.00	46.92	88.20	-41.28	H	PEAK	Pass	Harmonic
31	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE40	99	12890.00	45.10	88.20	-43.10	H	PEAK	Pass	Harmonic
32	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	107	12970.00	44.88	88.20	-43.32	H	PEAK	Pass	Harmonic
33	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE80	103	12930.00	44.64	88.20	-43.56	H	PEAK	Pass	Harmonic
34	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE40	115	13050.00	45.49	88.20	-42.71	V	PEAK	Pass	Harmonic
35	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE80	119	13090.00	45.62	88.20	-42.58	V	PEAK	Pass	Harmonic
36	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE160	111	13010.00	45.98	88.20	-42.22	V	PEAK	Pass	Harmonic
37	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE20	117	13070.00	47.23	88.20	-40.97	V	PEAK	Pass	Harmonic
38	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	149	13390.00	46.14	74.00	-27.86	V	PEAK	Pass	Harmonic
39	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	123	13130.00	46.05	88.20	-42.15	V	PEAK	Pass	Harmonic
40	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE40	147	13370.00	45.41	74.00	-28.59	V	PEAK	Pass	Harmonic
41	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE40	179	13690.00	43.67	88.20	-44.53	V	PEAK	Pass	Harmonic
42	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	135	13250.00	45.23	74.00	-28.77	V	PEAK	Pass	Harmonic
43	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	151	13410.00	43.89	88.20	-44.31	V	PEAK	Pass	Harmonic
44	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE160	143	13330.00	44.52	74.00	-29.48	V	PEAK	Pass	Harmonic
45	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE20	185	13750.00	46.50	88.20	-41.70	V	PEAK	Pass	Harmonic
46	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge

46	802.11ax HE80	183	13730.00	43.47	88.20	-44.73	H	PEAK	Pass	Harmonic
47	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	175	13650.00	47.64	88.20	-40.56	V	PEAK	Pass	Harmonic
48	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE20	189	13790.00	45.76	88.20	-42.44	V	PEAK	Pass	Harmonic
49	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
49	802.11ax HE20	209	13990.00	45.69	88.20	-42.51	V	PEAK	Pass	Harmonic
50	802.11ax HE20	229	7125.16	48.66	68.20	-19.54	V	AVERAGE	Pass	Band Edge
50	802.11ax HE20	229	14190.00	47.14	88.20	-41.06	H	Peak	Pass	Harmonic
51	802.11ax HE20	229	7134.92	47.16	68.20	-21.04	V	AVERAGE	Pass	Band Edge
51	802.11ax HE20	229	14190.00	46.87	88.20	-41.33	V	PEAK	Pass	Harmonic
52	802.11ax HE20	229	7132.52	62.46	68.20	-5.74	V	AVERAGE	Pass	Band Edge
52	802.11ax HE20	229	14190.00	47.13	88.20	-41.07	H	PEAK	Pass	Harmonic
53	802.11ax HE20	229	7125.32	74.41	88.20	-13.79	V	PEAK	Pass	Band Edge
53	802.11ax HE20	229	14190.00	46.82	88.20	-41.38	V	PEAK	Pass	Harmonic
54	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE40	203	13930.00	45.61	88.20	-42.59	V	PEAK	Pass	Harmonic
55	802.11ax HE40	227	7125.00	52.15	68.20	-16.05	V	AVERAGE	Pass	Band Edge
55	802.11ax HE40	227	14170.00	45.58	88.20	-42.62	H	PEAK	Pass	Harmonic
56	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE80	199	13890.00	44.23	88.20	-43.97	H	PEAK	Pass	Harmonic
57	802.11ax HE80	215	7125.10	47.03	68.20	-21.17	V	AVERAGE	Pass	Band Edge
57	802.11ax HE80	215	14050.00	43.46	88.20	-44.74	H	PEAK	Pass	Harmonic
58	802.11ax HE160	207	7126.60	49.54	68.20	-18.66	V	AVERAGE	Pass	Band Edge
58	802.11ax HE160	207	13970.00	45.64	88.20	-42.56	H	PEAK	Pass	Harmonic
59	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
59	802.11ax HE40	187	13770.00	44.76	88.20	-43.44	V	PEAK	Pass	Harmonic
60	802.11ax HE40	227	480.08	37.83	46.00	-8.17	V	PEAK	Pass	Band Edge

Mode	1	
	Band Edge	
	U-NII-5_5.925-6.425_802.11a _CH1_5955MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5917.30 57.05 88.20 -31.15 43.46 35.07 10.51 31.99 0.00 388 262 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 105.06 ------ ------ 91.33 35.20 10.54 32.01 0.00 388 262 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.97 44.88 68.20 -23.32 31.25 35.10 10.52 31.99 0.00 388 262 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 96.35 ------ ------ 82.62 35.20 10.54 32.01 0.00 388 262 AVERAGE

Mode	1	
	Band Edge	
	U-NII-5_5.925-6.425_802.11a _CH1_5955MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5915.74 56.73 88.20 -31.47 43.14 35.06 10.51 31.98 0.00 288 316 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 108.75 ------ ------ 95.00 35.22 10.55 32.02 0.00 288 316 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.84 45.60 68.20 -22.60 31.97 35.10 10.52 31.99 0.00 288 316 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 99.75 ------ ------ 86.02 35.20 10.54 32.01 0.00 288 316 AVERAGE

Mode	1	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a _CH1_5955MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11910.00 46.97 74.00 -27.03 53.56 38.81 15.21 60.61 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11910.00 47.39 74.00 -26.61 53.98 38.81 15.21 60.61 0.00 --- --- PEAK

Mode	2	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a _CH45_6175MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12350.00 46.62 74.00 -27.38 52.74 38.85 15.54 60.51 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12350.00 46.06 74.00 -27.94 52.18 38.85 15.54 60.51 0.00 --- --- PEAK

Mode	3	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a _CH93_6415MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12830.00 46.38 88.20 -41.82 51.46 39.43 15.92 60.43 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12830.00 46.53 88.20 -41.67 51.61 39.43 15.92 60.43 0.00 --- --- PEAK

Mode	4	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a _CH97_6435MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12870.00 47.47 88.20 -40.73 52.48 39.47 15.95 60.43 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12870.00 46.68 88.20 -41.52 51.69 39.47 15.95 60.43 0.00 --- --- PEAK

Mode	5	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a _CH105_6475MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12950.00 46.29 88.20 -41.91 51.19 39.50 16.01 60.41 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12950.00 46.33 88.20 -41.87 51.23 39.50 16.01 60.41 0.00 --- --- PEAK