Mode	26	
	Harmonic	
	U-NII-5_5.925-6.425_802.11BE EHT80_CH87_Full_6385MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12770.00 45.63 88.20 -42.57 52.39 39.27 15.87 61.90 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12770.00 45.93 88.20 -42.27 52.69 39.27 15.87 61.90 0.00 --- --- PEAK

Mode	27	
	Harmonic	
	U-NII6_6.425-6.525_802.11BE EHT80_CH103_Full_6465MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12930.00 45.71 88.20 -42.49 52.34 39.40 15.99 62.02 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12930.00 46.11 88.20 -42.09 52.74 39.40 15.99 62.02 0.00 --- --- PEAK

Mode	28	
	Harmonic	
	U-NII-7_6.525-6.875_802.11BE EHT80_CH135_Full_6625MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13250.00 45.67 74.00 -28.33 52.61 39.15 16.17 62.26 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13250.00 45.16 74.00 -28.84 52.10 39.15 16.17 62.26 0.00 --- --- PEAK

Mode	29	
	Harmonic	
	U-NII-7_6.525-6.875_802.11BE EHT80_CH151_Full_6705MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13410.00 46.18 88.20 -42.02 53.43 38.89 16.24 62.38 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13410.00 45.62 88.20 -42.58 52.87 38.89 16.24 62.38 0.00 --- --- PEAK

Mode	30	
	Harmonic	
	U-NII-7_6.525-6.875_802.11BE EHT80_CH167_6785MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13570.00 44.04 88.20 -44.16 51.55 38.66 16.32 62.49 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13570.00 45.23 88.20 -42.97 52.74 38.66 16.32 62.49 0.00 --- --- PEAK

Mode	31	
	Harmonic	
	U-NII-8_6.875-7.125_802.11BE EHT80_CH199_Full_6945MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13890.00 44.83 88.20 -43.37 52.35 38.69 16.47 62.68 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13890.00 44.94 88.20 -43.26 52.46 38.69 16.47 62.68 0.00 --- --- PEAK

Mode	32	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT80_CH215_7025MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7190.22 56.62 88.20 -31.58 41.97 35.60 11.64 32.59 0.00 388 86 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7025.00 97.54 ------ ------ 82.88 35.60 11.53 32.47 0.00 388 86 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7214.64 45.20 68.20 -23.00 30.56 35.60 11.65 32.61 0.00 388 86 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7025.00 87.09 ------ ------ 72.43 35.60 11.53 32.47 0.00 388 86 AVERAGE

Mode	32	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT80_CH215_7025MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7197.70 57.23 88.20 -30.97 42.59 35.60 11.64 32.60 0.00 300 36 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7025.00 102.82 ------ ------ 88.16 35.60 11.51 32.45 0.00 300 36 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.76 45.69 68.20 -22.51 31.04 35.60 11.59 32.54 0.00 300 36 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7025.00 92.05 ------ ------ 77.39 35.60 11.49 32.43 0.00 300 36 AVERAGE

Mode	32	
	Harmonic	
	U-NII-8_6.875-7.125_802.11BE EHT80_CH215_7025MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14050.00 44.18 88.20 -44.02 51.58 38.85 16.55 62.80 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 14050.00 44.32 88.20 -43.88 51.72 38.85 16.55 62.80 0.00 --- --- PEAK

Mode	33	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT160_CH15_6025MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5920.20 56.98 88.20 -31.22 43.61 35.02 10.51 32.16 0.00 400 48 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 97.51 ------ ------ 83.72 35.36 10.60 32.17 0.00 400 48 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5898.60 45.46 68.20 -22.74 32.24 34.89 10.49 32.16 0.00 400 48 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 86.32 ------ ------ 72.53 35.36 10.60 32.17 0.00 400 48 AVERAGE

Mode	33	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT160_CH15_6025MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5867.60 57.73 88.20 -30.47 44.66 34.77 10.46 32.16 0.00 300 8 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 99.91 ------ ------ 86.16 35.30 10.62 32.17 0.00 300 8 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5897.40 46.82 68.20 -21.38 33.60 34.89 10.49 32.16 0.00 300 8 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 91.44 ------ ------ 77.69 35.30 10.62 32.17 0.00 300 8 AVERAGE

Mode	33	
	Harmonic	
	U-NII-5_5.925-6.425_802.11BE EHT160_CH15_6025MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12050.00 46.06 74.00 -27.94 53.36 38.75 15.31 61.36 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12050.00 46.16 74.00 -27.84 53.46 38.75 15.31 61.36 0.00 --- --- PEAK

Mode	34	
	Harmonic	
	U-NII-5_5.925-6.425_802.11BE EHT160_CH47_Full _6185MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12370.00 45.96 74.00 -28.04 53.20 38.80 15.56 61.60 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12370.00 46.38 74.00 -27.62 53.62 38.80 15.56 61.60 0.00 --- --- PEAK

Mode	35	
	Harmonic	
	U-NII-5_5.925-6.425_802.11BE EHT160_CH79_Full _6345MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12690.00 45.51 74.00 -28.49 52.36 39.18 15.81 61.84 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12690.00 45.83 74.00 -28.17 52.68 39.18 15.81 61.84 0.00 --- --- PEAK

Mode	36	
	Harmonic	
	U-NII-7_6.525-6.875_802.11BE EHT160_CH143_Full _6665MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13330.00 45.35 74.00 -28.65 52.43 39.04 16.20 62.32 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13330.00 45.36 74.00 -28.64 52.44 39.04 16.20 62.32 0.00 --- --- PEAK

Mode	37	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT160_CH207_6985MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7143.64 67.08 88.20 -21.12 52.43 35.60 11.60 32.55 0.00 361 328 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 95.76 ------ ------ 81.11 35.60 11.48 32.43 0.00 361 328 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7138.84 47.26 68.20 -20.94 32.61 35.60 11.60 32.55 0.00 361 328 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 86.29 ------ ------ 71.63 35.60 11.47 32.41 0.00 361 328 AVERAGE

Mode	37	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT160_CH207_6985MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7129.00 65.12 88.20 -23.08 50.47 35.60 11.59 32.54 0.00 297 342 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 101.71 ------ ------ 87.05 35.60 11.48 32.42 0.00 297 342 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7145.80 50.31 68.20 -17.89 35.67 35.60 11.60 32.56 0.00 297 342 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 91.94 ------ ------ 77.28 35.60 11.48 32.42 0.00 297 342 AVERAGE

Mode	37	
	Harmonic	
	U-NII-8_6.875-7.125_802.11BE EHT160_CH207_6985MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13970.00 44.43 88.20 -43.77 51.89 38.77 16.50 62.73 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13970.00 45.00 88.20 -43.20 52.46 38.77 16.50 62.73 0.00 --- --- PEAK

Mode	38	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT320_CH31_6105MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5821.48 58.52 88.20 -29.68 45.54 34.64 10.42 32.08 0.00 400 52 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 92.02 ------ ------ 78.02 35.45 10.73 32.18 0.00 400 52 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5858.60 48.75 68.20 -19.45 35.72 34.73 10.46 32.16 0.00 400 52 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 82.03 ------ ------ 68.24 35.36 10.60 32.17 0.00 400 52 AVERAGE

Mode	38	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT320_CH31_6105MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5830.44 61.78 88.20 -26.42 48.79 34.66 10.43 32.10 0.00 300 12 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 99.07 ------ ------ 85.19 35.39 10.66 32.17 0.00 300 12 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5912.68 52.39 68.20 -15.81 39.07 34.98 10.50 32.16 0.00 300 12 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 88.67 ------ ------ 74.79 35.39 10.66 32.17 0.00 300 12 AVERAGE

Mode	38	
	Harmonic	
	U-NII-5_5.925-6.425_802.11BE EHT320_CH31_6105MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12210.00 46.09 74.00 -27.91 53.34 38.80 15.43 61.48 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12210.00 45.62 74.00 -28.38 52.87 38.80 15.43 61.48 0.00 --- --- PEAK

Mode	39	
	Harmonic	
	U-NII-5_5.925-6.425_802.11BE EHT320_CH67_6265MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12530.00 45.70 74.00 -28.30 52.81 38.93 15.68 61.72 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12530.00 46.08 74.00 -27.92 53.19 38.93 15.68 61.72 0.00 --- --- PEAK

Mode	40	
	Harmonic	
	U-NII-7-8_6.525-7.125_802.11BE EHT20_CH185_6875MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13750.00 45.11 88.20 -43.09 52.71 38.60 16.40 62.60 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13750.00 44.90 88.20 -43.30 52.50 38.60 16.40 62.60 0.00 --- --- PEAK

Mode	41	
	Harmonic	
	U-NII-7-8_6.525-7.125_802.11BE EHT40_CH187_6885MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13770.00 44.55 88.20 -43.65 52.15 38.60 16.41 62.61 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13770.00 45.00 88.20 -43.20 52.60 38.60 16.41 62.61 0.00 --- --- PEAK

Mode	42	
	Harmonic	
	U-NII-7-8_6.525-7.125_802.11BE EHT80_CH183_6865MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13730.00 44.50 88.20 -43.70 52.10 38.60 16.39 62.59 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13730.00 46.45 88.20 -41.75 54.05 38.60 16.39 62.59 0.00 --- --- PEAK

Mode	43	
	Harmonic	
	U-NII-7-8_6.525-7.125_802.11BE EHT160_CH175_6825MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13650.00 45.41 88.20 -42.79 53.00 38.60 16.35 62.54 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13650.00 45.69 88.20 -42.51 53.28 38.60 16.35 62.54 0.00 --- --- PEAK

Mode	44	
	Harmonic	
	U-NII-7-8_6.525-7.125_802.11BE EHT320_CH159_6745MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13490.00 45.56 88.20 -42.64 52.91 38.81 16.28 62.44 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13490.00 45.68 88.20 -42.52 53.03 38.81 16.28 62.44 0.00 --- --- PEAK

Mode	45	
	Band Edge	
	U-NII-7-8_6.525-7.125_802.11BE EHT320_CH191_6905MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7254.04 58.54 74.00 -15.46 43.91 35.61 11.67 32.65 0.00 400 70 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 91.76 ------ ------ 77.11 35.60 11.45 32.40 0.00 400 70 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7252.60 48.33 54.00 -5.67 33.70 35.61 11.67 32.65 0.00 400 70 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 82.17 ------ ------ 67.52 35.60 11.45 32.40 0.00 400 70 AVERAGE

Mode	45	
	Band Edge	
	U-NII-7-8_6.525-7.125_802.11BE EHT320_CH191_6905MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7252.60 58.62 74.00 -15.38 43.99 35.61 11.67 32.65 0.00 293 8 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 97.27 ------ ------ 82.61 35.60 11.47 32.41 0.00 293 8 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7252.60 50.00 54.00 -4.00 35.37 35.61 11.67 32.65 0.00 293 8 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 88.23 ------ ------ 73.58 35.60 11.44 32.39 0.00 293 8 AVERAGE

Mode	45	
	Harmonic	
	U-NII-7-8_6.525-7.125_802.11BE EHT320_CH191_6905MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13810.00 45.38 88.20 -42.82 52.98 38.61 16.43 62.64 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13810.00 46.43 88.20 -41.77 54.03 38.61 16.43 62.64 0.00 --- --- PEAK

Mode	46	
	Harmonic	
	U-NII-6-7_6.425-6.875_802.11BE EHT40_CH115_6525MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13050.00 48.32 88.20 -39.88 55.06 39.30 16.07 62.11 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13050.00 47.63 88.20 -40.57 54.37 39.30 16.07 62.11 0.00 --- --- PEAK

Mode	47	
	Harmonic	
	U-NII-6-7_6.425-6.875_802.11BE EHT80_CH119_6545MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13090.00 46.83 88.20 -41.37 53.66 39.22 16.09 62.14 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13090.00 46.81 88.20 -41.39 53.64 39.22 16.09 62.14 0.00 --- --- PEAK

Mode	48	
	Harmonic	
	U-NII-6-7_6.425-6.875_802.11BE EHT160_CH111_6505MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13010.00 48.15 88.20 -40.05 54.80 39.38 16.05 62.08 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13010.00 46.30 88.20 -41.90 52.95 39.38 16.05 62.08 0.00 --- --- PEAK

Mode	49	
	Harmonic	
	U-NII-5-6_5.925-6.425_802.11BE EHT320_CH95_6425MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12850.00 46.21 88.20 -41.99 52.89 39.35 15.93 61.96 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12850.00 46.18 88.20 -42.02 52.86 39.35 15.93 61.96 0.00 --- --- PEAK

Mode	50	
	Harmonic	
	U-NII-6-7_6.425-6.875_802.11BE EHT320_CH127_6585MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13170.00 46.21 88.20 -41.99 53.08 39.20 16.13 62.20 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13170.00 45.78 88.20 -42.42 52.65 39.20 16.13 62.20 0.00 --- --- PEAK

Mode	51	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT20_CH1_ Single RU26/0_5955MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5910.15 55.74 88.20 -32.46 42.44 34.96 10.50 32.16 0.00 100 279 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 89.55 ------ ------ 75.98 35.20 10.54 32.17 0.00 100 279 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5917.43 44.02 68.20 -24.18 30.67 35.00 10.51 32.16 0.00 100 279 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 82.09 ------ ------ 68.52 35.20 10.54 32.17 0.00 100 279 AVERAGE

Mode	51	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT20_CH1_ Single RU26/0_5955MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5856.85 55.89 88.20 -32.31 42.86 34.73 10.46 32.16 0.00 247 355 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 99.52 ------ ------ 85.95 35.20 10.54 32.17 0.00 247 355 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5923.28 44.04 68.20 -24.16 30.65 35.04 10.51 32.16 0.00 247 355 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 91.12 ------ ------ 77.55 35.20 10.54 32.17 0.00 247 355 AVERAGE

Mode	52	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT20_CH1_ Single RU52/37_5955MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5888.70 55.42 88.20 -32.78 42.25 34.85 10.48 32.16 0.00 304 82 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 91.39 ------ ------ 77.82 35.20 10.54 32.17 0.00 304 82 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.97 44.04 68.20 -24.16 30.63 35.05 10.52 32.16 0.00 304 82 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 83.65 ------ ------ 70.08 35.20 10.54 32.17 0.00 304 82 AVERAGE

Mode	52	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT20_CH1_ Single RU52/37_5955MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5846.71 55.33 88.20 -32.87 42.33 34.69 10.45 32.14 0.00 249 355 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 100.42 ------ ------ 86.85 35.20 10.54 32.17 0.00 249 355 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.06 44.06 68.20 -24.14 30.67 35.04 10.51 32.16 0.00 249 355 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 91.55 ------ ------ 77.98 35.20 10.54 32.17 0.00 249 355 AVERAGE

Mode	53	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT20_CH1_ Single RU106/53_5955MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5907.55 55.18 88.20 -33.02 41.89 34.95 10.50 32.16 0.00 300 83 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 91.82 ------ ------ 78.25 35.20 10.54 32.17 0.00 300 83 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.19 44.04 68.20 -24.16 30.64 35.05 10.51 32.16 0.00 300 83 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 82.50 ------ ------ 68.93 35.20 10.54 32.17 0.00 300 83 AVERAGE

Mode	53	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT20_CH1_ Single RU106/53_5955MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5914.44 55.30 88.20 -32.90 41.96 34.99 10.51 32.16 0.00 247 355 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 97.45 ------ ------ 83.88 35.20 10.54 32.17 0.00 247 355 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.19 44.08 68.20 -24.12 30.68 35.05 10.51 32.16 0.00 247 355 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 90.17 ------ ------ 76.60 35.20 10.54 32.17 0.00 247 355 AVERAGE

Mode	54	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT20_CH229_ Single RU26/8_7095MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7141.48 57.08 88.20 -31.12 42.43 35.60 11.60 32.55 0.00 310 331 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 92.80 ------ ------ 78.15 35.60 11.57 32.52 0.00 310 331 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7201.64 45.05 68.20 -23.15 30.40 35.60 11.65 32.60 0.00 310 331 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 85.08 ------ ------ 70.43 35.60 11.57 32.52 0.00 310 331 AVERAGE

Mode	54	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT20_CH229_ Single RU26/8_7095MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7163.08 57.41 88.20 -30.79 42.76 35.60 11.62 32.57 0.00 100 13 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 96.70 ------ ------ 82.05 35.60 11.57 32.52 0.00 100 13 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7199.40 45.02 68.20 -23.18 30.37 35.60 11.65 32.60 0.00 100 13 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 88.30 ------ ------ 73.65 35.60 11.57 32.52 0.00 100 13 AVERAGE

Mode	55	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT20_CH229_ Single RU52/40_7095MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7238.44 56.65 88.20 -31.55 42.03 35.60 11.66 32.64 0.00 300 330 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 90.97 ------ ------ 76.32 35.60 11.57 32.52 0.00 300 330 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7198.76 45.02 68.20 -23.18 30.37 35.60 11.65 32.60 0.00 300 330 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 82.09 ------ ------ 67.44 35.60 11.57 32.52 0.00 300 330 AVERAGE

Mode	55	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT20_CH229_ Single RU52/40_7095MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7170.92 56.33 88.20 -31.87 41.69 35.60 11.62 32.58 0.00 100 13 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 97.62 ------ ------ 82.97 35.60 11.57 32.52 0.00 100 13 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7183.72 45.03 68.20 -23.17 30.39 35.60 11.63 32.59 0.00 100 13 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 88.86 ------ ------ 74.21 35.60 11.57 32.52 0.00 100 13 AVERAGE

Mode	56	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT20_CH229_ Single RU106/54_7095MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7185.00 57.74 88.20 -30.46 43.10 35.60 11.63 32.59 0.00 326 66 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 94.75 ------ ------ 80.10 35.60 11.57 32.52 0.00 326 66 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7187.24 45.02 68.20 -23.18 30.37 35.60 11.64 32.59 0.00 326 66 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 85.21 ------ ------ 70.56 35.60 11.57 32.52 0.00 326 66 AVERAGE

Mode	56	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT20_CH229_ Single RU106/54_7095MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7161.80 56.88 88.20 -31.32 42.23 35.60 11.62 32.57 0.00 100 10 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 97.59 ------ ------ 82.94 35.60 11.57 32.52 0.00 100 10 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7211.56 45.02 68.20 -23.18 30.38 35.60 11.65 32.61 0.00 100 10 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 88.83 ------ ------ 74.18 35.60 11.57 32.52 0.00 100 10 AVERAGE

Mode	57	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT20_CH1_Small RU Index 38+1_5955MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5852.17 57.00 88.20 -31.20 43.99 34.71 10.45 32.15 0.00 100 280 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 97.19 ------ ------ 83.62 35.20 10.54 32.17 0.00 100 280 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5911.71 44.26 68.20 -23.94 30.95 34.97 10.50 32.16 0.00 100 280 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 87.55 ------ ------ 73.98 35.20 10.54 32.17 0.00 100 280 AVERAGE

Mode	57	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT20_CH1_Small RU Index 38+1_5955MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5887.66 56.40 88.20 -31.80 43.23 34.85 10.48 32.16 0.00 246 0 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 103.65 ------ ------ 90.08 35.20 10.54 32.17 0.00 246 0 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5914.96 44.39 68.20 -23.81 31.05 34.99 10.51 32.16 0.00 246 0 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 94.83 ------ ------ 81.26 35.20 10.54 32.17 0.00 246 0 AVERAGE

Mode	58	
	Band Edge	
	U-NII-5_6.425-6.525_802.11BE EHT20_CH1_Small RU Index 53+4_5955MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5914.57 56.03 88.20 -32.17 42.69 34.99 10.51 32.16 0.00 100 281 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 97.82 ------ ------ 84.25 35.20 10.54 32.17 0.00 100 281 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5920.68 44.23 68.20 -23.97 30.86 35.02 10.51 32.16 0.00 100 281 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 88.49 ------ ------ 74.92 35.20 10.54 32.17 0.00 100 281 AVERAGE

Mode	58	
	Band Edge	
	U-NII-5_6.425-6.525_802.11BE EHT20_CH1_Small RU Index 53+4_5955MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5830.46 56.16 88.20 -32.04 43.17 34.66 10.43 32.10 0.00 246 0 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 106.02 ------ ------ 92.45 35.20 10.54 32.17 0.00 246 0 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.84 44.38 68.20 -23.82 30.97 35.05 10.52 32.16 0.00 246 0 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 96.85 ------ ------ 83.28 35.20 10.54 32.17 0.00 246 0 AVERAGE

Mode	59	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT20_CH229_Small RU Index 39+7_7095MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7127.56 56.69 88.20 -31.51 42.04 35.60 11.59 32.54 0.00 333 72 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 106.09 ------ ------ 91.44 35.60 11.57 32.52 0.00 333 72 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7198.44 45.22 68.20 -22.98 30.58 35.60 11.64 32.60 0.00 333 72 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 95.15 ------ ------ 80.50 35.60 11.57 32.52 0.00 333 72 AVERAGE

Mode	59	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT20_CH229_Small RU Index 39+7_7095MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7134.76 57.02 88.20 -31.18 42.38 35.60 11.59 32.55 0.00 299 10 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 108.46 ------ ------ 93.81 35.60 11.57 32.52 0.00 299 10 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7148.68 45.25 68.20 -22.95 30.60 35.60 11.61 32.56 0.00 299 10 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 99.06 ------ ------ 84.41 35.60 11.57 32.52 0.00 299 10 AVERAGE

Mode	60	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT20_CH229_ Small RU Index 54+4-_7095MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7218.28 56.96 88.20 -31.24 42.33 35.60 11.65 32.62 0.00 333 72 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 102.81 ------ ------ 88.16 35.60 11.57 32.52 0.00 333 72 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7201.16 45.19 68.20 -23.01 30.54 35.60 11.65 32.60 0.00 333 72 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 92.74 ------ ------ 78.09 35.60 11.57 32.52 0.00 333 72 AVERAGE

Mode	60	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT20_CH229_ Small RU Index 54+4_7095MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7182.44 57.48 88.20 -30.72 42.84 35.60 11.63 32.59 0.00 300 10 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 105.56 ------ ------ 90.91 35.60 11.56 32.51 0.00 300 10 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7185.64 45.19 68.20 -23.01 30.55 35.60 11.63 32.59 0.00 300 10 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7095.00 96.92 ------ ------ 82.27 35.60 11.57 32.52 0.00 300 10 AVERAGE

Mode	61	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT80_CH7_Puncturing 20M ④_5985MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5899.56 56.29 88.20 -31.91 43.06 34.90 10.49 32.16 0.00 111 39 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 95.51 ------ ------ 81.81 35.31 10.56 32.17 0.00 111 39 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5914.76 44.41 68.20 -23.79 31.07 34.99 10.51 32.16 0.00 111 39 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 85.50 ------ ------ 71.71 35.38 10.58 32.17 0.00 111 39 AVERAGE

Mode	61	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT80_CH7_Puncturing 20M ④_5985MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5909.48 57.46 88.20 -30.74 44.16 34.96 10.50 32.16 0.00 249 360 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 102.38 ------ ------ 88.73 35.27 10.55 32.17 0.00 249 360 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5908.68 45.37 68.20 -22.83 32.08 34.95 10.50 32.16 0.00 249 360 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 92.44 ------ ------ 78.87 35.20 10.54 32.17 0.00 249 360 AVERAGE

Mode	62	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT80_CH215_Puncturing 20M ❶_7025MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7184.50 56.39 88.20 -31.81 41.75 35.60 11.63 32.59 0.00 399 78 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7025.00 97.18 ------ ------ 82.52 35.60 11.53 32.47 0.00 399 78 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7206.06 45.40 68.20 -22.80 30.76 35.60 11.65 32.61 0.00 399 78 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7025.00 87.21 ------ ------ 72.55 35.60 11.53 32.47 0.00 399 78 AVERAGE

Mode	62	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT80_CH215_Puncturing 20M ❶_7025MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7127.52 57.42 88.20 -30.78 42.77 35.60 11.59 32.54 0.00 296 37 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7025.00 102.74 ------ ------ 88.08 35.60 11.51 32.45 0.00 296 37 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.10 46.23 68.20 -21.97 31.58 35.60 11.59 32.54 0.00 296 37 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7025.00 92.82 ------ ------ 78.16 35.60 11.51 32.45 0.00 296 37 AVERAGE

Mode	63	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT160_CH15_Puncturing 40M ④_6025MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5886.40 69.23 88.20 -18.97 56.06 34.85 10.48 32.16 0.00 351 55 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 98.02 ------ ------ 84.24 35.34 10.61 32.17 0.00 351 55 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5892.20 47.73 68.20 -20.47 34.53 34.87 10.49 32.16 0.00 351 55 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 88.34 ------ ------ 74.56 35.34 10.61 32.17 0.00 351 55 AVERAGE

Mode	63	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT160_CH15_Puncturing 40M ❹_6025MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5849.00 75.51 88.20 -12.69 62.51 34.70 10.45 32.15 0.00 304 5 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 104.15 ------ ------ 90.37 35.34 10.61 32.17 0.00 304 5 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5868.80 57.21 68.20 -10.99 44.12 34.78 10.47 32.16 0.00 304 5 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 94.35 ------ ------ 80.56 35.36 10.60 32.17 0.00 304 5 AVERAGE

Mode	64	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT160_CH207_Puncturing 40M ❶_6985MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7129.48 68.47 88.20 -19.73 53.82 35.60 11.59 32.54 0.00 313 72 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 97.74 ------ ------ 83.09 35.60 11.48 32.43 0.00 313 72 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7127.08 53.25 68.20 -14.95 38.60 35.60 11.59 32.54 0.00 313 72 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 88.06 ------ ------ 73.40 35.60 11.48 32.42 0.00 313 72 AVERAGE

Mode	64	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT160_CH207_Puncturing 40M ❶_6985MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7142.68 73.89 88.20 -14.31 59.24 35.60 11.60 32.55 0.00 300 38 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 103.54 ------ ------ 88.88 35.60 11.49 32.43 0.00 300 38 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7140.52 56.37 68.20 -11.83 41.72 35.60 11.60 32.55 0.00 300 38 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 93.21 ------ ------ 78.55 35.60 11.47 32.41 0.00 300 38 AVERAGE

Mode	65	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT160_CH15_Puncturing 20M ⑧_6025MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5905.20 61.52 88.20 -26.68 48.25 34.93 10.50 32.16 0.00 348 56 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 97.87 ------ ------ 84.11 35.32 10.61 32.17 0.00 348 56 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5911.20 47.96 68.20 -20.24 34.65 34.97 10.50 32.16 0.00 348 56 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 88.38 ------ ------ 74.60 35.34 10.61 32.17 0.00 348 56 AVERAGE

Mode	65	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT160_CH15_Puncturing 20M ❽_6025MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5883.20 69.33 88.20 -18.87 56.18 34.83 10.48 32.16 0.00 305 5 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 103.06 ------ ------ 89.30 35.32 10.61 32.17 0.00 305 5 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5868.80 54.93 68.20 -13.27 41.84 34.78 10.47 32.16 0.00 305 5 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 93.93 ------ ------ 80.14 35.36 10.60 32.17 0.00 305 5 AVERAGE

Mode	66	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT160_CH207_Puncturing 20M ❶_6985MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.16 66.21 88.20 -21.99 51.56 35.60 11.59 32.54 0.00 329 72 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 98.92 ------ ------ 84.26 35.60 11.48 32.42 0.00 329 72 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7127.08 55.61 68.20 -12.59 40.96 35.60 11.59 32.54 0.00 329 72 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 87.59 ------ ------ 72.93 35.60 11.48 32.42 0.00 329 72 AVERAGE

Mode	66	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT160_CH207_Puncturing 20M ❶_6985MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7134.04 73.36 88.20 -14.84 58.72 35.60 11.59 32.55 0.00 300 10 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 103.30 ------ ------ 88.64 35.60 11.49 32.43 0.00 300 10 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.88 58.75 68.20 -9.45 44.10 35.60 11.59 32.54 0.00 300 10 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 92.20 ------ ------ 77.54 35.60 11.48 32.42 0.00 300 10 AVERAGE

Mode	67	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT320_CH31_Puncturing 80M +40M⑥_6105MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.56 57.19 88.20 -31.01 44.20 34.60 10.40 32.01 0.00 400 51 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 91.95 ------ ------ 78.07 35.39 10.66 32.17 0.00 400 51 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5816.04 45.44 68.20 -22.76 32.45 34.63 10.42 32.06 0.00 400 51 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 83.01 ------ ------ 69.23 35.32 10.63 32.17 0.00 400 51 AVERAGE

Mode	67	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT320_CH31_Puncturing 80M +40M⑥_6105MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5803.24 59.24 88.20 -28.96 46.25 34.61 10.41 32.03 0.00 303 8 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 98.96 ------ ------ 85.06 35.40 10.68 32.18 0.00 303 8 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5840.68 48.04 68.20 -20.16 35.05 34.68 10.44 32.13 0.00 303 8 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 89.86 ------ ------ 75.96 35.40 10.67 32.17 0.00 303 8 AVERAGE

Mode	68	
	Band Edge	
	U-NII-7-8_6.875-7.125_802.11BE EHT320_CH191_Puncturing 80M+40M⑦_6905MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7299.40 56.21 74.00 -17.79 41.51 35.70 11.69 32.69 0.00 100 335 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 92.04 ------ ------ 77.39 35.60 11.45 32.40 0.00 100 335 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7262.68 45.88 54.00 -8.12 31.24 35.63 11.67 32.66 0.00 100 335 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 81.46 ------ ------ 66.75 35.67 11.41 32.37 0.00 100 335 AVERAGE

Mode	68	
	Band Edge	
	U-NII-7-8_6.875-7.125_802.11BE EHT320_CH191_Puncturing 80M+40M⑦_6905MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7283.56 58.98 74.00 -15.02 44.30 35.67 11.68 32.67 0.00 300 10 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 99.26 ------ ------ 84.59 35.62 11.44 32.39 0.00 300 10 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7264.84 46.65 54.00 -7.35 32.01 35.63 11.67 32.66 0.00 300 10 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 87.88 ------ ------ 73.17 35.66 11.42 32.37 0.00 300 10 AVERAGE

Mode	69	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT320_CH31_Puncturing 80M ④_6105MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5895.40 56.97 88.20 -31.23 43.76 34.88 10.49 32.16 0.00 399 67 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 90.78 ------ ------ 77.00 35.32 10.63 32.17 0.00 399 67 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5913.64 45.00 68.20 -23.20 31.67 34.98 10.51 32.16 0.00 399 67 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 81.22 ------ ------ 67.44 35.32 10.63 32.17 0.00 399 67 AVERAGE

Mode	69	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT320_CH31_Puncturing 80M ④_6105MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5793.32 59.36 88.20 -28.84 46.37 34.60 10.40 32.01 0.00 300 11 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 6105.00 99.27 ------ ------ 85.39 35.39 10.66 32.17 0.00 300 11 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5791.08 47.02 68.20 -21.18 34.02 34.60 10.40 32.00 0.00 300 11 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 6105.00 88.56 ------ ------ 74.66 35.40 10.68 32.18 0.00 300 11 AVERAGE

Mode	70	
	Band Edge	
	U-NII-7-8_6.875-7.125_802.11BE EHT320_CH191_Puncturing 80M ❶_6905MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7261.24 57.44 74.00 -16.56 42.80 35.62 11.67 32.65 0.00 381 83 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 92.94 ------ ------ 78.29 35.60 11.51 32.46 0.00 381 83 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7251.16 46.68 54.00 -7.32 32.06 35.60 11.67 32.65 0.00 381 83 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 82.07 ------ ------ 67.42 35.60 11.51 32.46 0.00 381 83 AVERAGE

Mode	70	
	Band Edge	
	U-NII-7-8_6.875-7.125_802.11BE EHT320_CH191_Puncturing 80M ❶_6905MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7253.32 57.89 74.00 -16.11 43.26 35.61 11.67 32.65 0.00 300 9 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 96.64 ------ ------ 81.99 35.60 11.46 32.41 0.00 300 9 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7250.44 47.39 54.00 -6.61 32.77 35.60 11.67 32.65 0.00 300 9 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 87.38 ------ ------ 72.69 35.64 11.43 32.38 0.00 300 9 AVERAGE

Mode	71	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT320_CH31_Puncturing 40M ❽_6105MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5895.08 56.12 88.20 -32.08 42.91 34.88 10.49 32.16 0.00 300 9 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 82.41 ------ ------ 68.47 35.41 10.71 32.18 0.00 300 9 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5915.24 44.53 68.20 -23.67 31.19 34.99 10.51 32.16 0.00 300 9 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 73.45 ------ ------ 59.51 35.41 10.71 32.18 0.00 300 9 AVERAGE

Mode	71	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT320_CH31_Puncturing 40M ⑧_6105MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5898.60 59.90 88.20 -28.30 46.68 34.89 10.49 32.16 0.00 300 10 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 97.42 ------ ------ 83.59 35.35 10.65 32.17 0.00 300 10 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5797.80 48.43 68.20 -19.77 35.45 34.60 10.40 32.02 0.00 300 10 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 88.12 ------ ------ 74.29 35.35 10.65 32.17 0.00 300 10 AVERAGE

Mode	72	
	Band Edge	
	U-NII-7-8_6.875-7.125_802.11BE EHT320_CH191_Puncturing 40M ❶_6905MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7385.80 60.28 74.00 -13.72 45.62 35.70 11.72 32.76 0.00 398 88 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 91.65 ------ ------ 76.99 35.60 11.49 32.43 0.00 398 88 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7250.44 46.63 54.00 -7.37 32.01 35.60 11.67 32.65 0.00 398 88 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 81.49 ------ ------ 66.83 35.60 11.50 32.44 0.00 398 88 AVERAGE

Mode	72	
	Band Edge	
	U-NII-7-8_6.875-7.125_802.11BE EHT320_CH191_Puncturing 40M ❶_6905MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7250.44 57.07 74.00 -16.93 42.45 35.60 11.67 32.65 0.00 300 8 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 96.93 ------ ------ 82.27 35.60 11.50 32.44 0.00 300 8 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7251.88 47.34 54.00 -6.66 32.72 35.60 11.67 32.65 0.00 300 8 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 87.18 ------ ------ 72.47 35.67 11.41 32.37 0.00 300 8 AVERAGE

Mode	73	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT80_CH7_Large RU 484+242 ④_5985MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5910.92 56.30 88.20 -31.90 42.99 34.97 10.50 32.16 0.00 398 52 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 95.47 ------ ------ 81.85 35.24 10.55 32.17 0.00 398 52 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5925.00 45.44 68.20 -22.76 32.03 35.05 10.52 32.16 0.00 398 52 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 87.11 ------ ------ 73.49 35.24 10.55 32.17 0.00 398 52 AVERAGE

Mode	73	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT80_CH7_Large RU 484+242 ④_5985MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5909.64 58.74 88.20 -29.46 45.44 34.96 10.50 32.16 0.00 297 360 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 104.44 ------ ------ 90.79 35.27 10.55 32.17 0.00 297 360 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5916.36 46.75 68.20 -21.45 33.40 35.00 10.51 32.16 0.00 297 360 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 92.71 ------ ------ 79.06 35.27 10.55 32.17 0.00 297 360 AVERAGE

Mode	74	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT80_CH215_Large RU 484+242 ❶_7025MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7205.62 58.35 88.20 -29.85 43.71 35.60 11.65 32.61 0.00 321 76 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7025.00 99.87 ------ ------ 85.21 35.60 11.52 32.46 0.00 321 76 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.76 45.70 68.20 -22.50 31.05 35.60 11.59 32.54 0.00 321 76 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7025.00 88.86 ------ ------ 74.21 35.60 11.54 32.49 0.00 321 76 AVERAGE

Mode	74	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT80_CH215_Large RU 484+242 ❶_7025MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7140.50 64.23 88.20 -23.97 49.58 35.60 11.60 32.55 0.00 286 349 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7025.00 103.82 ------ ------ 89.17 35.60 11.53 32.48 0.00 286 349 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7125.10 46.45 68.20 -21.75 31.80 35.60 11.59 32.54 0.00 286 349 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7025.00 93.79 ------ ------ 79.13 35.60 11.52 32.46 0.00 286 349 AVERAGE

Mode	75	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT160_CH15_Large RU 996+484 ④_6025MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5849.80 57.73 88.20 -30.47 44.73 34.70 10.45 32.15 0.00 353 53 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 94.60 ------ ------ 80.84 35.32 10.61 32.17 0.00 353 53 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5897.40 44.59 68.20 -23.61 31.37 34.89 10.49 32.16 0.00 353 53 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 84.49 ------ ------ 70.71 35.34 10.61 32.17 0.00 353 53 AVERAGE

Mode	75	
	Band Edge	
	U-NII-5_5.925-6.425_802.11BE EHT160_CH15_Large RU 996+484 ④_6025MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5894.60 66.54 88.20 -21.66 53.33 34.88 10.49 32.16 0.00 300 7 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 100.71 ------ ------ 86.96 35.30 10.62 32.17 0.00 300 7 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5874.80 47.01 68.20 -21.19 33.90 34.80 10.47 32.16 0.00 300 7 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 90.41 ------ ------ 76.62 35.36 10.60 32.17 0.00 300 7 AVERAGE

Mode	76	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT160_CH207_Large RU 996+484 ❶_6985MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7143.40 60.15 88.20 -28.05 45.50 35.60 11.60 32.55 0.00 300 86 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 95.64 ------ ------ 80.98 35.60 11.47 32.41 0.00 300 86 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7133.56 46.12 68.20 -22.08 31.47 35.60 11.59 32.54 0.00 300 86 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 84.77 ------ ------ 70.11 35.60 11.47 32.41 0.00 300 86 AVERAGE

Mode	76	
	Band Edge	
	U-NII-8_6.875-7.125_802.11BE EHT160_CH207_Large RU 996+484 ❶_6985MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7134.76 69.37 88.20 -18.83 54.73 35.60 11.59 32.55 0.00 300 38 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 100.91 ------ ------ 86.25 35.60 11.49 32.43 0.00 300 38 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7139.80 48.99 68.20 -19.21 34.34 35.60 11.60 32.55 0.00 300 38 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6985.00 90.92 ------ ------ 76.26 35.60 11.48 32.42 0.00 300 38 AVERAGE

Mode	77	
	Band Edge	
	U-NII-7-8_6.875-7.125_802.11BE EHT320_CH31_Large RU 996*2+484 ⑥_6105MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5915.88 59.24 88.20 -28.96 45.89 35.00 10.51 32.16 0.00 361 58 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 93.87 ------ ------ 80.04 35.35 10.65 32.17 0.00 361 58 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5916.20 47.79 68.20 -20.41 34.44 35.00 10.51 32.16 0.00 361 58 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 84.34 ------ ------ 70.46 35.39 10.66 32.17 0.00 361 58 AVERAGE

Mode	77	
	Band Edge	
	U-NII-7-8_6.875-7.125_802.11BE EHT320_CH31_Large RU 996*2+484 ⑥_6105MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5846.12 66.48 88.20 -21.72 53.48 34.69 10.45 32.14 0.00 300 19 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 98.89 ------ ------ 84.98 35.40 10.69 32.18 0.00 300 19 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5884.84 51.93 68.20 -16.27 38.77 34.84 10.48 32.16 0.00 300 19 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6105.00 89.55 ------ ------ 75.64 35.40 10.69 32.18 0.00 300 19 AVERAGE

Mode	78	
	Band Edge	
	U-NII-7-8_6.875-7.125_802.11BE EHT320_CH191_Large RU 996*2+484 ⑦_6905MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7308.76 56.75 74.00 -17.25 42.06 35.70 11.69 32.70 0.00 359 76 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 90.23 ------ ------ 75.57 35.60 11.50 32.44 0.00 359 76 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 7296.52 46.64 54.00 -7.36 31.96 35.69 11.68 32.69 0.00 359 76 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6905.00 79.94 ------ ------ 65.29 35.60 11.44 32.39 0.00 359 76 AVERAGE