



4.9.2.75 11AC80_42 ANT 1_Horizontal



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6954.69	47.33	21.26	54.00	6.67	150	342	Horizontal
2	6974.49	57.08	21.26	74.00	16.92	150	89	Horizontal
3	10420.0	39.49	-3.40	54.00	14.51	150	124	Horizontal
4	10420.0	50.26	-3.40	74.00	23.74	150	70	Horizontal
5	15630.0	51.77	0.28	74.00	22.23	150	173	Horizontal
6	15630.0	41.74	0.28	54.00	12.26	150	18	Horizontal
7	17883.3	46.91	1.47	54.00	7.09	150	70	Horizontal


4.9.2.76 11AC80_42 ANT 1_Vertical



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6960.99	47.48	21.26	54.00	6.52	150	360	Vertical
2	6973.29	56.90	21.26	74.00	17.10	150	18	Vertical
3	10420.0	39.44	-3.40	54.00	14.56	150	291	Vertical
4	10420.0	50.35	-3.40	74.00	23.65	150	0	Vertical
5	15630.0	53.38	0.28	74.00	20.62	150	89	Vertical
6	15630.0	41.39	0.28	54.00	12.61	150	89	Vertical
7	17921.8	46.95	1.70	54.00	7.05	150	240	Vertical


4.9.2.77 11AC80_58 ANT 1_Horizontal



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6972.09	47.16	21.26	54.00	6.84	150	38	Horizontal
2	6996.09	56.98	21.27	74.00	17.02	150	0	Horizontal
3	10580.0	40.80	-2.84	54.00	13.20	150	18	Horizontal
4	10580.0	52.10	-2.84	74.00	21.90	150	226	Horizontal
5	15870.0	52.26	-0.67	74.00	21.74	150	327	Horizontal
6	15870.0	41.80	-0.67	54.00	12.20	150	176	Horizontal
7	17661.1	46.42	2.34	54.00	7.58	150	277	Horizontal


4.9.2.78 11AC80_58 ANT 1_Vertical



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6951.69	47.61	21.26	54.00	6.39	150	322	Vertical
2	7000.00	56.77	21.27	74.00	17.23	150	322	Vertical
3	10580.0	41.25	-2.84	54.00	12.75	150	0	Vertical
4	10580.0	52.34	-2.84	74.00	21.66	150	342	Vertical
5	15870.0	52.41	-0.67	74.00	21.59	150	241	Vertical
6	15870.0	41.54	-0.67	54.00	12.46	150	241	Vertical
7	17972.4	47.00	1.71	54.00	7.00	150	39	Vertical


4.9.2.79 11AC80_106 ANT 1_Horizontal



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6986.49	47.58	21.27	54.00	6.42	150	191	Horizontal
2	6993.99	56.69	21.27	74.00	17.31	150	241	Horizontal
3	11060.0	40.73	-2.22	54.00	13.27	150	18	Horizontal
4	11060.0	51.44	-2.22	74.00	22.56	150	320	Horizontal
5	16590.0	43.35	0.20	54.00	10.65	150	220	Horizontal
6	16590.0	55.55	0.20	74.00	18.45	150	360	Horizontal
7	17987.8	47.07	1.72	54.00	6.93	150	320	Horizontal


4.9.2.80 11AC80_106 ANT 1_Vertical



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6954.09	56.73	21.26	74.00	17.27	150	279	Vertical
2	6969.39	47.19	21.26	54.00	6.81	150	279	Vertical
3	11060.0	40.78	-2.22	54.00	13.22	150	39	Vertical
4	11060.0	52.06	-2.22	74.00	21.94	150	90	Vertical
5	16590.0	55.33	0.20	74.00	18.67	150	241	Vertical
6	16590.0	42.87	0.20	54.00	11.13	150	342	Vertical
7	17963.1	47.57	1.71	54.00	6.43	150	190	Vertical

4.9.2.81 11AC80_122 ANT 1_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6910.89	56.45	20.91	74.00	17.55	150	39	Horizontal
2	6974.49	47.28	21.26	54.00	6.72	150	39	Horizontal
3	11220.0	42.03	-2.35	54.00	11.97	150	170	Horizontal
4	11220.0	53.34	-2.35	74.00	20.66	150	69	Horizontal
5	16830.0	44.48	0.94	54.00	9.52	150	119	Horizontal
6	16830.0	54.84	0.94	74.00	19.16	150	320	Horizontal
7	17976.8	46.87	1.71	54.00	7.13	150	18	Horizontal



4.9.2.82 11AC80_122 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6931.89	47.72	21.09	54.00	6.28	150	120	Vertical
2	6985.29	56.87	21.27	74.00	17.13	150	220	Vertical
3	11220.0	41.94	-2.35	54.00	12.06	150	342	Vertical
4	11220.0	52.63	-2.35	74.00	21.37	150	0	Vertical
5	16830.0	44.50	0.94	54.00	9.50	150	189	Vertical
6	16830.0	55.97	0.94	74.00	18.03	150	0	Vertical
7	17525.3	47.00	2.02	54.00	7.00	150	139	Vertical



4.9.2.83 11AC80_138 ANT 1_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6957.99	46.76	21.26	54.00	7.24	150	38	Horizontal
2	6975.99	56.82	21.26	74.00	17.18	150	190	Horizontal
3	11380.0	51.81	-2.17	74.00	22.19	150	69	Horizontal
4	11380.0	40.75	-2.17	54.00	13.25	150	360	Horizontal
5	17070.0	44.27	0.25	54.00	9.73	150	69	Horizontal
6	17070.0	56.23	0.25	74.00	17.77	150	321	Horizontal
7	17955.9	47.17	1.71	54.00	6.83	150	271	Horizontal



4.9.2.84 11AC80_138 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6983.49	56.93	21.27	74.00	17.07	150	271	Vertical
2	6994.89	47.06	21.27	54.00	6.94	150	360	Vertical
3	11380.0	40.85	-2.17	54.00	13.15	150	40	Vertical
4	11380.0	50.96	-2.17	74.00	23.04	150	192	Vertical
5	17070.0	55.52	0.25	74.00	18.48	150	0	Vertical
6	17070.0	44.20	0.25	54.00	9.80	150	241	Vertical
7	17917.4	47.11	1.70	54.00	6.89	150	0	Vertical



4.9.2.85 11AC80_155 ANT 1_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6957.99	56.42	21.26	74.00	17.58	150	139	Horizontal
2	6993.99	47.13	21.27	54.00	6.87	150	0	Horizontal
3	11550.0	39.73	-2.29	54.00	14.27	150	219	Horizontal
4	11550.0	51.81	-2.29	74.00	22.19	150	168	Horizontal
5	17325.0	56.26	0.91	74.00	17.74	150	68	Horizontal
6	17325.0	44.99	0.91	54.00	9.01	150	219	Horizontal
7	17933.9	47.06	1.70	54.00	6.94	150	324	Horizontal





4.9.2.86 11AC80_155 ANT 1_Vertical



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6950.49	56.22	21.26	74.00	17.78	150	360	Vertical
2	6973.29	48.05	21.26	54.00	5.95	150	69	Vertical
3	11550.0	39.76	-2.29	54.00	14.24	150	140	Vertical
4	11550.0	50.75	-2.29	74.00	23.25	150	0	Vertical
5	17325.0	55.80	0.91	74.00	18.20	150	241	Vertical
6	17325.0	45.29	0.91	54.00	8.71	150	40	Vertical
7	17986.2	47.10	1.72	54.00	6.90	150	40	Vertical

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- 2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported .
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.
- 4) All modes have been tested, but only the worst case data displayed in this report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 26012053, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.10 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15 Section 15.407(b)		
Test Method:	ANSI C63.10: 2013		
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)		
Limit:	Frequency	Limit (dBuV/m @3m)	Remark
	30MHz-88MHz	40.0	Quasi-peak Value
	88MHz-216MHz	43.5	Quasi-peak Value
	216MHz-960MHz	46.0	Quasi-peak Value
	960MHz-1GHz	54.0	Quasi-peak Value
	Above 1GHz	54.0	Average Value
		74.0	Peak Value
Test Setup:			




Test Procedure:	a. The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel g. Test the EUT in the outermost channels. h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. i. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCS0 of rate is the worst case of 802.11ac(HT20); MCS0 of rate is the worst case of 802.11ac(HT40); MCS0 of rate is the worst case of 802.11ac(HT80); Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass



4.10.1 Test plots

4.10.1.1 11A20_36 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5146.07	58.05	15.49	74.00	15.95	150	17	Horizontal
2	5146.52	40.51	15.49	54.00	13.49	150	6	Horizontal
3	5149.97	60.34	15.52	74.00	13.66	150	1	Horizontal
4	5150.00	40.08	15.52	0.00	-40.08	150	6	Horizontal
5	5180.00	92.53	15.56	0.00	-92.53	150	346	Horizontal
6	5180.00	102.59	15.56	0.00	-102.59	150	0	Horizontal



4.10.1.2 11A20_36 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5140.57	33.42	15.44	54.00	20.58	150	211	Vertical
2	5141.32	47.16	15.45	74.00	26.84	150	79	Vertical
3	5150.00	45.84	15.52	0.00	-45.84	150	205	Vertical
4	5150.00	33.25	15.52	0.00	-33.25	150	19	Vertical
5	5180.00	82.03	15.56	0.00	-82.03	150	205	Vertical
6	5180.00	91.36	15.56	0.00	-91.36	150	205	Vertical



4.10.1.3 11A20_48 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	102.24	15.49	0.00	-102.24	150	344	Horizontal
2	5240.00	92.55	15.49	0.00	-92.55	150	344	Horizontal
3	5350.00	51.71	15.94	74.00	22.29	150	330	Horizontal
4	5350.00	39.78	15.94	54.00	14.22	150	344	Horizontal
5	5370.91	53.23	16.07	74.00	20.77	150	338	Horizontal
6	5382.89	39.82	16.14	54.00	14.18	150	344	Horizontal



4.10.1.4 11A20_48 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	91.31	15.49	0.00	-91.31	150	69	Vertical
2	5240.00	80.76	15.49	0.00	-80.76	150	192	Vertical
3	5350.00	52.04	15.94	74.00	21.96	150	227	Vertical
4	5350.00	39.18	15.94	54.00	14.82	150	15	Vertical
5	5371.72	53.14	16.07	74.00	20.86	150	247	Vertical
6	5385.05	39.53	16.16	54.00	14.47	150	104	Vertical



4.10.1.5 11A20_52 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5129.44	39.90	15.34	54.00	14.10	150	16	Horizontal
2	5132.23	53.67	15.37	74.00	20.33	150	16	Horizontal
3	5150.00	51.97	15.52	0.00	-51.97	150	359	Horizontal
4	5150.00	39.70	15.52	0.00	-39.70	150	16	Horizontal
5	5260.00	92.30	15.51	0.00	-92.30	150	16	Horizontal
6	5260.00	101.91	15.51	0.00	-101.91	150	359	Horizontal



4.10.1.6 11A20_52 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5128.72	38.91	15.34	54.00	15.09	150	58	Vertical
2	5136.46	53.65	15.40	74.00	20.35	150	17	Vertical
3	5150.00	51.11	15.52	0.00	-51.11	150	229	Vertical
4	5150.00	38.70	15.52	0.00	-38.70	150	85	Vertical
5	5260.00	82.46	15.51	0.00	-82.46	150	58	Vertical
6	5260.00	92.81	15.51	0.00	-92.81	150	71	Vertical



4.10.1.7 11A20_64 ANT 1_ Horizontal



Suspected List


Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	102.67	15.80	0.00	-102.67	150	15	Horizontal
2	5320.00	92.61	15.80	0.00	-92.61	150	22	Horizontal
3	5350.00	39.91	15.94	54.00	14.09	150	15	Horizontal
4	5350.62	53.90	15.94	74.00	20.10	150	42	Horizontal
5	5356.47	53.40	15.98	74.00	20.60	150	15	Horizontal
6	5369.98	38.56	16.06	54.00	15.44	150	15	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


4.10.1.8 11A20_64 ANT 1_Vertical



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	92.03	15.80	0.00	-92.03	150	195	Vertical
2	5320.00	80.91	15.80	0.00	-80.91	150	202	Vertical
3	5350.00	47.25	15.94	74.00	26.75	150	344	Vertical
4	5350.00	34.12	15.94	54.00	19.88	150	202	Vertical
5	5365.03	47.11	16.03	74.00	26.89	150	202	Vertical
6	5376.93	33.83	16.11	54.00	20.17	150	202	Vertical

4.10.1.9 11A20_100 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5445.44	39.91	16.25	54.00	14.09	150	14	Horizontal
2	5459.30	41.07	16.25	54.00	12.93	150	14	Horizontal
3	5465.55	60.69	16.25	68.30	7.61	150	14	Horizontal
4	5469.87	62.78	16.25	68.30	5.52	150	14	Horizontal
5	5500.00	94.67	16.25	0.00	-94.67	150	14	Horizontal
6	5500.00	104.30	16.25	0.00	-104.30	150	14	Horizontal




4.10.1.10 11A20_100 ANT 1_Vertical



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5442.68	36.68	16.25	54.00	17.32	150	183	Vertical
2	5453.60	37.19	16.25	54.00	16.81	150	183	Vertical
3	5457.62	51.34	16.25	74.00	22.66	150	222	Vertical
4	5469.99	50.86	16.25	68.30	17.44	150	178	Vertical
5	5500.00	96.84	16.25	0.00	-96.84	150	183	Vertical
6	5500.00	85.72	16.25	0.00	-85.72	150	189	Vertical

4.10.1.11 11A20_140 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	103.83	16.80	0.00	-103.83	150	29	Horizontal
2	5726.60	64.31	16.97	68.30	3.99	150	219	Horizontal
3	5738.37	57.47	17.05	68.30	10.83	150	20	Horizontal
4	5761.98	53.27	17.14	68.30	15.03	150	20	Horizontal



4.10.1.12 11A20_140 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	96.03	16.80	0.00	-96.03	150	176	Vertical
2	5725.56	57.02	16.96	68.30	11.28	150	240	Vertical
3	5749.30	52.56	17.12	68.30	15.74	150	80	Vertical
4	5767.51	52.23	17.14	68.30	16.07	150	7	Vertical



4.10.1.13 11A20_144 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5720.00	103.00	16.93	0.00	-103.00	150	36	Horizontal
2	5720.00	93.01	16.93	0.00	-93.01	150	29	Horizontal
3	5852.30	35.11	17.25	54.00	18.89	150	29	Horizontal
4	5856.95	48.71	17.24	74.00	25.29	150	224	Horizontal
5	5888.76	34.68	17.14	54.00	19.32	150	29	Horizontal
6	5889.51	47.67	17.14	74.00	26.33	150	245	Horizontal



4.10.1.14 11A20_144 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5720.00	95.57	16.93	0.00	-95.57	150	217	Vertical
2	5720.00	85.31	16.93	0.00	-85.31	150	217	Vertical
3	5850.35	47.33	17.26	74.00	26.67	150	115	Vertical
4	5855.75	33.97	17.24	54.00	20.03	150	190	Vertical
5	5905.42	47.40	17.19	74.00	26.60	150	224	Vertical
6	5906.17	33.42	17.21	54.00	20.58	150	318	Vertical



4.10.1.15 11A20_149 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5646.09	49.42	16.53	68.30	18.88	150	20	Horizontal
2	5718.22	65.64	16.92	110.40	44.76	150	222	Horizontal
3	5722.50	68.95	16.94	116.60	47.65	150	38	Horizontal
4	5745.00	102.82	17.09	0.00	-102.82	150	20	Horizontal




4.10.1.16 11A20_149 ANT 1_Vertical



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5644.55	47.15	16.54	68.30	21.15	150	101	Vertical
2	5718.92	58.56	16.92	110.60	52.04	150	178	Vertical
3	5723.69	60.06	16.95	119.32	59.26	150	183	Vertical
4	5745.00	96.35	17.09	0.00	-96.35	150	178	Vertical

4.10.1.17 11A20_165 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	102.76	17.23	0.00	-102.76	150	38	Horizontal
2	5850.63	61.96	17.26	120.85	58.89	150	20	Horizontal
3	5865.36	56.11	17.21	108.00	51.89	150	16	Horizontal
4	5933.75	49.02	17.63	68.30	19.28	150	24	Horizontal



4.10.1.18 11A20_165 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	96.58	17.23	0.00	-96.58	150	206	Vertical
2	5851.64	59.07	17.26	118.55	59.48	150	0	Vertical
3	5856.91	54.61	17.24	110.36	55.75	150	160	Vertical
4	5935.54	48.13	17.66	68.30	20.17	150	215	Vertical




4.10.1.19 11N20_36 ANT 1_ Horizontal



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5131.71	56.84	15.36	74.00	17.16	150	14	Horizontal
2	5134.96	39.69	15.39	54.00	14.31	150	14	Horizontal
3	5146.82	63.73	15.49	74.00	10.27	150	14	Horizontal
4	5150.00	40.42	15.52	0.00	-40.42	150	14	Horizontal
5	5180.00	102.42	15.56	0.00	-102.42	150	14	Horizontal
6	5180.00	92.35	15.56	0.00	-92.35	150	14	Horizontal

4.10.1.20 11N20_36 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5138.11	33.24	15.42	54.00	20.76	150	18	Vertical
2	5146.42	50.91	15.49	74.00	23.09	150	73	Vertical
3	5150.00	46.93	15.52	0.00	-46.93	150	62	Vertical
4	5150.00	32.79	15.52	0.00	-32.79	150	62	Vertical
5	5180.00	80.32	15.56	0.00	-80.32	150	73	Vertical
6	5180.00	90.59	15.56	0.00	-90.59	150	78	Vertical




4.10.1.21 11N20_48 ANT 1_ Horizontal



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	101.84	15.49	0.00	-101.84	150	56	Horizontal
2	5240.00	91.25	15.49	0.00	-91.25	150	16	Horizontal
3	5350.00	39.74	15.94	54.00	14.26	150	16	Horizontal
4	5350.00	51.92	15.94	74.00	22.08	150	360	Horizontal
5	5383.70	53.29	16.15	74.00	20.71	150	324	Horizontal
6	5388.29	39.71	16.18	54.00	14.29	150	16	Horizontal


4.10.1.22 11N20_48 ANT 1_Vertical



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	90.83	15.49	0.00	-90.83	150	79	Vertical
2	5240.00	80.84	15.49	0.00	-80.84	150	79	Vertical
3	5350.00	51.60	15.94	74.00	22.40	150	25	Vertical
4	5350.00	39.24	15.94	54.00	14.76	150	134	Vertical
5	5389.37	52.97	16.18	74.00	21.03	150	31	Vertical
6	5389.91	39.50	16.19	54.00	14.50	150	243	Vertical

4.10.1.23 11N20_52 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5130.61	52.88	15.35	74.00	21.12	150	42	Horizontal
2	5131.60	39.47	15.36	54.00	14.53	150	359	Horizontal
3	5150.00	52.16	15.52	0.00	-52.16	150	343	Horizontal
4	5150.00	39.80	15.52	0.00	-39.80	150	22	Horizontal
5	5260.00	91.26	15.51	0.00	-91.26	150	16	Horizontal
6	5260.00	101.31	15.51	0.00	-101.31	150	22	Horizontal



4.10.1.24 11N20_52 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5137.90	38.96	15.42	54.00	15.04	150	99	Vertical
2	5137.99	53.25	15.42	74.00	20.75	150	236	Vertical
3	5150.00	38.66	15.52	0.00	-38.66	150	250	Vertical
4	5150.00	51.15	15.52	0.00	-51.15	150	331	Vertical
5	5260.00	91.13	15.51	0.00	-91.13	150	79	Vertical
6	5260.00	80.25	15.51	0.00	-80.25	150	72	Vertical




4.10.1.25 11N20_64 ANT 1_ Horizontal



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	102.49	15.80	0.00	-102.49	150	16	Horizontal
2	5320.00	91.66	15.80	0.00	-91.66	150	22	Horizontal
3	5350.22	61.15	15.94	74.00	12.85	150	22	Horizontal
4	5350.27	39.32	15.94	54.00	14.68	150	16	Horizontal
5	5354.12	60.03	15.97	74.00	13.97	150	22	Horizontal
6	5355.17	38.94	15.97	54.00	15.06	150	16	Horizontal

4.10.1.26 11N20_64 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	91.08	15.80	0.00	-91.08	150	190	Vertical
2	5320.00	80.52	15.80	0.00	-80.52	150	203	Vertical
3	5350.17	33.96	15.94	54.00	20.04	150	196	Vertical
4	5350.37	51.89	15.94	74.00	22.11	150	196	Vertical
5	5355.12	50.94	15.97	74.00	23.06	150	196	Vertical
6	5355.52	33.72	15.97	54.00	20.28	150	203	Vertical




4.10.1.27 11N20_100 ANT 1_ Horizontal



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5441.30	39.77	16.25	54.00	14.23	150	19	Horizontal
2	5449.34	56.43	16.25	74.00	17.57	150	30	Horizontal
3	5457.08	40.94	16.25	54.00	13.06	150	19	Horizontal
4	5467.71	65.04	16.25	68.30	3.26	150	19	Horizontal
5	5500.00	104.20	16.25	0.00	-104.20	150	19	Horizontal
6	5500.00	94.52	16.25	0.00	-94.52	150	19	Horizontal


4.10.1.28 11N20_100 ANT 1_Vertical



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5441.12	36.75	16.25	54.00	17.25	150	196	Vertical
2	5455.82	50.50	16.25	74.00	23.50	150	190	Vertical
3	5458.10	37.11	16.25	54.00	16.89	150	190	Vertical
4	5466.45	55.39	16.25	68.30	12.91	150	196	Vertical
5	5500.00	94.56	16.25	0.00	-94.56	150	185	Vertical
6	5500.00	85.03	16.25	0.00	-85.03	150	190	Vertical

4.10.1.29 11N20_140 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	102.18	16.80	0.00	-102.18	150	25	Horizontal
2	5726.41	64.44	16.97	68.30	3.86	150	16	Horizontal
3	5730.38	63.72	16.99	68.30	4.58	150	16	Horizontal
4	5746.37	55.95	17.10	68.30	12.35	150	25	Horizontal



4.10.1.30 11N20_140 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	96.43	16.80	0.00	-96.43	150	247	Vertical
2	5728.36	56.10	16.98	68.30	12.20	150	215	Vertical
3	5741.50	51.79	17.07	68.30	16.51	150	49	Vertical
4	5770.96	51.67	17.15	68.30	16.63	150	90	Vertical



4.10.1.31 11N20_144 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5720.00	103.04	16.93	0.00	-103.04	150	22	Horizontal
2	5720.00	93.25	16.93	0.00	-93.25	150	28	Horizontal
3	5857.85	55.69	17.24	74.00	18.31	150	28	Horizontal
4	5859.05	41.64	17.23	54.00	12.36	150	225	Horizontal
5	5907.37	54.72	17.22	74.00	19.28	150	197	Horizontal
6	5913.98	41.11	17.33	54.00	12.89	150	218	Horizontal



4.10.1.32 11N20_144 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5720.00	95.40	16.93	0.00	-95.40	150	184	Vertical
2	5720.00	85.92	16.93	0.00	-85.92	150	184	Vertical
3	5859.95	55.15	17.23	74.00	18.85	150	292	Vertical
4	5874.36	41.43	17.19	54.00	12.57	150	285	Vertical
5	5907.82	55.03	17.23	74.00	18.97	150	204	Vertical
6	5928.53	41.60	17.55	54.00	12.40	150	318	Vertical



4.10.1.33 11N20_149 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5645.67	49.76	16.54	68.30	18.54	150	29	Horizontal
2	5713.25	62.15	16.88	109.01	46.86	150	29	Horizontal
3	5724.39	73.48	16.96	120.91	47.43	150	33	Horizontal
4	5745.00	102.53	17.09	0.00	-102.53	150	33	Horizontal
5	5745.00	102.53	17.09	0.00	-102.53	150	33	Horizontal



4.10.1.34 11N20_149 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5647.77	46.19	16.53	68.30	22.11	150	185	Vertical
2	5715.98	55.83	16.90	109.78	53.95	150	194	Vertical
3	5723.69	62.12	16.95	119.32	57.20	150	185	Vertical
4	5745.00	95.62	17.09	0.00	-95.62	150	56	Vertical




4.10.1.35 11N20_165 ANT 1_ Horizontal



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	102.93	17.23	0.00	-102.93	150	33	Horizontal
2	5855.83	64.93	17.24	110.67	45.74	150	239	Horizontal
3	5868.93	56.03	17.20	107.00	50.97	150	16	Horizontal
4	5937.86	49.03	17.69	68.30	19.27	150	38	Horizontal

4.10.1.36 11N20_165 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	96.09	17.23	0.00	-96.09	150	189	Vertical
2	5850.01	60.97	17.26	122.27	61.30	150	222	Vertical
3	5865.83	52.76	17.21	107.87	55.11	150	180	Vertical
4	5930.65	47.39	17.58	68.30	20.91	150	19	Vertical




4.10.1.37 11N40_38 ANT 1_ Horizontal



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5131.81	40.67	15.36	54.00	13.33	150	358	Horizontal
2	5136.79	58.88	15.41	74.00	15.12	150	14	Horizontal
3	5147.36	61.86	15.50	74.00	12.14	150	68	Horizontal
4	5150.00	41.75	15.52	0.00	-41.75	150	360	Horizontal
5	5190.00	84.11	15.58	0.00	-84.11	150	14	Horizontal
6	5190.00	96.43	15.58	0.00	-96.43	150	14	Horizontal

4.10.1.38 11N40_38 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5131.99	38.95	15.37	54.00	15.05	150	346	Vertical
2	5139.43	52.35	15.43	74.00	21.65	150	293	Vertical
3	5150.00	51.23	15.52	0.00	-51.23	150	234	Vertical
4	5150.00	38.87	15.52	0.00	-38.87	150	64	Vertical
5	5190.00	71.95	15.58	0.00	-71.95	150	15	Vertical
6	5190.00	84.06	15.58	0.00	-84.06	150	9	Vertical



4.10.1.39 11N40_46 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.00	95.07	15.51	0.00	-95.07	150	50	Horizontal
2	5230.00	83.80	15.51	0.00	-83.80	150	16	Horizontal
3	5351.27	53.13	15.95	74.00	20.87	150	344	Horizontal
4	5357.27	39.87	15.99	54.00	14.13	150	16	Horizontal
5	5382.69	53.35	16.14	74.00	20.65	150	36	Horizontal
6	5386.39	39.65	16.17	54.00	14.35	150	168	Horizontal



4.10.1.40 11N40_46 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.00	86.21	15.51	0.00	-86.21	150	78	Vertical
2	5230.00	73.43	15.51	0.00	-73.43	150	207	Vertical
3	5353.27	52.45	15.96	74.00	21.55	150	30	Vertical
4	5367.48	39.32	16.05	54.00	14.68	150	84	Vertical
5	5367.48	53.65	16.05	74.00	20.35	150	324	Vertical
6	5388.89	39.46	16.18	54.00	14.54	150	180	Vertical



4.10.1.41 11N40_54 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5129.31	52.85	15.34	74.00	21.15	150	35	Horizontal
2	5130.61	39.67	15.35	54.00	14.33	150	16	Horizontal
3	5150.00	52.07	15.52	0.00	-52.07	150	22	Horizontal
4	5150.00	39.32	15.52	0.00	-39.32	150	63	Horizontal
5	5270.00	83.73	15.56	0.00	-83.73	150	29	Horizontal
6	5270.00	95.35	15.56	0.00	-95.35	150	29	Horizontal



4.10.1.42 11N40_54 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5123.81	38.79	15.29	54.00	15.21	150	32	Vertical
2	5129.81	53.00	15.35	74.00	21.00	150	1	Vertical
3	5150.00	51.01	15.52	0.00	-51.01	150	133	Vertical
4	5150.00	38.68	15.52	0.00	-38.68	150	46	Vertical
5	5270.00	73.75	15.56	0.00	-73.75	150	72	Vertical
6	5270.00	85.39	15.56	0.00	-85.39	150	202	Vertical



4.10.1.43 11N40_62 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.00	95.75	15.75	0.00	-95.75	150	23	Horizontal
2	5310.00	84.61	15.75	0.00	-84.61	150	23	Horizontal
3	5350.00	38.19	15.94	54.00	15.81	150	16	Horizontal
4	5351.85	60.22	15.95	74.00	13.78	150	36	Horizontal
5	5368.06	55.19	16.05	74.00	18.81	150	23	Horizontal
6	5370.22	37.03	16.07	54.00	16.97	150	16	Horizontal




4.10.1.44 11N40_62 ANT 1_Vertical



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.00	86.20	15.75	0.00	-86.20	150	209	Vertical
2	5310.00	72.96	15.75	0.00	-72.96	150	70	Vertical
3	5350.00	32.23	15.94	54.00	21.77	150	77	Vertical
4	5350.29	51.24	15.94	74.00	22.76	150	119	Vertical
5	5359.90	48.17	16.00	74.00	25.83	150	56	Vertical
6	5373.16	32.27	16.08	54.00	21.73	150	195	Vertical


4.10.1.45 11N40_102 ANT 1_ Horizontal



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5428.54	36.72	16.25	54.00	17.28	150	22	Horizontal
2	5449.88	38.55	16.25	54.00	15.45	150	22	Horizontal
3	5456.63	59.82	16.25	74.00	14.18	150	22	Horizontal
4	5469.69	64.15	16.25	68.30	4.15	150	22	Horizontal
5	5510.00	97.76	16.28	0.00	-97.76	150	35	Horizontal
6	5510.00	86.61	16.28	0.00	-86.61	150	22	Horizontal

4.10.1.46 11N40_102 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5427.37	32.63	16.25	54.00	21.37	150	202	Vertical
2	5451.32	33.48	16.25	54.00	20.52	150	195	Vertical
3	5456.27	52.71	16.25	74.00	21.29	150	195	Vertical
4	5469.96	54.64	16.25	68.30	13.66	150	0	Vertical
5	5510.00	90.55	16.28	0.00	-90.55	150	195	Vertical
6	5510.00	78.21	16.28	0.00	-78.21	150	195	Vertical



4.10.1.47 11N40_134 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.00	97.52	16.64	0.00	-97.52	150	29	Horizontal
2	5725.72	55.76	16.96	68.30	12.54	150	29	Horizontal
3	5732.16	55.01	17.01	68.30	13.29	150	46	Horizontal
4	5763.12	49.97	17.14	68.30	18.33	150	29	Horizontal





4.10.1.48 11N40_134 ANT 1_Vertical



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.00	91.41	16.64	0.00	-91.41	150	250	Vertical
2	5725.58	47.58	16.96	68.30	20.72	150	218	Vertical
3	5748.97	47.79	17.11	68.30	20.51	150	222	Vertical
4	5772.01	47.61	17.15	68.30	20.69	150	218	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (M-10) Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.10.1.49 11N40_142 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5710.00	97.86	16.86	0.00	-97.86	150	30	Horizontal
2	5710.00	85.95	16.86	0.00	-85.95	150	23	Horizontal
3	5859.50	54.98	17.23	74.00	19.02	150	77	Horizontal
4	5859.95	41.62	17.23	54.00	12.38	150	30	Horizontal
5	5929.58	55.99	17.57	74.00	18.01	150	235	Horizontal
6	5931.39	41.42	17.59	54.00	12.58	150	228	Horizontal



4.10.1.50 11N40_142 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5710.00	88.81	16.86	0.00	-88.81	150	206	Vertical
2	5710.00	78.72	16.86	0.00	-78.72	150	192	Vertical
3	5857.70	55.02	17.24	74.00	18.98	150	179	Vertical
4	5860.70	41.36	17.23	54.00	12.64	150	186	Vertical
5	5925.53	54.85	17.50	74.00	19.15	150	165	Vertical
6	5927.03	41.47	17.53	54.00	12.53	150	22	Vertical



4.10.1.51 11N40_151 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5648.76	48.33	16.53	68.30	19.97	150	2	Horizontal
2	5690.47	54.80	16.75	98.25	43.45	150	2	Horizontal
3	5718.15	63.26	16.92	110.38	47.12	150	2	Horizontal
4	5755.00	98.14	17.13	0.00	-98.14	150	2	Horizontal




4.10.1.52 11N40_151 ANT 1_Vertical



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5652.17	46.52	16.54	69.91	23.39	150	172	Vertical
2	5690.63	49.10	16.75	98.37	49.27	150	56	Vertical
3	5720.09	56.45	16.93	111.12	54.67	150	252	Vertical

4.10.1.53 11N40_159 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5795.00	95.91	17.18	0.00	-95.91	150	218	Horizontal
2	5851.25	58.03	17.26	119.44	61.41	150	8	Horizontal
3	5883.26	49.69	17.16	99.18	49.49	150	0	Horizontal
4	5929.29	48.88	17.56	68.30	19.42	150	8	Horizontal



4.10.1.54 11N40_159 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5795.00	90.10	17.18	0.00	-90.10	150	210	Vertical
2	5850.65	50.11	17.26	120.81	70.70	150	215	Vertical
3	5890.97	47.35	17.14	93.48	46.13	150	243	Vertical
4	5931.69	47.56	17.60	68.30	20.74	150	46	Vertical



4.10.1.55 11AC20_36 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5136.91	39.90	15.41	54.00	14.10	150	346	Horizontal
2	5141.22	57.87	15.44	74.00	16.13	150	2	Horizontal
3	5148.82	61.48	15.51	74.00	12.52	150	0	Horizontal
4	5150.00	41.46	15.52	0.00	-41.46	150	346	Horizontal
5	5180.00	92.62	15.56	0.00	-92.62	150	346	Horizontal
6	5180.00	102.45	15.56	0.00	-102.45	150	0	Horizontal



4.10.1.56 11AC20_36 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5138.46	33.55	15.42	54.00	20.45	150	61	Vertical
2	5143.77	49.03	15.47	74.00	24.97	150	50	Vertical
3	5149.97	50.72	15.52	74.00	23.28	150	61	Vertical
4	5150.00	33.51	15.52	0.00	-33.51	150	45	Vertical
5	5180.00	81.30	15.56	0.00	-81.30	150	72	Vertical
6	5180.00	91.42	15.56	0.00	-91.42	150	61	Vertical



4.10.1.57 11AC20_48 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	102.30	15.49	0.00	-102.30	150	5	Horizontal
2	5240.00	92.14	15.49	0.00	-92.14	150	1	Horizontal
3	5350.00	52.14	15.94	74.00	21.86	150	344	Horizontal
4	5350.00	39.66	15.94	54.00	14.34	150	344	Horizontal
5	5373.79	54.10	16.09	74.00	19.90	150	60	Horizontal
6	5386.76	39.74	16.17	54.00	14.26	150	344	Horizontal



4.10.1.58 11AC20_48 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	91.41	15.49	0.00	-91.41	150	193	Vertical
2	5240.00	81.42	15.49	0.00	-81.42	150	200	Vertical
3	5350.00	51.80	15.94	74.00	22.20	150	35	Vertical
4	5350.00	39.16	15.94	54.00	14.84	150	344	Vertical
5	5378.56	52.93	16.12	74.00	21.07	150	193	Vertical
6	5382.17	39.60	16.14	54.00	14.40	150	104	Vertical



4.10.1.59 11AC20_52 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5125.39	39.54	15.31	54.00	14.46	150	36	Horizontal
2	5130.25	52.94	15.35	74.00	21.06	150	3	Horizontal
3	5150.00	51.98	15.52	0.00	-51.98	150	345	Horizontal
4	5150.00	39.70	15.52	0.00	-39.70	150	0	Horizontal
5	5260.00	92.50	15.51	0.00	-92.50	150	9	Horizontal
6	5260.00	102.79	15.51	0.00	-102.79	150	3	Horizontal



4.10.1.60 11AC20_52 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5129.44	38.89	15.34	54.00	15.11	150	293	Vertical
2	5138.71	52.52	15.42	74.00	21.48	150	22	Vertical
3	5150.00	51.41	15.52	0.00	-51.41	150	28	Vertical
4	5150.00	38.76	15.52	0.00	-38.76	150	48	Vertical
5	5260.00	81.70	15.51	0.00	-81.70	150	204	Vertical
6	5260.00	91.52	15.51	0.00	-91.52	150	204	Vertical



4.10.1.61 11AC20_64 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	103.93	15.80	0.00	-103.93	150	16	Horizontal
2	5320.00	92.59	15.80	0.00	-92.59	150	23	Horizontal
3	5350.00	39.39	15.94	54.00	14.61	150	10	Horizontal
4	5350.12	57.66	15.94	74.00	16.34	150	219	Horizontal
5	5359.98	56.94	16.00	74.00	17.06	150	344	Horizontal
6	5382.29	37.75	16.14	54.00	16.25	150	16	Horizontal



4.10.1.62 11AC20_64 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	91.95	15.80	0.00	-91.95	150	212	Vertical
2	5320.00	81.56	15.80	0.00	-81.56	150	90	Vertical
3	5350.00	45.89	15.94	74.00	28.11	150	131	Vertical
4	5350.00	33.39	15.94	54.00	20.61	150	96	Vertical
5	5366.03	46.94	16.04	74.00	27.06	150	110	Vertical
6	5380.69	33.57	16.13	54.00	20.43	150	90	Vertical



4.10.1.63 11AC20_100 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5437.57	39.77	16.25	54.00	14.23	150	3	Horizontal
2	5456.78	40.67	16.25	54.00	13.33	150	3	Horizontal
3	5457.92	60.14	16.25	74.00	13.86	150	14	Horizontal
4	5469.03	62.25	16.25	68.30	6.05	150	41	Horizontal
5	5500.00	93.93	16.25	0.00	-93.93	150	14	Horizontal
6	5500.00	104.15	16.25	0.00	-104.15	150	14	Horizontal



4.10.1.64 11AC20_100 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5440.04	36.53	16.25	54.00	17.47	150	73	Vertical
2	5454.98	36.82	16.25	54.00	17.18	150	191	Vertical
3	5457.80	50.60	16.25	74.00	23.40	150	295	Vertical
4	5468.37	55.69	16.25	68.30	12.61	150	94	Vertical
5	5500.00	85.29	16.25	0.00	-85.29	150	180	Vertical
6	5500.00	95.04	16.25	0.00	-95.04	150	186	Vertical



4.10.1.65 11AC20_140 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	103.51	16.80	0.00	-103.51	150	17	Horizontal
2	5725.04	62.33	16.96	68.30	5.97	150	209	Horizontal
3	5737.72	58.52	17.04	68.30	9.78	150	22	Horizontal
4	5765.23	52.44	17.14	68.30	15.86	150	213	Horizontal



4.10.1.66 11AC20_140 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	94.87	16.80	0.00	-94.87	150	185	Vertical
2	5726.54	55.06	16.97	68.30	13.24	150	230	Vertical
3	5741.95	52.23	17.07	68.30	16.07	150	38	Vertical
4	5765.49	51.82	17.14	68.30	16.48	150	15	Vertical



4.10.1.67 11AC20_144 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5720.00	103.18	16.93	0.00	-103.18	150	5	Horizontal
2	5720.00	93.42	16.93	0.00	-93.42	150	12	Horizontal
3	5859.65	55.18	17.23	74.00	18.82	150	223	Horizontal
4	5875.56	41.47	17.18	54.00	12.53	150	344	Horizontal
5	5908.87	54.90	17.25	74.00	19.10	150	80	Horizontal
6	5931.09	41.51	17.59	54.00	12.49	150	40	Horizontal



4.10.1.68 11AC20_144 ANT 1_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5720.00	96.05	16.93	0.00	-96.05	150	218	Vertical
2	5720.00	86.33	16.93	0.00	-86.33	150	218	Vertical
3	5855.75	41.43	17.24	54.00	12.57	150	95	Vertical
4	5867.30	55.56	17.21	74.00	18.44	150	298	Vertical
5	5912.18	55.50	17.30	74.00	18.50	150	16	Vertical
6	5927.33	41.42	17.53	54.00	12.58	150	318	Vertical



4.10.1.69 11AC20_149 ANT 1_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5701.49	55.00	16.81	105.72	50.72	150	0	Horizontal
2	5715.21	66.82	16.90	109.56	42.74	150	32	Horizontal
3	5718.78	63.74	16.92	110.56	46.82	150	202	Horizontal
4	5723.06	66.08	16.95	117.88	51.80	150	0	Horizontal
5	5745.00	102.68	17.09	0.00	-102.68	150	19	Horizontal



4.10.1.70 11AC20_149 ANT 1_Vertical



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5698.47	48.93	16.79	104.17	55.24	150	243	Vertical
2	5714.65	53.22	16.89	109.40	56.18	150	206	Vertical
3	5719.34	56.96	16.92	110.72	53.76	150	248	Vertical
4	5723.69	62.33	16.95	119.32	56.99	150	248	Vertical
5	5745.00	95.62	17.09	0.00	-95.62	150	215	Vertical

