




BUREAU
VERITAS


Test Report No.: RFA210222W001-2

LTE BAND 2


CHANNEL BANDWIDTH: 1.4MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
18607	1850.7	5.17	5.87
18900	1880	5.29	6.05
19193	1909.3	4.84	5.71




CHANNEL BANDWIDTH: 3MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
18615	1851.5	5.24	6.01
18900	1880	5.30	6.14
19185	1908.5	5.06	5.87




CHANNEL BANDWIDTH: 5MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
18625	1852.5	5.53	6.17
18900	1880	5.46	6.17
19175	1907.5	5.32	5.99




CHANNEL BANDWIDTH: 10MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
18650	1855	5.41	6.13
18900	1880	5.35	6.10
19150	1905	5.18	5.97



CHANNEL BANDWIDTH: 15MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
18675	1857.5	5.76	6.24
18900	1880	5.75	6.24
19125	1902.5	5.59	6.15



CHANNEL BANDWIDTH: 20MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
18700	1860	5.44	6.22
18900	1880	5.48	6.23
19100	1900	5.52	6.16






BUREAU
VERITAS


Test Report No.: RFA210222W001-2

LTE BAND 25


CHANNEL BANDWIDTH: 1.4MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
26047	1850.7	5.11	6.00
26365	1882.5	5.32	6.06
26683	1914.3	4.53	5.37




CHANNEL BANDWIDTH: 3MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
26055	1851.5	2.67	2.67
26365	1882.5	2.67	2.67
26675	1913.5	2.67	2.68




CHANNEL BANDWIDTH: 5MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
26065	1852.5	5.63	6.21
26365	1882.5	5.58	6.17
26665	1912.5	5.19	5.82




CHANNEL BANDWIDTH: 10MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
26090	1855	5.51	6.08
26365	1882.5	5.47	6.11
26640	1910	5.10	5.80



CHANNEL BANDWIDTH: 15MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
26115	1857.5	5.53	6.18
26365	1882.5	5.52	6.15
26615	1907.5	5.24	5.98



CHANNEL BANDWIDTH: 20MHz			
CHANNEL	Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)	
		QPSK	16QAM
26140	1860	5.50	6.24
26365	1882.5	5.54	6.25
26590	1905	5.39	6.13





**BUREAU
VERITAS**

Test Report No.: RFA210222W001-2

4 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Shenzhen EMC/RF Lab:

Tel: +86-755-88696566

Fax: +86-755-88696577

Email: customerservice.dg@cn.bureauveritas.com

Web Site: www.adt.com.tw

The address and road map of all our labs can be found in our web site also.

5 APPENDIX A – MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.

---END---