





11AX20MIMO_Ant1_6415_52Tone_RU40



Date: 2.FEB.2023 22:33:14


11AX20MIMO_Ant1_6415_106Tone_RU54



Date: 2.FEB.2023 22:36:46




11AX20MIMO_Ant0_6435_26Tone_RU0



Date: 2.FEB.2023 22:39:58


11AX20MIMO_Ant0_6435_52Tone_RU37



Date: 2.FEB.2023 22:43:57




11AX20MIMO_Ant0_6435_106Tone_RU53



Date: 2.FEB.2023 22:46:40


11AX20MIMO_Ant1_6435_26Tone_RU0



Date: 2.FEB.2023 22:40:20




11AX20MIMO_Ant1_6435_52Tone_RU37



Date: 2.FEB.2023 22:44:18


11AX20MIMO_Ant1_6435_106Tone_RU53



Date: 2.FEB.2023 22:47:02




11AX20MIMO_Ant0_6475_26Tone_RU0



Date: 2.FEB.2023 22:49:05


11AX20MIMO_Ant0_6475_52Tone_RU37



Date: 2.FEB.2023 22:52:25




11AX20MIMO_Ant0_6475_106Tone_RU53



Date: 2.FEB.2023 22:55:54


11AX20MIMO_Ant1_6475_26Tone_RU0



Date: 2.FEB.2023 22:49:26




11AX20MIMO_Ant1_6475_52Tone_RU37



Date: 2.FEB.2023 22:52:46


11AX20MIMO_Ant1_6475_106Tone_RU53



Date: 2.FEB.2023 22:56:15




11AX20MIMO_Ant0_6515_26Tone_RU8



Date: 2.FEB.2023 22:58:57


11AX20MIMO_Ant0_6515_52Tone_RU40



Date: 2.FEB.2023 23:15:17




11AX20MIMO_Ant0_6515_106Tone_RU54



Date: 2.FEB.2023 23:19:02


11AX20MIMO_Ant1_6515_26Tone_RU8



Date: 2.FEB.2023 22:59:19




11AX20MIMO_Ant1_6515_52Tone_RU40



Date: 2.FEB.2023 23:15:39


11AX20MIMO_Ant1_6515_106Tone_RU54



Date: 2.FEB.2023 23:19:23




11AX20MIMO_Ant0_6535_26Tone_RU0



Date: 2.FEB.2023 23:23:18


11AX20MIMO_Ant0_6535_52Tone_RU37



Date: 2.FEB.2023 23:25:41




11AX20MIMO_Ant0_6535_106Tone_RU53



Date: 2.FEB.2023 23:28:06


11AX20MIMO_Ant1_6535_26Tone_RU0



Date: 2.FEB.2023 23:23:39




11AX20MIMO_Ant1_6535_52Tone_RU37




Date: 2.FEB.2023 23:26:03


11AX20MIMO_Ant1_6535_106Tone_RU53




Date: 2.FEB.2023 23:28:27

**11AX20MIMO_Ant0_6695_26Tone_RU0**


Date: 2.FEB.2023 23:30:34

11AX20MIMO_Ant0_6695_52Tone_RU37

Date: 2.FEB.2023 23:32:53

**11AX20MIMO_Ant0_6695_106Tone_RU53**


Date: 2.FEB.2023 23:35:28

11AX20MIMO_Ant1_6695_26Tone_RU0

Date: 2.FEB.2023 23:30:55




11AX20MIMO_Ant1_6695_52Tone_RU37



Date: 2.FEB.2023 23:33:14


11AX20MIMO_Ant1_6695_106Tone_RU53



Date: 2.FEB.2023 23:35:50




11AX20MIMO_Ant0_6855_26Tone_RU8



Date: 2.FEB.2023 23:39:15


11AX20MIMO_Ant0_6855_52Tone_RU40



Date: 2.FEB.2023 23:42:16




11AX20MIMO_Ant0_6855_106Tone_RU54



Date: 2.FEB.2023 23:44:43


11AX20MIMO_Ant1_6855_26Tone_RU8



Date: 2.FEB.2023 23:39:37




11AX20MIMO_Ant1_6855_52Tone_RU40



Date: 2.FEB.2023 23:42:37


11AX20MIMO_Ant1_6855_106Tone_RU54



Date: 2.FEB.2023 23:45:35




11AX20MIMO_Ant0_6875_26Tone_RU8



Date: 2.FEB.2023 23:47:59


11AX20MIMO_Ant0_6875_52Tone_RU40



Date: 2.FEB.2023 23:50:19




11AX20MIMO_Ant0_6875_106Tone_RU54



Date: 2.FEB.2023 23:52:44


11AX20MIMO_Ant1_6875_26Tone_RU8



Date: 2.FEB.2023 23:48:21




11AX20MIMO_Ant1_6875_52Tone_RU40



Date: 2.FEB.2023 23:50:41


11AX20MIMO_Ant1_6875_106Tone_RU54



Date: 2.FEB.2023 23:53:05




11AX20MIMO_Ant0_6895_26Tone_RU0




Date: 2.FEB.2023 23:56:00


11AX20MIMO_Ant0_6895_52Tone_RU37



Date: 2.FEB.2023 23:59:10

**11AX20MIMO_Ant0_6895_106Tone_RU53**


Date: 3.FEB.2023 00:01:39

11AX20MIMO_Ant1_6895_26Tone_RU0

Date: 2.FEB.2023 23:56:53




11AX20MIMO_Ant1_6895_52Tone_RU37



Date: 2.FEB.2023 23:59:31


11AX20MIMO_Ant1_6895_106Tone_RU53



Date: 3.FEB.2023 00:02:00




11AX20MIMO_Ant0_6995_26Tone_RU0




Date: 3.FEB.2023 00:04:09


11AX20MIMO_Ant0_6995_52Tone_RU37



Date: 3.FEB.2023 00:06:35

**11AX20MIMO_Ant0_6995_106Tone_RU53**


Date: 3.FEB.2023 00:09:05

11AX20MIMO_Ant1_6995_26Tone_RU0

Date: 3.FEB.2023 00:04:31




11AX20MIMO_Ant1_6995_52Tone_RU37



Date: 3.FEB.2023 00:06:56


11AX20MIMO_Ant1_6995_106Tone_RU53



Date: 3.FEB.2023 00:09:26




11AX20MIMO_Ant0_7095_26Tone_RU8



Date: 3.FEB.2023 00:11:30


11AX20MIMO_Ant0_7095_52Tone_RU40



Date: 3.FEB.2023 00:13:57




11AX20MIMO_Ant0_7095_106Tone_RU54



Date: 3.FEB.2023 00:16:33


11AX20MIMO_Ant1_7095_26Tone_RU8



Date: 3.FEB.2023 00:11:51




11AX20MIMO_Ant1_7095_52Tone_RU40



Date: 3.FEB.2023 00:14:19

11AX20MIMO_Ant1_7095_106Tone_RU54




Date: 3.FEB.2023 00:16:54



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-100334-LINE LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.152	46.30	-19.61	65.91	26.20	9.67	10.43	QP
2	0.152	33.40	-22.51	55.91	13.30	9.67	10.43	Average
3	0.173	45.03	-19.78	64.81	24.80	9.80	10.43	QP
4	0.173	31.83	-22.98	54.81	11.60	9.80	10.43	Average
5	0.205	42.66	-20.74	63.40	22.60	9.64	10.42	QP
6	0.205	31.26	-22.14	53.40	11.20	9.64	10.42	Average
7	0.240	40.51	-21.57	62.08	20.60	9.52	10.39	QP
8	0.240	29.51	-22.57	52.08	9.60	9.52	10.39	Average
9	9.603	37.53	-22.47	60.00	17.20	9.73	10.60	QP
10	9.603	31.93	-18.07	50.00	11.60	9.73	10.60	Average
11	11.996	37.93	-22.07	60.00	17.20	9.75	10.98	QP
12 *	11.996	32.93	-17.07	50.00	12.20	9.75	10.98	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-100334-NEUTRAL NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.169	41.95	-23.04	64.99	21.90	9.62	10.43	QP
2	0.169	30.35	-24.64	54.99	10.30	9.62	10.43	Average
3	0.203	40.11	-23.38	63.49	20.20	9.49	10.42	QP
4	0.203	28.81	-24.68	53.49	8.90	9.49	10.42	Average
5	0.292	34.39	-26.07	60.46	14.60	9.44	10.35	QP
6	0.292	26.39	-24.07	50.46	6.60	9.44	10.35	Average
7	7.526	36.50	-23.50	60.00	16.60	9.57	10.33	QP
8	7.526	31.10	-18.90	50.00	11.20	9.57	10.33	Average
9	9.705	36.71	-23.29	60.00	16.50	9.60	10.61	QP
10	9.705	31.31	-18.69	50.00	11.10	9.60	10.61	Average
11	11.870	37.10	-22.90	60.00	16.50	9.63	10.97	QP
12 *	11.870	31.80	-18.20	50.00	11.20	9.63	10.97	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Carry Xu	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	0+1	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	0+1	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	0+1	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-6	6.425-6.525	0+1	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6.425-6.525	0+1	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6.425-6.525	0+1	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	0+1	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	0+1	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6.525-6.875	0+1	802.11a	185	6875	6Mbps	-	-
Mode 10	U-NII-8	6.875-7.125	0+1	802.11a	189	6895	6Mbps	-	-
Mode 11	U-NII-8	6.875-7.125	0+1	802.11a	209	6995	6Mbps	-	-
Mode 12	U-NII-8	6.875-7.125	0+1	802.11a	229	7095	6Mbps	-	-
Mode 13	U-NII-5	5.925-6.425	0+1	802.11ax HE20	1	5955	MCS0	-	-
Mode 14	U-NII-5	5.925-6.425	0+1	802.11ax HE20	1	5955	MCS0	Partial_RU26/0	-
Mode 15	U-NII-5	5.925-6.425	0+1	802.11ax HE20	1	5955	MCS0	Partial_RU52/37	-
Mode 16	U-NII-5	5.925-6.425	0+1	802.11ax HE20	1	5955	MCS0	Partial_RU106/53	-
Mode 17	U-NII-5	5.925-6.425	0+1	802.11ax HE20	45	6175	MCS0	Full RU	-
Mode 18	U-NII-5	5.925-6.425	0+1	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 19	U-NII-5	5.925-6.425	0+1	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 20	U-NII-5	5.925-6.425	0+1	802.11ax HE40	43	6165	MCS0	Full RU	-
Mode 21	U-NII-5	5.925-6.425	0+1	802.11ax HE40	91	6405	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 22	U-NII-5	5.925-6.425	0+1	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 23	U-NII-5	5.925-6.425	0+1	802.11ax HE80	39	6145	MCS0	Full RU	-
Mode 24	U-NII-5	5.925-6.425	0+1	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 25	U-NII-5	5.925-6.425	0+1	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 26	U-NII-5	5.925-6.425	0+1	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 27	U-NII-5	5.925-6.425	0+1	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 28	U-NII-5	5.925-6.425	0+1	802.11ax HE20	97	6435	MCS0	Full RU	-
Mode 29	U-NII-6	6.425-6.525	0+1	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 30	U-NII-6	6.425-6.525	0+1	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 31	U-NII-6	6.425-6.525	0+1	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 32	U-NII-6	6.425-6.525	0+1	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 33	U-NII-6	6.425-6.525	0+1	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 34	U-NII-6	6.425-6.525	0+1	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 35	U-NII-6	6.425-6.525	0+1	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 36	U-NII-6	6.425-6.525	0+1	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 37	U-NII-7	6.525-6.875	0+1	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 38	U-NII-7	6.525-6.875	0+1	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 39	U-NII-7	6.525-6.875	0+1	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	0+1	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	0+1	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	0+1	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	0+1	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 44	U-NII-7	6.525-6.875	0+1	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 45	U-NII-7	6.525-6.875	0+1	802.11ax HE20	185	6875	MCS0	Full RU	-
Mode 46	U-NII-7	6.525-6.875	0+1	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 47	U-NII-7	6.525-6.875	0+1	802.11ax HE160	175	6825	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 48	U-NII-8	6.875-7.125	0+1	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 49	U-NII-8	6.875-7.125	0+1	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 50	U-NII-8	6.875-7.125	0+1	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 51	U-NII-8	6.875-7.125	0+1	802.11ax HE20	229	7095	MCS0	Partial_RU26/8	-
Mode 52	U-NII-8	6.875-7.125	0+1	802.11ax HE20	229	7095	MCS0	Partial_RU52/40	-
Mode 53	U-NII-8	6.875-7.125	0+1	802.11ax HE20	229	7095	MCS0	Partial_RU106/54	-
Mode 54	U-NII-8	6.875-7.125	0+1	802.11ax HE40	203	6965	MCS0	Full RU	-
Mode 55	U-NII-8	6.875-7.125	0+1	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 56	U-NII-8	6.875-7.125	0+1	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 57	U-NII-8	6.875-7.125	0+1	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 58	U-NII-8	6.875-7.125	0+1	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 59	U-NII-8	6.875-7.125	0+1	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 60	U-NII-8	6.875-7.125	0+1	802.11ax HE160	207	6985	MCS0	Full RU	LF

Co-location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 61	2400-2483.5	2400-2483.5	0+1	802.11n HT20	11	2462	MCS0	-	-
	U-NII-8	6.875-7.125	0+1	802.11ax HE160	207	6985	MCS0	Full RU	-
	2400-2483.5	2400-2483.5	-	Bluetooth-LE (Nordic BLE)	39	2480	1Mbps	-	-
Mode62	U-NII-8	6.875-7.125	0+1	802.11ax HE160	207	6985	MCS0	Full RU	-
	2400-2483.5	2400-2483.5	-	Bluetooth-LE	00	2402	2Mbps	-	-
	2400-2483.5	2400-2483.5	-	Bluetooth-LE (Nordic BLE)	39	2480	1Mbps	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.45	44.31	68.30	-23.99	V	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	47.53	74.00	-26.47	V	PEAK	Pass	Harmonic
2	802.11a	45	12350.00	46.36	74.00	-27.64	H	PEAK	Pass	Harmonic
3	802.11a	93	12830.00	47.52	88.30	-40.78	V	PEAK	Pass	Harmonic
4	802.11a	97	12870.00	47.06	88.30	-41.24	V	PEAK	Pass	Harmonic
5	802.11a	105	12950.00	48.04	88.30	-40.26	H	PEAK	Pass	Harmonic
6	802.11a	113	13030.00	48.34	88.30	-39.96	H	PEAK	Pass	Harmonic
7	802.11a	117	13070.00	47.33	88.30	-40.97	H	PEAK	Pass	Harmonic
8	802.11a	149	13390.00	45.99	74.00	-28.01	V	PEAK	Pass	Harmonic
9	802.11a	185	13750.00	46.76	88.30	-41.54	V	PEAK	Pass	Harmonic
10	802.11a	189	13790.00	47.13	88.30	-41.17	V	PEAK	Pass	Harmonic
11	802.11a	209	13990.00	46.27	88.30	-42.03	V	PEAK	Pass	Harmonic
12	802.11a	229	7139.24	44.96	68.30	-23.34	H	AVERAGE	Pass	Band Edge
12	802.11a	229	14190.00	46.58	88.30	-41.72	V	PEAK	Pass	Harmonic
13	802.11ax HE20	1	5908.85	44.03	68.30	-24.27	H	AVERAGE	Pass	Band Edge
13	802.11ax HE20	1	11910.00	47.66	74.00	-26.34	V	PEAK	Pass	Harmonic
14	802.11ax HE20	1	5907.55	43.98	68.30	-24.32	H	AVERAGE	Pass	Band Edge
14	802.11ax HE20	1	11910.00	46.72	74.00	-27.28	V	PEAK	Pass	Harmonic
15	802.11ax HE20	1	5924.19	43.92	68.30	-24.38	V	AVERAGE	Pass	Band Edge
15	802.11ax HE20	1	11910.00	46.66	74.00	-27.34	V	PEAK	Pass	Harmonic
16	802.11ax HE20	1	5900.40	43.90	68.30	-24.40	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	1	11910.00	46.73	74.00	-27.27	H	PEAK	Pass	Harmonic
17	802.11ax HE20	45	12350.00	46.40	74.00	-27.60	V	PEAK	Pass	Harmonic
18	802.11ax HE20	93	12830.00	46.89	88.30	-41.41	H	PEAK	Pass	Harmonic
19	802.11ax HE40	3	5924.12	44.22	68.30	-24.08	V	AVERAGE	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
19	802.11ax HE40	3	11930.00	47.46	74.00	-26.54	H	PEAK	Pass	Harmonic
20	802.11ax HE40	43	12330.00	48.10	74.00	-25.90	H	PEAK	Pass	Harmonic
21	802.11ax HE40	91	12810.00	46.71	88.30	-41.59	H	PEAK	Pass	Harmonic
22	802.11ax HE80	7	5923.24	44.23	68.30	-24.07	H	AVERAGE	Pass	Band Edge
22	802.11ax HE80	7	11970.00	47.18	74.00	-26.82	V	PEAK	Pass	Harmonic
23	802.11ax HE80	39	12290.00	46.98	74.00	-27.02	V	PEAK	Pass	Harmonic
24	802.11ax HE80	87	12770.00	47.71	88.30	-40.59	H	PEAK	Pass	Harmonic
25	802.11ax HE160	15	5911.60	44.09	68.30	-24.21	V	AVERAGE	Pass	Band Edge
25	802.11ax HE160	15	12050.00	48.12	74.00	-25.88	V	PEAK	Pass	Harmonic
26	802.11ax HE160	47	12370.00	47.05	74.00	-26.95	V	PEAK	Pass	Harmonic
27	802.11ax HE160	79	12690.00	47.18	74.00	-26.82	H	PEAK	Pass	Harmonic
28	802.11ax HE20	97	12870.00	47.12	88.30	-41.18	H	PEAK	Pass	Harmonic
29	802.11ax HE20	105	12950.00	47.80	88.30	-40.50	H	PEAK	Pass	Harmonic
30	802.11ax HE20	113	13030.00	47.47	88.30	-40.83	V	PEAK	Pass	Harmonic
31	802.11ax HE40	99	12890.00	47.85	88.30	-40.45	V	PEAK	Pass	Harmonic
32	802.11ax HE40	107	12970.00	47.75	88.30	-40.55	V	PEAK	Pass	Harmonic
33	802.11ax HE80	103	12930.00	48.47	88.30	-39.83	V	PEAK	Pass	Harmonic
34	802.11ax HE40	115	13050.00	47.73	88.30	-40.57	H	PEAK	Pass	Harmonic
35	802.11ax HE80	119	13090.00	48.19	88.30	-40.11	H	PEAK	Pass	Harmonic
36	802.11ax HE160	111	13010.00	47.40	88.30	-40.90	H	PEAK	Pass	Harmonic
37	802.11ax HE20	117	13070.00	47.74	88.30	-40.56	H	PEAK	Pass	Harmonic
38	802.11ax HE20	149	13390.00	46.85	74.00	-27.15	H	PEAK	Pass	Harmonic
39	802.11ax HE40	123	13130.00	48.05	88.30	-40.25	V	PEAK	Pass	Harmonic
40	802.11ax HE40	147	13370.00	47.85	74.00	-26.15	H	PEAK	Pass	Harmonic
41	802.11ax HE40	179	13690.00	48.62	88.30	-39.68	H	PEAK	Pass	Harmonic
42	802.11ax HE80	135	13250.00	47.30	74.00	-26.70	H	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
43	802.11ax HE80	151	13410.00	46.99	88.30	-41.31	H	PEAK	Pass	Harmonic
44	802.11ax HE160	143	13330.00	47.29	74.00	-26.71	H	PEAK	Pass	Harmonic
45	802.11ax HE20	185	13750.00	47.07	88.30	-41.23	V	PEAK	Pass	Harmonic
46	802.11ax HE80	183	13730.00	47.20	88.30	-41.10	H	PEAK	Pass	Harmonic
47	802.11ax HE160	175	13650.00	48.15	88.30	-40.15	V	PEAK	Pass	Harmonic
48	802.11ax HE20	189	13790.00	46.82	88.30	-41.48	H	PEAK	Pass	Harmonic
49	802.11ax HE20	209	13990.00	46.43	88.30	-41.87	V	PEAK	Pass	Harmonic
50	802.11ax HE20	229	7177.96	44.86	68.30	-23.44	H	AVERAGE	Pass	Band Edge
50	802.11ax HE20	229	14190.00	47.06	88.30	-41.24	H	PEAK	Pass	Harmonic
51	802.11ax HE20	229	7140.52	45.08	68.30	-23.22	H	AVERAGE	Pass	Band Edge
51	802.11ax HE20	229	14190.00	46.97	88.30	-41.33	H	PEAK	Pass	Harmonic
52	802.11ax HE20	229	7126.12	45.05	68.30	-23.25	V	AVERAGE	Pass	Band Edge
52	802.11ax HE20	229	14190.00	46.68	88.30	-41.62	V	PEAK	Pass	Harmonic
53	802.11ax HE20	229	7166.44	45.03	68.30	-23.27	H	AVERAGE	Pass	Band Edge
53	802.11ax HE20	229	14190.00	46.15	88.30	-42.15	V	PEAK	Pass	Harmonic
54	802.11ax HE40	203	13930.00	47.67	88.30	-40.63	H	PEAK	Pass	Harmonic
55	802.11ax HE40	227	7125.32	44.92	68.30	-23.38	V	AVERAGE	Pass	Band Edge
55	802.11ax HE40	227	14170.00	47.58	88.30	-40.72	V	PEAK	Pass	Harmonic
56	802.11ax HE80	199	13890.00	46.91	88.30	-41.39	H	PEAK	Pass	Harmonic
57	802.11ax HE80	215	7175.92	44.87	68.30	-23.43	H	AVERAGE	Pass	Band Edge
57	802.11ax HE80	215	14050.00	47.43	88.30	-40.87	V	PEAK	Pass	Harmonic
58	802.11ax HE160	207	7125.16	45.15	68.30	-23.15	V	AVERAGE	Pass	Band Edge
58	802.11ax HE160	207	13970.00	47.50	88.30	-40.80	V	PEAK	Pass	Harmonic
59	802.11ax HE40	187	13770.00	47.95	88.30	-40.35	V	PEAK	Pass	Harmonic
60	802.11ax HE160	207	45.52	30.94	40	-9.06	V	PEAK	Pass	LF





Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
61	802.11n HT20	11	2483.50	45.40	54.00	-8.60	V	AVERAGE	Pass	Band Edge
	802.11n HT20	11	4924.00	41.81	74.00	-32.19	V	PEAK	Pass	Harmonic
	802.11ax HE160	207	7130.92	39.60	68.20	-28.60	V	AVERAGE	Pass	Band Edge
	802.11ax HE160	207	13970.00	45.72	88.20	-42.48	V	PEAK	Pass	Harmonic
	Bluetooth-LE (Nordic BLE)	39	2483.50	47.42	54.00	-6.58	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE (Nordic BLE)	39	7440.00	41.37	74.00	-32.63	H	PEAK	Pass	Harmonic
62	802.11ax HE160	207	7204.84	39.67	68.20	-28.53	V	AVERAGE	Pass	Band Edge
	802.11ax HE160	207	13970.00	44.23	88.20	-43.97	V	PEAK	Pass	Harmonic
	Bluetooth-LE	00	2384.36	39.71	54.00	-14.29	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	00	4804.00	40.03	74.00	-33.97	H	PEAK	Pass	Harmonic
	Bluetooth-LE (Nordic BLE)	39	2483.98	40.15	54.00	-13.85	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE(Nordic BLE)	39	7440.00	41.18	74.00	-32.82	V	PEAK	Pass	Harmonic





Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.37</td><td>55.95</td><td>88.30</td><td>-32.35</td><td>42.33</td><td>35.10</td><td>10.51</td><td>31.99</td><td>0.00</td><td>286</td><td>82</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.37	55.95	88.30	-32.35	42.33	35.10	10.51	31.99	0.00	286	82	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>110.79</td><td>-----</td><td>-----</td><td>97.01</td><td>35.25</td><td>10.55</td><td>32.02</td><td>0.00</td><td>286</td><td>82</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.79	-----	-----	97.01	35.25	10.55	32.02	0.00	286	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.37	55.95	88.30	-32.35	42.33	35.10	10.51	31.99	0.00	286	82	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	110.79	-----	-----	97.01	35.25	10.55	32.02	0.00	286	82	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.84</td><td>44.18</td><td>68.30</td><td>-24.12</td><td>30.54</td><td>35.11</td><td>10.52</td><td>31.99</td><td>0.00</td><td>286</td><td>82</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	44.18	68.30	-24.12	30.54	35.11	10.52	31.99	0.00	286	82	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>102.05</td><td>-----</td><td>-----</td><td>88.31</td><td>35.21</td><td>10.54</td><td>32.01</td><td>0.00</td><td>286</td><td>82</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.05	-----	-----	88.31	35.21	10.54	32.01	0.00	286	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.84	44.18	68.30	-24.12	30.54	35.11	10.52	31.99	0.00	286	82	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	102.05	-----	-----	88.31	35.21	10.54	32.01	0.00	286	82	AVERAGE																																																																																							





Mode	1																																																																																													
	Band Edge																																																																																													
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																													
ANT	0+1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5917.43</td><td>55.88</td><td>88.30</td><td>-32.42</td><td>42.28</td><td>35.08</td><td>10.51</td><td>31.99</td><td>0.00</td><td>149</td><td>63 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5917.43	55.88	88.30	-32.42	42.28	35.08	10.51	31.99	0.00	149	63 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>113.19</td><td>-----</td><td>-----</td><td>99.41</td><td>35.25</td><td>10.55</td><td>32.02</td><td>0.00</td><td>149</td><td>63 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	113.19	-----	-----	99.41	35.25	10.55	32.02	0.00	149
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5917.43	55.88	88.30	-32.42	42.28	35.08	10.51	31.99	0.00	149	63 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5955.00	113.19	-----	-----	99.41	35.25	10.55	32.02	0.00	149	63 PEAK																																																																																				
Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.45</td><td>44.31</td><td>68.30</td><td>-23.99</td><td>30.67</td><td>35.11</td><td>10.52</td><td>31.99</td><td>0.00</td><td>149</td><td>63 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.45	44.31	68.30	-23.99	30.67	35.11	10.52	31.99	0.00	149	63 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>104.33</td><td>-----</td><td>-----</td><td>90.59</td><td>35.21</td><td>10.54</td><td>32.01</td><td>0.00</td><td>149</td><td>63 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	104.33	-----	-----	90.59	35.21	10.54	32.01	0.00	149
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5924.45	44.31	68.30	-23.99	30.67	35.11	10.52	31.99	0.00	149	63 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5955.00	104.33	-----	-----	90.59	35.21	10.54	32.01	0.00	149	63 AVERAGE																																																																																				





Mode	1																																																							
	Harmonic																																																							
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.47</td><td>74.00</td><td>-27.53</td><td>53.95</td><td>38.71</td><td>15.21</td><td>61.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	46.47	74.00	-27.53	53.95	38.71	15.21	61.40	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11910.00	46.47	74.00	-27.53	53.95	38.71	15.21	61.40	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>55.01</td><td>38.71</td><td>15.21</td><td>61.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.53	74.00	-26.47	55.01	38.71	15.21	61.40	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11910.00	47.53	74.00	-26.47	55.01	38.71	15.21	61.40	0.00	---	---	PEAK																																												





Mode	2																																																																																																			
	Harmonic																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																																																																			
ANT	0+1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>53.31</td><td>38.94</td><td>15.54</td><td>61.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.36	74.00	-27.64	53.31	38.94	15.54	61.43	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.08</td><td>74.00</td><td>-27.92</td><td>53.03</td><td>38.94</td><td>15.54</td><td>61.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.08	74.00	-27.92	53.03	38.94	15.54	61.43	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	12350.00	46.36	74.00	-27.64	53.31	38.94	15.54	61.43	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	12350.00	46.08	74.00	-27.92	53.03	38.94	15.54	61.43	0.00	---	---	PEAK																																																																																								





Mode	3																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																	
ANT	0+1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.51</td><td>88.30</td><td>-41.79</td><td>52.83</td><td>39.27</td><td>15.92</td><td>61.51</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.51	88.30	-41.79	52.83	39.27	15.92	61.51	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.52</td><td>88.30</td><td>-40.78</td><td>53.84</td><td>39.27</td><td>15.92</td><td>61.51</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.52	88.30	-40.78	53.84	39.27	15.92	61.51	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12830.00	46.51	88.30	-41.79	52.83	39.27	15.92	61.51	0.00	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12830.00	47.52	88.30	-40.78	53.84	39.27	15.92	61.51	0.00	---	PEAK																																																																																							





Mode	4																																																																																																
	Harmonic																																																																																																
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																
ANT	0+1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>46.80</td><td>88.30</td><td>-41.50</td><td>53.07</td><td>39.30</td><td>15.95</td><td>61.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	46.80	88.30	-41.50	53.07	39.30	15.95	61.52	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.06</td><td>88.30</td><td>-41.24</td><td>53.33</td><td>39.30</td><td>15.95</td><td>61.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.06	88.30	-41.24	53.33	39.30	15.95	61.52	0.00	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12870.00	46.80	88.30	-41.50	53.07	39.30	15.95	61.52	0.00	---	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12870.00	47.06	88.30	-41.24	53.33	39.30	15.95	61.52	0.00	---	PEAK																																																																																						





Mode	5																																																																																																		
	Harmonic																																																																																																		
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>40.04</td><td>88.30</td><td>-40.26</td><td>54.20</td><td>39.36</td><td>16.01</td><td>61.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	40.04	88.30	-40.26	54.20	39.36	16.01	61.53	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>47.23</td><td>88.30</td><td>-41.07</td><td>53.39</td><td>39.36</td><td>16.01</td><td>61.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	47.23	88.30	-41.07	53.39	39.36	16.01	61.53	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12950.00	40.04	88.30	-40.26	54.20	39.36	16.01	61.53	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12950.00	47.23	88.30	-41.07	53.39	39.36	16.01	61.53	0.00	---	---	PEAK																																																																																							





Mode	6																																																																																																	
	Harmonic																																																																																																	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																	
ANT	0+1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>48.34</td><td>88.30</td><td>-39.96</td><td>54.47</td><td>39.37</td><td>16.06</td><td>61.56</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	48.34	88.30	-39.96	54.47	39.37	16.06	61.56	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>46.91</td><td>88.30</td><td>-41.39</td><td>53.04</td><td>39.37</td><td>16.06</td><td>61.56</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	46.91	88.30	-41.39	53.04	39.37	16.06	61.56	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13030.00	48.34	88.30	-39.96	54.47	39.37	16.06	61.56	0.00	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13030.00	46.91	88.30	-41.39	53.04	39.37	16.06	61.56	0.00	---	PEAK																																																																																							





Mode	7																																																																																																
	Harmonic																																																																																																
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																
ANT	0+1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>47.33</td><td>88.30</td><td>-40.97</td><td>53.50</td><td>39.33</td><td>16.00</td><td>61.58</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	47.33	88.30	-40.97	53.50	39.33	16.00	61.58	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>47.05</td><td>88.30</td><td>-41.25</td><td>53.22</td><td>39.33</td><td>16.00</td><td>61.58</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	47.05	88.30	-41.25	53.22	39.33	16.00	61.58	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13070.00	47.33	88.30	-40.97	53.50	39.33	16.00	61.58	0.00	---	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13070.00	47.05	88.30	-41.25	53.22	39.33	16.00	61.58	0.00	---	PEAK																																																																																						





Mode	8																																																							
	Harmonic																																																							
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.85</td><td>74.00</td><td>-28.15</td><td>52.34</td><td>39.01</td><td>16.23</td><td>61.73</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	45.85	74.00	-28.15	52.34	39.01	16.23	61.73	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13390.00	45.85	74.00	-28.15	52.34	39.01	16.23	61.73	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>52.48</td><td>39.01</td><td>16.23</td><td>61.73</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	45.99	74.00	-28.01	52.48	39.01	16.23	61.73	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	13390.00	45.99	74.00	-28.01	52.48	39.01	16.23	61.73	0.00	---	---	PEAK																																												



Mode	9																																																																																																	
	Harmonic																																																																																																	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																																	
ANT	0+1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>46.48</td><td>88.30</td><td>-41.82</td><td>52.95</td><td>38.85</td><td>16.40</td><td>61.72</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	46.48	88.30	-41.82	52.95	38.85	16.40	61.72	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>46.76</td><td>88.30</td><td>-41.54</td><td>53.23</td><td>38.85</td><td>16.40</td><td>61.72</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	46.76	88.30	-41.54	53.23	38.85	16.40	61.72	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13750.00	46.48	88.30	-41.82	52.95	38.85	16.40	61.72	0.00	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	13750.00	46.76	88.30	-41.54	53.23	38.85	16.40	61.72	0.00	---	PEAK																																																																																							



Mode	10																																																					
	Harmonic																																																					
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																					
ANT	0+1																																																					
Pol.	Horizontal																																																					
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>46.13</td><td>88.30</td><td>-42.17</td><td>52.58</td><td>38.84</td><td>16.42</td><td>61.71</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	46.13	88.30	-42.17	52.58	38.84	16.42	61.71	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	13790.00	46.13	88.30	-42.17	52.58	38.84	16.42	61.71	0.00	---	PEAK																																											
Vertical																																																						
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>47.13</td><td>88.30</td><td>-41.17</td><td>53.58</td><td>38.84</td><td>16.42</td><td>61.71</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	47.13	88.30	-41.17	53.58	38.84	16.42	61.71	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	13790.00	47.13	88.30	-41.17	53.58	38.84	16.42	61.71	0.00	---	PEAK																																											