


26 dB ATT CH 1
SPEC. DENSITY

MKR 2.413 425 GHz
-17.00 dBm

hp REF -9.0 dBm ATTEN 0 dB + 20 dB

10 dB/

OFFSET
1.0
dB



CENTER 2.413 44 GHz
RES BW 3 kHz (1)

VBW 30 kHz

SPAN 1.50 MHz
SWP 500 sec

MIRAE TECHNOLOGY
FCC ID: 06ANANOSPEED
JOB #: 241K0
EXHIBIT #: 11A


26 dB ATTN CH 6
SPEC. DENSITY

MKR 2.437 261 GHz
-17.90 dBm

hp REF -9.0 dBm ATTEN 0 dB + 20 dB

10 dB/

OFFSET
1.0
dB



MIRAE TECHNOLOGY
FCC ID: 06ANANOSPEED
JOB #: 241K0
EXHIBIT #: 11B

CENTER 2.437 26 GHz
RES BW 3 kHz (1)

VBW 30 kHz

SPAN 1.50 MHz
SWP 500 sec


26 dB ATT CH 11
SPEC. DENSITY

MKR 2.463 425 GHz
-16.90 dBm

hp REF -9.0 dBm ATTEN 0 dB + 20 dB

10 dB/

OFFSET
1.0
dB



CENTER 2.463 42 GHz
RES BW 3 kHz (1)

VBW 30 kHz

SPAN 1.50 MHz
SWP 500 sec

MIRAE TECHNOLOGY
FCC ID: 06ANANOSPEED
JOB #: 24IK0
EXHIBIT #: 11c