


VHT20-BF_Nss3,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT Y_4TX
Setting 108
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	68.65	74.00	-5.35	29.84	3	Vertical	34	2.03	-	38.81
AV	2.39G	53.83	54.00	-0.17	29.84	3	Vertical	34	2.03	-	23.99
PK	2.4196G	125.54	Inf	-Inf	29.89	3	Vertical	34	2.03	-	95.65
AV	2.4144G	113.71	Inf	-Inf	29.88	3	Vertical	34	2.03	-	83.83
PK	2.4848G	54.53	74.00	-19.47	30.05	3	Vertical	34	2.03	-	24.48
AV	2.4904G	42.25	54.00	-11.75	30.07	3	Vertical	34	2.03	-	12.18

VHT20-BF_Nss3,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT Y_4TX
Setting 108
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.39G	61.47	74.00	-12.53	29.84	3	Horizontal	275	1.53	-	31.63			
AV	2.39G	48.62	54.00	-5.38	29.84	3	Horizontal	275	1.53	-	18.78			
PK	2.4184G	124.95	Inf	-Inf	29.89	3	Horizontal	275	1.53	-	95.06			
AV	2.4184G	114.34	Inf	-Inf	29.89	3	Horizontal	275	1.53	-	84.45			
PK	2.498G	54.56	74.00	-19.44	30.09	3	Horizontal	275	1.53	-	24.47			
AV	2.494G	42.16	54.00	-11.84	30.08	3	Horizontal	275	1.53	-	12.08			

VHT20-BF_Nss3,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT Y_4TX
Setting 108
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.8311G	49.16	74.00	-24.84	2.98	3	Vertical	276	1.84	-	46.18			
AV	4.8236G	34.98	54.00	-19.02	2.96	3	Vertical	276	1.84	-	32.02			

VHT20-BF_Nss3,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT Y_4TX
Setting 108
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.824G	50.56	74.00	-23.44	2.96	3	Horizontal	60	2.04	-	47.60			
AV	4.8231G	36.46	54.00	-17.54	2.96	3	Horizontal	60	2.04	-	33.50			

VHT20-BF_Nss3,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT Y_4TX
Setting 109
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3756G	54.37	74.00	-19.63	29.85	3	Vertical	53	2.50	-	24.52
AV	2.3748G	41.83	54.00	-12.17	29.86	3	Vertical	53	2.50	-	11.97
PK	2.4584G	124.02	Inf	-Inf	29.99	3	Vertical	53	2.50	-	94.03
AV	2.4596G	114.38	Inf	-Inf	29.99	3	Vertical	53	2.50	-	84.39
PK	2.4844G	68.85	74.00	-5.15	30.05	3	Vertical	53	2.50	-	38.80
AV	2.4836G	53.81	54.00	-0.19	30.05	3	Vertical	53	2.50	-	23.76

VHT20-BF_Nss3,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT Y_4TX
Setting 109
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3888G	54.03	74.00	-19.97	29.84	3	Horizontal	292	1.99	-	24.19
AV	2.366G	41.80	54.00	-12.20	29.85	3	Horizontal	292	1.99	-	11.95
PK	2.4628G	123.01	Inf	-Inf	30.00	3	Horizontal	292	1.99	-	93.01
AV	2.4656G	111.19	Inf	-Inf	30.00	3	Horizontal	292	1.99	-	81.19
PK	2.4848G	69.50	74.00	-4.50	30.05	3	Horizontal	292	1.99	-	39.45
AV	2.4835G	52.49	54.00	-1.51	30.05	3	Horizontal	292	1.99	-	22.44

VHT20-BF_Nss3,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT Y_4TX
Setting 109
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.9199G	47.33	74.00	-26.67	3.24	3	Vertical	355	1.64	-	44.09			
AV	4.9215G	33.32	54.00	-20.68	3.24	3	Vertical	355	1.64	-	30.08			

VHT20-BF_Nss3,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT Y_4TX
Setting 109
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.9091G	49.54	74.00	-24.46	3.22	3	Horizontal	331	1.19	-	46.32			
AV	4.9153G	36.62	54.00	-17.38	3.24	3	Horizontal	331	1.19	-	33.38			

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2422MHz_TX




EUT Y_4TX
Setting 105
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.384G	68.26	74.00	-5.74	29.85	3	Vertical	27	2.58	-	38.41
AV	2.39G	53.75	54.00	-0.25	29.84	3	Vertical	27	2.58	-	23.91
PK	2.4352G	121.49	Inf	-Inf	29.93	3	Vertical	27	2.58	-	91.56
AV	2.4168G	110.61	Inf	-Inf	29.88	3	Vertical	27	2.58	-	80.73
PK	2.486G	58.62	74.00	-15.38	30.05	3	Vertical	27	2.58	-	28.57
AV	2.4852G	43.20	54.00	-10.80	30.05	3	Vertical	27	2.58	-	13.15

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2422MHz_TX




EUT Y_4TX
Setting 105
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3824G	64.85	74.00	-9.15	29.85	3	Horizontal	280	1.87	-	35.00
AV	2.39G	51.19	54.00	-2.81	29.84	3	Horizontal	280	1.87	-	21.35
PK	2.4272G	122.49	Inf	-Inf	29.90	3	Horizontal	280	1.87	-	92.59
AV	2.4296G	111.74	Inf	-Inf	29.91	3	Horizontal	280	1.87	-	81.83
PK	2.488G	59.85	74.00	-14.15	30.06	3	Horizontal	280	1.87	-	29.79
AV	2.4852G	43.12	54.00	-10.88	30.05	3	Horizontal	280	1.87	-	13.07

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2422MHz_TX




EUT Y_4TX
Setting 105
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84424G	47.78	74.00	-26.22	3.03	3	Vertical	243	1.01	-	44.75			
AV	4.844G	33.54	54.00	-20.46	3.03	3	Vertical	243	1.01	-	30.51			

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2422MHz_TX




EUT Y_4TX
Setting 105
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84376G	50.59	74.00	-23.41	3.03	3	Horizontal	52	2.40	-	47.56			
AV	4.84392G	33.78	54.00	-20.22	3.03	3	Horizontal	52	2.40	-	30.75			

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2437MHz_TX




EUT Y_4TX
Setting 110
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	65.90	74.00	-8.10	29.84	3	Vertical	13	1.83	-	36.06
AV	2.3898G	50.45	54.00	-3.55	29.84	3	Vertical	13	1.83	-	20.61
PK	2.433G	122.53	Inf	-Inf	29.93	3	Vertical	13	1.83	-	92.60
AV	2.4282G	115.89	Inf	-Inf	29.91	3	Vertical	13	1.83	-	85.98
PK	2.4862G	69.10	74.00	-4.90	30.05	3	Vertical	13	1.83	-	39.05
AV	2.4838G	53.55	54.00	-0.45	30.05	3	Vertical	13	1.83	-	23.50

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2437MHz_TX




EUT Y_4TX
Setting 110
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	61.55	74.00	-12.45	29.84	3	Horizontal	285	1.44	-	31.71
AV	2.3898G	48.28	54.00	-5.72	29.84	3	Horizontal	285	1.44	-	18.44
PK	2.4386G	123.50	Inf	-Inf	29.94	3	Horizontal	285	1.44	-	93.56
AV	2.4402G	113.52	Inf	-Inf	29.94	3	Horizontal	285	1.44	-	83.58
PK	2.485G	70.12	74.00	-3.88	30.05	3	Horizontal	285	1.44	-	40.07
AV	2.485G	53.58	54.00	-0.42	30.05	3	Horizontal	285	1.44	-	23.53

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2437MHz_TX




EUT Y_4TX
Setting 110
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.864G	49.60	74.00	-24.40	3.09	3	Vertical	237	1.11	-	46.51			
AV	4.86368G	34.23	54.00	-19.77	3.09	3	Vertical	237	1.11	-	31.14			

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2437MHz_TX




EUT Y_4TX
Setting 110
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.86392G	51.94	74.00	-22.06	3.09	3	Horizontal	52	2.40	-	48.85			
AV	4.86376G	34.31	54.00	-19.69	3.09	3	Horizontal	52	2.40	-	31.22			

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2452MHz_TX




EUT Y_4TX
Setting 101
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3876G	55.04	74.00	-18.96	29.84	3	Vertical	20	2.18	-	25.20
AV	2.39G	41.96	54.00	-12.04	29.84	3	Vertical	20	2.18	-	12.12
PK	2.4468G	119.72	Inf	-Inf	29.95	3	Vertical	20	2.18	-	89.77
AV	2.4412G	113.55	Inf	-Inf	29.94	3	Vertical	20	2.18	-	83.61
PK	2.4868G	71.10	74.00	-2.90	30.05	3	Vertical	20	2.18	-	41.05
AV	2.4856G	53.11	54.00	-0.89	30.05	3	Vertical	20	2.18	-	23.06

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2452MHz_TX




EUT Y_4TX
Setting 101
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3812G	54.24	74.00	-19.76	29.85	3	Horizontal	285	2.48	-	24.39
AV	2.39G	41.87	54.00	-12.13	29.84	3	Horizontal	285	2.48	-	12.03
PK	2.4416G	120.61	Inf	-Inf	29.94	3	Horizontal	285	2.48	-	90.67
AV	2.4552G	109.13	Inf	-Inf	29.98	3	Horizontal	285	2.48	-	79.15
PK	2.4852G	69.06	74.00	-4.94	30.05	3	Horizontal	285	2.48	-	39.01
AV	2.4864G	53.78	54.00	-0.22	30.05	3	Horizontal	285	2.48	-	23.73

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2452MHz_TX




EUT Y_4TX
Setting 101
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90408G	46.72	74.00	-27.28	3.21	3	Vertical	39	1.42	-	43.51			
AV	4.90392G	32.81	54.00	-21.19	3.21	3	Vertical	39	1.42	-	29.60			

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2452MHz_TX




EUT Y_4TX
Setting 101
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90416G	48.94	74.00	-25.06	3.21	3	Horizontal	342	1.39	-	45.73			
AV	4.90664G	33.66	54.00	-20.34	3.21	3	Horizontal	342	1.39	-	30.45			

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

09/09/2019

2412MHz_TX




EUT Y_4TX
Setting 108
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.39G	68.08	74.00	-5.92	29.84	3	Vertical	84	1.96	-	38.24			
AV	2.39G	53.76	54.00	-0.24	29.84	3	Vertical	84	1.96	-	23.92			
PK	2.4158G	126.33	Inf	-Inf	29.88	3	Vertical	84	1.96	-	96.45			
AV	2.4142G	114.82	Inf	-Inf	29.88	3	Vertical	84	1.96	-	84.94			

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

09/09/2019

2412MHz_TX




EUT Y_4TX
Setting 108
04-B-4
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)				
PK	2.3896G	65.69	74.00	-8.31	29.84	3	Horizontal	278	2.26	-	35.85				
AV	2.39G	49.82	54.00	-4.18	29.84	3	Horizontal	278	2.26	-	19.98				
PK	2.417G	126.85	Inf	-Inf	29.88	3	Horizontal	278	2.26	-	96.97				
AV	2.4178G	112.72	Inf	-Inf	29.89	3	Horizontal	278	2.26	-	82.83				

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

09/09/2019

2412MHz_TX




EUT_Y_4TX
Setting 108
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.824G	47.00	74.00	-27.00	2.96	3	Vertical	322	1.93	-	44.04			
AV	4.8237G	39.56	54.00	-14.44	2.96	3	Vertical	322	1.93	-	36.60			

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

09/09/2019

2412MHz_TX




EUT_Y_4TX
Setting 108
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82424G	49.27	74.00	-24.73	2.96	3	Horizontal	35	1.50	-	46.31			
AV	4.824G	35.34	54.00	-18.66	2.96	3	Horizontal	35	1.50	-	32.38			

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

31/08/2019

2462MHz_TX




EUT Y_4TX
Setting 105
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4558G	123.87	Inf	-Inf	29.98	3	Vertical	63	1.67	-	93.89
AV	2.4602G	111.15	Inf	-Inf	29.99	3	Vertical	63	1.67	-	81.16
PK	2.4868G	71.25	74.00	-2.75	30.05	3	Vertical	63	1.67	-	41.20
AV	2.483501G	53.78	54.00	-0.22	30.05	3	Vertical	63	1.67	-	23.73

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

31/08/2019

2462MHz_TX




EUT Y_4TX
Setting 105
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.4532G	123.86	Inf	-Inf	29.98	3	Horizontal	283	2.01	-	93.88			
AV	2.4658G	110.87	Inf	-Inf	30.00	3	Horizontal	283	2.01	-	80.87			
PK	2.484G	70.86	74.00	-3.14	30.05	3	Horizontal	283	2.01	-	40.81			
AV	2.4835G	52.90	54.00	-1.10	30.05	3	Horizontal	283	2.01	-	22.85			

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

31/08/2019

2462MHz_TX




EUT Y_4TX
Setting 105
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92466G	47.33	74.00	-26.67	3.25	3	Vertical	160	1.40	-	44.08			
AV	4.92424G	33.62	54.00	-20.38	3.25	3	Vertical	160	1.40	-	30.37			

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

31/08/2019

2462MHz_TX




EUT Y_4TX
Setting 105
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92486G	48.57	74.00	-25.43	3.25	3	Horizontal	336	1.50	-	45.32			
AV	4.92648G	34.71	54.00	-19.29	3.25	3	Horizontal	336	1.50	-	31.46			

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2422MHz_TX




EUT Y_4TX
Setting 103
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3836G	67.07	74.00	-6.93	29.85	3	Vertical	68	1.88	-	37.22
AV	2.39G	53.76	54.00	-0.24	29.84	3	Vertical	68	1.88	-	23.92
PK	2.4176G	122.60	Inf	-Inf	29.89	3	Vertical	68	1.88	-	92.71
AV	2.4112G	113.31	Inf	-Inf	29.87	3	Vertical	68	1.88	-	83.44
PK	2.4876G	56.90	74.00	-17.10	30.06	3	Vertical	68	1.88	-	26.84
AV	2.4844G	43.01	54.00	-10.99	30.05	3	Vertical	68	1.88	-	12.96

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2422MHz_TX




EUT Y_4TX
Setting 103
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3836G	63.84	74.00	-10.16	29.85	3	Horizontal	291	2.29	-	33.99
AV	2.39G	50.30	54.00	-3.70	29.84	3	Horizontal	291	2.29	-	20.46
PK	2.418G	122.94	Inf	-Inf	29.89	3	Horizontal	291	2.29	-	93.05
AV	2.4192G	109.95	Inf	-Inf	29.89	3	Horizontal	291	2.29	-	80.06
PK	2.4848G	56.94	74.00	-17.06	30.05	3	Horizontal	291	2.29	-	26.89
AV	2.486G	42.63	54.00	-11.37	30.05	3	Horizontal	291	2.29	-	12.58

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2422MHz_TX




EUT Y_4TX
Setting 103
04-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84224G	47.65	74.00	-26.35	3.03	3	Vertical	248	1.03	-	44.62			
AV	4.8468G	33.71	54.00	-20.29	3.04	3	Vertical	248	1.03	-	30.67			

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2422MHz_TX




EUT Y_4TX
Setting 103
04-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.83488G	47.93	74.00	-26.07	2.99	3	Horizontal	32	1.96	-	44.94			
AV	4.84972G	33.85	54.00	-20.15	3.05	3	Horizontal	32	1.96	-	30.80			

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2437MHz_TX




EUT Y_4TX
Setting 109
04-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3842G	63.12	74.00	-10.88	29.85	3	Vertical	96	1.03	-	33.27
AV	2.3898G	47.31	54.00	-6.69	29.84	3	Vertical	96	1.03	-	17.47
PK	2.4306G	123.42	Inf	-Inf	29.92	3	Vertical	96	1.03	-	93.50
AV	2.4258G	114.47	Inf	-Inf	29.90	3	Vertical	96	1.03	-	84.57
PK	2.487G	68.46	74.00	-5.54	30.05	3	Vertical	96	1.03	-	38.41
AV	2.4854G	53.60	54.00	-0.40	30.05	3	Vertical	96	1.03	-	23.55

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2437MHz_TX




EUT Y_4TX
Setting 109
04-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3838G	61.16	74.00	-12.84	29.85	3	Horizontal	286	1.49	-	31.31
AV	2.3898G	45.62	54.00	-8.38	29.84	3	Horizontal	286	1.49	-	15.78
PK	2.4318G	122.97	Inf	-Inf	29.92	3	Horizontal	286	1.49	-	93.05
AV	2.441G	110.02	Inf	-Inf	29.94	3	Horizontal	286	1.49	-	80.08
PK	2.487G	68.62	74.00	-5.38	30.05	3	Horizontal	286	1.49	-	38.57
AV	2.4858G	53.61	54.00	-0.39	30.05	3	Horizontal	286	1.49	-	23.56

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2437MHz_TX




EUT Y_4TX
Setting 109
04-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.86768G	46.69	74.00	-27.31	3.10	3	Vertical	148	2.07	-	43.59			
AV	4.86652G	32.64	54.00	-21.36	3.10	3	Vertical	148	2.07	-	29.54			

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

13/09/2019

2437MHz_TX




EUT Y_4TX
Setting 109
04-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87724G	46.54	74.00	-27.46	3.13	3	Horizontal	56	1.84	-	43.41			
AV	4.8644G	34.59	54.00	-19.41	3.09	3	Horizontal	56	1.84	-	31.50			

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 98
04-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3816G	54.65	74.00	-19.35	29.85	3	Vertical	50	2.28	-	24.80
AV	2.39G	42.48	54.00	-11.52	29.84	3	Vertical	50	2.28	-	12.64
PK	2.4564G	121.55	Inf	-Inf	29.98	3	Vertical	50	2.28	-	91.57
AV	2.4436G	113.93	Inf	-Inf	29.95	3	Vertical	50	2.28	-	83.98
PK	2.4856G	68.56	74.00	-5.44	30.05	3	Vertical	50	2.28	-	38.51
AV	2.4868G	53.72	54.00	-0.28	30.05	3	Vertical	50	2.28	-	23.67

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2452MHz_TX




EUT Y_4TX
Setting 98
04-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3848G	53.98	74.00	-20.02	29.85	3	Horizontal	277	1.80	-	24.13
AV	2.3696G	42.02	54.00	-11.98	29.85	3	Horizontal	277	1.80	-	12.17
PK	2.4456G	120.64	Inf	-Inf	29.95	3	Horizontal	277	1.80	-	90.69
AV	2.4448G	107.37	Inf	-Inf	29.95	3	Horizontal	277	1.80	-	77.42
PK	2.4872G	70.14	74.00	-3.86	30.05	3	Horizontal	277	1.80	-	40.09
AV	2.4864G	52.88	54.00	-1.12	30.05	3	Horizontal	277	1.80	-	22.83

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 98
04-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.89776G	45.74	74.00	-28.26	3.19	3	Vertical	168	1.25	-	42.55			
AV	4.89992G	31.91	54.00	-22.09	3.20	3	Vertical	168	1.25	-	28.71			

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2452MHz_TX



EUT Y_4TX
Setting 98
04-G-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.89924G	46.35	74.00	-27.65	3.20	3	Horizontal	267	2.52	-	43.15			
AV	4.89902G	31.92	54.00	-22.08	3.20	3	Horizontal	267	2.52	-	28.72			

