



RE above 1GHz;Band:5.3G;VHT40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5310MHz;TX

20161012
EUT Y_4TX
Setting 17
06-S-6


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.61358G	46.92	54.00	-7.08	17.61	3	H	236	2.07	-
AV	15.94206G	49.45	54.00	-4.55	18.13	3	H	312	1.88	-
PK	10.62618G	59.86	74.00	-14.14	17.62	3	H	236	2.07	-
PK	15.93012G	64.82	74.00	-9.18	18.17	3	H	312	1.88	-

RE above 1GHz;Band:5.3G;VHT80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5290MHz;TX

20161012
EUT Y_4TX
Setting 17
06-S-6


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.08G	47.98	54.00	-6.02	7.85	3	H	139	2.82	-
AV	5.325G	95.41	Inf	-Inf	8.26	3	H	139	2.82	-
AV	5.351G	52.11	54.00	-1.89	8.32	3	H	139	2.82	-
AV	15.870204G	49.42	54.00	-4.58	18.35	3	H	185	1.49	-
PK	5.071G	60.45	74.00	-13.55	7.84	3	H	139	2.82	-
PK	5.276G	106.68	Inf	-Inf	8.15	3	H	139	2.82	-
PK	5.381G	64.92	74.00	-9.08	8.39	3	H	139	2.82	-
PK	15.869708G	62.95	74.00	-11.05	18.35	3	H	185	1.49	-
AV	5.149G	48.07	54.00	-5.93	7.92	3	V	214	2.36	-
AV	5.324G	99.96	Inf	-Inf	8.26	3	V	214	2.36	-
AV	5.351G	53.70	54.00	-0.30	8.32	3	V	214	2.36	-
AV	15.88422G	49.64	54.00	-4.36	18.31	3	V	90	1.00	-
PK	5.107G	60.38	74.00	-13.62	7.88	3	V	214	2.36	-
PK	5.313G	109.70	Inf	-Inf	8.23	3	V	214	2.36	-
PK	5.351G	69.59	74.00	-4.41	8.32	3	V	214	2.36	-
PK	15.87618G	62.87	74.00	-11.13	18.33	3	V	90	1.00	-

RE above 1GHz;Band:5.3G;VHT80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5290MHz;TX

20161012
EUT Y_4TX
Setting 17
06-S-6-10
set_test_mode 58 127 0 80 40 2 2


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	48.07	54.00	-5.93	7.92	3	V	214	2.36	-
AV	5.324G	99.96	Inf	-Inf	8.26	3	V	214	2.36	-
AV	5.351G	53.70	54.00	-0.30	8.32	3	V	214	2.36	-
PK	5.107G	60.38	74.00	-13.62	7.88	3	V	214	2.36	-
PK	5.313G	109.70	Inf	-Inf	8.23	3	V	214	2.36	-
PK	5.351G	69.59	74.00	-4.41	8.32	3	V	214	2.36	-

RE above 1GHz;Band:5.3G;VHT80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5290MHz;TX

20160930
EUT Y_4TX
Setting 17
06-S-6-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.08G	47.98	54.00	-6.02	7.85	3	H	139	2.82	-
AV	5.325G	95.41	Inf	-Inf	8.26	3	H	139	2.82	-
AV	5.351G	52.11	54.00	-1.89	8.32	3	H	139	2.82	-
PK	5.071G	60.45	74.00	-13.55	7.84	3	H	139	2.82	-
PK	5.276G	106.68	Inf	-Inf	8.15	3	H	139	2.82	-
PK	5.381G	64.92	74.00	-9.08	8.39	3	H	139	2.82	-

RE above 1GHz;Band:5.3G;VHT80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5290MHz;TX







20161012
EUT Y_4TX
Setting 17
06-S-6







Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88422G	49.64	54.00	-4.36	18.31	3	V	90	1.00	-
PK	15.87618G	62.87	74.00	-11.13	18.33	3	V	90	1.00	-







RE above 1GHz;Band:5.3G;VHT80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5290MHz;TX







20161012
EUT Y_4TX
Setting 17
06-S-6







Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.870204G	49.42	54.00	-4.58	18.35	3	H	185	1.49	-
PK	15.869708G	62.95	74.00	-11.05	18.35	3	H	185	1.49	-



































































































































































































RE above 1GHz;Band:5.8G;VHT40,BF;BWch:40MHz;Nss:1.(M0);Nant:4;Ch:5710MHz;TX

20161004
EUT Y_4TX
setting 25
04-L-2


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.41704G	48.75	54.00	-5.25	15.27	3	H	319	1.66	-
AV	17.12316G	52.78	Inf	-Inf	19.34	3	H	311	2.49	-
PK	11.4198G	63.17	74.00	-10.83	15.27	3	H	319	1.66	-
PK	17.1356G	67.59	68.20	-0.61	19.36	3	H	311	2.49	-

RE above 1GHz;Band:5.8G;VHT80,BF;BWch:80MHz;Nss:1.(M0);Nant:4;Ch:5690MHz;TX

20161004
EUT Y_4TX
setting 25
04-R-2


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4123G	49.38	54.00	-4.62	8.38	3	H	178	1.57	-
AV	5.7248G	106.76	Inf	-Inf	7.83	3	H	178	1.57	-
AV	11.37396G	43.67	54.00	-10.33	15.27	3	H	312	1.50	-
PK	5.3996G	64.37	74.00	-9.63	8.35	3	H	178	1.57	-
PK	5.462G	63.60	68.20	-4.60	8.49	3	H	178	1.57	-
PK	5.72G	116.75	Inf	-Inf	7.81	3	H	178	1.57	-
PK	5.9276G	64.72	68.20	-3.48	8.57	3	H	178	1.57	-
PK	11.37688G	57.75	74.00	-16.25	15.27	3	H	312	1.50	-
AV	5.4123G	51.38	54.00	-2.62	8.38	3	V	280	1.00	-
AV	5.6936G	111.37	Inf	-Inf	7.70	3	V	280	1.00	-
AV	11.37308G	44.64	54.00	-9.36	15.27	3	V	307	1.50	-
PK	5.3948G	64.18	74.00	-9.82	8.34	3	V	280	1.00	-
PK	5.468G	65.06	68.20	-3.14	8.51	3	V	280	1.00	-
PK	5.6612G	126.05	Inf	-Inf	7.57	3	V	280	1.00	-
PK	5.9324G	64.75	68.20	-3.45	8.59	3	V	280	1.00	-
PK	11.38916G	58.32	74.00	-15.68	15.27	3	V	307	1.50	-

RE above 1GHz;Band:5.8G;VHT80,BF;BWch:80MHz;Nss:1.(M0);Nant:4;Ch:5690MHz;TX

20161004
EUT Y_4TX
setting 25
04-R-2-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6936G	111.37	Inf	-Inf	7.70	3	V	280	1.00	-
PK	5.6612G	126.05	Inf	-Inf	7.57	3	V	280	1.00	-
PK	5.9324G	64.75	68.20	-3.45	8.59	3	V	280	1.00	-
PK	5.468G	65.06	68.20	-3.14	8.51	3	V	280	1.00	-
PK	5.3948G	64.18	74.00	-9.82	8.34	3	V	280	1.00	-
AV	5.4123G	51.38	54.00	-2.62	8.38	3	V	280	1.00	-

RE above 1GHz;Band:5.8G;VHT80,BF;BWch:80MHz;Nss:1.(M0);Nant:4;Ch:5690MHz;TX

20161004
EUT Y_4TX
setting 25
04-R-2-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7248G	106.76	Inf	-Inf	7.83	3	H	178	1.57	-
PK	5.72G	116.75	Inf	-Inf	7.81	3	H	178	1.57	-
PK	5.9276G	64.72	68.20	-3.48	8.57	3	H	178	1.57	-
PK	5.3996G	64.37	74.00	-9.63	8.35	3	H	178	1.57	-
PK	5.462G	63.60	68.20	-4.60	8.49	3	H	178	1.57	-
AV	5.4123G	49.38	54.00	-4.62	8.38	3	H	178	1.57	-

RE above 1GHz;Band:5.8G;VHT80,BF;BWch:80MHz;Nss:1.(M0);Nant:4;Ch:5690MHz;TX







20161004
EUT Y_4TX
setting 25
04-L-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.37308G	44.64	54.00	-9.36	15.27	3	V	307	1.50	-
PK	11.38916G	58.32	74.00	-15.68	15.27	3	V	307	1.50	-


RE above 1GHz;Band:5.8G;VHT80,BF;BWch:80MHz;Nss:1.(M0);Nant:4;Ch:5690MHz;TX

20161004
EUT Y_4TX
setting 25
04-L-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.37396G	43.67	54.00	-10.33	15.27	3	H	312	1.50	-
PK	11.37688G	57.75	74.00	-16.25	15.27	3	H	312	1.50	-




RE TX above 1GHz;Band:5.3G;VHT20,BF;BWch:20MHz;Nss:2,(M0);Nant:4;Ch:5300MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.302G	111.58	Inf	-Inf	8.14	3	V	252	2.39	-
AV	5.3504G	53.41	54.00	-0.59	8.25	3	V	252	2.39	-
PK	5.2956G	122.36	Inf	-Inf	8.13	3	V	252	2.39	-
PK	5.352G	65.83	74.00	-8.17	8.25	3	V	252	2.39	-


RE TX above 1GHz;Band:5.3G;VHT20,BF;BWch:20MHz;Nss:2,(M0);Nant:4;Ch:5300MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3052G	104.52	Inf	-Inf	8.15	3	H	142	1.50	-
AV	5.3504G	47.80	54.00	-6.20	8.25	3	H	142	1.50	-
PK	5.3064G	115.41	Inf	-Inf	8.15	3	H	142	1.50	-
PK	5.3528G	60.12	74.00	-13.88	8.25	3	H	142	1.50	-


RE TX above 1GHz;Band:5.3G;VHT20,BF;BWch:20MHz;Nss:2,(M0);Nant:4;Ch:5300MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.90816G	41.39	54.00	-12.61	18.33	3	V	75	1.99	-
PK	15.8928G	55.25	74.00	-18.75	18.38	3	V	75	1.99	-


RE TX above 1GHz;Band:5.3G;VHT20,BF;BWch:20MHz;Nss:2,(M0);Nant:4;Ch:5300MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.90042G	41.53	54.00	-12.47	18.36	3	H	152	2.17	-
PK	15.90162G	55.46	74.00	-18.54	18.35	3	H	152	2.17	-


RE TX above 1GHz;Band:5.3G;VHT20,BF;BWch:20MHz;Nss:2,(M0);Nant:4;Ch:5320MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 22
06-N-2-10







Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3252G	102.65	Inf	-Inf	8.19	3	H	135	1.49	-
AV	5.3524G	48.60	54.00	-5.40	8.25	3	H	135	1.49	-
PK	5.326G	112.89	Inf	-Inf	8.19	3	H	135	1.49	-
PK	5.3536G	63.26	74.00	-10.74	8.25	3	H	135	1.49	-
AV	5.3264G	108.29	Inf	-Inf	8.22	3	V	266	1.98	-
AV	5.3512G	53.69	54.00	-0.31	8.28	3	V	266	1.98	-
PK	5.3124G	119.50	Inf	-Inf	8.19	3	V	266	1.98	-
PK	5.3532G	69.55	74.00	-4.45	8.29	3	V	266	1.98	-
AV	10.63628G	38.68	54.00	-15.32	17.77	3	H	231	2.02	-
PK	10.6396G	52.46	74.00	-21.54	17.78	3	H	231	2.02	-
AV	10.638G	38.85	54.00	-15.15	17.78	3	V	124	1.34	-
PK	10.64256G	52.84	74.00	-21.16	17.78	3	V	124	1.34	-

RE TX above 1GHz;Band:5.3G;VHT20,BF;BWch:20MHz;Nss:2,(M0);Nant:4;Ch:5320MHz;TX




20161105
EUT Y 4T2S TXBF
Setting 22
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3264G	108.29	Inf	-Inf	8.22	3	V	266	1.98	-
AV	5.3512G	53.69	54.00	-0.31	8.28	3	V	266	1.98	-
PK	5.3124G	119.50	Inf	-Inf	8.19	3	V	266	1.98	-
PK	5.3532G	69.55	74.00	-4.45	8.29	3	V	266	1.98	-




RE TX above 1GHz;Band:5.3G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5270MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 24
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.8026G	47.43	54.00	-6.57	18.65	3	V	81	1.85	-
PK	15.8046G	60.54	74.00	-13.46	18.64	3	V	81	1.85	-


RE TX above 1GHz;Band:5.3G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5270MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 24
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.80548G	47.42	54.00	-6.58	18.64	3	H	274	1.74	-
PK	15.8074G	60.98	74.00	-13.02	18.63	3	H	274	1.74	-


RE TX above 1GHz;Band:5.3G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5310MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 19
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3154G	104.11	Inf	-Inf	8.17	3	H	186	1.50	-
AV	5.3502G	52.38	54.00	-1.62	8.25	3	H	186	1.50	-
PK	5.3148G	113.23	Inf	-Inf	8.17	3	H	186	1.50	-
PK	5.3556G	69.41	74.00	-4.59	8.26	3	H	186	1.50	-
AV	5.3064G	104.52	Inf	-Inf	8.15	3	V	253	2.19	-
AV	5.3508G	53.91	54.00	-0.09	8.25	3	V	253	2.19	-
PK	5.3064G	115.27	Inf	-Inf	8.15	3	V	253	2.19	-
PK	5.3544G	68.78	74.00	-5.22	8.25	3	V	253	2.19	-
AV	15.92524G	46.86	54.00	-7.14	18.28	3	H	73	1.98	-
PK	15.93008G	60.91	74.00	-13.09	18.27	3	H	73	1.98	-
AV	15.9232G	46.88	54.00	-7.12	18.29	3	V	237	2.14	-
PK	15.92556G	60.40	74.00	-13.60	18.28	3	V	237	2.14	-


RE TX above 1GHz;Band:5.3G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5310MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 19
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3064G	104.52	Inf	-Inf	8.15	3	V	253	2.19	-
AV	5.3508G	53.91	54.00	-0.09	8.25	3	V	253	2.19	-
PK	5.3064G	115.27	Inf	-Inf	8.15	3	V	253	2.19	-
PK	5.3544G	68.78	74.00	-5.22	8.25	3	V	253	2.19	-


RE TX above 1GHz;Band:5.3G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5310MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 19
06-N-2-10







Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3154G	104.11	Inf	-Inf	8.17	3	H	186	1.50	-
AV	5.3502G	52.38	54.00	-1.62	8.25	3	H	186	1.50	-
PK	5.3148G	113.23	Inf	-Inf	8.17	3	H	186	1.50	-
PK	5.3556G	69.41	74.00	-4.59	8.26	3	H	186	1.50	-





RE TX above 1GHz;Band:5.3G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5310MHz;TX















20161105
EUT Y 4T2S TXBF
Setting 19
06-N-2-10







Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.9232G	46.88	54.00	-7.12	18.29	3	V	237	2.14	-
PK	15.92556G	60.40	74.00	-13.60	18.28	3	V	237	2.14	-





















RE TX above 1GHz;Band:5.6G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5550MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.10036G	50.53	54.00	-3.47	18.12	3	V	313	1.71	-
PK	11.09388G	64.38	74.00	-9.62	18.13	3	V	313	1.71	-


RE TX above 1GHz;Band:5.6G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5550MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09164G	46.99	54.00	-7.01	18.13	3	H	89	1.84	-
PK	11.10788G	60.45	74.00	-13.55	18.12	3	H	89	1.84	-


RE above 1GHz;Band:5.6G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5670MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 23
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6752G	106.86	Inf	-Inf	8.89	3	H	173	1.50	-
AV	11.337G	46.89	54.00	-7.11	17.92	3	H	127	2.02	-
PK	5.6748G	116.57	Inf	-Inf	8.89	3	H	173	1.50	-
PK	5.7252G	67.90	68.20	-0.30	8.91	3	H	173	1.50	-
PK	11.34372G	60.66	74.00	-13.34	17.91	3	H	127	2.02	-
AV	5.6524G	105.63	Inf	-Inf	8.88	3	V	143	1.84	-
AV	11.3402G	48.80	54.00	-5.20	17.91	3	V	246	1.20	-
PK	5.656G	117.63	Inf	-Inf	8.88	3	V	143	1.84	-
PK	5.7256G	66.14	68.20	-2.06	8.91	3	V	143	1.84	-
PK	11.33824G	63.91	74.00	-10.09	17.92	3	V	246	1.20	-


RE above 1GHz;Band:5.6G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5670MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 23
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6524G	105.63	Inf	-Inf	8.88	3	V	143	1.84	-
PK	5.656G	117.63	Inf	-Inf	8.88	3	V	143	1.84	-
PK	5.7256G	66.14	68.20	-2.06	8.91	3	V	143	1.84	-


RE above 1GHz;Band:5.6G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5670MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 23
06-N-2-10







Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6752G	106.86	Inf	-Inf	8.89	3	H	173	1.50	-
PK	5.6748G	116.57	Inf	-Inf	8.89	3	H	173	1.50	-
PK	5.7252G	67.90	68.20	-0.30	8.91	3	H	173	1.50	-





RE above 1GHz;Band:5.6G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5670MHz;TX















20161105
EUT Y 4T2S TXBF
Setting 23
06-N-2-10







Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3402G	48.80	54.00	-5.20	17.91	3	V	246	1.20	-
PK	11.33824G	63.91	74.00	-10.09	17.92	3	V	246	1.20	-

























Mode: 20 MHz / Ant. 6

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5299.9126	5299.9116	5299.9110	5299.9103
110.00	5299.9123	5299.9113	5299.9107	5299.9099
93.50	5299.9122	5299.9113	5299.9110	5299.9108
Max. Deviation (MHz)	0.0878	0.0887	0.0893	0.0901
Max. Deviation (ppm)	16.57	16.74	16.85	17.00
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5299.9147	5299.9141	5299.9138	5299.9135
10	5299.9133	5299.9123	5299.9118	5299.9110
20	5299.9123	5299.9119	5299.9111	5299.9109
30	5299.9107	5299.9098	5299.9092	5299.9090
40	5299.9093	5299.9084	5299.9080	5299.9072
50	5299.9074	5299.9065	5299.9055	5299.9053
Max. Deviation (MHz)	0.0926	0.0935	0.0945	0.0947
Max. Deviation (ppm)	17.47	17.64	17.83	17.87
Result	Pass			

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5579.9127	5579.9123	5579.9121	5579.9115
110.00	5579.9123	5579.9115	5579.9108	5579.9100
93.50	5579.9119	5579.9116	5579.9106	5579.9102
Max. Deviation (MHz)	0.0881	0.0885	0.0894	0.0900
Max. Deviation (ppm)	15.79	15.86	16.02	16.13
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5579.9146	5579.9140	5579.9137	5579.9134
10	5579.9126	5579.9124	5579.9119	5579.9112
20	5579.9123	5579.9119	5579.9109	5579.9107
30	5579.9107	5579.9106	5579.9101	5579.9095
40	5579.9091	5579.9088	5579.9086	5579.9076
50	5579.9089	5579.9085	5579.9080	5579.9075
Max. Deviation (MHz)	0.0911	0.0915	0.0920	0.0925
Max. Deviation (ppm)	16.33	16.40	16.49	16.58
Result	Pass			



Mode: 40 MHz / Ant. 6

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5309.9132	5309.9131	5309.9123	5309.9121
110.00	5309.9123	5309.9114	5309.9111	5309.9109
93.50	5309.9120	5309.9111	5309.9108	5309.9103
Max. Deviation (MHz)	0.0880	0.0889	0.0892	0.0897
Max. Deviation (ppm)	16.57	16.74	16.80	16.89
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5309.9141	5309.9138	5309.9135	5309.9131
10	5309.9138	5309.9136	5309.9127	5309.9118
20	5309.9123	5309.9113	5309.9103	5309.9098
30	5309.9107	5309.9102	5309.9096	5309.9094
40	5309.9091	5309.9083	5309.9077	5309.9070
50	5309.9083	5309.9073	5309.9064	5309.9061
Max. Deviation (MHz)	0.0917	0.0927	0.0936	0.0939
Max. Deviation (ppm)	17.27	17.46	17.63	17.68
Result	Pass			

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5549.9126	5549.9116	5549.9115	5549.9106
110.00	5549.9123	5549.9120	5549.9116	5549.9112
93.50	5549.9113	5549.9107	5549.9105	5549.9102
Max. Deviation (MHz)	0.0887	0.0893	0.0895	0.0898
Max. Deviation (ppm)	15.98	16.09	16.13	16.18
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5549.9146	5549.9140	5549.9135	5549.9127
10	5549.9130	5549.9123	5549.9114	5549.9105
20	5549.9123	5549.9116	5549.9106	5549.9097
30	5549.9107	5549.9097	5549.9089	5549.9080
40	5549.9106	5549.9103	5549.9095	5549.9088
50	5549.9094	5549.9091	5549.9087	5549.9082
Max. Deviation (MHz)	0.0906	0.0909	0.0913	0.0920
Max. Deviation (ppm)	16.32	16.38	16.45	16.58
Result	Pass			



Mode: 80 MHz / Ant. 6

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5289.9126	5289.9118	5289.9108	5289.9101
110.00	5289.9123	5289.9122	5289.9114	5289.9111
93.50	5289.9116	5289.9107	5289.9105	5289.9103
Max. Deviation (MHz)	0.0884	0.0893	0.0895	0.0899
Max. Deviation (ppm)	16.71	16.88	16.92	16.99
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5289.9147	5289.9138	5289.9133	5289.9129
10	5289.9143	5289.9134	5289.9127	5289.9118
20	5289.9123	5289.9115	5289.9107	5289.9104
30	5289.9107	5289.9105	5289.9097	5289.9087
40	5289.9091	5289.9083	5289.9073	5289.9068
50	5289.9085	5289.9084	5289.9081	5289.9077
Max. Deviation (MHz)	0.0915	0.0917	0.0927	0.0932
Max. Deviation (ppm)	17.30	17.33	17.52	17.62
Result	Pass			

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)			
(V)	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5529.9127	5529.9123	5529.9121	5529.9116
110.00	5529.9123	5529.9113	5529.9107	5529.9102
93.50	5529.9121	5529.9112	5529.9106	5529.9105
Max. Deviation (MHz)	0.0879	0.0888	0.0894	0.0898
Max. Deviation (ppm)	15.90	16.06	16.17	16.24
Result	Pass			

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)			
(°C)	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5529.9159	5529.9152	5529.9146	5529.9142
10	5529.9139	5529.9130	5529.9123	5529.9113
20	5529.9123	5529.9115	5529.9107	5529.9103
30	5529.9107	5529.9098	5529.9091	5529.9090
40	5529.9095	5529.9086	5529.9076	5529.9073
50	5529.9093	5529.9086	5529.9083	5529.9075
Max. Deviation (MHz)	0.0907	0.0914	0.0924	0.0927
Max. Deviation (ppm)	16.40	16.53	16.71	16.76
Result	Pass			