


Above 1G (1GHz~18GHz)


Test mode: 11AX40

Test Channel:151

VERTICAL
Radiated Emission


No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11511.067	46.45	3.26	49.71	74.00	-24.29	peak		
2 *		17265.852	46.28	6.97	53.25	68.20	-14.95	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5620.600	27.19	33.72	60.91	68.20	-7.29	peak		
2 *		5765.000	85.97	33.98	119.95	122.20	-2.25	peak		
3		5942.600	25.82	34.30	60.12	68.20	-8.08	peak		

HORIZONTALA Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11517.900	47.98	3.23	51.21	74.00	-22.79	peak		
2	*	17265.330	46.48	6.96	53.44	68.20	-14.76	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5603.000	24.87	33.69	58.56	68.20	-9.64	peak		
2		5759.000	78.81	33.97	112.78	122.20	-9.42	peak		
3	*	5949.000	25.22	34.31	59.53	68.20	-8.67	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX40

Test Channel:159

VERTICAL
Radiated Emission


No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		11590.800	46.95	2.92	49.87	74.00	-24.13	peak	
2 *		17385.260	45.93	7.66	53.59	68.20	-14.61	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5630.200	27.47	33.73	61.20	68.20	-7.00	peak	
2 *		5798.200	85.35	34.04	119.39	122.20	-2.81	peak	
3		5979.800	25.86	34.36	60.22	68.20	-7.98	peak	

HORIZONTALA Radiated Emission




Radiated Emission




VERTICAL

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10422.566	46.40	-0.36	46.04	68.20	-22.16	peak		
2		15634.151	47.30	3.15	50.45	74.00	-23.55	peak		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5144.800	17.21	47.49	64.70	74.00	-9.30	peak		
2	*	5144.800	6.41	47.49	53.90	54.00	-0.10	AVG		
3		5150.000	15.22	47.50	62.72	74.00	-11.28	peak		
4		5150.000	4.67	47.50	52.17	54.00	-1.83	AVG		

HORIZONTAL Radiated Emission




Radiated Emission



VERTICAL
Radiated Emission


No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10574.967	46.72	-0.05	46.67	68.20	-21.53	peak		
2		15869.333	48.05	3.12	51.17	74.00	-22.83	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	14.35	47.97	62.32	74.00	-11.68	peak		
2	*	5350.000	5.88	47.97	53.85	54.00	-0.15	AVG		

HORIZONTAL Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10573.267	47.24	-0.06	47.18	68.20	-21.02	peak		
2		15873.867	47.02	3.12	50.14	74.00	-23.86	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	13.21	47.97	61.18	74.00	-12.82	peak		
2	*	5350.000	1.22	47.97	49.19	54.00	-4.81	AVG		

VERTICAL
Radiated Emission


No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11063.833	46.70	2.02	48.72	74.00	-25.28	peak		
2 *		16589.567	46.66	4.48	51.14	68.20	-17.06	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5460.000	14.65	48.22	62.87	74.00	-11.13	peak			
2 *		5460.000	5.21	48.22	53.43	54.00	-0.57	AVG			
3		5470.000	16.76	48.24	65.00	68.20	-3.20	peak			

HORIZONTALA Radiated Emission




Radiated Emission



Above 1G (1GHz~18GHz)


Test mode: 11AX80

Test Channel:122

VERTICAL
Radiated Emission


No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11224.367	47.70	2.49	50.19	74.00	-23.81	peak		
2 *		16831.167	48.16	5.04	53.20	68.20	-15.00	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5725.000	24.40	33.91	58.31	68.20	-9.89	peak		
2 *		5746.800	25.35	33.94	59.29	68.20	-8.91	peak		

HORIZONTAL Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11228.333	46.61	2.51	49.12	74.00	-24.88	peak		
2 *		16831.167	47.29	5.04	52.33	68.20	-15.87	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5725.000	23.64	33.91	57.55	68.20	-10.65	peak		
2 *		5744.400	25.24	33.94	59.18	68.20	-9.02	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX80

Test Channel:155


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11553.767	46.76	3.08	49.84	74.00	-24.16	peak		
2 *		17325.033	47.21	7.31	54.52	68.20	-13.68	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		5641.000	33.67	33.75	67.42	68.20	-0.78	peak		
2		5757.800	81.71	33.96	115.67	122.20	-6.53	peak		
3		5961.000	26.06	34.33	60.39	68.20	-7.81	peak		

HORIZONTALA Radiated Emission



Note: The high frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

3.3 Spectrum Bandwidth

3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
15.407(e)	26 dB Bandwidth	-	5470-5725
	26 dB Bandwidth	-	5725-5850
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

3.3.2 Test Procedure

Test Method	
●Conducted Measurement	○Radiated Measurement
Test Channels	
●Lowest, Middle and Highest Channel	○ Lowest and Highest Channel
Environmental conditions	
●Normal	○Normal and Extreme
Note:●:Test ○:No Test	

a) The EUT was directly connected to the tonscond test system and antenna output port as show in the block diagram below.

b) the spectrum analyser is set as follow:

For 26 dB Bandwidth


Centre Frequency	The centre frequency of the channel under test
RBW	1% to 5% of the emission bandwidth.
VBW	> RBW
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

For 6 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

- c) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker on this peak.
- d) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.
- e) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

3.3.3 Test Setup



Test Result

26 dB Bandwidth

TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	24.590	---	---
	Ant2	5180	23.230	---	---
	Ant1	5200	23.630	---	---
	Ant2	5200	23.700	---	---
	Ant1	5240	23.760	---	---
	Ant2	5240	23.400	---	---
	Ant1	5260	23.720	---	---
	Ant2	5260	24.790	---	---
	Ant1	5280	23.730	---	---
	Ant2	5280	23.750	---	---
	Ant1	5320	23.090	---	---
	Ant2	5320	23.600	---	---
	Ant1	5500	23.870	---	---
	Ant2	5500	23.350	---	---
	Ant1	5580	23.560	---	---
	Ant2	5580	24.280	---	---
	Ant1	5700	23.270	---	---
	Ant2	5700	23.400	---	---
	Ant1	5745	23.650	---	---
	Ant2	5745	23.870	---	---
	Ant1	5785	23.740	---	---
	Ant2	5785	23.190	---	---
	Ant1	5825	24.060	---	---
	Ant2	5825	23.310	---	---
11AX20SISO	Ant1	5180	22.210	---	---
	Ant2	5180	23.420	---	---
	Ant1	5200	23.120	---	---
	Ant2	5200	22.820	---	---
	Ant1	5240	22.980	---	---
	Ant2	5240	22.840	---	---
	Ant1	5260	23.090	---	---
	Ant2	5260	23.040	---	---
	Ant1	5280	22.920	---	---
	Ant2	5280	22.880	---	---
	Ant1	5320	22.790	---	---
	Ant2	5320	22.400	---	---
	Ant1	5500	23.080	---	---
	Ant2	5500	22.790	---	---
	Ant1	5580	23.080	---	---

	Ant2	5580	23.310	---	---
	Ant1	5700	22.620	---	---
	Ant2	5700	22.260	---	---
	Ant1	5745	22.970	---	---
	Ant2	5745	23.120	---	---
	Ant1	5785	22.470	---	---
	Ant2	5785	22.850	---	---
	Ant1	5825	23.070	---	---
	Ant2	5825	22.340	---	---
11AX40SISO	Ant1	5190	43.340	---	---
	Ant2	5190	43.010	---	---
	Ant1	5230	42.790	---	---
	Ant2	5230	42.800	---	---
	Ant1	5270	42.770	---	---
	Ant2	5270	42.880	---	---
	Ant1	5310	41.740	---	---
	Ant2	5310	42.330	---	---
	Ant1	5510	42.930	---	---
	Ant2	5510	43.150	---	---
	Ant1	5550	43.510	---	---
	Ant2	5550	43.100	---	---
	Ant1	5670	42.420	---	---
	Ant2	5670	43.480	---	---
	Ant1	5755	42.860	---	---
	Ant2	5755	41.840	---	---
	Ant1	5795	42.540	---	---
	Ant2	5795	42.650	---	---
11AX80SISO	Ant1	5210	84.080	---	---
	Ant2	5210	82.980	---	---
	Ant1	5290	82.880	---	---
	Ant2	5290	83.620	---	---
	Ant1	5530	84.720	---	---
	Ant2	5530	83.500	---	---
	Ant1	5610	84.160	---	---
	Ant2	5610	83.590	---	---
	Ant1	5775	83.320	---	---
	Ant2	5775	83.860	---	---
11AC20SISO	Ant1	5180	24.220	---	---
	Ant2	5180	24.090	---	---
	Ant1	5200	24.010	---	---
	Ant2	5200	24.100	---	---
	Ant1	5240	24.350	---	---
	Ant2	5240	23.910	---	---

	Ant1	5260	23.860	---	---
	Ant2	5260	23.980	---	---
	Ant1	5280	24.080	---	---
	Ant2	5280	24.590	---	---
	Ant1	5320	24.540	---	---
	Ant2	5320	24.420	---	---
	Ant1	5500	24.240	---	---
	Ant2	5500	24.330	---	---
	Ant1	5580	24.070	---	---
	Ant2	5580	24.530	---	---
	Ant1	5700	24.660	---	---
	Ant2	5700	23.760	---	---
	Ant1	5745	23.750	---	---
	Ant2	5745	23.630	---	---
	Ant1	5785	23.810	---	---
	Ant2	5785	23.550	---	---
	Ant1	5825	24.520	---	---
	Ant2	5825	23.810	---	---
11AC40SISO	Ant1	5190	44.220	---	---
	Ant2	5190	43.020	---	---
	Ant1	5230	44.080	---	---
	Ant2	5230	43.770	---	---
	Ant1	5270	43.460	---	---
	Ant2	5270	42.970	---	---
	Ant1	5310	43.000	---	---
	Ant2	5310	43.560	---	---
	Ant1	5510	44.260	---	---
	Ant2	5510	44.340	---	---
	Ant1	5550	43.530	---	---
	Ant2	5550	42.830	---	---
	Ant1	5670	43.930	---	---
	Ant2	5670	44.130	---	---
	Ant1	5755	43.030	---	---
	Ant2	5755	43.430	---	---
	Ant1	5795	43.240	---	---
	Ant2	5795	44.180	---	---
11AC80SISO	Ant1	5210	85.480	---	---
	Ant2	5210	85.160	---	---
	Ant1	5290	83.670	---	---
	Ant2	5290	85.420	---	---
	Ant1	5530	85.820	---	---
	Ant2	5530	85.790	---	---
	Ant1	5610	83.950	---	---

	Ant2	5610	83.690	---	---
	Ant1	5775	84.740	---	---
	Ant2	5775	83.820	---	---

Occupied channel bandwidth

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	16.958	5171.5802	5188.5382	---	---
	Ant2	5180	16.962	5171.5990	5188.5610	---	---
	Ant1	5200	17.037	5191.5447	5208.5817	---	---
	Ant2	5200	17.042	5191.5462	5208.5882	---	---
	Ant1	5240	16.941	5231.5828	5248.5238	---	---
	Ant2	5240	16.957	5231.5848	5248.5418	---	---
	Ant1	5260	17.010	5251.5501	5268.5601	---	---
	Ant2	5260	17.044	5251.5059	5268.5499	---	---
	Ant1	5280	17.019	5271.5219	5288.5409	---	---
	Ant2	5280	17.022	5271.5378	5288.5598	---	---
	Ant1	5320	17.010	5311.5131	5328.5231	---	---
	Ant2	5320	16.981	5311.5410	5328.5220	---	---
	Ant1	5500	16.997	5491.4800	5508.4770	---	---
	Ant2	5500	16.994	5491.4992	5508.4932	---	---
	Ant1	5580	17.013	5571.4996	5588.5126	---	---
	Ant2	5580	17.038	5571.4988	5588.5368	---	---
	Ant1	5700	16.990	5691.5575	5708.5475	---	---
	Ant2	5700	16.926	5691.6330	5708.5590	---	---
	Ant1	5745	16.968	5736.4817	5753.4497	---	---
	Ant2	5745	16.946	5736.5169	5753.4629	---	---
	Ant1	5785	17.001	5776.4428	5793.4438	---	---
	Ant2	5785	16.935	5776.5240	5793.4590	---	---
	Ant1	5825	16.945	5816.4807	5833.4257	---	---
	Ant2	5825	16.928	5816.4733	5833.4013	---	---
11AX20SISO	Ant1	5180	18.966	5170.5131	5189.4791	---	---
	Ant2	5180	19.009	5170.4718	5189.4808	---	---
	Ant1	5200	19.005	5190.4934	5209.4984	---	---
	Ant2	5200	19.031	5190.4704	5209.5014	---	---
	Ant1	5240	18.972	5230.5041	5249.4761	---	---
	Ant2	5240	19.014	5230.4770	5249.4910	---	---
	Ant1	5260	18.969	5250.5031	5269.4721	---	---
	Ant2	5260	18.978	5250.4981	5269.4761	---	---
	Ant1	5280	19.020	5270.4701	5289.4901	---	---
	Ant2	5280	18.988	5270.4861	5289.4741	---	---
	Ant1	5320	18.970	5310.4887	5329.4587	---	---

	Ant2	5320	19.012	5310.4537	5329.4657	---	---
	Ant1	5500	18.978	5490.4684	5509.4464	---	---
	Ant2	5500	18.995	5490.4415	5509.4365	---	---
	Ant1	5580	18.981	5570.5007	5589.4817	---	---
	Ant2	5580	19.015	5570.4644	5589.4794	---	---
	Ant1	5700	19.006	5690.4795	5709.4855	---	---
	Ant2	5700	18.967	5690.5068	5709.4738	---	---
	Ant1	5745	18.958	5735.5058	5754.4638	---	---
	Ant2	5745	18.993	5735.4737	5754.4667	---	---
	Ant1	5785	18.978	5775.4859	5794.4639	---	---
	Ant2	5785	18.958	5775.4736	5794.4316	---	---
	Ant1	5825	18.996	5815.4730	5834.4690	---	---
	Ant2	5825	19.011	5815.4708	5834.4818	---	---
11AX40SISO	Ant1	5190	37.605	5171.1783	5208.7833	---	---
	Ant2	5190	37.645	5171.1827	5208.8277	---	---
	Ant1	5230	37.664	5211.2732	5248.9372	---	---
	Ant2	5230	37.620	5211.2356	5248.8556	---	---
	Ant1	5270	37.578	5251.2270	5288.8050	---	---
	Ant2	5270	37.579	5251.2319	5288.8109	---	---
	Ant1	5310	37.655	5291.2000	5328.8550	---	---
	Ant2	5310	37.599	5291.2579	5328.8569	---	---
	Ant1	5510	37.664	5491.2222	5528.8862	---	---
	Ant2	5510	37.615	5491.2144	5528.8294	---	---
	Ant1	5550	37.729	5531.2679	5568.9969	---	---
	Ant2	5550	37.645	5531.2788	5568.9238	---	---
	Ant1	5670	37.762	5651.1966	5688.9586	---	---
	Ant2	5670	37.587	5651.2714	5688.8584	---	---
	Ant1	5755	37.699	5736.2568	5773.9558	---	---
	Ant2	5755	37.635	5736.2498	5773.8848	---	---
	Ant1	5795	37.605	5776.2251	5813.8301	---	---
	Ant2	5795	37.601	5776.2611	5813.8621	---	---
11AX80SISO	Ant1	5210	76.831	5171.6311	5248.4621	---	---
	Ant2	5210	76.750	5171.7479	5248.4979	---	---
	Ant1	5290	76.716	5251.6294	5328.3454	---	---
	Ant2	5290	76.748	5251.6315	5328.3795	---	---
	Ant1	5530	76.978	5491.7275	5568.7055	---	---
	Ant2	5530	76.970	5491.7549	5568.7249	---	---
	Ant1	5610	76.865	5571.8105	5648.6755	---	---
	Ant2	5610	76.770	5571.9109	5648.6809	---	---
	Ant1	5775	76.812	5736.6917	5813.5037	---	---
	Ant2	5775	76.711	5736.6977	5813.4087	---	---
11AC20SISO	Ant1	5180	18.080	5170.9652	5189.0452	---	---
	Ant2	5180	18.001	5170.9828	5188.9838	---	---


	Ant1	5200	18.027	5191.0640	5209.0910	---	---
	Ant2	5200	18.091	5191.0145	5209.1055	---	---
	Ant1	5240	18.097	5230.9997	5249.0967	---	---
	Ant2	5240	18.012	5231.0704	5249.0824	---	---
	Ant1	5260	18.014	5251.0349	5269.0489	---	---
	Ant2	5260	18.037	5251.0313	5269.0683	---	---
	Ant1	5280	18.056	5271.0030	5289.0590	---	---
	Ant2	5280	18.024	5271.0176	5289.0416	---	---
	Ant1	5320	18.035	5311.0040	5329.0390	---	---
	Ant2	5320	17.968	5311.0456	5329.0136	---	---
	Ant1	5500	18.038	5490.9935	5509.0315	---	---
	Ant2	5500	17.998	5491.0005	5508.9985	---	---
	Ant1	5580	18.066	5571.0040	5589.0700	---	---
	Ant2	5580	18.051	5571.0207	5589.0717	---	---
	Ant1	5700	18.013	5691.0473	5709.0603	---	---
	Ant2	5700	18.029	5691.0371	5709.0661	---	---
	Ant1	5745	18.063	5735.9895	5754.0525	---	---
	Ant2	5745	18.059	5735.9996	5754.0586	---	---
	Ant1	5785	18.035	5775.9989	5794.0339	---	---
	Ant2	5785	18.018	5776.0370	5794.0550	---	---
	Ant1	5825	17.998	5816.0068	5834.0048	---	---
	Ant2	5825	18.079	5815.9710	5834.0500	---	---
11AC40SISO	Ant1	5190	36.156	5171.9630	5208.1190	---	---
	Ant2	5190	36.195	5171.9735	5208.1685	---	---
	Ant1	5230	36.218	5211.9854	5248.2034	---	---
	Ant2	5230	36.192	5211.9893	5248.1813	---	---
	Ant1	5270	36.171	5251.9767	5288.1477	---	---
	Ant2	5270	36.193	5251.9505	5288.1435	---	---
	Ant1	5310	36.193	5291.9247	5328.1177	---	---
	Ant2	5310	36.200	5291.9025	5328.1025	---	---
	Ant1	5510	36.278	5491.9166	5528.1946	---	---
	Ant2	5510	36.257	5491.9181	5528.1751	---	---
	Ant1	5550	36.245	5532.0162	5568.2612	---	---
	Ant2	5550	36.227	5532.0063	5568.2333	---	---
	Ant1	5670	36.231	5652.0009	5688.2319	---	---
	Ant2	5670	36.258	5651.9528	5688.2108	---	---
	Ant1	5755	36.195	5736.9953	5773.1903	---	---
	Ant2	5755	36.225	5736.9737	5773.1987	---	---
	Ant1	5795	36.170	5776.9664	5813.1364	---	---
	Ant2	5795	36.224	5776.9599	5813.1839	---	---
11AC80SISO	Ant1	5210	75.298	5172.4818	5247.7798	---	---
	Ant2	5210	75.279	5172.3514	5247.6304	---	---
	Ant1	5290	75.154	5252.1991	5327.3531	---	---

	Ant2	5290	75.093	5252.4818	5327.5748	---	---
	Ant1	5530	75.442	5492.5013	5567.9433	---	---
	Ant2	5530	75.364	5492.5140	5567.8780	---	---
	Ant1	5610	75.231	5572.6241	5647.8551	---	---
	Ant2	5610	75.148	5572.6352	5647.7832	---	---
	Ant1	5775	75.121	5737.5610	5812.6820	---	---
	Ant2	5775	75.120	5737.5353	5812.6553	---	---


11A_Ant1_5180




11A_Ant2_5180




11A_Ant1_5200




11A_Ant2_5200



11A_Ant1_5240




11A_Ant2_5240



11A_Ant1_5260



11A_Ant2_5260




11A_Ant1_5280




11A_Ant2_5280




11A_Ant1_5320



11A_Ant2_5320



11A_Ant1_5500



11A_Ant2_5500




11A_Ant1_5580




11A_Ant2_5580




11A_Ant1_5700




11A_Ant2_5700



11A_Ant1_5745




11A_Ant2_5745




11A_Ant1_5785



11A_Ant2_5785



11A_Ant1_5825



11A_Ant2_5825




11AX20SISO_Ant1_5180




11AX20SISO_Ant2_5180




11AX20SISO_Ant1_5200



11AX20SISO_Ant2_5200




11AX20SISO_Ant1_5240



11AX20SISO_Ant2_5240




11AX20SISO_Ant1_5260




11AX20SISO_Ant2_5260



11AX20SISO_Ant1_5280



11AX20SISO_Ant2_5280



11AX20SISO_Ant1_5320




11AX20SiSO_Ant2_5320




11AX20SiSO_Ant1_5500



11AX20SiSO_Ant2_5500




11AX20SISO_Ant1_5580



11AX20SISO_Ant2_5580




11AX20SiSO_Ant1_5700




11AX20SiSO_Ant2_5700



11AX20SiSO_Ant1_5745




11AX20SISO_Ant2_5745



11AX20SISO_Ant1_5785




11AX20SiSO_Ant2_5785




11AX20SiSO_Ant1_5825




11AX20SiSO_Ant2_5825




11AX40SISO_Ant1_5190



11AX40SISO_Ant2_5190




11AX40SISO_Ant1_5230



11AX40SISO_Ant2_5230



11AX40SISO_Ant1_5270




11AX40SISO_Ant2_5270



11AX40SISO_Ant1_5310




11AX40SiSO_Ant2_5310



11AX40SiSO_Ant1_5510



11AX40SiSO_Ant2_5510




11AX40SISO_Ant1_5550



11AX40SISO_Ant2_5550




11AX40SiSO_Ant1_5670




11AX40SiSO_Ant2_5670




11AX40SiSO_Ant1_5755




11AX40SISO_Ant2_5755




11AX40SISO_Ant1_5795




11AX40SISO_Ant2_5795




11AX80SISO_Ant1_5210




11AX80SISO_Ant2_5210




11AX80SISO_Ant1_5290




11AX80SISO_Ant2_5290




11AX80SISO_Ant1_5530




11AX80SISO_Ant2_5530




11AX80SISO_Ant1_5610




11AX80SISO_Ant2_5610




11AX80SISO_Ant1_5775




11AX80SISO_Ant2_5775




11AC20SISO_Ant1_5180




11AC20SISO_Ant2_5180




11AC20SISO_Ant1_5200




11AC20SISO_Ant2_5200




11AC20SISO_Ant1_5240




11AC20SISO_Ant2_5240



11AC20SISO_Ant1_5260




11AC20SISO_Ant2_5260




11AC20SISO_Ant1_5280



11AC20SISO_Ant2_5280




11AC20SISO_Ant1_5320




11AC20SISO_Ant2_5320




11AC20SISO_Ant1_5500




11AC20SISO_Ant2_5500




11AC20SISO_Ant1_5580



11AC20SISO_Ant2_5580




11AC20SISO_Ant1_5700



11AC20SISO_Ant2_5700



11AC20SISO_Ant1_5745




11AC20SISO_Ant2_5745




11AC20SISO_Ant1_5785



11AC20SISO_Ant2_5785




11AC20SISO_Ant1_5825




11AC20SISO_Ant2_5825




11AC40SISO_Ant1_5190



11AC40SISO_Ant2_5190




11AC40SISO_Ant1_5230




11AC40SISO_Ant2_5230




11AC40SISO_Ant1_5270




11AC40SISO_Ant2_5270




11AC40SISO_Ant1_5310




11AC40SISO_Ant2_5310




11AC40SISO_Ant1_5510




11AC40SISO_Ant2_5510




11AC40SISO_Ant1_5550




11AC40SISO_Ant2_5550




11AC40SISO_Ant1_5670




11AC40SISO_Ant2_5670




11AC40SISO_Ant1_5755



11AC40SISO_Ant2_5755



11AC40SISO_Ant1_5795



11AC40SISO_Ant2_5795




11AC80SISO_Ant1_5210




11AC80SISO_Ant2_5210




11AC80SISO_Ant1_5290



11AC80SISO_Ant2_5290



11AC80SISO_Ant1_5530




11AC80SISO_Ant2_5530



11AC80SISO_Ant1_5610



11AC80SISO_Ant2_5610



11AC80SISO_Ant1_5775



11AC80SISO_Ant2_5775



Min emission bandwidth

TestMode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	15.160	5737.400	5752.560	0.5	PASS
	Ant2	5745	15.120	5737.440	5752.560	0.5	PASS
	Ant1	5785	15.120	5777.440	5792.560	0.5	PASS
	Ant2	5785	15.080	5777.480	5792.560	0.5	PASS
	Ant1	5825	15.080	5817.440	5832.520	0.5	PASS
	Ant2	5825	15.040	5817.480	5832.520	0.5	PASS
11AX20SISO	Ant1	5745	16.680	5736.280	5752.960	0.5	PASS
	Ant2	5745	16.200	5736.280	5752.480	0.5	PASS
	Ant1	5785	17.520	5776.280	5793.800	0.5	PASS
	Ant2	5785	17.560	5776.240	5793.800	0.5	PASS
	Ant1	5825	16.280	5816.280	5832.560	0.5	PASS
	Ant2	5825	17.520	5816.280	5833.800	0.5	PASS
11AX40SISO	Ant1	5755	35.360	5737.160	5772.520	0.5	PASS
	Ant2	5755	35.040	5737.480	5772.520	0.5	PASS
	Ant1	5795	35.040	5777.480	5812.520	0.5	PASS
	Ant2	5795	35.040	5777.480	5812.520	0.5	PASS
11AX80SISO	Ant1	5775	75.040	5737.400	5812.440	0.5	PASS
	Ant2	5775	75.200	5737.400	5812.600	0.5	PASS
11AC20SISO	Ant1	5745	13.520	5739.000	5752.520	0.5	PASS
	Ant2	5745	17.000	5736.520	5753.520	0.5	PASS
	Ant1	5785	16.200	5776.560	5792.760	0.5	PASS
	Ant2	5785	12.520	5779.360	5791.880	0.5	PASS
	Ant1	5825	9.960	5819.960	5829.920	0.5	PASS
	Ant2	5825	17.280	5816.240	5833.520	0.5	PASS
11AC40SISO	Ant1	5755	33.760	5737.480	5771.240	0.5	PASS
	Ant2	5755	32.560	5738.680	5771.240	0.5	PASS
	Ant1	5795	35.040	5777.480	5812.520	0.5	PASS
	Ant2	5795	30.720	5778.680	5809.400	0.5	PASS
11AC80SISO	Ant1	5775	64.960	5747.480	5812.440	0.5	PASS
	Ant2	5775	63.680	5742.520	5806.200	0.5	PASS

11A_Ant1_5745



11A_Ant2_5745



11A_Ant1_5785