

FCC Label




12-86-0000

FCC Label



12-86-5000



Label Material

Printed on 24mm wide Brother P-Touch TZ-355 tape.

The following was copied directly from the Brother Website and describes the P-Touch TZ-355 Tapes which are used for the 12-86 FCC /serial number label.

‘The TZ-355 white on black p-touch tape sticks to virtually any surface and is durable enough to withstand scrapes and abrasions. Because it's water resistant, it can be used outdoors, as well as indoors. Laminated TZ tapes shrug off spills of any kind; from water, to oil, to chemicals and won't fade under harsh UV rays. And it stays on through hot and cold environments from freezers to microwaves. We have laminated tapes down to a science.’



SEA AIR AND LAND COMMUNICATIONS LTD
10 Magdala Place, Middleton, Christchurch 8024, New Zealand
PO Box 76-237, Northwood, Christchurch 8548
Phone: +64 3 379-2298 Fax: +64 3 365-1580
www.salcom.co.nz

27 March 2014

12-86 Label Material:

The following was copied directly from the Brother Website and describes the P-Touch TZ-355 Tapes which are used for the 12-86 FCC /serial number label.

'The TZ-355 white on black p-touch tape sticks to virtually any surface and is durable enough to withstand scrapes and abrasions. Because it's water resistant, it can be used outdoors, as well as indoors. Laminated TZ tapes shrug off spills of any kind; from water, to oil, to chemicals and won't fade under harsh UV rays. And it stays on through hot and cold environments from freezers to microwaves. We have laminated tapes down to a science.'