









IEEE 802.11ax_Channel 120_20MHz_Antenna
0_RU&Index SUIEEE 802.11ax_Channel 140_20MHz_Antenna
0_RU&Index SUIEEE 802.11ax_Channel 38_40MHz_Antenna
0_RU&Index SUIEEE 802.11ax_Channel 46_40MHz_Antenna
0_RU&Index SUIEEE 802.11ax_Channel 54_40MHz_Antenna
0_RU&Index SUIEEE 802.11ax_Channel 62_40MHz_Antenna
0_RU&Index SUIEEE 802.11ax_Channel 102_40MHz_Antenna
0_RU&Index SUIEEE 802.11ax_Channel 118_40MHz_Antenna
0_RU&Index SU



APPENDIX VI. Conducted Spurious & Band Edge Emission

Test Result

Mode	Channel	RU & Index	Ant.	OOB Emission Frequency (MHz)	OOB Emission Level (dBm)	Limit (dBm)	Over Limit (dB)	Result
IEEE 802.11a	36	N/A	0	5145.12	-37.336	-27	-10.000	PASS
				5149.49	-34.879	-27	-7.880	PASS
				5150.00	-37.701	-27	-11.000	PASS
				5350.00	-35.290	-27	-8.000	PASS
				5441.76	-35.180	-27	-8.000	PASS
	40			24992.6	-39.126	-27	-12.130	PASS
				5148.96	-37.784	-27	-11.000	PASS
				5149.74	-34.749	-27	-7.750	PASS
				5150.00	-37.876	-27	-11.000	PASS
				5350.00	-36.173	-27	-9.000	PASS
	48			5350.49	-36.180	-27	-9.180	PASS
				5460.00	-36.017	-27	-9.000	PASS
				5144.75	-36.555	-27	-9.550	PASS
				5148.96	-36.527	-27	-10.000	PASS
				5150.00	-37.305	-27	-10.000	PASS
	52			5350.00	-35.908	-27	-9.000	PASS
				5353.44	-34.433	-27	-7.430	PASS
				5452.32	-35.828	-27	-9.000	PASS
				5127.60	-36.764	-27	-9.760	PASS
				5148.96	-36.825	-27	-10.000	PASS
	56			5150.00	-37.876	-27	-11.000	PASS
				5350.00	-37.404	-27	-10.000	PASS
				5355.90	-32.546	-27	-5.550	PASS
				5459.04	-36.490	-27	-9.000	PASS
				5137.07	-37.850	-27	-10.850	PASS
	64			5149.92	-37.145	-27	-10.000	PASS
				5150.00	-37.146	-27	-10.000	PASS
				5350.00	-36.104	-27	-9.000	PASS
				5366.70	-32.213	-27	-5.210	PASS
				5457.12	-35.172	-27	-8.000	PASS
	100			5147.06	-40.380	-27	-13.380	PASS
				5148.00	-37.256	-27	-10.000	PASS
				5150.00	-37.352	-27	-10.000	PASS
				5350.00	-36.687	-27	-10.000	PASS
				5361.30	-30.901	-27	-3.900	PASS
	120			5460.00	-34.742	-27	-8.000	PASS
				5469.49	-34.355	-27	-7.000	PASS
				5469.86	-32.276	-27	-5.280	PASS
				5470.00	-34.355	-27	-7.000	PASS
				5725.00	-37.158	-27	-10.000	PASS
				6209.94	-37.101	-27	-10.000	PASS
				24921.5	-40.234	-27	-13.230	PASS
				5456.67	-28.385	-27	-1.390	PASS
				5469.49	-36.382	-27	-9.000	PASS

	140		5470.00	-36.382	-27	-9.000	PASS
			5725.00	-36.746	-27	-10.000	PASS
			5727.41	-28.506	-27	-1.510	PASS
			6211.19	-36.229	-27	-9.000	PASS
			210.61	-46.915	-27	-19.910	PASS
			5448.15	-35.319	-27	-8.000	PASS
			5470.00	-36.511	-27	-10.000	PASS
			5725.00	-33.299	-27	-6.000	PASS
			5736.56	-33.947	-27	-6.950	PASS
			5143.86	-34.156	-27	-7.160	PASS
IEEE 802.11n_20	36		5149.92	-36.864	-27	-10.000	PASS
			5150.00	-36.864	-27	-10.000	PASS
			5350.00	-37.343	-27	-10.000	PASS
			5350.00	-36.676	-27	-9.680	PASS
			5460.00	-37.053	-27	-10.000	PASS
			5133.62	-34.785	-27	-7.780	PASS
	40		5149.92	-37.161	-27	-10.000	PASS
			5150.00	-37.161	-27	-10.000	PASS
			5350.00	-37.120	-27	-10.000	PASS
			5350.00	-35.720	-27	-8.720	PASS
			5459.04	-37.078	-27	-10.000	PASS
			5147.04	-37.178	-27	-10.000	PASS
	48		5149.87	-36.224	-27	-9.220	PASS
			5150.00	-37.193	-27	-10.000	PASS
			5350.00	-37.299	-27	-10.000	PASS
			5358.84	-34.188	-27	-7.190	PASS
			5460.00	-36.593	-27	-10.000	PASS
			3156.53	-50.685	-27	-23.690	PASS
	52		5148.96	-36.839	-27	-10.000	PASS
			5150.00	-37.391	-27	-10.000	PASS
			5350.00	-35.179	-27	-8.000	PASS
			5414.88	-35.110	-27	-8.000	PASS
			24893.9	-39.518	-27	-12.520	PASS
			5139.25	-36.586	-27	-9.590	PASS
	56		5149.92	-37.298	-27	-10.000	PASS
			5150.00	-37.298	-27	-10.000	PASS
			5350.00	-34.567	-27	-8.000	PASS
			5354.42	-30.150	-27	-3.150	PASS
			5440.80	-34.245	-27	-7.000	PASS
			5148.59	-39.973	-27	-12.970	PASS
	64		5149.92	-37.433	-27	-10.000	PASS
			5150.00	-37.433	-27	-10.000	PASS
			5350.00	-35.881	-27	-9.000	PASS
			5360.81	-30.991	-27	-3.990	PASS
			5454.24	-34.664	-27	-8.000	PASS
			5440.76	-33.515	-27	-6.520	PASS
	100		5469.49	-35.641	-27	-9.000	PASS
			5470.00	-35.641	-27	-9.000	PASS
			5725.00	-37.714	-27	-11.000	PASS
			6225.00	-36.586	-27	-10.000	PASS
			24923.4	-40.164	-27	-13.160	PASS
			5468.64	-27.798	-27	-0.800	PASS
	120		5469.49	-38.072	-27	-11.000	PASS
			5470.00	-38.072	-27	-11.000	PASS
			5725.00	-30.308	-27	-3.000	PASS
			5725.96	-28.632	-27	-1.630	PASS
			5738.06	-29.677	-27	-3.000	PASS
			1762.91	-36.966	-27	-9.970	PASS
	140		5444.39	-36.372	-27	-9.000	PASS
			5470.00	-36.445	-27	-9.000	PASS
			5725.00	-35.125	-27	-8.000	PASS
			5737.53	-35.702	-27	-8.700	PASS
			5793.28	-34.463	-27	-7.000	PASS
			5144.62	-28.320	-27	-1.320	PASS
IEEE 802.11n_40	38		5148.96	-36.910	-27	-10.000	PASS
			5150.00	-38.347	-27	-11.000	PASS
			5350.00	-36.224	-27	-9.000	PASS
			5357.37	-31.717	-27	-4.720	PASS

IEEE 802.11ac_20	46		5459.04	-35.643	-27	-9.000	PASS	
			3138.86	-49.099	-27	-22.100	PASS	
			5148.96	-37.383	-27	-10.000	PASS	
			5150.00	-37.742	-27	-11.000	PASS	
			5350.00	-36.415	-27	-9.000	PASS	
			5459.04	-36.204	-27	-9.000	PASS	
	54		24928.3	-38.894	-27	-11.890	PASS	
			3162.67	-49.595	-27	-22.590	PASS	
			5149.92	-38.259	-27	-11.000	PASS	
			5150.00	-38.259	-27	-11.000	PASS	
			5350.00	-36.209	-27	-9.000	PASS	
			5453.28	-36.024	-27	-9.000	PASS	
	62		24923.9	-39.781	-27	-12.780	PASS	
			3186.48	-49.242	-27	-22.240	PASS	
			5149.92	-38.045	-27	-11.000	PASS	
			5150.00	-38.046	-27	-11.000	PASS	
			5350.00	-33.831	-27	-7.000	PASS	
			5413.92	-33.295	-27	-6.000	PASS	
	102		24949.4	-38.597	-27	-11.600	PASS	
			5438.99	-34.021	-27	-7.020	PASS	
			5468.23	-33.683	-27	-7.000	PASS	
			5470.00	-36.492	-27	-9.000	PASS	
			5725.00	-38.753	-27	-12.000	PASS	
			6225.00	-37.925	-27	-11.000	PASS	
	118		24972.5	-40.190	-27	-13.190	PASS	
			5464.70	-36.675	-27	-9.670	PASS	
			5469.49	-38.535	-27	-12.000	PASS	
			5470.00	-38.535	-27	-12.000	PASS	
			5725.00	-37.911	-27	-11.000	PASS	
			5726.45	-38.880	-27	-11.880	PASS	
	134		6223.74	-36.662	-27	-10.000	PASS	
			210.47	-47.259	-27	-20.260	PASS	
			5469.49	-36.764	-27	-10.000	PASS	
			5470.00	-36.765	-27	-10.000	PASS	
			5725.00	-35.655	-27	-9.000	PASS	
			6158.48	-34.987	-27	-8.000	PASS	
	IEEE 802.11ac_20	36		24975.4	-40.481	-27	-13.480	PASS
				5143.47	-36.257	-27	-9.260	PASS
				5149.92	-36.396	-27	-9.000	PASS
				5150.00	-36.396	-27	-9.000	PASS
				5350.00	-34.850	-27	-8.000	PASS
				5354.91	-33.923	-27	-6.920	PASS
		40		5396.64	-34.719	-27	-8.000	PASS
				5128.80	-32.618	-27	-6.000	PASS
				5148.08	-32.709	-27	-5.710	PASS
				5150.00	-35.646	-27	-9.000	PASS
			5350.00	-36.959	-27	-10.000	PASS	
			5354.91	-33.888	-27	-6.890	PASS	
48			5460.00	-36.406	-27	-9.000	PASS	
			5149.23	-34.788	-27	-7.790	PASS	
			5149.92	-37.769	-27	-11.000	PASS	
			5150.00	-37.769	-27	-11.000	PASS	
			5350.00	-35.398	-27	-8.000	PASS	
			5357.37	-32.415	-27	-5.410	PASS	
52			5445.60	-34.688	-27	-8.000	PASS	
			210.48	-46.502	-27	-19.500	PASS	
			5148.96	-37.615	-27	-11.000	PASS	
			5150.00	-38.536	-27	-12.000	PASS	
			5350.00	-34.755	-27	-8.000	PASS	
			5438.88	-33.833	-27	-7.000	PASS	
56			24934.2	-39.152	-27	-12.150	PASS	
			5143.34	-38.734	-27	-11.730	PASS	
			5145.12	-35.656	-27	-9.000	PASS	
			5150.00	-36.949	-27	-10.000	PASS	
			5350.00	-37.271	-27	-10.000	PASS	
			5351.97	-32.873	-27	-5.870	PASS	
64			5460.00	-36.371	-27	-9.000	PASS	
			5140.40	-42.386	-27	-15.390	PASS	


	100			5148.96	-37.230	-27	-10.000	PASS
				5150.00	-38.263	-27	-11.000	PASS
				5350.00	-36.761	-27	-10.000	PASS
				5362.77	-32.415	-27	-5.410	PASS
				5459.04	-34.703	-27	-8.000	PASS
				5454.63	-34.027	-27	-7.030	PASS
				5469.49	-33.626	-27	-7.000	PASS
				5470.00	-33.626	-27	-7.000	PASS
				5725.00	-38.257	-27	-11.000	PASS
				6225.00	-37.766	-27	-11.000	PASS
	120			24938.3	-40.203	-27	-13.200	PASS
				5465.92	-28.445	-27	-1.450	PASS
				5470.00	-29.311	-27	-2.000	PASS
				5725.00	-29.336	-27	-2.000	PASS
				5727.89	-28.762	-27	-1.760	PASS
	140			5729.27	-29.064	-27	-2.000	PASS
				893.74	-43.080	-27	-16.080	PASS
				5468.23	-37.237	-27	-10.000	PASS
				5470.00	-38.285	-27	-11.000	PASS
				5725.00	-37.615	-27	-11.000	PASS
				5746.68	-34.989	-27	-7.990	PASS
				6223.74	-37.280	-27	-10.000	PASS
IEEE 802.11ac_40	38	5147.44	-27.364	-27	-0.360	PASS		
		5148.96	-36.468	-27	-9.000	PASS		
		5150.00	-38.047	-27	-11.000	PASS		
		5350.00	-35.788	-27	-9.000	PASS		
		5353.44	-30.295	-27	-3.300	PASS		
	46	5455.20	-35.625	-27	-9.000	PASS		
		3138.22	-49.561	-27	-22.560	PASS		
		5149.92	-37.864	-27	-11.000	PASS		
		5150.00	-37.864	-27	-11.000	PASS		
		5350.00	-36.014	-27	-9.000	PASS		
	54	5458.08	-35.331	-27	-8.000	PASS		
		24959.2	-39.011	-27	-12.010	PASS		
		5140.40	-37.229	-27	-10.230	PASS		
		5149.92	-36.949	-27	-10.000	PASS		
		5150.00	-36.949	-27	-10.000	PASS		
	62	5350.00	-35.394	-27	-8.000	PASS		
		5368.67	-33.185	-27	-6.190	PASS		
		5460.00	-34.940	-27	-8.000	PASS		
		5146.29	-40.387	-27	-13.390	PASS		
		5147.04	-36.439	-27	-9.000	PASS		
	102	5150.00	-36.923	-27	-10.000	PASS		
		5350.00	-36.882	-27	-10.000	PASS		
		5367.69	-32.044	-27	-5.040	PASS		
		5460.00	-36.673	-27	-10.000	PASS		
		5439.40	-34.137	-27	-7.140	PASS		
		5466.98	-33.592	-27	-7.000	PASS		
		5470.00	-34.168	-27	-7.000	PASS		
		5725.00	-36.989	-27	-10.000	PASS		
		6223.74	-36.943	-27	-10.000	PASS		
		24898.8	-39.674	-27	-12.670	PASS		
	118	5411.76	-34.292	-27	-7.000	PASS		
		5469.86	-37.395	-27	-10.400	PASS		
		5470.00	-34.890	-27	-8.000	PASS		
		5725.00	-37.859	-27	-11.000	PASS		
		6223.74	-36.542	-27	-10.000	PASS		
24968.2		-39.003	-27	-12.000	PASS			
5465.78		-43.709	-27	-16.710	PASS			
134	5469.49	-37.637	-27	-11.000	PASS			
	5470.00	-37.637	-27	-11.000	PASS			
	5725.00	-36.515	-27	-10.000	PASS			
	5727.41	-34.959	-27	-7.960	PASS			
	6223.74	-36.370	-27	-9.000	PASS			
	3108.66	-49.852	-27	-22.850	PASS			
	5149.92	-37.965	-27	-11.000	PASS			
IEEE 802.11ax_20	36	SU	5150.00	-37.965	-27	-11.000	PASS	
			5350.00	-37.006	-27	-10.000	PASS	


				5460.00	-35.920	-27	-9.000	PASS
	40			24932.7	-37.620	-27	-10.620	PASS
				210.61	-49.885	-27	-22.880	PASS
				5149.92	-37.094	-27	-10.000	PASS
				5150.00	-37.094	-27	-10.000	PASS
				5350.00	-36.970	-27	-10.000	PASS
				5460.00	-36.585	-27	-10.000	PASS
	48			24946.0	-39.768	-27	-12.770	PASS
				3144.62	-49.965	-27	-22.970	PASS
				5148.96	-37.861	-27	-11.000	PASS
				5150.00	-37.878	-27	-11.000	PASS
				5350.00	-36.261	-27	-9.000	PASS
				5459.04	-35.825	-27	-9.000	PASS
	52			24882.6	-39.860	-27	-12.860	PASS
				5145.26	-37.374	-27	-10.370	PASS
				5148.96	-36.588	-27	-10.000	PASS
				5150.00	-37.276	-27	-10.000	PASS
				5350.00	-37.585	-27	-11.000	PASS
				5354.42	-33.582	-27	-6.580	PASS
	56			5460.00	-36.292	-27	-9.000	PASS
				5140.40	-38.664	-27	-11.660	PASS
				5149.92	-37.166	-27	-10.000	PASS
				5150.00	-37.166	-27	-10.000	PASS
				5350.00	-36.404	-27	-9.000	PASS
				5357.86	-32.899	-27	-5.900	PASS
	64			5460.00	-36.285	-27	-9.000	PASS
				5148.98	-40.808	-27	-13.810	PASS
				5149.92	-38.251	-27	-11.000	PASS
				5150.00	-38.251	-27	-11.000	PASS
				5350.00	-37.108	-27	-10.000	PASS
				5362.28	-32.040	-27	-5.040	PASS
	100			5460.00	-36.706	-27	-10.000	PASS
				210.61	-47.033	-27	-20.030	PASS
				5468.23	-36.819	-27	-10.000	PASS
				5470.00	-37.162	-27	-10.000	PASS
				5725.00	-37.509	-27	-11.000	PASS
				6225.00	-37.290	-27	-10.000	PASS
	120			24925.8	-40.146	-27	-13.150	PASS
				5436.54	-31.216	-27	-4.220	PASS
				5468.23	-37.208	-27	-10.000	PASS
				5470.00	-37.365	-27	-10.000	PASS
				5725.00	-32.508	-27	-6.000	PASS
				5737.05	-29.662	-27	-2.660	PASS
	140			5744.34	-31.538	-27	-5.000	PASS
				210.47	-47.016	-27	-20.020	PASS
				5468.23	-37.525	-27	-11.000	PASS
				5470.00	-38.090	-27	-11.000	PASS
				5725.00	-37.684	-27	-11.000	PASS
				5738.49	-35.871	-27	-8.870	PASS
	IEEE 802.11ax_40			38	6225.00	-37.582	-27	-11.000
5144.62		-28.042	-27		-1.040	PASS		
5148.00		-36.728	-27		-10.000	PASS		
5150.00		-37.282	-27		-10.000	PASS		
5350.00		-36.886	-27		-10.000	PASS		
5355.40		-31.151	-27		-4.150	PASS		
46		5460.00	-36.682	-27	-10.000	PASS		
		3138.61	-49.943	-27	-22.940	PASS		
		5143.20	-36.883	-27	-10.000	PASS		
		5150.00	-37.347	-27	-10.000	PASS		
		5350.00	-37.330	-27	-10.000	PASS		
		5459.04	-36.952	-27	-10.000	PASS		
54		24980.3	-40.018	-27	-13.020	PASS		
		5146.03	-37.702	-27	-10.700	PASS		
		5149.92	-36.908	-27	-10.000	PASS		
		5150.00	-36.908	-27	-10.000	PASS		
		5350.00	-37.662	-27	-11.000	PASS		
		5353.44	-32.799	-27	-5.800	PASS		
				5460.00	-36.214	-27	-9.000	PASS

	62	5147.31	-38.871	-27	-11.870	PASS
		5149.92	-38.256	-27	-11.000	PASS
		5150.00	-38.256	-27	-11.000	PASS
		5350.00	-37.093	-27	-10.000	PASS
		5367.19	-30.371	-27	-3.370	PASS
	102	5460.00	-36.948	-27	-10.000	PASS
		5468.23	-37.364	-27	-10.000	PASS
		5468.37	-35.400	-27	-8.400	PASS
		5470.00	-37.452	-27	-10.000	PASS
		5725.00	-37.885	-27	-11.000	PASS
	118	6222.49	-37.788	-27	-11.000	PASS
		24916.6	-39.855	-27	-12.850	PASS
		5462.93	-37.190	-27	-10.190	PASS
		5468.23	-36.849	-27	-10.000	PASS
		5470.00	-37.465	-27	-10.000	PASS
	134	5725.00	-36.456	-27	-9.000	PASS
		5734.64	-39.151	-27	-12.150	PASS
		6193.62	-35.542	-27	-9.000	PASS
		210.61	-46.957	-27	-19.960	PASS
		5466.98	-36.236	-27	-9.000	PASS
		5470.00	-36.622	-27	-10.000	PASS
		5725.00	-37.222	-27	-10.000	PASS
		5737.05	-36.947	-27	-9.950	PASS
		6219.98	-37.031	-27	-10.000	PASS


Note: input compensation coefficient (dB)= Cable Loss (dB)

Test Graphs







Spurious Emission:30.0~5150 MHz
IEEE 802.11a_Channel 40_20MHz_Antenna 0




Spurious Emission:5350~25000.0 MHz
IEEE 802.11a_Channel 40_20MHz_Antenna 0




Out Of Band Emission
IEEE 802.11a_Channel 48_20MHz_Antenna 0




Spurious Emission:30.0~5150 MHz
IEEE 802.11a_Channel 48_20MHz_Antenna 0




Spurious Emission:5350~25000.0 MHz
IEEE 802.11a_Channel 48_20MHz_Antenna 0




Out Of Band Emission
IEEE 802.11a_Channel 52_20MHz_Antenna 0




Spurious Emission:30.0~5150 MHz
IEEE 802.11a_Channel 52_20MHz_Antenna 0




Spurious Emission:5350~25000.0 MHz
IEEE 802.11a_Channel 52_20MHz_Antenna 0







Spurious Emission:5725~25000.0 MHz
IEEE 802.11a_Channel 100_20MHz_Antenna 0




Out Of Band Emission
IEEE 802.11a_Channel 120_20MHz_Antenna 0




Spurious Emission:30.0~5470 MHz
IEEE 802.11a_Channel 120_20MHz_Antenna 0




Spurious Emission:5725~25000.0 MHz
IEEE 802.11a_Channel 120_20MHz_Antenna 0




Out Of Band Emission
IEEE 802.11a_Channel 140_20MHz_Antenna 0



Spurious Emission:30.0~5470 MHz
IEEE 802.11a_Channel 140_20MHz_Antenna 0



Spurious Emission:5725~25000.0 MHz
IEEE 802.11a_Channel 140_20MHz_Antenna 0



Out Of Band Emission
IEEE 802.11n_Channel 36_20MHz_Antenna 0