

# Handspring Inc. FCC ID: O8FDK

SAM Phantom; Left Head Section; Position: (90°,65°)  
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 8.0


Brain 835 MHz:  $\sigma = 0.92$  mho/m  $\epsilon_r = 41.6$   $\rho = 1.00$  g/cm<sup>3</sup>

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Cube 5x5x7

SAR (1g): 1.34 mW/g, SAR (10g): 0.929 mW/g

Head SAR - Left Cheek/Touch Position  
Treo 600 Dual-Band GSM/GPRS Phone  
Lithium-ion Battery  
Fixed Stubby Antenna  
Cellular GSM Mode (1 Time Slot)  
Channel 128 [824.20 MHz]  
Conducted Power: 33.03 dBm  
Ambient Temp. 23.5°C; Fluid Temp. 22.4°C  
Date Tested: June 26, 2003



SAR<sub>Tot</sub> [mW/g]



# Handspring Inc. FCC ID: O8FDK

SAM Phantom; Left Head Section; Position: (90°,65°)  
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 8.0

Brain 835 MHz:  $\sigma = 0.92$  mho/m  $\epsilon_r = 41.6$   $\rho = 1.00$  g/cm<sup>3</sup>

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.49 mW/g, SAR (10g): 1.03 mW/g

Head SAR - Left Cheek/Touch Position

Treo 600 Dual-Band GSM/GPRS Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular GSM Mode (1 Time Slot)

Channel 190 [836.60 MHz]


Conducted Power: 32.95 dBm

Ambient Temp. 23.5°C; Fluid Temp. 22.4°C

Date Tested: June 26, 2003



SAR<sub>Tot</sub> [mW/g]




## Handspring Inc. FCC ID: O8FDK

SAM Phantom; Left Head Section  
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 8.0  
Brain 835 MHz:  $\sigma = 0.92$  mho/m  $\epsilon_r = 41.6$   $\rho = 1.00$  g/cm<sup>3</sup>

## Z-Axis Extrapolation at Peak SAR Location

Head SAR - Left Cheek/Touch Position  
Treo 600 Dual-Band GSM/GPRS Phone  
Lithium-ion Battery  
Fixed Stubby Antenna  
Cellular GSM Mode (1 Time Slot)  
Channel 190 [836.60 MHz]  
Conducted Power: 32.95 dBm  
Ambient Temp. 23.5°C; Fluid Temp. 22.4°C  
Date Tested: June 26, 2003



# Handspring Inc. FCC ID: O8FDK

SAM Phantom; Left Head Section; Position: (90°,65°)  
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 8.0


Brain 835 MHz:  $\sigma = 0.92$  mho/m  $\epsilon_r = 41.6$   $\rho = 1.00$  g/cm<sup>3</sup>

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Cube 5x5x7

SAR (1g): 1.45 mW/g, SAR (10g): 1.01 mW/g

Head SAR - Left Cheek/Touch Position  
Treo 600 Dual-Band GSM/GPRS Phone  
Lithium-ion Battery  
Fixed Stubby Antenna  
Cellular GSM Mode (1 Time Slot)  
Channel 251 [848.80 MHz]  
Conducted Power: 33.10 dBm  
Ambient Temp. 23.5°C; Fluid Temp. 22.4°C  
Date Tested: June 26, 2003



SAR<sub>Tot</sub> [mW/g]



# Handspring Inc. FCC ID: O8FDK

SAM Phantom; Left Head Section; Position: (105°,65°)  
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 8.0

Brain 835 MHz:  $\sigma = 0.92$  mho/m  $\epsilon_r = 41.6$   $\rho = 1.00$  g/cm<sup>3</sup>

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.877 mW/g, SAR (10g): 0.570 mW/g

Head SAR - Left Ear/Tilt Position (15°)

Treo 600 Dual-Band GSM/GPRS Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular GSM Mode (1 Time Slot)

Channel 128 [824.20 MHz]


Conducted Power: 32.95 dBm

Ambient Temp. 23.5°C; Fluid Temp. 22.4°C

Date Tested: June 26, 2003



SAR<sub>Tot</sub> [mW/g]



# Handspring Inc. FCC ID: O8FDK

SAM Phantom; Left Head Section; Position: (105°,65°)  
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 8.0

Brain 835 MHz:  $\sigma = 0.92$  mho/m  $\epsilon_r = 41.6$   $\rho = 1.00$  g/cm<sup>3</sup>

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.944 mW/g, SAR (10g): 0.627 mW/g

Head SAR - Left Ear/Tilt Position (15°)

Treo 600 Dual-Band GSM/GPRS Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular GSM Mode (1 Time Slot)

Channel 190 [836.60 MHz]


Conducted Power: 32.95 dBm

Ambient Temp. 23.5°C; Fluid Temp. 22.4°C

Date Tested: June 26, 2003



SAR<sub>Tot</sub> [mW/g]



# Handspring Inc. FCC ID: O8FDK

SAM Phantom; Left Head Section; Position: (105°,65°)  
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 8.0

Brain 835 MHz:  $\sigma = 0.92$  mho/m  $\epsilon_r = 41.6$   $\rho = 1.00$  g/cm<sup>3</sup>

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.888 mW/g, SAR (10g): 0.589 mW/g

Head SAR - Left Ear/Tilt Position (15°)

Treo 600 Dual-Band GSM/GPRS Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular GSM Mode (1 Time Slot)

Channel 251 [848.80 MHz]

Conducted Power: 33.06 dBm

Ambient Temp. 23.5°C; Fluid Temp. 22.4°C

Date Tested: June 26, 2003



# Handspring Inc. FCC ID: O8FDK

SAM Phantom; Right Head Section; Position: (90°,295°)  
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 8.0


Brain 835 MHz:  $\sigma = 0.92$  mho/m  $\epsilon_r = 41.6$   $\rho = 1.00$  g/cm<sup>3</sup>

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Cube 5x5x7

SAR (1g): 1.30 mW/g, SAR (10g): 0.910 mW/g

Head SAR - Right Cheek/Touch Position  
Treo 600 Dual-Band GSM/GPRS Phone  
Lithium-ion Battery  
Fixed Stubby Antenna  
Cellular GSM Mode (1 Time Slot)  
Channel 128 [824.20 MHz]  
Conducted Power: 32.98 dBm  
Ambient Temp. 23.5°C; Fluid Temp. 22.4°C  
Date Tested: June 26, 2003



SAR<sub>Tot</sub> [mW/g]



# Handspring Inc. FCC ID: O8FDK

SAM Phantom; Right Head Section; Position: (90°,295°)  
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 8.0


Brain 835 MHz:  $\sigma = 0.92$  mho/m  $\epsilon_r = 41.6$   $\rho = 1.00$  g/cm<sup>3</sup>

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Cube 5x5x7

SAR (1g): 1.36 mW/g, SAR (10g): 0.953 mW/g

Head SAR - Right Cheek/Touch Position  
Treo 600 Dual-Band GSM/GPRS Phone  
Lithium-ion Battery  
Fixed Stubby Antenna  
Cellular GSM Mode (1 Time Slot)  
Channel 190 [836.60 MHz]  
Conducted Power: 33.09 dBm  
Ambient Temp. 23.5°C; Fluid Temp. 22.4°C  
Date Tested: June 26, 2003



SAR<sub>Tot</sub> [mW/g]



# Handspring Inc. FCC ID: O8FDK

SAM Phantom; Right Head Section; Position: (90°,295°)  
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 8.0


Brain 835 MHz:  $\sigma = 0.92$  mho/m  $\epsilon_r = 41.6$   $\rho = 1.00$  g/cm<sup>3</sup>

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Cube 5x5x7

SAR (1g): 1.27 mW/g, SAR (10g): 0.890 mW/g

Head SAR - Right Cheek/Touch Position  
Treo 600 Dual-Band GSM/GPRS Phone  
Lithium-ion Battery  
Fixed Stubby Antenna  
Cellular GSM Mode (1 Time Slot)  
Channel 251 [848.80 MHz]  
Conducted Power: 33.08 dBm  
Ambient Temp. 23.5°C; Fluid Temp. 22.4°C  
Date Tested: June 26, 2003



SAR<sub>Tot</sub> [mW/g]



# Handspring Inc. FCC ID: O8FDK

SAM Phantom; Right Head Section; Position: (105°,295°)  
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 8.0

Brain 835 MHz:  $\sigma = 0.92$  mho/m  $\epsilon_r = 41.6$   $\rho = 1.00$  g/cm<sup>3</sup>

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.20 mW/g, SAR (10g): 0.702 mW/g

Head SAR - Right Ear/Tilt Position (15°)

Treo 600 Dual-Band GSM/GPRS Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular GSM Mode (1 Time Slot)

Channel 128 [824.20 MHz]


Conducted Power: 32.97 dBm

Ambient Temp. 23.5°C; Fluid Temp. 22.4°C

Date Tested: June 26, 2003



SAR<sub>Tot</sub> [mW/g]



# Handspring Inc. FCC ID: O8FDK

SAM Phantom; Right Head Section; Position: (105°,295°)  
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 8.0

Brain 835 MHz:  $\sigma = 0.92$  mho/m  $\epsilon_r = 41.6$   $\rho = 1.00$  g/cm<sup>3</sup>

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.15 mW/g, SAR (10g): 0.653 mW/g

Head SAR - Right Ear/Tilt Position (15°)

Treo 600 Dual-Band GSM/GPRS Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular GSM Mode (1 Time Slot)

Channel 190 [836.60 MHz]


Conducted Power: 32.95 dBm

Ambient Temp. 23.5°C; Fluid Temp. 22.4°C

Date Tested: June 26, 2003



SAR<sub>Tot</sub> [mW/g]



# Handspring Inc. FCC ID: O8FDK

SAM Phantom; Right Head Section; Position: (105°,295°)  
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 8.0

Brain 835 MHz:  $\sigma = 0.92$  mho/m  $\epsilon_r = 41.6$   $\rho = 1.00$  g/cm<sup>3</sup>

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.07 mW/g, SAR (10g): 0.650 mW/g

Head SAR - Right Ear/Tilt Position (15°)

Treo 600 Dual-Band GSM/GPRS Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular GSM Mode (1 Time Slot)

Channel 251 [848.80 MHz]

Conducted Power: 33.08 dBm

Ambient Temp. 23.5°C; Fluid Temp. 22.4°C

Date Tested: June 26, 2003



SAR<sub>Tot</sub> [mW/g]

