

INDEX

PRODUCT.....

2

PACKAGING.....

3

ADDITIONAL PRODUCT.....

4

LABELS POSITIONING

5

General notes

- Unless otherwise specified all units are in millimeters.
- For further details on the label fields, the characteristics of materials and inks to be used, see the procedure PT33.
- The text between "<... >" is to be considered placeholder text. In the final print, it must be replaced with appropriate data.
- The position of each barcode is represented with a gray rectangle. In the final print the gray rectangle must be replaced with an appropriate barcode.

Font

Unless otherwise specified, use the OPEN SANS font for all text elements in the labels. The OPEN SANS fonts set is available at <https://fonts.google.com>





PRODUCT

Label ID: LB0000000599_PROD



Abbreviations


Made in <COO>	Country of origin
R<x>	Hardware release

<*Rating>
Replace the placeholder with:

IN DC 5V  3A MAX


<*CE MARK>

The logo must comply with the following measures.




<*WEEE MARK>

The logo must comply with the following measures.



<*Model name>
Replace the placeholder with:

MP350





PACKAGING

Label ID: LB0000000599_PACK

<*FCC MARK>

The logo must comply with the following measures.

6

FCC

7

Abbreviations

Made in <COO>	Country of origin
R<x>	Hardware release

<*CE MARK>

The logo must comply with the following measures.

6


CE

8.5

<*Model name>

Replace the placeholder with:



MP350






ADDITIONAL PRODUCT

Label ID: LB0000000599_ADPR



<*FCC MARK>

The logo must comply with the following measures.



CUSTOM

CUSTOM S.p.A.
Via Berettine, 2/B
43010 Fontevivo, Parma ITALY
Tel. +39 0521 680111
info@custom.biz - www.custom.biz

Scale 1:1 Tolerance UNI-EN 22768/2-mk



This drawing with all its information is CUSTOM S.p.A.'s property; it mustn't be followed (totally or partially), neither for construction nor spread without CUSTOM S.p.A.'s written permission.

Code

LB0000000599

Release

1.80m

Sheet

4/5


Description

Technical specif cation for product labeling




LABELS POSITIONING

ADDITIONAL PRODUCT



PRODUCT

BOTTOM SIDE



PACKAGING

