Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH1	2402	Ant1	4.186	30	Pass
NVNT	1-DH1	2441	Ant1	3.219	48	Pass
NVNT	1-DH1	2480	Ant1	4.304	30	Pass
NVNT	2-DH1	2402	Ant1	4.607	21	Pass
NVNT	2-DH1	2441	Ant1	4.235	21	Pass
NVNT	2-DH1	2480	Ant1	4.74	21	Pass
NVNT	3-DH1	2402	Ant1	4.859	21	Pass
NVNT	3-DH1	2441	Ant1	4.422	21	Pass
NVNT	3-DH1	2480	Ant1	4.909	21	Pass

Test Graphs

Power NVNT 1-DH1 2402MHz Ant1



Power NVNT 1-DH1 2441MHz Ant1



Power NVNT 1-DH1 2480MHz Ant1



Power NVNT 2-DH1 2402MHz Ant1



Power NVNT 2-DH1 2441MHz Ant1



Power NVNT 2-DH1 2480MHz Ant1



Power NVNT 3-DH1 2402MHz Ant1



Power NVNT 3-DH1 2441MHz Ant1



Power NVNT 3-DH1 2480MHz Ant1


Spectrum Analyzer 1
Swept SA
KEYSIGHT
Input: RF
Coupling: DC
Align: Auto
Input Z: 50 Ω
Corr CCorr
Freq Ref: Int (S)
#Atten: 40 dB
PNO: Fast
Gate: Off
IF Gain: Low
Sig Track: Off
Avg Type: Log-Power
Avg|Hold: 100/100
Trig: Free Run
1 Spectrum
Scale/Div 10 dB
Log
Ref Lvl Offset 2.60 dB
Ref Level 25.60 dBm
Mkr1 2.479 865 6 GHz
4.91 dBm
15.6
5.60
-4.40
-14.4
-24.4
-34.4
-44.4
-54.4
-64.4
Center 2.480000 GHz
#Res BW 2.0 MHz
#Video BW 6.0 MHz
Span 8.000 MHz
Sweep 1.33 ms (10001 pts)
Sep 06, 2024
4:39:50 AM

-20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)
NVNT	1-DH1	2402	Ant1	0.876
NVNT	1-DH1	2441	Ant1	0.873
NVNT	1-DH1	2480	Ant1	0.874
NVNT	2-DH1	2402	Ant1	1.255
NVNT	2-DH1	2441	Ant1	1.257
NVNT	2-DH1	2480	Ant1	1.247
NVNT	3-DH1	2402	Ant1	1.221
NVNT	3-DH1	2441	Ant1	1.217
NVNT	3-DH1	2480	Ant1	1.216

Test Graphs

-20dB Bandwidth NVNT 1-DH1 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH1 2441MHz Ant1

-20dB Bandwidth NVNT 1-DH1 2480MHz Ant1



-20dB Bandwidth NVNT 2-DH1 2402MHz Ant1



-20dB Bandwidth NVNT 2-DH1 2441MHz Ant1



-20dB Bandwidth NVNT 2-DH1 2480MHz Ant1



-20dB Bandwidth NVNT 3-DH1 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH1 2441MHz Ant1



-20dB Bandwidth NVNT 3-DH1 2480MHz Ant1


Spectrum Analyzer 1
Occupied BW
KEYSIGHT
Input: RF
Coupling: DC
Align: Auto
Input Z: 50 Ω
Corr CCorr
Freq Ref: Int (S)
Atten: 30 dB
Trig: Free Run
Gate: Off
#IF Gain: Low
Center Freq: 2.480000000 GHz
Avg|Hold: 100/100
Radio Std: None
1 Graph
Scale/Div 10.0 dB
Log
12.6
2.60
-7.40
-17.4
-27.4
-37.4
-47.4
-57.4
-67.4
Ref Lvl Offset 2.60 dB
Ref Value 22.60 dBm
Mkr3 2.480616000 GHz
-19.89 dBm
Center 2.480000 GHz
#Res BW 20.000 kHz
#Video BW 62.000 kHz
Span 2 MHz
Sweep 5.33 ms (10001 pts)
2 Metrics
Occupied Bandwidth
1.1591 MHz
Transmit Freq Error 8.479 kHz
x dB Bandwidth 1.216 MHz
Total Power 8.80 dBm
% of OBW Power 99.00 %
x dB -20.00 dB
Sep 06, 2024
4:39:59 AM

Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH1	Ant1	2402.156	2403.162	1.006	0.876	Pass
NVNT	1-DH1	Ant1	2440.846	2441.836	0.99	0.873	Pass
NVNT	1-DH1	Ant1	2478.848	2479.826	0.978	0.874	Pass
NVNT	2-DH1	Ant1	2402.148	2403.166	1.018	0.837	Pass
NVNT	2-DH1	Ant1	2440.832	2442.164	1.332	0.838	Pass
NVNT	2-DH1	Ant1	2478.834	2479.822	0.988	0.831	Pass
NVNT	3-DH1	Ant1	2401.838	2402.85	1.012	0.814	Pass
NVNT	3-DH1	Ant1	2440.842	2441.838	0.996	0.811	Pass
NVNT	3-DH1	Ant1	2478.83	2479.846	1.016	0.811	Pass

Test Graphs

CFS NVNT 1-DH1 2402MHz Ant1



CFS NVNT 1-DH1 2441MHz Ant1



CFS NVNT 1-DH1 2480MHz Ant1



CFS NVNT 2-DH1 2402MHz Ant1



CFS NVNT 2-DH1 2441MHz Ant1



CFS NVNT 2-DH1 2480MHz Ant1



CFS NVNT 3-DH1 2402MHz Ant1



CFS NVNT 3-DH1 2441MHz Ant1



CFS NVNT 3-DH1 2480MHz Ant1


Spectrum Analyzer 1
Swept SA
KEYSIGHT
Input: RF
Coupling: DC
Align: Auto
Input Z: 50 Ω
Corr CCorr
Freq Ref: Int (S)
#Atten: 40 dB
PNO: Best Wide
Gate: Off
IF Gain: Low
Sig Track: Off
Avg Type: Log-Power
Avg|Hold:>100/100
Trig: Free Run
1 Spectrum
Scale/Div 10 dB
Ref Lvl Offset 2.60 dB
Ref Level 25.60 dBm
Mkr1 2.478 830 GHz
3.12 dBm
Center 2.479500 GHz
#Res BW 300 kHz
#Video BW 1.0 MHz
Span 2.000 MHz
Sweep 1.00 ms (1001 pts)
5 Marker Table
Mode Trace Scale X Y Function Function Width Function Value
1 N 1 f 2.478 830 GHz 3.116 dBm
2 N 1 f 2.479 846 GHz 3.086 dBm
Sep 06, 2024
4:54:21 AM

Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	No-Hopping	-61.28	-20	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	-59.23	-20	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	-57.15	-20	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	-58.41	-20	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	-56.93	-20	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	-58.68	-20	Pass

Test Graphs

Band Edge NVNT 1-DH1 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH1 2402MHz Ant1 No-Hopping Emission



Band Edge NVNT 1-DH1 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH1 2480MHz Ant1 No-Hopping Emission



Band Edge NVNT 2-DH1 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 2-DH1 2402MHz Ant1 No-Hopping Emission



Band Edge NVNT 2-DH1 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 2-DH1 2480MHz Ant1 No-Hopping Emission



Band Edge NVNT 3-DH1 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH1 2402MHz Ant1 No-Hopping Emission



Band Edge NVNT 3-DH1 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH1 2480MHz Ant1 No-Hopping Emission



Band Edge(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	Hopping	-60.56	-20	Pass
NVNT	1-DH1	2480	Ant1	Hopping	-60.3	-20	Pass
NVNT	2-DH1	2402	Ant1	Hopping	-59.04	-20	Pass
NVNT	2-DH1	2480	Ant1	Hopping	-58.62	-20	Pass
NVNT	3-DH1	2402	Ant1	Hopping	-57.8	-20	Pass
NVNT	3-DH1	2480	Ant1	Hopping	-59.09	-20	Pass

Test Graphs

Band Edge(Hopping) NVNT 1-DH1 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH1 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 1-DH1 2480MHz Ant1 Hopping Ref

Band Edge(Hopping) NVNT 1-DH1 2480MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 2-DH1 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH1 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 2-DH1 2480MHz Ant1 Hopping Ref

Band Edge(Hopping) NVNT 2-DH1 2480MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 3-DH1 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH1 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 3-DH1 2480MHz Ant1 Hopping Ref

Band Edge(Hopping) NVNT 3-DH1 2480MHz Ant1 Hopping Emission



Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	-51.45	-20	Pass
NVNT	1-DH1	2441	Ant1	-52.49	-20	Pass
NVNT	1-DH1	2480	Ant1	-53.73	-20	Pass
NVNT	2-DH1	2402	Ant1	-52.69	-20	Pass
NVNT	2-DH1	2441	Ant1	-52	-20	Pass
NVNT	2-DH1	2480	Ant1	-52.44	-20	Pass
NVNT	3-DH1	2402	Ant1	-52.29	-20	Pass
NVNT	3-DH1	2441	Ant1	-52.1	-20	Pass
NVNT	3-DH1	2480	Ant1	-53.23	-20	Pass

Test Graphs

Tx. Spurious NVNT 1-DH1 2402MHz Ant1 Ref



Tx. Spurious NVNT 1-DH1 2402MHz Ant1 Emission



Tx. Spurious NVNT 1-DH1 2441MHz Ant1 Ref



Tx. Spurious NVNT 1-DH1 2441MHz Ant1 Emission



Tx. Spurious NVNT 1-DH1 2480MHz Ant1 Ref



Tx. Spurious NVNT 1-DH1 2480MHz Ant1 Emission



Tx. Spurious NVNT 2-DH1 2402MHz Ant1 Ref



Tx. Spurious NVNT 2-DH1 2402MHz Ant1 Emission



Tx. Spurious NVNT 2-DH1 2441MHz Ant1 Ref



Tx. Spurious NVNT 2-DH1 2441MHz Ant1 Emission



Tx. Spurious NVNT 2-DH1 2480MHz Ant1 Ref



Tx. Spurious NVNT 2-DH1 2480MHz Ant1 Emission



Tx. Spurious NVNT 3-DH1 2402MHz Ant1 Ref



Tx. Spurious NVNT 3-DH1 2402MHz Ant1 Emission



Tx. Spurious NVNT 3-DH1 2441MHz Ant1 Ref



Tx. Spurious NVNT 3-DH1 2441MHz Ant1 Emission



Tx. Spurious NVNT 3-DH1 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH1 2480MHz Ant1 Emission



Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH1	Ant1	79	15	Pass
NVNT	2-DH1	Ant1	79	15	Pass
NVNT	3-DH1	Ant1	79	15	Pass

Test Graphs

Hopping No. NVNT 1-DH1 2441MHz Ant1



Hopping No. NVNT 2-DH1 2441MHz Ant1



Hopping No. NVNT 3-DH1 2441MHz Ant1


Spectrum Analyzer 1
Swept SA
KEYSIGHT
Input: RF
Coupling: DC
Align: Auto
Input Z: 50 Ω
Corr CCorr
Freq Ref: Int (S)
#Atten: 30 dB
PNO: Fast
Gate: Off
IF Gain: Low
Sig Track: Off
Avg Type: Log-Power
Avg|Hold: 5000/5000
Trig: Free Run
1 Spectrum
Scale/Div 10 dB
Log
Ref Lvl Offset 2.58 dB
Ref Level 20.00 dBm
Mkr1 2.401 670 0 GHz
-1.24 dBm
Start 2.40000 GHz
#Res BW 100 kHz
#Video BW 300 kHz
Stop 2.48350 GHz
Sweep 8.00 ms (1001 pts)
5 Marker Table
Mode Trace Scale X Y Function Function Width Function Value
1 N 1 f 2.401 670 0 GHz -1.244 dBm
2 N 1 f 2.480 327 0 GHz -1.113 dBm
Sep 06, 2024
4:45:40 AM

Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	Ant1	0.405	129.6	31600	400	Pass
NVNT	1-DH3	2441	Ant1	1.661	265.76	31600	400	Pass
NVNT	1-DH5	2441	Ant1	2.909	310.293	31600	400	Pass
NVNT	2-DH1	2441	Ant1	0.398	127.36	31600	400	Pass
NVNT	2-DH3	2441	Ant1	1.649	263.84	31600	400	Pass
NVNT	2-DH5	2441	Ant1	2.898	309.12	31600	400	Pass
NVNT	3-DH1	2441	Ant1	0.396	126.72	31600	400	Pass
NVNT	3-DH3	2441	Ant1	1.646	263.36	31600	400	Pass
NVNT	3-DH5	2441	Ant1	2.896	308.907	31600	400	Pass

Test Graphs

Dwell NVNT 1-DH1 2441MHz Ant1



Dwell NVNT 1-DH3 2441MHz Ant1



Dwell NVNT 1-DH5 2441MHz Ant1



Dwell NVNT 2-DH1 2441MHz Ant1



Dwell NVNT 2-DH3 2441MHz Ant1



Dwell NVNT 2-DH5 2441MHz Ant1



Dwell NVNT 3-DH1 2441MHz Ant1



Dwell NVNT 3-DH3 2441MHz Ant1



Dwell NVNT 3-DH5 2441MHz Ant1


Spectrum Analyzer 1
Swept SA
KEYSIGHT
Input: RF
Coupling: DC
Align: Auto
Input Z: 50 Ω
Corr CCorr
Freq Ref: Int (S)
#Atten: 30 dB
PNO: Fast
Gate: Off
IF Gain: Low
Sig Track: Off
Avg Type: Log-Power
Trig: Video
Trig Delay: -500.0 µs
1 Spectrum
Scale/Div 10 dB
Log
Ref Lvl Offset 2.58 dB
Ref Level 20.00 dBm
ΔMkr1 2.896 ms
-0.16 dB
1Δ2
TRIG LVL
Center 2.441000000 GHz
Res BW 1.0 MHz
#Video BW 1.0 MHz
Span 0 Hz
Sweep 10.0 ms (10001 pts)
5 Marker Table
Mode Trace Scale X Y Function Function Width Function Value
1 Δ2 1 t (Δ) 2.896 ms (Δ) -0.1565 dB
2 F 1 t 491.0 µs -9.997 dBm
Sep 06, 2024
5:03:41 AM