




ELITE ELECTRONIC ENGINEERING INC.




ELITE ELECTRONIC ENGINEERING INC.




ELITE ELECTRONIC ENGINEERING Inc.




ELITE ELECTRONIC ENGINEERING INC.




ELITE ELECTRONIC ENGINEERING INC.




ELITE ELECTRONIC ENGINEERING INC.




ELITE ELECTRONIC ENGINEERING INC.




ELITE ELECTRONIC ENGINEERING Inc.




ELITE ELECTRONIC ENGINEERING Inc.




ELITE ELECTRONIC ENGINEERING INC.




ELITE ELECTRONIC ENGINEERING Inc.



ELITE ELECTRONIC ENGINEERING Inc.



ELITE ELECTRONIC ENGINEERING INC.



ELITE ELECTRONIC ENGINEERING INC.

MKR 839.0 MHz
-85.30 dBm

ATTEN 10 dB + 40dB EXT.

REF -10.0 dBm

२५

10 dB/

OFFSET
-10.0
dB

```

MANUFACTURER : TRL TECHNOLOGIES INC.
MODEL : BDAB001900-1
SERIAL NUMBER : 2
TEST PERFORMED : FCC-24 ANTENNA CONDUCT
MODE : GSM @ 1850.3MHz
NOTES : UPLINK

```

R. KING
12 Mar 2004
16:13:42

$$-13d\beta_m(23d\beta_c)$$

START 30 MHZ

RES BW 100 KHZ(i)

VBW 1 MHz

STOP 1.000 GHz
SWP 728 msec

ELITE ELECTRONIC ENGINEERING INC.

MKR 1.850 GHz
-26.00 dBm


ATTEN 10 dB + 40 dB EXT.

REF -10.0 dBm

hp

10 dB/

OFFSET
-10.0
dB



START 1.00 GHz
RES BW 1 MHz (i)
UBW 3 MHz
STOP 2.00 GHz
SWP 25.0 msec

ELITE ELECTRONIC ENGINEERING INC.

MR 3.12 GHz
-70.90 dBm


ATTEN 10 dB + 20dB EXT

REF -10.0 dBm

hp

10 dB/

MANUFACTURER : TRL TECHNOLOGIES INC.	R. KING
MODEL : BDA8001900-1	12 Mar 2004
SERIAL NUMBER : 2	16:22:14
TEST PERFORMED : FCC-24 ANTENNA CONDUCTED EMISSIONS	
MODE : GSM @ 1900-7MHz- 1850.3 MHz	
NOTES : UPLINK	
	-13dBm (20dBc)



START 2.0 GHz
RES BW 1 MHz (i)

STOP 20.0 GHz
SWP 450 msec

UBW 3 MHz

ELITE ELECTRONIC ENGINEERING Inc.

MKR 1.909 GHz
-26.60 dBm


ATTEN 10 dB + 40dBEXT

REF -10.0 dBm

hp

10 dB/

OFFSET
-10.0
dB



STOP 2.00 GHz
SWP 25.0 msec

UBW 3 MHz

RES BW 1 MHz(i)

START 1.00 GHz

ELITE ELECTRONIC ENGINEERING INC.

MKR 3.12 GHz
-70.50 dBm


ATTEN 10 dB +20dB (2x)

REF -10.0 dBm

hp

10 dB/

OFFSET
-10.0
dB




STOP 20.0 GHz
SWP 450 msec

UBW 3 MHz

RES BW 1 MHz (1)

START 2.0 GHz

ELITE ELECTRONIC ENGINEERING Inc.



ELITE ELECTRONIC ENGINEERING Inc.

MKR 1.989 GHz
-29.70 dBm

hp


10 dB/

OFFSET
-10.0
dB

ATTEN 10 dB +40dB ext

REF -10.0 dBm

MANUFACTURER : TRL TECHNOLOGIES INC.
MODEL : BDA8001900-01
SERIAL NUMBER : 2
TEST PERFORMED: FCC-24 ANTENNA CONDUCTED EMISSIONS
MODE : GSM @ 1989.7MHz
NOTES : DOWNLINK




STOP 2.00 GHz
SWP 25.0 msec

UBW 3 MHz


RES BW 1 MHz(i)

START 1.00 GHz


ELITE ELECTRONIC ENGINEERING Inc.




ELITE ELECTRONIC ENGINEERING Inc.




ELITE ELECTRONIC ENGINEERING Inc.




ELITE ELECTRONIC ENGINEERING Inc.




ELITE ELECTRONIC ENGINEERING Inc.




ELITE ELECTRONIC ENGINEERING Inc.



ELITE ELECTRONIC ENGINEERING INC.



ELITE ELECTRONIC ENGINEERING Inc.



ELITE ELECTRONIC ENGINEERING Inc.

MRK 1.909 GHz
-34.30 dBm


hp

REF -10.0 dBm

ATTEN 10 dB + 40 EXT.

10 dB/

OFFSET
-10.0
dB



START 1.00 GHz


RES BW 1 MHz (i)

VBW 3 MHz


STOP 2.00 GHz

SWP 25.0 msec


ELITE ELECTRONIC ENGINEERING INC.




ELITE ELECTRONIC ENGINEERING INC.



ELITE ELECTRONIC ENGINEERING Inc.




ELITE ELECTRONIC ENGINEERING INC.



START 2.0 GHz RES BW 1 MHz(i) STOP 20.0 GHz

UBW 3 MHz SWP 450 msec

ELITE ELECTRONIC ENGINEERING INC.



ELITE ELECTRONIC ENGINEERING INC.

