


Radiated Emission – Digital section testing 15.109

Title Preliminary test
 Job Number 15491
 Test Name RE FCC class A D=3m
 EUT Model Number MobileAccess 410,430 and 1000 RIU-BU-RHU
 Site Description Anechoic Chamber
 Operator Name Feldman M
 Customer Name MobileAccess Networks
 Notes t-23 C H-48 % HL 521; 604; 465


09:16:20 11 JUN 2003



Signal	Freq (MHz)	QP Amp (dBuV/m)	QP - Lim1 (dB)	Corrections (dB)
1	49.154126	36.33	-13.17	7.15
2	147.456362	40.88	-13.12	10.83
3	172.049463	39.48	-14.52	11.67
4	245.772064	45.57	-11.43	14.11
5	294.923087	49.38	-7.62	16.22
6	340.702238	50.39	-6.61	17.35
7	366.911055	45.67	-11.33	18.20
8	491.519016	49.97	-7.03	20.61
9	540.670183	49.07	-7.93	21.98
10	688.128118	46.37	-10.63	24.80
11	737.276839	49.83	-7.17	25.06
12	835.579079	47.55	-9.45	26.32
13	880.008202	58.31	1.31	27.16

Title	For test report
Job Number	15491
Test Name	RE FCC class A D=3m
EUT Model Number	MobileAccess 1000 RIU-BU-RHU
Site Description	Anechoic Chamber
Operator Name	Feldman M
Customer Name	MobileAccess Networks
Notes	t-23 C H-48 % HL 521; 604; 465; 1984; 1947

10:10:29 11 JUN 2003



Signal	Freq (MHz)	Avg Amp (dBμV/m)	Avg - Lim1 (dB)	Comments	Corrections (dB)
1	1376.350000	36.27	-23.73	H pol. Az-313 h-1m	29.51

Title	For test report
Job Number	15491
Test Name	RE FCC class A D=10m
EUT Model Number	MobileAccess 1000 RIU-BU-RHU
Site Description	OATS
Operator Name	Feldman M
Customer Name	MobileAccess Networks
Notes	t-23 C H-44 % HL 1430; 784; 813; 1552

Signal	Freq (MHz)	QP Amp (dBuV/m)	QP - Lim1 (dB)	Comments	Corrections (dB)
1	49.156600	34.40	-4.60	V pol.Az-173 h-1m	10.21
2	245.770000	39.26	-7.14	V pol.Az-286 h-1m	14.34
3	294.920000	38.30	-8.10	V pol.Az-116 h-1m	15.66
4	340.700000	37.20	-9.20	H pol.Az-308 h-1.4	17.16
5	491.510000	43.50	-2.90	H pol.Az-189 h-1.4	21.98
6	540.670000	41.84	-4.56	H pol.Az-328 h-1.5	22.82
7	737.270000	43.52	-2.88	H pol.Az-251 h-1.5	26.70


Title For test report
 Job Number 15491
 Test Name RE EN 55022 class A D=10m
 EUT Model Number MobileAccess 1000 RIU-BU-RHU
 Site Description OATS
 Operator Name Feldman M
 Customer Name MobileAccess Networks
 Notes t-23 C H-44 % HL 1430; 784; 813; 1552

Signal	Freq (MHz)	QP Amp (dBuV/m)	QP - Lim1 (dB)	Comments	Corrections (dB)
1	49.156600	34.40	-5.60	V pol.Az-173 h-1m	10.21
2	245.770000	39.26	-7.74	V pol.Az-286 h-1m	14.34
3	294.920000	38.30	-8.70	V pol.Az-116 h-1m	15.66
4	340.700000	37.20	-9.80	H pol.Az-308 h-1.4	17.16
5	491.510000	43.50	-3.50	H pol.Az-189 h-1.4	21.98
6	540.670000	41.84	-5.16	H pol.Az-328 h-1.5	22.82
7	737.270000	43.52	-3.48	H pol.Az-251 h-1.5	26.70

Conducted Emission in AC line – section testing 15.107

Title	For test report
Job Number	15491
Test Name	CE FCC class A 120V AC
EUT Model Number	MobileAccess 1000 - RIU
Site Description	Shielded room 1
Operator Name	Feldman M
Customer Name	MobileAccess Networks
Notes	t-23 C H-48 % HL 521; 163; 580; 591 Switching Power Supply Model No: SPV45E-111 110 VAC PHASE


11:46:20 11 JUN 2003 PH



Signal	Freq (MHz)	QP Amp (dBuV)	QP - Lim1 (dB)	Avg Amp (dBuV)	Avg - Lim2 (dB)	Corrections (dB)
1	0.202232	52.06	-11.51	42.38	-11.19	10.19

Title For test report
 Job Number 15491
 Test Name CE FCC class A 120V AC
 EUT Model Number MobileAccess **1000 - RIU**
 Site Description Shielded room 1
 Operator Name Feldman M
 Customer Name MobileAccess Networks
 Notes t-23 C H-48 % HL 521; 163; 580; 591
 Switching Power Supply Model No: SPV45E-111
 110 VAC Neutral


11:43:00 11 JUN 2003 N



Signal	Freq (MHz)	QP Amp (dBuV)	QP - Lim1 (dB)	Avg Amp (dBuV)	Avg - Lim2 (dB)	Corrections (dB)
1	0.201932	52.23	-11.35	43.58	-10.00	10.19
2	0.403929	42.29	-15.51	38.63	-9.17	10.19

Title For test report
 Job Number 15491
 Test Name CE FCC class A 120V AC
 EUT Model Number MobileAccess **1000 - BU**
 Site Description Shielded room 1
 Operator Name Feldman M
 Customer Name MobileAccess Networks
 Notes t-23 C H-48 % HL 521; 163; 580; 591
 Switching Power Supply Model No: SPV45E-111
 110 VAC Neutral

11:52:43 11 JUN 2003 PH



Signal	Freq (MHz)	QP Amp (dBuV)	QP - Lim1 (dB)	Avg Amp (dBuV)	Avg - Lim2 (dB)	Corrections (dB)
1	0.203362	50.68	-12.84	41.24	-12.28	10.19
2	0.508977	35.98	-20.02	33.01	-12.99	10.19

Title	For test report
Job Number	15491
Test Name	CE FCC class A 120V AC
EUT Model Number	MobileAccess 1000 - BU
Site Description	Shielded room 1
Operator Name	Feldman M
Customer Name	MobileAccess Networks
Notes	t-23 C H-48 % HL 521; 163; 580; 591 Switching Power Supply Model No: SPV45E-111 110 VAC PHASE

11:55:19 11 JUN 2003 N

ACTV DET: PEAK
MEAS DET: PEAK OP AVG
MKR 200 kHz
50.59 dBμV


MEASURE
AT MKR
ADD TO
LIST

LOG REF 80 0 dBμV

10
dB/
ATTN
10 dB

VA SB
SC FC
ACORR

START 150 kHz
RL 1F BW 9.0 kHz
AUG BW 30 kHz
STOP 30.00 MHz
SWP 2.49 sec



CLEAR
WRITE A

MAX
HOLD A

VIEW A


BLANK A

Trace
A B C

More
1 of 3

Title For test report
 Job Number 15491
 Test Name CE FCC class A 120V AC
 EUT Model Number MobileAccess **1000 - RHU**
 Site Description Shielded room 1
 Operator Name Feldman M
 Customer Name MobileAccess Networks
 Notes t-23 C H-48 % HL 521; 163; 580; 591
 Switching Power Supply Model No: SPV45E-111
 110 VAC Neutral

12:00:34 11 JUN 2003 PH



Signal	Freq (MHz)	QP Amp (dBuV)	QP - Lim1 (dB)	Avg Amp (dBuV)	Avg - Lim2 (dB)	Corrections (dB)
1	0.204484	50.31	-13.17	41.82	-11.66	10.19
2	0.307455	45.17	-14.88	36.45	-13.60	10.19
3	10.668096	35.76	-24.24	26.41	-23.59	10.61

Title	For test report
Job Number	15491
Test Name	CE FCC class A 120V AC
EUT Model Number	MobileAccess 1000 - RHU
Site Description	Shielded room 1
Operator Name	Feldman M
Customer Name	MobileAccess Networks
Notes	t-23 C H-48 % HL 521; 163; 580; 591 Switching Power Supply Model No: SPV45E-111 110 VAC PHASE

12:03:06 11 JUN 2003 N

ACTV DET: PEAK
MEAS DET: PEAK OP AVG
MKR 200 kHz
49.53 dBμV

MEASURE
AT MKR
ADD TO
LIST

LOG REF 80 0 dBμV

10

dB/

ATN

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB

VA SB

SC FC

ACORR

10 dB


VA SB

SC FC</

Job Number 15491
 Test Name CE EN 55022 class A power line
 EUT Model Number MobileAccess **1000 - BU**
 Site Description Shielded room 2
 Test equipment 1430; 447; 1502; 1510; 787
 Operator Name E.Pitt
 Customer Name FoxCom
 Note 110 VAC PHASE
 PS mode: JWS150-48/A

16:39:03 JUN 17, 2003

ACTV DET: PEAK
 MEAS DET: PEAK OP AVG
 MKR 14.76 MHz
 43.17 dBμV




Freq (MHz)	QP Amp (dBuV)	Limit QP (dBuV)	QP - Lim1 (dB)	Avg Amp (dBuV)	Limit Avg (dBuV)	Avg - Lim2 (dB)
0.179298	44.30	79.00	-34.70	38.57	66.00	-27.43
0.270009	32.94	79.00	-46.06	32.64	66.00	-33.36
3.922105	43.16	73.00	-29.84	42.69	60.00	-17.31
4.056128	35.65	73.00	-37.35	35.18	60.00	-24.82
14.526203	39.95	73.00	-33.05	39.07	60.00	-20.93
14.819285	42.58	73.00	-30.42	36.34	60.00	-23.66

Job Number 15491
 Test Name CE EN 55022 class A power line
 EUT Model Number MobileAccess **1000 - BU**
 Site Description Shielded room 2
 Test equipment 1430; 447; 1502; 1510; 787
 Operator Name E.Pitt
 Customer Name FoxCom
 Note 110 VAC Neutral
 PS mode: JWS150-48/A

16:49:44 JUN 17, 2003

ACTV DET: PEAK
 MEAS DET: PEAK OP AVG
 MKR 100 kHz
 44 84 dBμV




Freq (MHz)	QP Amp (dBuV)	Limit QP (dBuV)	QP - Lim1 (dB)	Avg Amp (dBuV)	Limit Avg (dBuV)	Avg - Lim2 (dB)
3.905065	38.37	73.00	-34.63	38.27	60.00	-21.73
4.040291	39.95	73.00	-33.05	39.25	60.00	-20.75
11.615066	39.79	73.00	-33.21	33.61	60.00	-26.39
12.664814	43.78	73.00	-29.22	38.48	60.00	-21.52
13.956074	39.72	73.00	-33.28	37.40	60.00	-22.60
14.222474	39.06	73.00	-33.94	37.86	60.00	-22.14

Job Number 15491
 Test Name CE EN 55022 class A power line
 EUT Model Number MobileAccess **1000 - RHU**
 Site Description Shielded room 2
 Test equipment 1430; 447; 1502; 1510; 787
 Operator Name E.Pitt
 Customer Name FoxCom
 Note 110 VAC Neutral
 PS mode: JWS150-48/A

16:56:29 JUN 17, 2003

ACTV DET: PEAK
 MEAS DET: PEAK OP AVG
 MKR 3.47 MHz
 4B 11 dBµV




Freq (MHz)	QP Amp (dBµV)	Limit QP (dBµV)	QP - Lim1 (dB)	Avg Amp (dBµV)	Limit Avg (dBµV)	Avg - Lim2 (dB)
3.365350	43.08	73.00	-29.92	42.87	60.00	-17.13
3.499960	48.45	73.00	-24.55	48.33	60.00	-11.67
3.635045	44.77	73.00	-28.23	43.96	60.00	-16.04
8.181075	35.85	73.00	-37.15	35.26	60.00	-24.74
12.114445	38.69	73.00	-34.31	38.10	60.00	-21.90
12.249468	39.94	73.00	-33.06	39.43	60.00	-20.57

Job Number 15491
 Test Name CE EN 55022 class A power line
 EUT Model Number MobileAccess **1000 - RHU**
 Site Description Shielded room 2
 Test equipment 1430; 447; 1502; 1510; 787
 Operator Name E.Pitt
 Customer Name FoxCom
 Note 110 VAC Phase
 PS mode: JWS150-48/A

17:20:38 JUN 17, 2003

ACTV DET: PEAK
 MEAS DET: PEAK OP AVG
 MKR 3.47 MHz
 48 32 dBµV




Freq (MHz)	QP Amp (dBuV)	Limit QP (dBuV)	QP - Lim1 (dB)	Avg Amp (dBuV)	Limit Avg (dBuV)	Avg - Lim2 (dB)
3.364120	43.24	73.00	-29.76	43.03	60.00	-16.97
3.498683	48.56	73.00	-24.44	48.40	60.00	-11.60
3.633128	44.61	73.00	-28.39	43.81	60.00	-16.19
8.109983	36.58	73.00	-36.42	36.35	60.00	-23.65
12.514833	39.49	73.00	-33.51	39.25	60.00	-20.75
16.820860	39.55	73.00	-33.45	38.90	60.00	-21.10

Job Number 15491
 Test Name CE EN 55022 class A power line
 EUT Model Number MobileAccess **1000 - RIU**
 Site Description Shielded room 2
 Operator Name E.Pitt
 Customer Name FoxCom
 Note 110 VAC Phase
 PS mode: JWS150-48/A

17:26:06 JUN 17, 2003

ACTV DET: PEAK
 MEAS DET: PEAK OP AVG
 MKR 10.40 MHz
 47.13 dBµV




Freq (MHz)	QP Amp (dBuV)	Limit QP (dBuV)	QP - Lim1 (dB)	Avg Amp (dBuV)	Limit Avg (dBuV)	Avg - Lim2 (dB)
0.268210	39.29	79.00	-39.71	39.20	66.00	-26.80
2.286970	35.30	73.00	-37.70	35.17	60.00	-24.83
2.421750	34.66	73.00	-38.34	34.43	60.00	-25.57
2.690360	31.58	73.00	-41.42	31.40	60.00	-28.60
10.481768	38.69	73.00	-34.31	38.06	60.00	-21.94
10.525803	46.11	73.00	-26.89	43.61	60.00	-16.39

Job Number 15491
 Test Name CE EN 55022 class A power line
 EUT Model Number MobileAccess **1000 - RIU**
 Site Description Shielded room 2
 Operator Name E.Pitt
 Customer Name FoxCom
 Note 110 VAC Neutral
 PS mode: JWS150-48/A

17:35:34 JUN 17, 2003

ACTV DET: PEAK
 MEAS DET: PEAK OP AVG
 MKR 10.40 MHz
 47.53 dBμV



Freq (MHz)	QP Amp (dBuV)	Limit QP (dBuV)	QP - Lim1 (dB)	Avg Amp (dBuV)	Limit Avg (dBuV)	Avg - Lim2 (dB)
0.269135	44.66	79.00	-34.34	44.60	66.00	-21.40
2.287275	35.65	73.00	-37.35	35.51	60.00	-24.49
10.253440	39.96	73.00	-33.04	37.94	60.00	-22.06
10.517835	46.87	73.00	-26.13	46.74	60.00	-13.26
16.525065	38.36	73.00	-34.64	35.23	60.00	-24.77
16.796520	43.04	73.00	-29.96	41.79	60.00	-18.21