


Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11N40_MCS8_2452	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 16:21:21

Test Graph



Suspected Data List									
NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.51	43.71	50.75	7.04	74.00	23.25	150	214	Vertical
2	2484.91	46.73	53.77	7.04	74.00	20.23	150	139	Vertical

AV Final Data List									
NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.51	33.68	7.04	40.72	54.00	13.28	150	214	Vertical
2	2484.91	34.82	7.04	41.86	54.00	12.14	150	139	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11AX20_MCS0_2412	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 16:33:31

Test Graph



Suspected Data List									
NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2389.51	59.92	66.47	6.55	74.00	7.53	150	173	Horizontal
2	2389.96	57.52	64.07	6.55	74.00	9.93	150	259	Horizontal

AV Final Data List									
NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2389.51	36.56	6.55	43.11	54.00	10.89	150	173	Horizontal
2	2389.96	35.35	6.55	41.90	54.00	12.10	150	259	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11AX20_MCS0_2412	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 16:34:11

Test Graph



Suspected Data List									
NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2389.23	63.42	69.97	6.55	74.00	4.03	150	127	Vertical
2	2389.87	62.02	68.57	6.55	74.00	5.43	150	127	Vertical

AV Final Data List									
NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2389.23	39.51	6.55	46.06	54.00	7.94	150	127	Vertical
2	2389.87	37.52	6.55	44.07	54.00	9.93	150	127	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11AX20_MCS0_2462	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 16:41:06

Test Graph



Suspected Data List									
NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.59	50.30	57.34	7.04	74.00	16.66	150	159	Horizontal
2	2484.17	59.15	66.19	7.04	74.00	7.81	150	208	Horizontal

AV Final Data List									
NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.59	32.14	7.04	39.18	54.00	14.82	150	159	Horizontal
2	2484.17	35.42	7.04	42.46	54.00	11.54	150	208	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11AX20_MCS0_2462	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 16:41:47

Test Graph



Suspected Data List									
NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.56	59.61	66.65	7.04	74.00	7.35	150	121	Vertical
2	2483.86	62.73	69.77	7.04	74.00	4.23	150	121	Vertical

AV Final Data List									
NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.56	36.42	7.04	43.46	54.00	10.54	150	121	Vertical
2	2483.86	37.14	7.04	44.18	54.00	9.82	150	121	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11AX40_MCS0_2422	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 16:47:59

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2376.96	53.55	60.09	6.54	74.00	13.91	150	173	Horizontal
2	2389.90	51.80	58.35	6.55	74.00	15.65	150	58	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2376.96	33.08	6.54	39.62	54.00	14.38	150	173	Horizontal
2	2389.90	35.39	6.55	41.94	54.00	12.06	150	58	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11AX40_MCS0_2422	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 16:48:43

Test Graph



Suspected Data List									
NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2386.34	59.17	65.72	6.55	74.00	8.28	150	139	Vertical
2	2389.93	50.71	57.26	6.55	74.00	16.74	150	186	Vertical

AV Final Data List									
NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2386.34	36.22	6.55	42.77	54.00	11.23	150	139	Vertical
2	2389.93	36.72	6.55	43.27	54.00	10.73	150	186	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11AX40_MCS0_2452	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 16:54:48

Test Graph



Suspected Data List									
NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.51	44.07	51.11	7.04	74.00	22.89	150	264	Horizontal
2	2492.98	50.90	57.99	7.09	74.00	16.01	150	206	Horizontal

AV Final Data List									
NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.51	34.70	7.04	41.74	54.00	12.26	150	264	Horizontal
2	2492.98	32.36	7.09	39.45	54.00	14.55	150	206	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11AX40_MCS0_2452	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 16:55:28

Test Graph




Suspected Data List									
NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.51	49.11	56.15	7.04	74.00	17.85	150	137	Vertical
2	2484.08	57.03	64.07	7.04	74.00	9.93	150	131	Vertical


AV Final Data List									
NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	2483.51	39.05	7.04	46.09	54.00	7.91	150	137	Vertical
2	2484.08	40.34	7.04	47.38	54.00	6.62	150	131	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level


APPENDIX C – AC Power Line Conducted Emission Test Data





No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment			Detector	Comment
1		0.1689	26.99	9.33	36.32	65.01	-28.69	QP	
2		0.1689	10.40	9.33	19.73	55.01	-35.28	AVG	
3		0.4356	18.08	9.36	27.44	57.15	-29.71	QP	
4	*	0.4356	10.66	9.36	20.02	47.15	-27.13	AVG	
5		2.9915	10.91	9.61	20.52	56.00	-35.48	QP	
6		2.9915	5.02	9.61	14.63	46.00	-31.37	AVG	
7		4.9308	14.60	9.87	24.47	56.00	-31.53	QP	
8		4.9308	8.54	9.87	18.41	46.00	-27.59	AVG	
9		6.2755	15.95	10.07	26.02	60.00	-33.98	QP	
10		6.2755	10.01	10.07	20.08	50.00	-29.92	AVG	
11		7.3013	14.65	10.22	24.87	60.00	-35.13	QP	
12		7.3013	9.23	10.22	19.45	50.00	-30.55	AVG	











END OF REPORT