


Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC80_MCS0_5530	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:27:33

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5415.58	33.66	52.01	18.35	74.00	21.99	150	29	Vertical
2	5459.79	31.84	50.23	18.39	74.00	23.77	150	312	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5415.58	20.08	18.35	38.43	54.00	15.57	150	29	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC80_MCS0_5610	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:35:49

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.11	29.84	49.43	19.59	68.20	18.77	150	331	Horizontal
2	5746.25	32.24	51.94	19.70	68.20	16.26	150	252	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC80_MCS0_5610	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:36:31

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.11	29.91	49.50	19.59	68.20	18.70	150	52	Vertical
2	5740.25	33.16	52.83	19.67	68.20	15.37	150	7	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC80_MCS0_5775	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:53:36

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5640.97	38.97	58.01	19.04	68.30	10.29	150	226	Horizontal
2	5681.60	39.27	58.60	19.33	91.72	33.12	150	345	Horizontal
3	5708.74	39.41	58.92	19.51	107.75	48.83	150	196	Horizontal
4	5865.22	39.85	60.48	20.63	108.04	47.56	150	301	Horizontal
5	5885.84	39.74	60.57	20.83	97.25	36.68	150	41	Horizontal
6	5930.66	39.86	60.85	20.99	68.30	7.45	150	322	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC80_MCS0_5775	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:54:13

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5629.65	38.86	57.81	18.95	68.30	10.49	150	200	Vertical
2	5672.14	39.27	58.53	19.26	84.73	26.20	150	285	Vertical
3	5702.69	39.95	59.42	19.47	106.06	46.64	150	0	Vertical
4	5860.25	39.55	60.13	20.58	109.43	49.30	150	2	Vertical
5	5889.10	40.50	61.36	20.86	94.84	33.48	150	0	Vertical
6	5935.00	39.89	60.88	20.99	68.30	7.42	150	238	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX20_MCS0_5180	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:38:48

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5137.27	33.81	51.36	17.55	74.00	22.64	150	133	Horizontal
2	5149.77	31.95	49.52	17.57	74.00	24.48	150	148	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5137.27	20.22	17.55	37.77	54.00	16.23	150	133	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX20_MCS0_5180	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:39:29

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5106.20	33.65	51.14	17.49	74.00	22.86	150	150	Vertical
2	5149.77	31.66	49.23	17.57	74.00	24.77	150	165	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5106.20	20.00	17.49	37.49	54.00	16.51	150	150	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX20_MCS0_5320	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:41:17

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	32.54	50.62	18.08	74.00	23.38	150	335	Horizontal
2	5360.43	33.93	52.06	18.13	74.00	21.94	150	299	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5360.43	20.52	18.13	38.65	54.00	15.35	150	299	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX20_MCS0_5320	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:41:58

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	31.92	50.00	18.08	74.00	24.00	150	118	Vertical
2	5361.58	34.26	52.40	18.14	74.00	21.60	150	355	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5361.58	19.89	18.14	38.03	54.00	15.97	150	355	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX20_MCS0_5500	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:45:45

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5420.42	33.29	51.64	18.35	74.00	22.36	150	240	Horizontal
2	5459.83	31.53	49.92	18.39	74.00	24.08	150	341	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5420.42	20.41	18.35	38.76	54.00	15.24	150	240	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX20_MCS0_5500	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:46:27

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5415.80	33.62	51.97	18.35	74.00	22.03	150	77	Vertical
2	5459.83	31.81	50.20	18.39	74.00	23.80	150	159	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5415.80	20.52	18.35	38.87	54.00	15.13	150	77	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX20_MCS0_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:48:40

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.03	38.51	58.10	19.59	68.20	10.10	150	358	Horizontal
2	5740.37	39.95	59.62	19.67	68.20	8.58	150	14	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX20_MCS0_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:49:22

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.03	37.78	57.37	19.59	68.20	10.83	150	66	Vertical
2	5736.27	40.13	59.78	19.65	68.20	8.42	150	338	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX20_MCS0_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:58:02

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5631.89	38.86	57.83	18.97	68.30	10.47	150	122	Horizontal
2	5667.28	38.96	58.18	19.22	81.12	22.94	150	122	Horizontal
3	5708.88	39.81	59.32	19.51	107.79	48.47	150	122	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX20_MCS0_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:58:42

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5632.97	38.58	57.56	18.98	68.30	10.74	150	83	Vertical
2	5664.37	38.87	58.07	19.20	78.97	20.90	150	175	Vertical
3	5710.77	40.93	60.45	19.52	108.32	47.87	150	357	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX20_MCS0_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:02:04

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5870.84	40.01	60.69	20.68	106.46	45.77	150	84	Horizontal
2	5895.94	39.60	60.53	20.93	89.77	29.24	150	356	Horizontal
3	5943.07	39.52	60.52	21.00	68.30	7.78	150	198	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX20_MCS0_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:02:42

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5863.17	39.37	59.98	20.61	108.61	48.63	150	264	Vertical
2	5902.13	40.40	61.37	20.97	85.19	23.82	150	6	Vertical
3	5940.18	39.96	60.96	21.00	68.30	7.34	150	290	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX40_MCS0_5190	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:05:49

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5117.23	33.96	51.47	17.51	74.00	22.53	150	47	Horizontal
2	5149.82	31.36	48.93	17.57	74.00	25.07	150	160	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5117.23	20.44	17.51	37.95	54.00	16.05	150	47	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX40_MCS0_5190	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:06:29

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBµV/m)	PK Level (dBµV/m)	Factor (dB)	PK Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5131.22	34.49	52.02	17.53	74.00	21.98	150	105	Vertical
2	5149.82	32.49	50.06	17.57	74.00	23.94	150	56	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBµV/m)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5131.22	19.92	17.53	37.45	54.00	16.55	150	105	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX40_MCS0_5310	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:08:36

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.01	31.18	49.26	18.08	74.00	24.74	150	157	Horizontal
2	5389.63	33.59	51.87	18.28	74.00	22.13	150	358	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5389.63	20.10	18.28	38.38	54.00	15.62	150	358	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX40_MCS0_5310	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:09:16

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.01	32.70	50.78	18.08	74.00	23.22	150	134	Vertical
2	5388.95	33.63	51.91	18.28	74.00	22.09	150	265	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5388.95	19.93	18.28	38.21	54.00	15.79	150	265	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX40_MCS0_5510	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:11:04

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5428.04	33.19	51.55	18.36	74.00	22.45	150	215	Horizontal
2	5459.80	31.50	49.89	18.39	74.00	24.11	150	37	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5428.04	19.92	18.36	38.28	54.00	15.72	150	215	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX40_MCS0_5510	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:11:46

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5427.26	33.02	51.38	18.36	74.00	22.62	150	43	Vertical
2	5459.80	31.74	50.13	18.39	74.00	23.87	150	148	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5427.26	19.92	18.36	38.28	54.00	15.72	150	43	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX40_MCS0_5670	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:15:07

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	34.47	54.06	19.59	68.20	14.14	150	231	Horizontal
2	5745.32	37.04	56.74	19.70	68.20	11.46	150	136	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX40_MCS0_5670	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:15:47

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	35.40	54.99	19.59	68.20	13.21	150	329	Vertical
2	5749.89	36.22	55.94	19.72	68.20	12.26	150	60	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX40_MCS0_5755	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:35:18

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5648.98	38.92	58.01	19.09	68.30	10.29	150	351	Horizontal
2	5671.27	39.09	58.34	19.25	84.08	25.74	150	276	Horizontal
3	5712.87	39.98	59.51	19.53	108.91	49.40	150	340	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX40_MCS0_5755	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:35:56

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5647.16	38.87	57.95	19.08	68.30	10.35	150	3	Vertical
2	5676.20	39.06	58.35	19.29	87.73	29.38	150	120	Vertical
3	5707.87	39.15	58.65	19.50	107.51	48.86	150	176	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX40_MCS0_5795	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:37:31

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5866.53	39.90	60.54	20.64	107.67	47.13	150	358	Horizontal
2	5900.93	40.13	61.10	20.97	86.08	24.98	150	172	Horizontal
3	5945.23	39.88	60.88	21.00	68.30	7.42	150	356	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX40_MCS0_5795	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:38:09

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5870.04	40.90	61.57	20.67	106.69	45.12	150	174	Vertical
2	5893.45	40.01	60.92	20.91	91.61	30.69	150	333	Vertical
3	5938.92	39.73	60.73	21.00	68.30	7.57	150	168	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX80_MCS0_5210	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:17:46

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5101.26	35.62	53.10	17.48	74.00	20.90	150	359	Horizontal
2	5149.88	34.37	51.94	17.57	74.00	22.06	150	321	Horizontal
3	5350.15	33.85	51.93	18.08	74.00	22.07	150	37	Horizontal
4	5430.29	36.67	55.03	18.36	74.00	18.97	150	23	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5101.26	23.11	17.48	40.59	54.00	13.41	150	359	Horizontal
2	5149.88	23.21	17.57	40.78	54.00	13.22	150	321	Horizontal
3	5350.15	22.85	18.08	40.93	54.00	13.07	150	37	Horizontal
4	5430.29	23.14	18.36	41.50	54.00	12.50	150	23	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX80_MCS0_5210	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:18:28

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5128.99	36.41	53.94	17.53	74.00	20.06	150	64	Vertical
2	5149.88	34.47	52.04	17.57	74.00	21.96	150	332	Vertical
3	5350.15	34.89	52.97	18.08	74.00	21.03	150	82	Vertical
4	5379.32	36.23	54.46	18.23	74.00	19.54	150	283	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5128.99	23.16	17.53	40.69	54.00	13.31	150	64	Vertical
2	5149.88	24.14	17.57	41.71	54.00	12.29	150	332	Vertical
3	5350.15	23.02	18.08	41.10	54.00	12.90	150	82	Vertical
4	5379.32	22.63	18.23	40.86	54.00	13.14	150	283	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX80_MCS0_5290	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:20:43

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	31.83	49.91	18.08	74.00	24.09	150	312	Horizontal
2	5386.04	33.46	51.72	18.26	74.00	22.28	150	128	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5386.04	20.15	18.26	38.41	54.00	15.59	150	128	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX80_MCS0_5290	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:21:26

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	33.17	51.25	18.08	74.00	22.75	150	143	Vertical
2	5386.04	33.50	51.76	18.26	74.00	22.24	150	143	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	23.18	18.08	41.26	54.00	12.74	150	143	Vertical
2	5386.04	19.94	18.26	38.20	54.00	15.80	150	143	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX80_MCS0_5530	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:24:14

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5414.23	33.20	51.54	18.34	74.00	22.46	150	181	Horizontal
2	5459.79	32.66	51.05	18.39	74.00	22.95	150	7	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5414.23	19.92	18.34	38.26	54.00	15.74	150	181	Horizontal
2	5459.79	20.08	18.39	38.47	54.00	15.53	150	7	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX80_MCS0_5530	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:24:55

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5434.49	33.41	51.77	18.36	74.00	22.23	150	89	Vertical
2	5459.79	31.05	49.44	18.39	74.00	24.56	150	181	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5434.49	19.80	18.36	38.16	54.00	15.84	150	89	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX80_MCS0_5610	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:27:34

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.11	30.16	49.75	19.59	68.20	18.45	150	2	Horizontal
2	5736.99	32.17	51.82	19.65	68.20	16.38	150	31	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX80_MCS0_5610	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:28:17

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.11	29.86	49.45	19.59	68.20	18.75	150	305	Vertical
2	5742.00	31.54	51.22	19.68	68.20	16.98	150	66	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX80_MCS0_5775	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:30:37

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5638.03	38.86	57.87	19.01	68.30	10.43	150	102	Horizontal
2	5673.38	39.28	58.54	19.26	85.64	27.10	150	2	Horizontal
3	5713.24	39.54	59.07	19.53	109.01	49.94	150	41	Horizontal
4	5869.71	40.38	61.05	20.67	106.78	45.73	150	263	Horizontal
5	5893.90	39.92	60.83	20.91	91.27	30.44	150	124	Horizontal
6	5929.73	39.69	60.68	20.99	68.30	7.62	150	48	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AX80_MCS0_5775	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:31:15

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5638.18	39.55	58.56	19.01	68.30	9.74	150	196	Vertical
2	5683.31	39.48	58.82	19.34	92.98	34.16	150	1	Vertical
3	5708.28	40.02	59.53	19.51	107.62	48.09	150	318	Vertical
4	5864.44	39.98	60.60	20.62	108.25	47.65	150	105	Vertical
5	5899.80	40.30	61.27	20.97	86.91	25.64	150	110	Vertical
6	5931.43	40.14	61.13	20.99	68.30	7.17	150	201	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5180	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 17:41:28

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1240.92	40.38	44.38	4.00	74.00	29.62	150	337	Horizontal
2	3881.19	34.27	48.12	13.85	74.00	25.88	150	0	Horizontal
3	4960.40	32.56	51.12	18.56	74.00	22.88	150	358	Horizontal
4	12885.44	40.81	51.59	10.78	68.20	16.61	150	149	Horizontal
5	15664.12	38.70	52.00	13.30	74.00	22.00	150	351	Horizontal
6	17933.29	36.61	54.86	18.25	74.00	19.14	150	309	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4960.40	23.18	18.56	41.74	54.00	12.26	150	358	Horizontal
2	12885.44	31.15	10.78	41.93	53.94	12.01	150	149	Horizontal
3	15664.12	28.89	13.30	42.19	54.00	11.81	150	351	Horizontal
4	17933.29	26.97	18.25	45.22	54.00	8.78	150	309	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5180	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 17:42:48

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1231.57	40.85	44.80	3.95	74.00	29.20	150	121	Vertical
2	4037.95	34.92	49.19	14.27	74.00	24.81	150	6	Vertical
3	4959.30	32.71	51.27	18.56	74.00	22.73	150	204	Vertical
4	11335.08	42.84	51.24	8.40	74.00	22.76	150	215	Vertical
5	15890.69	38.82	51.97	13.15	74.00	22.03	150	278	Vertical
6	17778.03	37.22	55.32	18.10	74.00	18.68	150	157	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4959.30	23.41	18.56	41.97	54.00	12.03	150	204	Vertical
2	11335.08	33.60	8.40	42.00	54.00	12.00	150	215	Vertical
3	15890.69	29.38	13.15	42.53	54.00	11.47	150	278	Vertical
4	17778.03	27.55	18.10	45.65	54.00	8.35	150	157	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5200	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 17:47:12

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1239.27	39.76	43.75	3.99	74.00	30.25	150	63	Horizontal
2	1486.25	40.50	44.88	4.38	74.00	29.12	150	126	Horizontal
3	4941.69	32.62	51.07	18.45	74.00	22.93	150	136	Horizontal
4	11428.24	42.40	50.88	8.48	74.00	23.12	150	220	Horizontal
5	15798.68	39.46	52.42	12.96	74.00	21.58	150	131	Horizontal
6	17916.04	37.32	55.66	18.34	74.00	18.34	150	289	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4941.69	23.71	18.45	42.16	54.00	11.84	150	136	Horizontal
2	15798.68	30.29	12.96	43.25	54.00	10.75	150	131	Horizontal
3	17916.04	27.61	18.34	45.95	54.00	8.05	150	289	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5200	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 17:48:32

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1190.87	41.14	44.79	3.65	74.00	29.21	150	155	Vertical
2	3919.14	34.53	48.71	14.18	74.00	25.29	150	267	Vertical
3	4935.64	33.32	51.76	18.44	74.00	22.24	150	238	Vertical
4	12459.90	43.17	52.50	9.33	74.00	21.50	150	115	Vertical
5	15814.78	38.75	51.73	12.98	74.00	22.27	150	152	Vertical
6	17796.43	37.18	55.39	18.21	74.00	18.61	150	84	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4935.64	23.30	18.44	41.74	54.00	12.26	150	238	Vertical
2	12459.90	32.79	9.33	42.12	54.00	11.88	150	115	Vertical
3	15814.78	28.41	12.98	41.39	54.00	12.61	150	152	Vertical
4	17796.43	27.02	18.21	45.23	54.00	8.77	150	84	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5240	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 17:51:20

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1200.22	40.74	44.52	3.78	74.00	29.48	150	89	Horizontal
2	3916.94	35.68	49.85	14.17	74.00	24.15	150	173	Horizontal
3	4844.33	32.61	50.52	17.91	74.00	23.48	150	352	Horizontal
4	12481.75	42.06	51.62	9.56	74.00	22.38	150	37	Horizontal
5	15672.17	38.52	51.83	13.31	74.00	22.17	150	37	Horizontal
6	17824.03	37.06	55.33	18.27	74.00	18.67	150	355	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	12481.75	32.16	9.56	41.72	54.00	12.28	150	37	Horizontal
2	15672.17	29.97	13.31	43.28	54.00	10.72	150	37	Horizontal
3	17824.03	27.41	18.27	45.68	54.00	8.32	150	355	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5240	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 17:52:41

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1232.12	40.67	44.63	3.96	74.00	29.37	150	127	Vertical
2	3916.39	35.23	49.40	14.17	74.00	24.60	150	23	Vertical
3	4844.88	33.16	51.07	17.91	74.00	22.93	150	17	Vertical
4	12462.20	42.59	51.94	9.35	74.00	22.06	150	40	Vertical
5	15867.69	38.84	51.93	13.09	74.00	22.07	150	295	Vertical
6	17939.04	36.87	55.09	18.22	74.00	18.91	150	90	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4844.88	23.30	17.91	41.21	54.00	12.79	150	17	Vertical
2	12462.20	32.94	9.35	42.29	54.00	11.71	150	40	Vertical
3	15867.69	29.80	13.09	42.89	54.00	11.11	150	295	Vertical
4	17939.04	27.37	18.22	45.59	54.00	8.41	150	90	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5260	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 17:55:09

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1205.17	39.76	43.57	3.81	74.00	30.43	150	0	Horizontal
2	3913.64	34.78	48.94	14.16	74.00	25.06	150	247	Horizontal
3	4900.44	33.09	51.46	18.37	74.00	22.54	150	48	Horizontal
4	12346.03	42.79	51.79	9.00	74.00	22.21	150	171	Horizontal
5	15817.08	39.24	52.23	12.99	74.00	21.77	150	9	Horizontal
6	17945.94	37.41	55.60	18.19	74.00	18.40	150	237	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4900.44	22.55	18.37	40.92	54.00	13.08	150	48	Horizontal
2	12346.03	33.25	9.00	42.25	54.00	11.75	150	171	Horizontal
3	15817.08	30.28	12.99	43.27	54.00	10.73	150	9	Horizontal
4	17945.94	27.60	18.19	45.79	54.00	8.21	150	237	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5260	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 17:56:29

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1247.52	40.79	44.82	4.03	74.00	29.18	150	37	Vertical
2	3912.54	34.40	48.56	14.16	74.00	25.44	150	358	Vertical
3	4940.59	33.41	51.85	18.44	74.00	22.15	150	123	Vertical
4	12471.40	42.54	51.99	9.45	74.00	22.01	150	66	Vertical
5	15814.78	39.29	52.27	12.98	74.00	21.73	150	60	Vertical
6	17973.55	36.79	54.85	18.06	74.00	19.15	150	35	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4940.59	22.94	18.44	41.38	54.00	12.62	150	123	Vertical
2	12471.40	32.38	9.45	41.83	54.00	12.17	150	66	Vertical
3	15814.78	29.23	12.98	42.21	54.00	11.79	150	60	Vertical
4	17973.55	27.59	18.06	45.65	54.00	8.35	150	35	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5280	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 18:01:42

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1234.32	40.78	44.74	3.96	74.00	29.26	150	14	Horizontal
2	3895.49	34.48	48.54	14.06	74.00	25.46	150	14	Horizontal
3	4838.28	33.00	50.83	17.83	74.00	23.17	150	100	Horizontal
4	11404.09	43.43	51.93	8.50	74.00	22.07	150	336	Horizontal
5	15729.67	39.15	52.40	13.25	74.00	21.60	150	50	Horizontal
6	17954.00	38.11	56.26	18.15	74.00	17.74	150	312	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	11404.09	33.88	8.50	42.38	54.00	11.62	150	336	Horizontal
2	15729.67	29.46	13.25	42.71	54.00	11.29	150	50	Horizontal
3	17954.00	27.26	18.15	45.41	54.00	8.59	150	312	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5280	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 18:03:02

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1252.48	41.97	46.03	4.06	74.00	27.97	150	128	Vertical
2	4035.20	34.68	48.98	14.30	74.00	25.02	150	188	Vertical
3	4832.78	33.55	51.32	17.77	74.00	22.68	150	134	Vertical
4	12487.50	42.75	52.38	9.63	74.00	21.62	150	222	Vertical
5	15813.63	39.21	52.19	12.98	74.00	21.81	150	2	Vertical
6	17925.24	37.75	56.04	18.29	74.00	17.96	150	354	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4832.78	22.80	17.77	40.57	54.00	13.43	150	134	Vertical
2	12487.50	33.43	9.63	43.06	54.00	10.94	150	222	Vertical
3	15813.63	29.48	12.98	42.46	54.00	11.54	150	2	Vertical
4	17925.24	28.33	18.29	46.62	54.00	7.38	150	354	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5320	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 18:07:01

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1228.82	40.16	44.09	3.93	74.00	29.91	150	226	Horizontal
2	4014.30	33.95	48.40	14.45	74.00	25.60	150	136	Horizontal
3	4926.84	33.70	52.12	18.42	74.00	21.88	150	7	Horizontal
4	12472.55	42.64	52.10	9.46	74.00	21.90	150	75	Horizontal
5	15849.28	39.09	52.15	13.06	74.00	21.85	150	81	Horizontal
6	17960.90	38.31	56.43	18.12	74.00	17.57	150	344	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4926.84	23.30	18.42	41.72	54.00	12.28	150	7	Horizontal
2	12472.55	32.67	9.46	42.13	54.00	11.87	150	75	Horizontal
3	15849.28	28.94	13.06	42.00	54.00	12.00	150	81	Horizontal
4	17960.90	27.61	18.12	45.73	54.00	8.27	150	344	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5320	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 18:08:21

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1231.02	41.27	45.22	3.95	74.00	28.78	150	134	Vertical
2	2281.08	37.29	44.90	7.61	74.00	29.10	150	238	Vertical
3	3912.54	34.55	48.71	14.16	74.00	25.29	150	195	Vertical
4	11370.74	42.58	51.04	8.46	74.00	22.96	150	2	Vertical
5	15873.44	38.81	51.92	13.11	74.00	22.08	150	360	Vertical
6	17914.89	36.81	55.15	18.34	74.00	18.85	150	144	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	11370.74	32.70	8.46	41.16	54.00	12.84	150	2	Vertical
2	15873.44	29.15	13.11	42.26	54.00	11.74	150	360	Vertical
3	17914.89	27.43	18.34	45.77	54.00	8.23	150	144	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5500	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 18:56:02

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1207.92	40.50	44.41	3.91	74.00	29.59	150	91	Horizontal
2	1518.70	41.11	45.67	4.56	74.00	28.33	150	109	Horizontal
3	4906.49	32.57	50.63	18.06	74.00	23.37	150	0	Horizontal
4	11383.39	42.82	51.30	8.48	74.00	22.70	150	209	Horizontal
5	15828.58	39.05	52.06	13.01	74.00	21.94	150	247	Horizontal
6	17954.00	36.82	54.97	18.15	74.00	19.03	150	358	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	11383.39	33.73	8.48	42.21	54.00	11.79	150	209	Horizontal
2	15828.58	29.25	13.01	42.26	54.00	11.74	150	247	Horizontal
3	17954.00	27.04	18.15	45.19	54.00	8.81	150	358	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5500	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 18:57:23

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1229.37	40.71	44.62	3.91	74.00	29.38	150	136	Vertical
2	2257.98	37.34	44.88	7.54	74.00	29.12	150	358	Vertical
3	3885.59	35.79	49.60	13.81	74.00	24.40	150	352	Vertical
4	11393.74	42.71	51.20	8.49	74.00	22.80	150	180	Vertical
5	15777.98	39.78	52.82	13.04	74.00	21.18	150	358	Vertical
6	17920.64	36.89	55.20	18.31	74.00	18.80	150	330	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	11393.74	33.61	8.49	42.10	54.00	11.90	150	180	Vertical
2	15777.98	29.92	13.04	42.96	54.00	11.04	150	358	Vertical
3	17920.64	28.80	18.31	47.11	54.00	6.89	150	330	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5580	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:00:32

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1241.47	40.70	44.61	3.91	74.00	29.39	150	108	Horizontal
2	3924.09	34.84	48.85	14.01	74.00	25.15	150	347	Horizontal
3	4945.54	32.40	50.72	18.32	74.00	23.28	150	0	Horizontal
4	12440.34	42.61	51.73	9.12	74.00	22.27	150	24	Horizontal
5	15897.59	39.19	52.35	13.16	74.00	21.65	150	85	Horizontal
6	17977.00	37.16	55.20	18.04	74.00	18.80	150	66	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	12440.34	34.02	9.12	43.14	54.00	10.86	150	24	Horizontal
2	15897.59	28.31	13.16	41.47	54.00	12.53	150	85	Horizontal
3	17977.00	27.63	18.04	45.67	54.00	8.33	150	66	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5580	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:01:51

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1233.22	41.05	44.96	3.91	74.00	29.04	150	129	Vertical
2	3903.74	35.73	49.71	13.98	74.00	24.29	150	42	Vertical
3	4930.14	32.72	50.94	18.22	74.00	23.06	150	275	Vertical
4	12045.85	42.59	51.14	8.55	74.00	22.86	150	360	Vertical
5	15803.28	39.33	52.28	12.95	74.00	21.72	150	94	Vertical
6	17935.59	37.05	55.29	18.24	74.00	18.71	150	354	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	12045.85	32.42	8.55	40.97	54.00	13.03	150	360	Vertical
2	15803.28	28.92	12.95	41.87	54.00	12.13	150	94	Vertical
3	17935.59	28.92	18.24	47.16	54.00	6.84	150	354	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:04:19

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1224.97	40.36	44.27	3.91	74.00	29.73	150	82	Horizontal
2	1494.50	40.33	44.76	4.43	74.00	29.24	150	117	Horizontal
3	3914.74	34.54	48.54	14.00	74.00	25.46	150	82	Horizontal
4	11398.34	42.33	50.84	8.51	74.00	23.16	150	184	Horizontal
5	15800.98	38.72	51.67	12.95	74.00	22.33	150	188	Horizontal
6	17919.49	36.92	55.24	18.32	74.00	18.76	150	73	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	15800.98	29.08	12.95	42.03	54.00	11.97	150	188	Horizontal
2	17919.49	26.25	18.32	44.57	54.00	9.43	150	73	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:05:40

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1197.47	41.59	45.45	3.86	74.00	28.55	150	166	Vertical
2	3917.49	34.17	48.17	14.00	74.00	25.83	150	141	Vertical
3	4965.35	32.85	51.38	18.53	74.00	22.62	150	68	Vertical
4	12481.75	41.81	51.37	9.56	74.00	22.63	150	278	Vertical
5	15856.19	38.62	51.70	13.08	74.00	22.30	150	248	Vertical
6	17989.65	37.58	55.56	17.98	74.00	18.44	150	343	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4965.35	23.26	18.53	41.79	54.00	12.21	150	68	Vertical
2	12481.75	31.99	9.56	41.55	54.00	12.45	150	278	Vertical
3	15856.19	29.82	13.08	42.90	54.00	11.10	150	248	Vertical
4	17989.65	27.76	17.98	45.74	54.00	8.26	150	343	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:08:23

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1218.92	40.23	44.04	3.81	74.00	29.96	150	126	Horizontal
2	4062.16	33.95	48.33	14.38	74.00	25.67	150	0	Horizontal
3	4948.84	33.31	51.55	18.24	74.00	22.45	150	352	Horizontal
4	11401.79	42.33	50.84	8.51	74.00	23.16	150	316	Horizontal
5	15790.63	39.38	52.37	12.99	74.00	21.63	150	178	Horizontal
6	17979.30	36.94	54.97	18.03	74.00	19.03	150	196	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4948.84	23.17	18.24	41.41	54.00	12.59	150	352	Horizontal
2	15790.63	29.51	12.99	42.50	54.00	11.50	150	178	Horizontal
3	17979.30	26.78	18.03	44.81	54.00	9.19	150	196	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:09:44

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1248.62	42.04	45.97	3.93	74.00	28.03	150	136	Vertical
2	2705.17	37.04	45.93	8.89	74.00	28.07	150	331	Vertical
3	3918.04	35.62	49.43	13.81	74.00	24.57	150	281	Vertical
4	11493.80	43.26	51.66	8.40	74.00	22.34	150	196	Vertical
5	15878.04	39.25	52.37	13.12	74.00	21.63	150	2	Vertical
6	17972.40	37.18	55.24	18.06	74.00	18.76	150	360	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	11493.80	34.09	8.40	42.49	54.00	11.51	150	196	Vertical
2	15878.04	28.95	13.12	42.07	54.00	11.93	150	2	Vertical
3	17972.40	27.43	18.06	45.49	54.00	8.51	150	360	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5785	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:12:00

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1200.22	39.78	43.51	3.73	74.00	30.49	150	308	Horizontal
2	1493.95	41.03	45.43	4.40	74.00	28.57	150	288	Horizontal
3	4946.64	33.11	51.34	18.23	74.00	22.66	150	56	Horizontal
4	11376.49	42.73	51.20	8.47	74.00	22.80	150	351	Horizontal
5	15786.03	39.36	52.37	13.01	74.00	21.63	150	317	Horizontal
6	17964.35	36.72	54.83	18.11	74.00	19.17	150	269	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4946.64	23.42	18.23	41.65	54.00	12.35	150	56	Horizontal
2	11376.49	33.53	8.47	42.00	54.00	12.00	150	351	Horizontal
3	15786.03	29.14	13.01	42.15	54.00	11.85	150	317	Horizontal
4	17964.35	28.15	18.11	46.26	54.00	7.74	150	269	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5785	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:13:21

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1228.27	41.00	44.85	3.85	74.00	29.15	150	131	Vertical
2	4009.35	33.99	48.18	14.19	74.00	25.82	150	358	Vertical
3	5071.51	32.93	51.87	18.94	74.00	22.13	150	94	Vertical
4	11570.86	46.49	54.35	7.86	74.00	19.65	150	157	Vertical
5	15842.38	39.29	52.34	13.05	74.00	21.66	150	248	Vertical
6	17972.40	37.76	55.82	18.06	74.00	18.18	150	255	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5071.51	23.53	18.94	42.47	54.00	11.53	150	94	Vertical
2	11570.86	35.13	7.86	42.99	54.00	11.01	150	157	Vertical
3	15842.38	28.85	13.05	41.90	54.00	12.10	150	248	Vertical
4	17972.40	29.01	18.06	47.07	54.00	6.93	150	255	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:16:44

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1199.67	40.08	43.81	3.73	74.00	30.19	150	71	Horizontal
2	1514.30	41.13	45.58	4.45	74.00	28.42	150	112	Horizontal
3	4184.82	33.58	48.72	15.14	74.00	25.28	150	230	Horizontal
4	12427.69	42.39	51.38	8.99	74.00	22.62	150	225	Horizontal
5	16103.46	40.19	51.84	11.65	74.00	22.16	150	93	Horizontal
6	17966.65	36.97	55.06	18.09	74.00	18.94	150	148	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	12427.69	32.34	8.99	41.33	54.00	12.67	150	225	Horizontal
2	16103.46	30.27	11.65	41.92	54.00	12.08	150	93	Horizontal
3	17966.65	27.90	18.09	45.99	54.00	8.01	150	148	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:18:04

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1219.47	41.25	45.06	3.81	74.00	28.94	150	144	Vertical
2	3773.93	34.18	47.12	12.94	74.00	26.88	150	34	Vertical
3	4971.40	32.26	50.82	18.56	74.00	23.18	150	240	Vertical
4	11396.04	42.78	51.29	8.51	74.00	22.71	150	298	Vertical
5	15915.99	39.00	52.05	13.05	74.00	21.95	150	132	Vertical
6	17958.60	37.66	55.79	18.13	74.00	18.21	150	274	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	11396.04	33.36	8.51	41.87	54.00	12.13	150	298	Vertical
2	15915.99	28.45	13.05	41.50	54.00	12.50	150	132	Vertical
3	17958.60	26.86	18.13	44.99	54.00	9.01	150	274	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5180	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:21:14

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5137.07	33.83	51.38	17.55	74.00	22.62	150	114	Horizontal
2	5149.92	31.78	49.35	17.57	74.00	24.65	150	287	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5137.07	20.46	17.55	38.01	54.00	15.99	150	114	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5180	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:21:54

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5140.92	35.02	52.57	17.55	74.00	21.43	150	222	Vertical
2	5149.92	32.29	49.86	17.57	74.00	24.14	150	211	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5140.92	20.96	17.55	38.51	54.00	15.49	150	222	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5320	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:24:37

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	34.13	52.21	18.08	74.00	21.79	150	24	Horizontal
2	5364.88	36.06	54.22	18.16	74.00	19.78	150	206	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	23.21	18.08	41.29	54.00	12.71	150	24	Horizontal
2	5364.88	22.43	18.16	40.59	54.00	13.41	150	206	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5320	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:25:17

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	35.10	53.18	18.08	74.00	20.82	150	13	Vertical
2	5354.93	36.18	54.28	18.10	74.00	19.72	150	285	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	22.95	18.08	41.03	54.00	12.97	150	13	Vertical
2	5354.93	23.12	18.10	41.22	54.00	12.78	150	285	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5500	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:27:42

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5413.14	33.67	52.01	18.34	74.00	21.99	150	355	Horizontal
2	5459.89	31.20	49.59	18.39	74.00	24.41	150	232	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5413.14	19.93	18.34	38.27	54.00	15.73	150	355	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5500	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:28:22

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5418.40	33.80	52.15	18.35	74.00	21.85	150	222	Vertical
2	5459.89	31.16	49.55	18.39	74.00	24.45	150	49	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5418.40	20.35	18.35	38.70	54.00	15.30	150	222	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:30:17

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.03	38.38	57.97	19.59	68.20	10.23	150	280	Horizontal
2	5742.75	40.59	60.28	19.69	68.20	7.92	150	0	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:30:57

Test Graph



Suspected Data List									
NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.03	38.06	57.65	19.59	68.20	10.55	150	42	Vertical
2	5728.88	40.18	59.79	19.61	68.20	8.41	150	359	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:34:31

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5634.99	39.06	58.05	18.99	68.30	10.25	150	353	Horizontal
2	5675.85	39.32	58.61	19.29	87.47	28.86	150	127	Horizontal
3	5714.21	39.88	59.42	19.54	109.28	49.86	150	327	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:35:11

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5630.88	39.84	58.80	18.96	68.30	9.50	150	329	Vertical
2	5677.68	39.79	59.09	19.30	88.82	29.73	150	333	Vertical
3	5709.21	39.47	58.98	19.51	107.88	48.90	150	8	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:37:39

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5863.17	39.88	60.49	20.61	108.61	48.12	150	210	Horizontal
2	5897.92	40.18	61.13	20.95	88.30	27.17	150	357	Horizontal
3	5946.29	40.03	61.03	21.00	68.30	7.27	150	56	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:38:15

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5860.86	39.97	60.55	20.58	109.26	48.71	150	3	Vertical
2	5890.98	40.08	60.96	20.88	93.44	32.48	150	104	Vertical
3	5949.59	39.51	60.52	21.01	68.30	7.78	150	0	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N20_MCS8_5180	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:40:36

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5136.87	33.52	51.07	17.55	74.00	22.93	150	97	Horizontal
2	5149.92	32.36	49.93	17.57	74.00	24.07	150	117	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5136.87	20.66	17.55	38.21	54.00	15.79	150	97	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N20_MCS8_5180	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:41:16

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5140.32	33.98	51.53	17.55	74.00	22.47	150	206	Vertical
2	5149.92	32.23	49.80	17.57	74.00	24.20	150	153	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5140.32	20.56	17.55	38.11	54.00	15.89	150	206	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N20_MCS8_5320	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:43:07

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	33.78	51.86	18.08	74.00	22.14	150	213	Horizontal
2	5356.48	35.72	53.83	18.11	74.00	20.17	150	32	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	22.41	18.08	40.49	54.00	13.51	150	213	Horizontal
2	5356.48	22.90	18.11	41.01	54.00	12.99	150	32	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N20_MCS8_5320	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:43:47

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	35.34	53.42	18.08	74.00	20.58	150	3	Vertical
2	5372.59	36.16	54.35	18.19	74.00	19.65	150	254	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	22.57	18.08	40.65	54.00	13.35	150	3	Vertical
2	5372.59	22.75	18.19	40.94	54.00	13.06	150	254	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N20_MCS8_5500	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:46:09

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5406.63	34.12	52.46	18.34	74.00	21.54	150	338	Horizontal
2	5459.89	31.49	49.88	18.39	74.00	24.12	150	66	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5406.63	20.45	18.34	38.79	54.00	15.21	150	338	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N20_MCS8_5500	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-10 19:46:49

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5428.35	33.28	51.64	18.36	74.00	22.36	150	217	Vertical
2	5459.89	31.35	49.74	18.39	74.00	24.26	150	294	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5428.35	19.87	18.36	38.23	54.00	15.77	150	217	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N20_MCS8_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 09:37:36

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.03	38.65	58.24	19.59	68.20	9.96	150	342	Horizontal
2	5728.95	40.69	60.30	19.61	68.20	7.90	150	329	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N20_MCS8_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 09:38:20

Test Graph



Suspected Data List									
NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.03	38.71	58.30	19.59	68.20	9.90	150	201	Vertical
2	5729.41	40.23	59.84	19.61	68.20	8.36	150	136	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N20_MCS8_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 09:39:55

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5638.44	39.29	58.31	19.02	68.30	9.99	150	238	Horizontal
2	5677.20	39.04	58.33	19.29	88.47	30.14	150	47	Horizontal
3	5712.12	39.75	59.28	19.53	108.70	49.42	150	104	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N20_MCS8_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 09:40:35

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5640.33	39.51	58.54	19.03	68.30	9.76	150	30	Vertical
2	5693.28	40.24	59.65	19.41	100.34	40.69	150	109	Vertical
3	5712.19	39.30	58.83	19.53	108.71	49.88	150	193	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N20_MCS8_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 09:43:15

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5865.31	40.47	61.10	20.63	108.01	46.91	150	221	Horizontal
2	5897.92	40.00	60.95	20.95	88.30	27.35	150	210	Horizontal
3	5944.30	40.04	61.04	21.00	68.30	7.26	150	128	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N20_MCS8_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 09:43:52

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5866.14	40.17	60.80	20.63	107.78	46.98	150	168	Vertical
2	5900.31	39.81	60.78	20.97	86.53	25.75	150	244	Vertical
3	5949.75	39.97	60.98	21.01	68.30	7.32	150	0	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N40_MCS8_5190	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 09:46:39

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5115.79	33.66	51.17	17.51	74.00	22.83	150	158	Horizontal
2	5149.88	31.37	48.94	17.57	74.00	25.06	150	274	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5115.79	20.35	17.51	37.86	54.00	16.14	150	158	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N40_MCS8_5190	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 09:47:19

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5123.35	34.11	51.63	17.52	74.00	22.37	150	139	Vertical
2	5149.88	31.67	49.24	17.57	74.00	24.76	150	148	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5123.35	19.79	17.52	37.31	54.00	16.69	150	139	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N40_MCS8_5310	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 09:49:11

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.01	31.95	50.03	18.08	74.00	23.97	150	10	Horizontal
2	5410.27	33.25	51.59	18.34	74.00	22.41	150	173	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5410.27	20.25	18.34	38.59	54.00	15.41	150	173	Horizontal

Note1: Level=Reading+Factor, Margin=Limit - Level