


Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N40_MCS8_5310	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 09:49:51

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.01	32.55	50.63	18.08	74.00	23.37	150	350	Vertical
2	5405.61	33.68	52.02	18.34	74.00	21.98	150	16	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5405.61	19.99	18.34	38.33	54.00	15.67	150	16	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N40_MCS8_5510	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 09:51:41

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5433.87	33.52	51.88	18.36	74.00	22.12	150	218	Horizontal
2	5459.92	32.51	50.90	18.39	74.00	23.10	150	213	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5433.87	19.99	18.36	38.35	54.00	15.65	150	218	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N40_MCS8_5510	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 09:52:21

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5449.65	33.75	52.13	18.38	74.00	21.87	150	216	Vertical
2	5459.92	31.56	49.95	18.39	74.00	24.05	150	357	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5449.65	19.80	18.38	38.18	54.00	15.82	150	216	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N40_MCS8_5670	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 09:54:46

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	34.85	54.44	19.59	68.20	13.76	150	258	Horizontal
2	5732.61	36.76	56.39	19.63	68.20	11.81	150	359	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N40_MCS8_5670	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 09:55:26

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	35.51	55.10	19.59	68.20	13.10	150	122	Vertical
2	5747.96	35.90	55.61	19.71	68.20	12.59	150	43	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N40_MCS8_5755	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:02:12

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5646.62	39.02	58.10	19.08	68.30	10.20	150	349	Horizontal
2	5677.08	39.55	58.84	19.29	88.38	29.54	150	24	Horizontal
3	5714.90	39.96	59.50	19.54	109.47	49.97	150	295	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N40_MCS8_5755	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:02:49

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5647.90	38.76	57.84	19.08	68.30	10.46	150	14	Vertical
2	5666.41	39.16	58.38	19.22	80.48	22.10	150	344	Vertical
3	5710.85	40.47	59.99	19.52	108.34	48.35	150	0	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N40_MCS8_5795	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:04:40

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5867.88	40.72	61.38	20.66	107.29	45.91	150	82	Horizontal
2	5897.23	40.37	61.31	20.94	88.81	27.50	150	209	Horizontal
3	5948.29	39.67	60.68	21.01	68.30	7.62	150	291	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11N40_MCS8_5795	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:05:17

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5867.16	39.98	60.62	20.64	107.49	46.87	150	108	Vertical
2	5900.30	40.35	61.32	20.97	86.54	25.22	150	279	Vertical
3	5940.37	40.39	61.39	21.00	68.30	6.91	150	97	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC20_MCS0_5180	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:06:53

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5139.12	33.79	51.34	17.55	74.00	22.66	150	181	Horizontal
2	5149.92	31.34	48.91	17.57	74.00	25.09	150	214	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5139.12	20.50	17.55	38.05	54.00	15.95	150	181	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC20_MCS0_5180	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:07:33

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5103.85	34.38	51.86	17.48	74.00	22.14	150	307	Vertical
2	5149.92	32.32	49.89	17.57	74.00	24.11	150	338	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5103.85	20.59	17.48	38.07	54.00	15.93	150	307	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC20_MCS0_5320	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:09:33

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	34.15	52.23	18.08	74.00	21.77	150	294	Horizontal
2	5389.79	36.02	54.30	18.28	74.00	19.70	150	358	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	23.21	18.08	41.29	54.00	12.71	150	294	Horizontal
2	5389.79	22.35	18.28	40.63	54.00	13.37	150	358	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC20_MCS0_5320	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:10:13

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	34.68	52.76	18.08	74.00	21.24	150	200	Vertical
2	5378.84	36.04	54.26	18.22	74.00	19.74	150	169	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	22.42	18.08	40.50	54.00	13.50	150	200	Vertical
2	5378.84	22.53	18.22	40.75	54.00	13.25	150	169	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC20_MCS0_5500	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:12:13

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5427.96	33.59	51.95	18.36	74.00	22.05	150	334	Horizontal
2	5459.89	31.35	49.74	18.39	74.00	24.26	150	65	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5427.96	20.08	18.36	38.44	54.00	15.56	150	334	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC20_MCS0_5500	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:12:53

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5409.56	33.02	51.36	18.34	74.00	22.64	150	285	Vertical
2	5459.89	30.77	49.16	18.39	74.00	24.84	150	128	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5409.56	20.35	18.34	38.69	54.00	15.31	150	285	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC20_MCS0_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:14:42

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.03	39.04	58.63	19.59	68.20	9.57	150	68	Horizontal
2	5733.75	40.28	59.92	19.64	68.20	8.28	150	36	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC20_MCS0_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:15:22

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5680.00	47.97	67.29	19.32	68.20	0.91	150	230	Vertical
2	5725.03	38.13	57.72	19.59	68.20	10.48	150	357	Vertical
3	5734.00	40.60	60.24	19.64	68.20	7.96	150	257	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC20_MCS0_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:17:04

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5628.85	39.80	58.75	18.95	68.30	9.55	150	143	Horizontal
2	5674.03	39.26	58.54	19.28	86.12	27.58	150	112	Horizontal
3	5709.75	39.70	59.21	19.51	108.03	48.82	150	112	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC20_MCS0_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:17:44

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5634.45	39.89	58.88	18.99	68.30	9.42	150	256	Vertical
2	5693.75	39.47	58.89	19.42	100.69	41.80	150	122	Vertical
3	5693.75	39.47	58.89	19.42	100.69	41.80	150	122	Vertical
4	5711.31	39.48	59.00	19.52	108.47	49.47	150	0	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC20_MCS0_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:19:25

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5868.04	40.19	60.85	20.66	107.25	46.40	150	4	Horizontal
2	5890.57	40.78	61.66	20.88	93.74	32.08	150	330	Horizontal
3	5938.20	40.81	61.81	21.00	68.30	6.49	150	237	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC20_MCS0_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:20:01

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5867.38	41.27	61.91	20.64	107.43	45.52	150	168	Vertical
2	5896.51	40.37	61.30	20.93	89.34	28.04	150	117	Vertical
3	5941.66	39.75	60.75	21.00	68.30	7.55	150	72	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC40_MCS0_5190	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:24:08

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5115.67	33.60	51.11	17.51	74.00	22.89	150	216	Horizontal
2	5149.88	31.75	49.32	17.57	74.00	24.68	150	226	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5115.67	20.60	17.51	38.11	54.00	15.89	150	216	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC40_MCS0_5190	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:24:48

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5135.18	33.95	51.50	17.55	74.00	22.50	150	128	Vertical
2	5149.88	33.57	51.14	17.57	74.00	22.86	150	280	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5135.18	20.90	17.55	38.45	54.00	15.55	150	128	Vertical
2	5149.88	21.21	17.57	38.78	54.00	15.22	150	280	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC40_MCS0_5310	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:27:19

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.01	31.07	49.15	18.08	74.00	24.85	150	293	Horizontal
2	5383.85	33.49	51.74	18.25	74.00	22.26	150	26	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5383.85	20.09	18.25	38.34	54.00	15.66	150	26	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC40_MCS0_5310	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:27:59

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.01	32.54	50.62	18.08	74.00	23.38	150	48	Vertical
2	5358.04	33.75	51.87	18.12	74.00	22.13	150	115	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5358.04	20.29	18.12	38.41	54.00	15.59	150	115	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC40_MCS0_5510	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:31:38

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5433.15	33.48	51.84	18.36	74.00	22.16	150	359	Horizontal
2	5459.92	31.70	50.09	18.39	74.00	23.91	150	90	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5433.15	19.30	18.36	37.66	54.00	16.34	150	359	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC40_MCS0_5510	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:32:18

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5445.81	33.47	51.85	18.38	74.00	22.15	150	159	Vertical
2	5459.92	32.27	50.66	18.39	74.00	23.34	150	303	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC40_MCS0_5670	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:34:01

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	34.11	53.70	19.59	68.20	14.50	150	146	Horizontal
2	5742.90	36.33	56.02	19.69	68.20	12.18	150	98	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC40_MCS0_5670	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:34:41

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	34.15	53.74	19.59	68.20	14.46	150	89	Vertical
2	5743.62	36.54	56.23	19.69	68.20	11.97	150	163	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC40_MCS0_5755	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:42:58

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5645.95	39.11	58.18	19.07	68.30	10.12	150	309	Horizontal
2	5674.11	39.44	58.72	19.28	86.18	27.46	150	230	Horizontal
3	5712.33	39.91	59.44	19.53	108.76	49.32	150	359	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC40_MCS0_5755	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:43:34

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5645.81	38.94	58.01	19.07	68.30	10.29	150	357	Vertical
2	5673.97	39.43	58.71	19.28	86.08	27.37	150	9	Vertical
3	5711.39	39.54	59.06	19.52	108.49	49.43	150	71	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC40_MCS0_5795	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:45:03

Test Graph



Suspected Data List									
NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5864.91	40.13	60.75	20.62	108.12	47.37	150	200	Horizontal
2	5909.84	39.74	60.72	20.98	79.49	18.77	150	264	Horizontal
3	5947.84	40.07	61.08	21.01	68.30	7.22	150	118	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC40_MCS0_5795	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:45:39

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5865.36	40.74	61.37	20.63	108.00	46.63	150	103	Vertical
2	5899.12	39.60	60.56	20.96	87.41	26.85	150	10	Vertical
3	5945.14	40.28	61.28	21.00	68.30	7.02	150	347	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC80_MCS0_5210	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:49:02

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5118.91	36.41	53.93	17.52	74.00	20.07	150	32	Horizontal
2	5149.88	33.96	51.53	17.57	74.00	22.47	150	340	Horizontal
3	5350.15	34.24	52.32	18.08	74.00	21.68	150	38	Horizontal
4	5459.10	37.11	55.50	18.39	74.00	18.50	150	76	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5118.91	22.12	17.52	39.64	54.00	14.36	150	32	Horizontal
2	5149.88	22.80	17.57	40.37	54.00	13.63	150	340	Horizontal
3	5350.15	23.14	18.08	41.22	54.00	12.78	150	38	Horizontal
4	5459.10	22.40	18.39	40.79	54.00	13.21	150	76	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC80_MCS0_5210	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:49:42

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5136.56	36.19	53.74	17.55	74.00	20.26	150	150	Vertical
2	5149.88	34.48	52.05	17.57	74.00	21.95	150	283	Vertical
3	5350.15	35.54	53.62	18.08	74.00	20.38	150	2	Vertical
4	5434.07	36.10	54.46	18.36	74.00	19.54	150	245	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5136.56	23.24	17.55	40.79	54.00	13.21	150	150	Vertical
2	5149.88	24.49	17.57	42.06	54.00	11.94	150	283	Vertical
3	5350.15	23.21	18.08	41.29	54.00	12.71	150	2	Vertical
4	5434.07	22.87	18.36	41.23	54.00	12.77	150	245	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC80_MCS0_5290	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:51:50

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	34.38	52.46	18.08	74.00	21.54	150	158	Horizontal
2	5374.82	36.28	54.48	18.20	74.00	19.52	150	152	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	23.02	18.08	41.10	54.00	12.90	150	158	Horizontal
2	5374.82	22.71	18.20	40.91	54.00	13.09	150	152	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC80_MCS0_5290	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 10:52:29

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	36.17	54.25	18.08	74.00	19.75	150	138	Vertical
2	5432.16	36.01	54.37	18.36	74.00	19.63	150	183	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	24.29	18.08	42.37	54.00	11.63	150	138	Vertical
2	5432.16	22.67	18.36	41.03	54.00	12.97	150	183	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC80_MCS0_5530	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:54:03

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5420.62	33.03	51.38	18.35	74.00	22.62	150	359	Horizontal
2	5459.97	31.08	49.47	18.39	74.00	24.53	150	4	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5420.62	19.82	18.35	38.17	54.00	15.83	150	359	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC80_MCS0_5530	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:54:43

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5410.90	33.89	52.23	18.34	74.00	21.77	150	355	Vertical
2	5459.97	31.87	50.26	18.39	74.00	23.74	150	69	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5410.90	19.61	18.34	37.95	54.00	16.05	150	355	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC80_MCS0_5610	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:10:10

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.11	32.06	51.65	19.59	68.20	16.55	150	68	Horizontal
2	5742.00	33.85	53.53	19.68	68.20	14.67	150	349	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC80_MCS0_5610	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:10:50

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.11	31.51	51.10	19.59	68.20	17.10	150	357	Vertical
2	5732.74	33.05	52.68	19.63	68.20	15.52	150	271	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC80_MCS0_5775	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:13:21

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5640.66	39.27	58.30	19.03	68.30	10.00	150	267	Horizontal
2	5682.22	39.53	58.86	19.33	92.18	33.32	150	20	Horizontal
3	5898.56	39.72	60.68	20.96	87.83	27.15	150	116	Horizontal
4	5933.76	39.48	60.48	21.00	68.30	7.82	150	187	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AC80_MCS0_5775	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:13:58

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5628.26	39.82	58.77	18.95	68.30	9.53	150	162	Vertical
2	5680.21	39.74	59.06	19.32	90.69	31.63	150	54	Vertical
3	5884.91	40.20	61.02	20.82	97.94	36.92	150	15	Vertical
4	5931.59	39.20	60.19	20.99	68.30	8.11	150	81	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX20_MCS0_5180	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:17:25

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5103.10	36.44	53.92	17.48	74.00	20.08	150	304	Horizontal
2	5149.92	34.29	51.86	17.57	74.00	22.14	150	89	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5103.10	22.88	17.48	40.36	54.00	13.64	150	304	Horizontal
2	5149.92	23.01	17.57	40.58	54.00	13.42	150	89	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX20_MCS0_5180	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:18:05

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5108.60	35.81	53.31	17.50	74.00	20.69	150	179	Vertical
2	5149.92	33.94	51.51	17.57	74.00	22.49	150	183	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5108.60	22.57	17.50	40.07	54.00	13.93	150	179	Vertical
2	5149.92	22.23	17.57	39.80	54.00	14.20	150	183	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX20_MCS0_5320	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:27:37

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	34.13	52.21	18.08	74.00	21.79	150	255	Horizontal
2	5369.73	35.47	53.65	18.18	74.00	20.35	150	180	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	22.84	18.08	40.92	54.00	13.08	150	255	Horizontal
2	5369.73	21.91	18.18	40.09	54.00	13.91	150	180	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX20_MCS0_5320	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:28:17

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	34.21	52.29	18.08	74.00	21.71	150	265	Vertical
2	5360.13	36.40	54.53	18.13	74.00	19.47	150	353	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	22.82	18.08	40.90	54.00	13.10	150	265	Vertical
2	5360.13	22.47	18.13	40.60	54.00	13.40	150	353	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX20_MCS0_5500	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:34:26

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5403.64	33.49	51.82	18.33	74.00	22.18	150	270	Horizontal
2	5459.89	31.25	49.64	18.39	74.00	24.36	150	356	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5403.64	20.07	18.33	38.40	54.00	15.60	150	270	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX20_MCS0_5500	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:35:06

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5411.97	33.29	51.63	18.34	74.00	22.37	150	212	Vertical
2	5459.89	31.52	49.91	18.39	74.00	24.09	150	121	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5411.97	19.97	18.34	38.31	54.00	15.69	150	212	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX20_MCS0_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:39:04

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.03	38.08	57.67	19.59	68.20	10.53	150	67	Horizontal
2	5737.92	40.13	59.79	19.66	68.20	8.41	150	307	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX20_MCS0_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:39:44

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.03	38.24	57.83	19.59	68.20	10.37	150	190	Vertical
2	5735.54	40.41	60.06	19.65	68.20	8.14	150	164	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX20_MCS0_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:43:22

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5642.36	38.90	57.94	19.04	68.30	10.36	150	257	Horizontal
2	5682.13	39.79	59.12	19.33	92.12	33.00	150	358	Horizontal
3	5712.79	40.14	59.67	19.53	108.88	49.21	150	240	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX20_MCS0_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:44:02

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5640.80	39.85	58.88	19.03	68.30	9.42	150	123	Vertical
2	5681.12	39.63	58.96	19.33	91.37	32.41	150	22	Vertical
3	5710.36	39.70	59.22	19.52	108.20	48.98	150	97	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX20_MCS0_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:46:24

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5866.06	40.25	60.88	20.63	107.80	46.92	150	233	Horizontal
2	5899.81	40.65	61.62	20.97	86.90	25.28	150	201	Horizontal
3	5945.71	40.11	61.11	21.00	68.30	7.19	150	191	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX20_MCS0_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:47:01

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5861.19	40.30	60.88	20.58	109.17	48.29	150	4	Vertical
2	5904.44	41.09	62.06	20.97	83.48	21.42	150	77	Vertical
3	5941.17	39.68	60.68	21.00	68.30	7.62	150	6	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX40_MCS0_5190	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:53:00

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5138.36	33.57	51.12	17.55	74.00	22.88	150	336	Horizontal
2	5149.88	31.99	49.56	17.57	74.00	24.44	150	2	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5138.36	20.34	17.55	37.89	54.00	16.11	150	336	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX40_MCS0_5190	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:53:40

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5139.44	33.67	51.22	17.55	74.00	22.78	150	265	Vertical
2	5149.88	32.10	49.67	17.57	74.00	24.33	150	111	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5139.44	20.88	17.55	38.43	54.00	15.57	150	265	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX40_MCS0_5310	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:57:21

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.01	31.70	49.78	18.08	74.00	24.22	150	359	Horizontal
2	5398.18	33.52	51.84	18.32	74.00	22.16	150	202	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5398.18	19.29	18.32	37.61	54.00	16.39	150	202	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX40_MCS0_5310	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 11:58:01

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.01	31.64	49.72	18.08	74.00	24.28	150	221	Vertical
2	5374.62	34.25	52.45	18.20	74.00	21.55	150	328	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5374.62	19.96	18.20	38.16	54.00	15.84	150	328	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX40_MCS0_5510	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:05:14

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5452.48	33.29	51.67	18.38	74.00	22.33	150	4	Horizontal
2	5459.92	31.31	49.70	18.39	74.00	24.30	150	90	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5452.48	20.68	18.38	39.06	54.00	14.94	150	4	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX40_MCS0_5510	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:05:57

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5424.56	34.10	52.45	18.35	74.00	21.55	150	52	Vertical
2	5459.92	31.77	50.16	18.39	74.00	23.84	150	204	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5424.56	20.65	18.35	39.00	54.00	15.00	150	52	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX40_MCS0_5670	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:10:37

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	34.26	53.85	19.59	68.20	14.35	150	359	Horizontal
2	5740.15	36.40	56.07	19.67	68.20	12.13	150	235	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX40_MCS0_5670	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:11:17

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	34.86	54.45	19.59	68.20	13.75	150	60	Vertical
2	5745.16	36.68	56.38	19.70	68.20	11.82	150	143	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX40_MCS0_5755	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:16:15

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5647.43	39.94	59.02	19.08	68.30	9.28	150	119	Horizontal
2	5680.12	40.26	59.58	19.32	90.63	31.05	150	357	Horizontal
3	5706.86	40.34	59.84	19.50	107.22	47.38	150	333	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX40_MCS0_5755	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:16:52

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5647.36	39.20	58.28	19.08	68.30	10.02	150	353	Vertical
2	5671.00	40.49	59.74	19.25	83.88	24.14	150	353	Vertical
3	5707.40	39.86	59.36	19.50	107.37	48.01	150	21	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX40_MCS0_5795	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:20:08

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5873.10	40.50	61.21	20.71	105.83	44.62	150	18	Horizontal
2	5904.35	40.65	61.62	20.97	83.55	21.93	150	220	Horizontal
3	5928.66	40.03	61.02	20.99	68.30	7.28	150	123	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX40_MCS0_5795	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:20:44

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5864.91	40.19	60.81	20.62	108.12	47.31	150	167	Vertical
2	5880.49	40.40	61.18	20.78	101.23	40.05	150	284	Vertical
3	5943.97	39.99	60.99	21.00	68.30	7.31	150	218	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX80_MCS0_5210	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:23:26

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5144.12	35.86	53.42	17.56	74.00	20.58	150	266	Horizontal
2	5150.07	35.13	52.70	17.57	68.20	15.50	150	308	Horizontal
3	5350.15	34.25	52.33	18.08	74.00	21.67	150	213	Horizontal
4	5432.27	36.03	54.39	18.36	74.00	19.61	150	162	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5144.12	22.93	17.56	40.49	54.00	13.51	150	266	Horizontal
2	5150.07	22.91	17.57	40.48	-	13.43	150	308	Horizontal
3	5350.15	23.08	18.08	41.16	54.00	12.84	150	213	Horizontal
4	5432.27	22.68	18.36	41.04	54.00	12.96	150	162	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX80_MCS0_5210	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:24:06

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5128.99	35.96	53.49	17.53	74.00	20.51	150	297	Vertical
2	5149.88	35.47	53.04	17.57	74.00	20.96	150	150	Vertical
3	5350.15	34.37	52.45	18.08	74.00	21.55	150	350	Vertical
4	5444.69	36.52	54.89	18.37	74.00	19.11	150	70	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5128.99	23.89	17.53	41.42	54.00	12.58	150	297	Vertical
2	5149.88	24.92	17.57	42.49	54.00	11.51	150	150	Vertical
3	5350.15	23.39	18.08	41.47	54.00	12.53	150	350	Vertical
4	5444.69	23.46	18.37	41.83	54.00	12.17	150	70	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX80_MCS0_5290	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:29:33

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	34.05	52.13	18.08	74.00	21.87	150	148	Horizontal
2	5416.42	36.44	54.79	18.35	74.00	19.21	150	101	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	23.14	18.08	41.22	54.00	12.78	150	148	Horizontal
2	5416.42	22.57	18.35	40.92	54.00	13.08	150	101	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX80_MCS0_5290	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:30:13

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	34.73	52.81	18.08	74.00	21.19	150	284	Vertical
2	5405.74	36.35	54.69	18.34	74.00	19.31	150	236	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	23.68	18.08	41.76	54.00	12.24	150	284	Vertical
2	5405.74	23.20	18.34	41.54	54.00	12.46	150	236	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX80_MCS0_5530	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:34:38

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5448.62	34.47	52.85	18.38	74.00	21.15	150	122	Horizontal
2	5459.97	31.27	49.66	18.39	74.00	24.34	150	102	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5448.62	20.48	18.38	38.86	54.00	15.14	150	122	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX80_MCS0_5530	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:35:17

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5420.80	34.05	52.40	18.35	74.00	21.60	150	209	Vertical
2	5459.97	32.02	50.41	18.39	74.00	23.59	150	223	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5420.80	20.37	18.35	38.72	54.00	15.28	150	209	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX80_MCS0_5610	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:38:09

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.11	31.68	51.27	19.59	68.20	16.93	150	106	Horizontal
2	5742.12	33.57	53.25	19.68	68.20	14.95	150	137	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX80_MCS0_5610	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:38:48

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.11	32.78	52.37	19.59	68.20	15.83	150	35	Vertical
2	5745.50	33.59	53.29	19.70	68.20	14.91	150	118	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX80_MCS0_5775	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:42:11

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5645.78	39.10	58.17	19.07	68.30	10.13	150	311	Horizontal
2	5682.22	39.73	59.06	19.33	92.18	33.12	150	359	Horizontal
3	5716.65	39.26	58.81	19.55	109.96	51.15	150	46	Horizontal
4	5869.09	39.71	60.38	20.67	106.95	46.57	150	3	Horizontal
5	5892.82	40.55	61.45	20.90	92.08	30.63	150	297	Horizontal
6	5933.91	39.75	60.75	21.00	68.30	7.55	150	354	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP16-Cesium-V	SN:	
Mode:	11AX80_MCS0_5775	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-11 14:42:47

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5641.59	39.70	58.74	19.04	68.30	9.56	150	336	Vertical
2	5669.35	39.68	58.92	19.24	82.66	23.74	150	259	Vertical
3	5709.98	39.52	59.03	19.51	108.10	49.07	150	49	Vertical
4	5872.66	39.73	60.43	20.70	105.95	45.52	150	1	Vertical
5	5910.03	40.33	61.31	20.98	79.34	18.03	150	186	Vertical
6	5931.59	39.93	60.92	20.99	68.30	7.38	150	355	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5180	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 17:10:10

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1227.17	40.33	44.26	3.93	74.00	29.74	150	102	Horizontal
2	3915.29	35.02	49.19	14.17	74.00	24.81	150	47	Horizontal
3	4885.59	33.10	51.36	18.26	74.00	22.64	150	256	Horizontal
4	11460.45	42.97	51.41	8.44	74.00	22.59	150	203	Horizontal
5	15738.87	38.82	52.03	13.21	74.00	21.97	150	203	Horizontal
6	17843.58	37.28	55.59	18.31	74.00	18.41	150	160	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4885.59	22.24	18.26	40.50	54.00	13.50	150	256	Horizontal
2	11460.45	32.81	8.44	41.25	54.00	12.75	150	203	Horizontal
3	15738.87	28.91	13.21	42.12	54.00	11.88	150	203	Horizontal
4	17843.58	26.85	18.31	45.16	54.00	8.84	150	160	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5180	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 17:11:30

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1226.62	42.05	45.98	3.93	74.00	28.02	150	142	Vertical
2	3873.49	34.45	48.19	13.74	74.00	25.81	150	189	Vertical
3	4921.89	33.17	51.58	18.41	74.00	22.42	150	195	Vertical
4	11407.54	43.05	51.55	8.50	74.00	22.45	150	226	Vertical
5	15783.73	39.14	52.15	13.01	74.00	21.85	150	237	Vertical
6	17890.74	37.37	55.76	18.39	74.00	18.24	150	0	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4921.89	23.60	18.41	42.01	54.00	11.99	150	195	Vertical
2	11407.54	35.29	8.50	43.79	54.00	10.21	150	226	Vertical
3	15783.73	29.07	13.01	42.08	54.00	11.92	150	237	Vertical
4	17890.74	28.36	18.39	46.75	54.00	7.25	150	0	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5200	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 17:16:53

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1511.55	39.69	44.15	4.46	74.00	29.85	150	310	Horizontal
2	3916.94	34.24	48.41	14.17	74.00	25.59	150	349	Horizontal
3	4796.48	33.83	51.20	17.37	74.00	22.80	150	292	Horizontal
4	12500.15	41.77	51.53	9.76	74.00	22.47	150	75	Horizontal
5	15790.63	39.04	52.03	12.99	74.00	21.97	150	234	Horizontal
6	17863.14	37.01	55.35	18.34	74.00	18.65	150	0	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4796.48	23.07	17.37	40.44	54.00	13.56	150	292	Horizontal
2	12500.15	32.26	9.76	42.02	54.00	11.98	150	75	Horizontal
3	15790.63	29.52	12.99	42.51	54.00	11.49	150	234	Horizontal
4	17863.14	28.05	18.34	46.39	54.00	7.61	150	0	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5200	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 17:18:14

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1181.52	41.38	44.89	3.51	74.00	29.11	150	228	Vertical
2	3905.94	34.98	49.12	14.14	74.00	24.88	150	176	Vertical
3	5072.61	33.01	52.19	19.18	74.00	21.81	150	43	Vertical
4	11490.35	43.09	51.50	8.41	74.00	22.50	150	0	Vertical
5	16017.20	40.64	52.89	12.25	74.00	21.11	150	234	Vertical
6	17964.35	36.79	54.90	18.11	74.00	19.10	150	131	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5072.61	22.75	19.18	41.93	54.00	12.07	150	43	Vertical
2	11490.35	32.18	8.41	40.59	54.00	13.41	150	0	Vertical
3	16017.20	29.04	12.25	41.29	54.00	12.71	150	234	Vertical
4	17964.35	28.97	18.11	47.08	54.00	6.92	150	131	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5240	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 17:21:11

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1240.37	39.75	43.75	4.00	74.00	30.25	150	109	Horizontal
2	3904.29	35.02	49.15	14.13	74.00	24.85	150	222	Horizontal
3	4931.79	32.63	51.06	18.43	74.00	22.94	150	210	Horizontal
4	11379.94	43.20	51.67	8.47	74.00	22.33	150	342	Horizontal
5	15775.68	39.04	52.10	13.06	74.00	21.90	150	189	Horizontal
6	17928.69	37.46	55.73	18.27	74.00	18.27	150	19	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4931.79	23.88	18.43	42.31	54.00	11.69	150	210	Horizontal
2	11379.94	33.69	8.47	42.16	54.00	11.84	150	342	Horizontal
3	15775.68	29.18	13.06	42.24	54.00	11.76	150	189	Horizontal
4	17928.69	26.92	18.27	45.19	54.00	8.81	150	19	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5240	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 17:22:32

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1162.27	42.12	45.34	3.22	74.00	28.66	150	235	Vertical
2	3898.24	34.24	48.33	14.09	74.00	25.67	150	298	Vertical
3	4964.25	32.24	50.84	18.60	74.00	23.16	150	37	Vertical
4	11407.54	42.48	50.98	8.50	74.00	23.02	150	0	Vertical
5	15775.68	39.06	52.12	13.06	74.00	21.88	150	230	Vertical
6	17882.69	36.83	55.21	18.38	74.00	18.79	150	218	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	15775.68	29.34	13.06	42.40	54.00	11.60	150	230	Vertical
2	17882.69	27.83	18.38	46.21	54.00	7.79	150	218	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5260	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 17:24:57

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1486.80	40.72	45.10	4.38	74.00	28.90	150	309	Horizontal
2	3886.69	35.56	49.49	13.93	74.00	24.51	150	250	Horizontal
3	4963.15	32.98	51.57	18.59	74.00	22.43	150	155	Horizontal
4	11422.49	42.75	51.24	8.49	74.00	22.76	150	320	Horizontal
5	15765.33	39.16	52.26	13.10	74.00	21.74	150	121	Horizontal
6	17866.59	36.96	55.31	18.35	74.00	18.69	150	11	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4963.15	22.19	18.59	40.78	54.00	13.22	150	155	Horizontal
2	11422.49	33.65	8.49	42.14	54.00	11.86	150	320	Horizontal
3	15765.33	29.55	13.10	42.65	54.00	11.35	150	121	Horizontal
4	17866.59	26.09	18.35	44.44	54.00	9.56	150	11	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5260	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 17:26:17

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1276.13	40.95	45.02	4.07	74.00	28.98	150	127	Vertical
2	3901.54	34.69	48.81	14.12	74.00	25.19	150	168	Vertical
3	5057.21	32.04	51.14	19.10	74.00	22.86	150	96	Vertical
4	11401.79	42.98	51.49	8.51	74.00	22.51	150	79	Vertical
5	15766.48	38.96	52.05	13.09	74.00	21.95	150	191	Vertical
6	17901.09	36.52	54.93	18.41	74.00	19.07	150	281	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5057.21	21.61	19.10	40.71	54.00	13.29	150	96	Vertical
2	11401.79	33.61	8.51	42.12	54.00	11.88	150	79	Vertical
3	15766.48	28.93	13.09	42.02	54.00	11.98	150	191	Vertical
4	17901.09	27.26	18.41	45.67	54.00	8.33	150	281	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5280	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 17:29:09

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1484.05	40.02	44.39	4.37	74.00	29.61	150	8	Horizontal
2	3935.09	35.41	49.64	14.23	74.00	24.36	150	71	Horizontal
3	4934.54	33.00	51.44	18.44	74.00	22.56	150	282	Horizontal
4	12471.40	41.78	51.23	9.45	74.00	22.77	150	112	Horizontal
5	15426.04	38.19	51.78	13.59	74.00	22.22	150	209	Horizontal
6	17964.35	37.02	55.13	18.11	74.00	18.87	150	222	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4934.54	23.89	18.44	42.33	54.00	11.67	150	282	Horizontal
2	12471.40	33.08	9.45	42.53	54.00	11.47	150	112	Horizontal
3	15426.04	29.05	13.59	42.64	54.00	11.36	150	209	Horizontal
4	17964.35	28.23	18.11	46.34	54.00	7.66	150	222	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5280	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 17:30:30

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1064.91	45.83	48.14	2.31	74.00	25.86	150	176	Vertical
2	3914.74	35.47	49.63	14.16	74.00	24.37	150	36	Vertical
3	4957.65	32.95	51.49	18.54	74.00	22.51	150	353	Vertical
4	11339.68	42.53	50.93	8.40	74.00	23.07	150	0	Vertical
5	15728.52	39.05	52.30	13.25	74.00	21.70	150	174	Vertical
6	17935.59	36.77	55.01	18.24	74.00	18.99	150	324	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4957.65	23.99	18.54	42.53	54.00	11.47	150	353	Vertical
2	15728.52	28.74	13.25	41.99	54.00	12.01	150	174	Vertical
3	17935.59	27.05	18.24	45.29	54.00	8.71	150	324	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5320	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 17:33:07

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1246.97	40.72	44.76	4.04	74.00	29.24	150	102	Horizontal
2	4036.30	34.42	48.71	14.29	74.00	25.29	150	244	Horizontal
3	4969.20	32.56	51.21	18.65	74.00	22.79	150	360	Horizontal
4	11425.94	42.57	51.05	8.48	74.00	22.95	150	222	Horizontal
5	15723.92	38.86	52.13	13.27	74.00	21.87	150	47	Horizontal
6	17987.35	37.15	55.14	17.99	74.00	18.86	150	23	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4969.20	22.82	18.65	41.47	54.00	12.53	150	360	Horizontal
2	11425.94	33.52	8.48	42.00	54.00	12.00	150	222	Horizontal
3	15723.92	28.62	13.27	41.89	54.00	12.11	150	47	Horizontal
4	17987.35	26.65	17.99	44.64	54.00	9.36	150	23	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5320	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 17:34:28

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1051.71	42.66	44.87	2.21	74.00	29.13	150	265	Vertical
2	3909.24	34.29	48.44	14.15	74.00	25.56	150	181	Vertical
3	4821.78	33.27	50.91	17.64	74.00	23.09	150	106	Vertical
4	12264.38	42.90	52.08	9.18	74.00	21.92	150	253	Vertical
5	15821.68	39.49	52.49	13.00	74.00	21.51	150	223	Vertical
6	17904.54	36.98	55.37	18.39	74.00	18.63	150	358	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	12264.38	31.48	9.18	40.66	54.00	13.34	150	253	Vertical
2	15821.68	29.00	13.00	42.00	54.00	12.00	150	223	Vertical
3	17904.54	27.03	18.39	45.42	54.00	8.58	150	358	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP24-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5500	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-09 17:37:34

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1214.52	39.76	43.67	3.91	74.00	30.33	150	211	Horizontal
2	3896.59	34.79	48.73	13.94	74.00	25.27	150	11	Horizontal
3	4991.20	32.77	51.61	18.84	74.00	22.39	150	323	Horizontal
4	11392.59	43.14	51.63	8.49	74.00	22.37	150	210	Horizontal
5	15428.34	38.26	51.85	13.59	74.00	22.15	150	240	Horizontal
6	17921.79	37.54	55.84	18.30	74.00	18.16	150	127	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4991.20	22.24	18.84	41.08	54.00	12.92	150	323	Horizontal
2	11392.59	33.15	8.49	41.64	54.00	12.36	150	210	Horizontal
3	15428.34	28.96	13.59	42.55	54.00	11.45	150	240	Horizontal
4	17921.79	27.35	18.30	45.65	54.00	8.35	150	127	Horizontal

Note1: Level=Reading+Factor, Margin=Limit - Level