


Test Report

Project Information			
EUT:	Tablet		
Customer:			
Model:	MP24-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5500	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-22 11:22:25

Test Graph



Final Data List

NO.	Freq. (MHz)	QP Reading (dBμV/m)	Factor (dB)	QP Value (dBμV/m)	QP Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity	Verdict
1	53.09	7.99	20.98	28.97	40.00	11.03	100	30	Vertical	PASS
2	103.44	3.45	19.82	23.27	43.50	20.23	100	342	Vertical	PASS
3	140.79	15.01	16.15	31.16	43.50	12.34	100	2	Vertical	PASS
4	422.31	5.04	25.59	30.63	46.00	15.37	100	122	Vertical	PASS
5	508.16	5.28	27.34	32.62	46.00	13.38	100	161	Vertical	PASS
6	801.13	4.36	32.14	36.50	46.00	9.50	100	130	Vertical	PASS

Note: Margin=QP Limit - QP Value, QP Value=Reading + Factor


APPENDIX B – Radiated Emission Above 1GHz Test Data

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5180	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:56:16

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1222.22	41.09	44.99	3.90	74.00	29.01	150	213	Horizontal
2	3904.84	35.42	49.55	14.13	74.00	24.45	150	0	Horizontal
3	4992.30	32.22	51.09	18.87	74.00	22.91	150	245	Horizontal
4	12467.95	42.28	51.70	9.42	74.00	22.30	150	50	Horizontal
5	15909.09	39.55	52.65	13.10	74.00	21.35	150	50	Horizontal
6	17819.43	37.32	55.59	18.27	74.00	18.41	150	155	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4992.30	22.83	18.87	41.70	54.00	12.30	150	245	Horizontal
2	12467.95	33.14	9.42	42.56	54.00	11.44	150	50	Horizontal
3	15909.09	28.94	13.10	42.04	54.00	11.96	150	50	Horizontal
4	17819.43	27.04	18.27	45.31	54.00	8.69	150	155	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5180	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:57:37

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1132.01	42.67	45.54	2.87	74.00	28.46	150	177	Vertical
2	4023.65	34.28	48.66	14.38	74.00	25.34	150	1	Vertical
3	4974.15	33.26	51.95	18.69	74.00	22.05	150	151	Vertical
4	12439.19	42.38	51.49	9.11	74.00	22.51	150	141	Vertical
5	15842.38	38.75	51.80	13.05	74.00	22.20	150	207	Vertical
6	17901.09	36.75	55.16	18.41	74.00	18.84	150	276	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4974.15	22.75	18.69	41.44	54.00	12.56	150	151	Vertical
2	12439.19	31.88	9.11	40.99	54.00	13.01	150	141	Vertical
3	15842.38	28.98	13.05	42.03	54.00	11.97	150	207	Vertical
4	17901.09	27.50	18.41	45.91	54.00	8.09	150	276	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5200	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:01:25

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1280.53	41.46	45.53	4.07	74.00	28.47	150	234	Horizontal
2	3923.54	34.63	48.82	14.19	74.00	25.18	150	360	Horizontal
3	4943.34	32.67	51.13	18.46	74.00	22.87	150	92	Horizontal
4	11406.39	42.40	50.91	8.51	74.00	23.09	150	4	Horizontal
5	15800.98	39.06	52.01	12.95	74.00	21.99	150	275	Horizontal
6	17840.13	36.86	55.16	18.30	74.00	18.84	150	340	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4943.34	22.30	18.46	40.76	54.00	13.24	150	92	Horizontal
2	15800.98	31.08	12.95	44.03	54.00	9.97	150	275	Horizontal
3	17840.13	27.79	18.30	46.09	54.00	7.91	150	340	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5200	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:02:49

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1224.42	40.53	44.44	3.91	74.00	29.56	150	247	Vertical
2	3891.64	34.49	48.49	14.00	74.00	25.51	150	146	Vertical
3	4856.44	34.08	52.10	18.02	74.00	21.90	150	171	Vertical
4	12481.75	42.08	51.64	9.56	74.00	22.36	150	272	Vertical
5	15904.49	38.79	51.92	13.13	74.00	22.08	150	248	Vertical
6	17883.84	37.10	55.48	18.38	74.00	18.52	150	1	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4856.44	22.94	18.02	40.96	54.00	13.04	150	171	Vertical
2	12481.75	32.10	9.56	41.66	54.00	12.34	150	272	Vertical
3	15904.49	29.30	13.13	42.43	54.00	11.57	150	248	Vertical
4	17883.84	27.26	18.38	45.64	54.00	8.36	150	1	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5240	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:05:43

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1186.47	40.32	43.90	3.58	74.00	30.10	150	323	Horizontal
2	3902.09	34.40	48.53	14.13	74.00	25.47	150	285	Horizontal
3	4934.54	32.96	51.40	18.44	74.00	22.60	150	268	Horizontal
4	11379.94	42.96	51.43	8.47	74.00	22.57	150	336	Horizontal
5	15774.53	39.48	52.53	13.05	74.00	21.47	150	156	Horizontal
6	17914.89	37.23	55.57	18.34	74.00	18.43	150	228	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4934.54	24.13	18.44	42.57	54.00	11.43	150	268	Horizontal
2	11379.94	32.74	8.47	41.21	54.00	12.79	150	336	Horizontal
3	15774.53	29.84	13.05	42.89	54.00	11.11	150	156	Horizontal
4	17914.89	27.75	18.34	46.09	54.00	7.91	150	228	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5240	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:07:05

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1177.67	41.60	45.05	3.45	74.00	28.95	150	133	Vertical
2	3869.09	34.84	48.52	13.68	74.00	25.48	150	294	Vertical
3	4935.64	32.97	51.41	18.44	74.00	22.59	150	307	Vertical
4	11405.24	42.36	50.86	8.50	74.00	23.14	150	90	Vertical
5	15335.18	38.27	52.02	13.75	68.20	16.18	150	212	Vertical
6	17941.34	36.89	55.10	18.21	74.00	18.90	150	102	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4935.64	22.59	18.44	41.03	54.00	12.97	150	307	Vertical
2	15335.18	28.47	13.75	42.22	-	11.78	150	212	Vertical
3	17941.34	27.36	18.21	45.57	54.00	8.43	150	102	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5260	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:11:41

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1276.13	40.27	44.34	4.07	74.00	29.66	150	227	Horizontal
2	3925.74	34.02	48.22	14.20	74.00	25.78	150	340	Horizontal
3	4906.49	32.56	50.94	18.38	74.00	23.06	150	316	Horizontal
4	12508.20	42.03	51.73	9.70	74.00	22.27	150	203	Horizontal
5	15766.48	39.23	52.32	13.09	74.00	21.68	150	34	Horizontal
6	17788.38	37.36	55.52	18.16	74.00	18.48	150	138	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	12508.20	31.43	9.70	41.13	54.00	12.87	150	203	Horizontal
2	15766.48	29.55	13.09	42.64	54.00	11.36	150	34	Horizontal
3	17788.38	27.50	18.16	45.66	54.00	8.34	150	138	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5260	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:13:04

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1266.78	39.90	43.96	4.06	74.00	30.04	150	297	Vertical
2	3918.04	34.21	48.38	14.17	74.00	25.62	150	8	Vertical
3	4949.39	33.02	51.48	18.46	74.00	22.52	150	297	Vertical
4	11406.39	43.13	51.64	8.51	74.00	22.36	150	177	Vertical
5	15748.07	38.50	51.67	13.17	74.00	22.33	150	59	Vertical
6	17919.49	36.84	55.16	18.32	74.00	18.84	150	0	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4949.39	23.98	18.46	42.44	54.00	11.56	150	297	Vertical
2	11406.39	32.88	8.51	41.39	54.00	12.61	150	177	Vertical
3	15748.07	28.35	13.17	41.52	54.00	12.48	150	59	Vertical
4	17919.49	28.20	18.32	46.52	54.00	7.48	150	0	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5280	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:18:48

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1240.92	40.19	44.19	4.00	74.00	29.81	150	251	Horizontal
2	2856.99	36.18	45.72	9.54	74.00	28.28	150	192	Horizontal
3	3898.79	34.66	48.77	14.11	74.00	25.23	150	134	Horizontal
4	4970.85	32.45	51.11	18.66	74.00	22.89	150	360	Horizontal
5	11471.95	43.39	51.82	8.43	74.00	22.18	150	232	Horizontal
6	17784.93	37.19	55.32	18.13	74.00	18.68	150	260	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4970.85	23.58	18.66	42.24	54.00	11.76	150	360	Horizontal
2	11471.95	32.59	8.43	41.02	54.00	12.98	150	232	Horizontal
3	17784.93	26.50	18.13	44.63	54.00	9.37	150	260	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5280	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:21:54

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1089.11	53.69	56.18	2.49	74.00	17.82	150	319	Vertical
2	2768.98	36.65	45.72	9.07	74.00	28.28	150	325	Vertical
3	4886.14	32.52	50.78	18.26	74.00	23.22	150	169	Vertical
4	12472.55	42.38	51.84	9.46	74.00	22.16	150	236	Vertical
5	15719.32	38.40	51.69	13.29	74.00	22.31	150	273	Vertical
6	17957.45	37.73	55.86	18.13	74.00	18.14	150	260	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1089.11	46.03	2.49	48.52	54.00	5.48	150	319	Vertical
2	12472.55	32.40	9.46	41.86	54.00	12.14	150	236	Vertical
3	15719.32	28.44	13.29	41.73	54.00	12.27	150	273	Vertical
4	17957.45	27.43	18.13	45.56	54.00	8.44	150	260	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5320	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:37:14

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1175.47	40.54	43.95	3.41	74.00	30.05	150	47	Horizontal
2	3910.34	33.99	48.14	14.15	74.00	25.86	150	1	Horizontal
3	5048.40	32.54	51.60	19.06	74.00	22.40	150	296	Horizontal
4	12128.66	42.45	51.58	9.13	74.00	22.42	150	55	Horizontal
5	15819.38	39.02	52.01	12.99	74.00	21.99	150	187	Horizontal
6	17954.00	37.79	55.94	18.15	74.00	18.06	150	303	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5048.40	22.03	19.06	41.09	54.00	12.91	150	296	Horizontal
2	12128.66	31.94	9.13	41.07	54.00	12.93	150	55	Horizontal
3	15819.38	29.47	12.99	42.46	54.00	11.54	150	187	Horizontal
4	17954.00	26.74	18.15	44.89	54.00	9.11	150	303	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5320	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:33:59

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1130.36	41.64	44.50	2.86	74.00	29.50	150	236	Vertical
2	3901.54	34.12	48.24	14.12	74.00	25.76	150	1	Vertical
3	4979.65	32.18	50.93	18.75	74.00	23.07	150	249	Vertical
4	12561.11	41.62	50.93	9.31	74.00	23.07	150	196	Vertical
5	15744.62	38.45	51.63	13.18	74.00	22.37	150	267	Vertical
6	17975.85	37.69	55.74	18.05	74.00	18.26	150	334	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	15744.62	29.16	13.18	42.34	54.00	11.66	150	267	Vertical
2	17975.85	27.43	18.05	45.48	54.00	8.52	150	334	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5500	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:43:16

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1256.33	41.55	45.48	3.93	74.00	28.52	150	221	Horizontal
2	2721.67	37.52	46.62	9.10	74.00	27.38	150	221	Horizontal
3	4977.45	32.17	50.85	18.68	74.00	23.15	150	15	Horizontal
4	12416.19	42.58	51.45	8.87	74.00	22.55	150	220	Horizontal
5	15798.68	39.10	52.06	12.96	74.00	21.94	150	62	Horizontal
6	17930.99	38.02	56.29	18.27	74.00	17.71	150	54	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	12416.19	32.57	8.87	41.44	54.00	12.56	150	220	Horizontal
2	15798.68	29.18	12.96	42.14	54.00	11.86	150	62	Horizontal
3	17930.99	27.26	18.27	45.53	54.00	8.47	150	54	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5500	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:44:39

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1084.16	42.90	45.48	2.58	74.00	28.52	150	293	Vertical
2	3916.39	34.11	48.11	14.00	74.00	25.89	150	327	Vertical
3	4878.99	33.00	50.94	17.94	74.00	23.06	150	313	Vertical
4	12456.45	41.99	51.29	9.30	74.00	22.71	150	46	Vertical
5	15797.53	39.89	52.85	12.96	74.00	21.15	150	240	Vertical
6	17970.10	37.32	55.39	18.07	74.00	18.61	150	24	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	12456.45	32.00	9.30	41.30	54.00	12.70	150	46	Vertical
2	15797.53	30.24	12.96	43.20	54.00	10.80	150	240	Vertical
3	17970.10	28.23	18.07	46.30	54.00	7.70	150	24	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5580	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:47:46

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1246.97	40.42	44.33	3.91	74.00	29.67	150	28	Horizontal
2	3936.19	34.63	48.66	14.03	74.00	25.34	150	226	Horizontal
3	5010.45	32.43	51.37	18.94	74.00	22.63	150	356	Horizontal
4	12471.40	41.94	51.39	9.45	74.00	22.61	150	265	Horizontal
5	15766.48	38.97	52.06	13.09	74.00	21.94	150	231	Horizontal
6	17966.65	37.37	55.46	18.09	74.00	18.54	150	231	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5010.45	22.44	18.94	41.38	54.00	12.62	150	356	Horizontal
2	12471.40	32.07	9.45	41.52	54.00	12.48	150	265	Horizontal
3	15766.48	30.50	13.09	43.59	54.00	10.41	150	231	Horizontal
4	17966.65	27.80	18.09	45.89	54.00	8.11	150	231	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5580	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:49:09

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1229.37	40.25	44.16	3.91	74.00	29.84	150	117	Vertical
2	4175.47	33.64	48.52	14.88	74.00	25.48	150	344	Vertical
3	4911.44	32.89	50.98	18.09	74.00	23.02	150	344	Vertical
4	12488.65	41.81	51.45	9.64	74.00	22.55	150	40	Vertical
5	15859.64	39.18	52.26	13.08	74.00	21.74	150	352	Vertical
6	17654.97	38.23	54.86	16.63	68.20	13.34	150	82	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	12488.65	31.57	9.64	41.21	54.00	12.79	150	40	Vertical
2	15859.64	28.57	13.08	41.65	54.00	12.35	150	352	Vertical
3	17654.97	27.36	16.63	43.99	-	10.00	150	82	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:52:08

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1092.96	42.53	45.17	2.64	74.00	28.83	150	210	Horizontal
2	2837.18	36.38	45.78	9.40	74.00	28.22	150	103	Horizontal
3	3889.99	34.25	48.11	13.86	74.00	25.89	150	96	Horizontal
4	5110.56	32.77	51.86	19.09	74.00	22.14	150	297	Horizontal
5	15802.13	38.61	51.57	12.96	74.00	22.43	150	135	Horizontal
6	17928.69	37.24	55.51	18.27	74.00	18.49	150	148	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5110.56	22.37	19.09	41.46	54.00	12.54	150	297	Horizontal
2	15802.13	28.97	12.96	41.93	54.00	12.07	150	135	Horizontal
3	17928.69	27.51	18.27	45.78	54.00	8.22	150	148	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 21:53:30

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1108.36	42.91	45.65	2.74	74.00	28.35	150	221	Vertical
2	3941.69	34.35	48.39	14.04	74.00	25.61	150	214	Vertical
3	5090.21	31.58	50.64	19.06	74.00	23.36	150	327	Vertical
4	12470.25	42.01	51.45	9.44	74.00	22.55	150	20	Vertical
5	15898.74	39.16	52.32	13.16	74.00	21.68	150	128	Vertical
6	17919.49	38.20	56.52	18.32	74.00	17.48	150	296	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	12470.25	32.85	9.44	42.29	54.00	11.71	150	20	Vertical
2	15898.74	29.09	13.16	42.25	54.00	11.75	150	128	Vertical
3	17919.49	27.58	18.32	45.90	54.00	8.10	150	296	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 14:56:08

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1281.08	39.84	43.83	3.99	74.00	30.17	150	232	Horizontal
2	2281.63	36.77	44.29	7.52	74.00	29.71	150	79	Horizontal
3	5056.66	32.12	51.06	18.94	74.00	22.94	150	190	Horizontal
4	12477.15	42.69	52.21	9.52	74.00	21.79	150	333	Horizontal
5	15887.24	38.90	52.05	13.15	74.00	21.95	150	148	Horizontal
6	17887.29	36.93	55.31	18.38	74.00	18.69	150	227	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5056.66	22.28	18.94	41.22	54.00	12.78	150	190	Horizontal
2	12477.15	32.85	9.52	42.37	54.00	11.63	150	333	Horizontal
3	15887.24	28.79	13.15	41.94	54.00	12.06	150	148	Horizontal
4	17887.29	27.35	18.38	45.73	54.00	8.27	150	227	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 14:57:28

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1180.42	40.92	44.36	3.44	74.00	29.64	150	249	Vertical
2	1544.00	38.52	43.08	4.56	74.00	30.92	150	288	Vertical
3	5021.45	32.23	51.19	18.96	74.00	22.81	150	224	Vertical
4	11534.05	42.83	50.97	8.14	74.00	23.03	150	178	Vertical
5	15859.64	38.72	51.80	13.08	74.00	22.20	150	332	Vertical
6	17975.85	38.04	56.09	18.05	74.00	17.91	150	172	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5021.45	21.81	18.96	40.77	54.00	13.23	150	224	Vertical
2	15859.64	29.29	13.08	42.37	54.00	11.63	150	332	Vertical
3	17975.85	28.19	18.05	46.24	54.00	7.76	150	172	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5785	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 15:00:34

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1249.17	40.81	44.74	3.93	74.00	29.26	150	222	Horizontal
2	4083.61	33.76	48.28	14.52	74.00	25.72	150	147	Horizontal
3	4965.35	32.44	50.91	18.47	74.00	23.09	150	215	Horizontal
4	12337.98	43.47	52.52	9.05	74.00	21.48	150	2	Horizontal
5	15768.78	38.56	51.64	13.08	74.00	22.36	150	357	Horizontal
6	17860.84	37.00	55.34	18.34	74.00	18.66	150	64	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	12337.98	34.00	9.05	43.05	54.00	10.95	150	2	Horizontal
2	15768.78	29.41	13.08	42.49	54.00	11.51	150	357	Horizontal
3	17860.84	26.88	18.34	45.22	54.00	8.78	150	64	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5785	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 15:01:54

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1146.31	41.56	44.53	2.97	74.00	29.47	150	246	Vertical
2	4047.85	33.44	47.74	14.30	74.00	26.26	150	321	Vertical
3	4904.84	32.95	50.93	17.98	74.00	23.07	150	335	Vertical
4	11463.90	42.83	51.27	8.44	74.00	22.73	150	61	Vertical
5	15810.18	39.05	52.02	12.97	74.00	21.98	150	214	Vertical
6	17775.73	37.41	55.50	18.09	74.00	18.50	150	67	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	11463.90	32.20	8.44	40.64	54.00	13.36	150	61	Vertical
2	15810.18	28.97	12.97	41.94	54.00	12.06	150	214	Vertical
3	17775.73	28.26	18.09	46.35	54.00	7.65	150	67	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 15:04:23

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1239.82	40.73	44.63	3.90	74.00	29.37	150	217	Horizontal
2	4028.60	34.27	48.52	14.25	74.00	25.48	150	118	Horizontal
3	4951.05	32.77	51.03	18.26	74.00	22.97	150	1	Horizontal
4	12465.65	42.36	51.76	9.40	74.00	22.24	150	176	Horizontal
5	15897.59	39.76	52.92	13.16	74.00	21.08	150	259	Horizontal
6	17893.04	36.88	55.28	18.40	74.00	18.72	150	338	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	4951.05	22.47	18.26	40.73	54.00	13.27	150	1	Horizontal
2	12465.65	32.75	9.40	42.15	54.00	11.85	150	176	Horizontal
3	15897.59	29.38	13.16	42.54	54.00	11.46	150	259	Horizontal
4	17893.04	26.84	18.40	45.24	54.00	8.76	150	338	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 15:05:43

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1080.31	44.22	46.63	2.41	74.00	27.37	150	263	Vertical
2	3891.09	34.82	48.49	13.67	74.00	25.51	150	14	Vertical
3	4922.44	32.71	50.79	18.08	74.00	23.21	150	152	Vertical
4	12314.98	42.77	51.96	9.19	74.00	22.04	150	264	Vertical
5	15737.72	38.53	51.74	13.21	74.00	22.26	150	136	Vertical
6	17873.49	36.79	55.15	18.36	74.00	18.85	150	282	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	12314.98	34.31	9.19	43.50	54.00	10.50	150	264	Vertical
2	15737.72	28.77	13.21	41.98	54.00	12.02	150	136	Vertical
3	17873.49	28.16	18.36	46.52	54.00	7.48	150	282	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5180	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 15:25:21

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5130.42	33.59	51.12	17.53	74.00	22.88	150	313	Horizontal
2	5149.92	32.86	50.43	17.57	74.00	23.57	150	14	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5130.42	19.98	17.53	37.51	54.00	16.49	150	313	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5180	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 15:26:01

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5145.32	33.54	51.11	17.57	74.00	22.89	150	155	Vertical
2	5149.92	32.82	50.39	17.57	74.00	23.61	150	160	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5145.32	21.29	17.57	38.86	54.00	15.14	150	155	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5320	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 15:35:10

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	31.87	49.95	18.08	74.00	24.05	150	112	Horizontal
2	5361.98	33.22	51.36	18.14	74.00	22.64	150	323	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5361.98	20.77	18.14	38.91	54.00	15.09	150	323	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5320	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 15:35:50

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	31.73	49.81	18.08	74.00	24.19	150	62	Vertical
2	5353.83	34.20	52.30	18.10	74.00	21.70	150	159	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5353.83	21.15	18.10	39.25	54.00	14.75	150	159	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5500	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 15:46:42

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5406.96	32.91	51.25	18.34	74.00	22.75	150	17	Horizontal
2	5459.83	30.94	49.33	18.39	74.00	24.67	150	188	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5406.96	20.65	18.34	38.99	54.00	15.01	150	17	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5500	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 15:47:22

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5414.57	33.41	51.75	18.34	74.00	22.25	150	142	Vertical
2	5459.83	31.64	50.03	18.39	74.00	23.97	150	144	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5414.57	20.43	18.34	38.77	54.00	15.23	150	142	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 15:51:03

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.03	38.46	58.05	19.59	68.20	10.15	150	251	Horizontal
2	5730.92	39.97	59.59	19.62	68.20	8.61	150	190	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 15:51:43

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.03	38.54	58.13	19.59	68.20	10.07	150	42	Vertical
2	5736.38	40.46	60.11	19.65	68.20	8.09	150	47	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:46:48

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5637.09	39.13	58.13	19.00	68.30	10.17	150	63	Horizontal
2	5670.65	39.77	59.02	19.25	83.62	24.60	150	297	Horizontal
3	5707.66	39.73	59.23	19.50	107.45	48.22	150	173	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:47:30

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5635.60	38.92	57.92	19.00	68.30	10.38	150	278	Vertical
2	5679.63	39.67	58.99	19.32	90.27	31.28	150	74	Vertical
3	5712.59	39.41	58.94	19.53	108.83	49.89	150	170	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:50:40

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5866.06	40.08	60.71	20.63	107.80	47.09	150	136	Horizontal
2	5894.04	39.89	60.80	20.91	91.18	30.38	150	276	Horizontal
3	5935.80	39.56	60.55	20.99	68.30	7.75	150	342	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11A_OFDM_6M_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 20:51:18

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5862.67	40.26	60.87	20.61	108.75	47.88	150	277	Vertical
2	5887.60	40.23	61.08	20.85	95.95	34.87	150	234	Vertical
3	5942.57	40.02	61.02	21.00	68.30	7.28	150	18	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N20_MCS8_5180	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 15:56:13

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBµV/m)	PK Level (dBµV/m)	Factor (dB)	PK Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5126.96	33.93	51.46	17.53	74.00	22.54	150	359	Horizontal
2	5149.77	32.86	50.43	17.57	74.00	23.57	150	210	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBµV/m)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5126.96	19.98	17.53	37.51	54.00	16.49	150	359	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N20_MCS8_5180	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 15:56:53

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5148.12	37.59	55.16	17.57	74.00	18.84	150	151	Vertical
2	5149.77	34.07	51.64	17.57	74.00	22.36	150	167	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5148.12	22.97	17.57	40.54	54.00	13.46	150	151	Vertical
2	5149.77	22.70	17.57	40.27	54.00	13.73	150	167	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N20_MCS8_5320	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:05:12

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	31.38	49.46	18.08	74.00	24.54	150	38	Horizontal
2	5384.09	33.24	51.49	18.25	74.00	22.51	150	166	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5384.09	20.37	18.25	38.62	54.00	15.38	150	166	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N20_MCS8_5320	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:05:51

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	31.77	49.85	18.08	74.00	24.15	150	139	Vertical
2	5363.13	33.85	52.00	18.15	74.00	22.00	150	0	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5363.13	20.01	18.15	38.16	54.00	15.84	150	0	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N20_MCS8_5500	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:09:23

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5435.96	33.32	51.69	18.37	74.00	22.31	150	114	Horizontal
2	5459.83	31.03	49.42	18.39	74.00	24.58	150	193	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5435.96	19.45	18.37	37.82	54.00	16.18	150	114	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N20_MCS8_5500	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:10:03

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5435.96	33.09	51.46	18.37	74.00	22.54	150	306	Vertical
2	5459.83	31.99	50.38	18.39	74.00	23.62	150	102	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5435.96	19.99	18.37	38.36	54.00	15.64	150	306	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N20_MCS8_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:12:00

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.03	38.45	58.04	19.59	68.20	10.16	150	185	Horizontal
2	5728.18	40.43	60.04	19.61	68.20	8.16	150	145	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N20_MCS8_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:12:40

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.03	38.75	58.34	19.59	68.20	9.86	150	271	Vertical
2	5735.96	40.78	60.43	19.65	68.20	7.77	150	349	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N20_MCS8_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:18:25

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5639.72	39.53	58.56	19.03	68.30	9.74	150	281	Horizontal
2	5684.50	39.78	59.12	19.34	93.86	34.74	150	74	Horizontal
3	5708.61	39.77	59.28	19.51	107.71	48.43	150	192	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N20_MCS8_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:19:05

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5628.24	39.37	58.32	18.95	68.30	9.98	150	315	Vertical
2	5673.29	40.78	60.04	19.26	85.57	25.53	150	261	Vertical
3	5713.67	39.82	59.36	19.54	109.13	49.77	150	183	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N20_MCS8_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:21:00

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5860.36	40.74	61.32	20.58	109.40	48.08	150	2	Horizontal
2	5895.52	40.40	61.32	20.92	90.08	28.76	150	105	Horizontal
3	5943.73	40.13	61.13	21.00	68.30	7.17	150	78	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N20_MCS8_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:21:37

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5869.03	40.16	60.83	20.67	106.97	46.14	150	193	Vertical
2	5901.96	40.19	61.16	20.97	85.31	24.15	150	356	Vertical
3	5940.43	40.15	61.15	21.00	68.30	7.15	150	2	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N40_MCS8_5190	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:31:10

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5131.16	34.00	51.53	17.53	74.00	22.47	150	10	Horizontal
2	5149.82	32.42	49.99	17.57	74.00	24.01	150	53	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5131.16	20.65	17.53	38.18	54.00	15.82	150	10	Horizontal
2	5149.82	20.52	17.57	38.09	54.00	15.91	150	53	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N40_MCS8_5190	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:31:50

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5138.00	34.31	51.86	17.55	74.00	22.14	150	152	Vertical
2	5149.82	31.56	49.13	17.57	74.00	24.87	150	2	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5138.00	20.64	17.55	38.19	54.00	15.81	150	152	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N40_MCS8_5310	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:38:19

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.01	31.63	49.71	18.08	74.00	24.29	150	139	Horizontal
2	5375.97	33.26	51.47	18.21	74.00	22.53	150	329	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5375.97	20.69	18.21	38.90	54.00	15.10	150	329	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N40_MCS8_5310	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:38:59

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.01	31.61	49.69	18.08	74.00	24.31	150	146	Vertical
2	5361.27	33.54	51.68	18.14	74.00	22.32	150	177	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5361.27	20.11	18.14	38.25	54.00	15.75	150	177	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N40_MCS8_5510	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:47:00

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5447.55	33.60	51.98	18.38	74.00	22.02	150	95	Horizontal
2	5459.80	31.82	50.21	18.39	74.00	23.79	150	283	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5447.55	20.02	18.38	38.40	54.00	15.60	150	95	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N40_MCS8_5510	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:47:41

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5433.27	33.67	52.03	18.36	74.00	21.97	150	314	Vertical
2	5459.80	30.36	48.75	18.39	74.00	25.25	150	250	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5433.27	19.90	18.36	38.26	54.00	15.74	150	314	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N40_MCS8_5670	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:52:13

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	34.22	53.81	19.59	68.20	14.39	150	290	Horizontal
2	5743.29	36.18	55.87	19.69	68.20	12.33	150	359	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N40_MCS8_5670	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:52:56

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	34.75	54.34	19.59	68.20	13.86	150	357	Vertical
2	5736.63	36.17	55.82	19.65	68.20	12.38	150	20	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N40_MCS8_5755	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:56:31

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5648.24	38.82	57.91	19.09	68.30	10.39	150	194	Horizontal
2	5672.28	39.01	58.27	19.26	84.83	26.56	150	161	Horizontal
3	5711.99	39.37	58.90	19.53	108.66	49.76	150	353	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N40_MCS8_5755	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:57:08

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5646.42	39.07	58.15	19.08	68.30	10.15	150	164	Vertical
2	5684.10	39.37	58.71	19.34	93.57	34.86	150	105	Vertical
3	5712.74	39.50	59.03	19.53	108.87	49.84	150	332	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N40_MCS8_5795	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:58:49

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5863.29	40.46	61.07	20.61	108.58	47.51	150	96	Horizontal
2	5894.08	40.62	61.53	20.91	91.14	29.61	150	355	Horizontal
3	5943.16	40.01	61.01	21.00	68.30	7.29	150	44	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11N40_MCS8_5795	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 16:59:25

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5862.12	40.16	60.75	20.59	108.91	48.16	150	32	Vertical
2	5888.59	40.13	60.99	20.86	95.21	34.22	150	74	Vertical
3	5945.95	40.55	61.55	21.00	68.30	6.75	150	356	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC20_MCS0_5180	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:02:58

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5132.07	33.59	51.13	17.54	74.00	22.87	150	13	Horizontal
2	5149.77	31.90	49.47	17.57	74.00	24.53	150	145	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5132.07	20.19	17.54	37.73	54.00	16.27	150	13	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC20_MCS0_5180	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:03:40

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5137.02	34.76	52.31	17.55	74.00	21.69	150	357	Vertical
2	5149.77	31.94	49.51	17.57	74.00	24.49	150	74	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5137.02	20.45	17.55	38.00	54.00	16.00	150	357	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC20_MCS0_5320	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:21:08

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	32.32	50.40	18.08	74.00	23.60	150	138	Horizontal
2	5361.68	33.33	51.47	18.14	74.00	22.53	150	188	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5361.68	20.41	18.14	38.55	54.00	15.45	150	188	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC20_MCS0_5320	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:21:50

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.03	31.69	49.77	18.08	74.00	24.23	150	234	Vertical
2	5374.04	33.19	51.39	18.20	74.00	22.61	150	277	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5374.04	20.20	18.20	38.40	54.00	15.60	150	277	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC20_MCS0_5500	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:23:27

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5404.62	33.96	52.29	18.33	74.00	21.71	150	137	Horizontal
2	5459.83	32.07	50.46	18.39	74.00	23.54	150	132	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5404.62	19.81	18.33	38.14	54.00	15.86	150	137	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC20_MCS0_5500	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:24:08

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5424.00	33.93	52.28	18.35	74.00	21.72	150	282	Vertical
2	5459.83	31.42	49.81	18.39	74.00	24.19	150	37	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5424.00	19.47	18.35	37.82	54.00	16.18	150	282	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC20_MCS0_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:30:57

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.03	38.10	57.69	19.59	68.20	10.51	150	244	Horizontal
2	5726.89	40.48	60.08	19.60	68.20	8.12	150	20	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC20_MCS0_5700	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:31:39

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.03	38.43	58.02	19.59	68.20	10.18	150	60	Vertical
2	5734.80	40.45	60.09	19.64	68.20	8.11	150	119	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC20_MCS0_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:35:18

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5629.19	39.68	58.63	18.95	68.30	9.67	150	57	Horizontal
2	5674.10	40.09	59.37	19.28	86.17	26.80	150	238	Horizontal
3	5707.19	40.33	59.83	19.50	107.32	47.49	150	22	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC20_MCS0_5745	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:35:59

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5629.39	39.67	58.62	18.95	68.30	9.68	150	192	Vertical
2	5667.14	39.62	58.84	19.22	81.02	22.18	150	0	Vertical
3	5706.24	39.92	59.41	19.49	107.05	47.64	150	169	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC20_MCS0_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:37:24

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5860.53	40.15	60.73	20.58	109.35	48.62	150	6	Horizontal
2	5895.94	40.00	60.93	20.93	89.77	28.84	150	69	Horizontal
3	5937.87	39.74	60.74	21.00	68.30	7.56	150	222	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC20_MCS0_5825	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:38:02

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5861.10	40.40	60.98	20.58	109.19	48.21	150	179	Vertical
2	5895.03	40.35	61.27	20.92	90.44	29.17	150	105	Vertical
3	5940.84	40.11	61.11	21.00	68.30	7.19	150	334	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC40_MCS0_5190	Voltage:	12V
Environment:	24.2°C 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:42:41

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBµV/m)	PK Level (dBµV/m)	Factor (dB)	PK Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5140.52	34.06	51.61	17.55	74.00	22.39	150	23	Horizontal
2	5149.82	31.63	49.20	17.57	74.00	24.80	150	238	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBµV/m)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5140.52	19.86	17.55	37.41	54.00	16.59	150	23	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC40_MCS0_5190	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:43:22

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5108.04	33.62	51.12	17.50	74.00	22.88	150	224	Vertical
2	5149.82	32.27	49.84	17.57	74.00	24.16	150	128	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5108.04	19.95	17.50	37.45	54.00	16.55	150	224	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC40_MCS0_5310	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:45:58

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.01	31.56	49.64	18.08	74.00	24.36	150	250	Horizontal
2	5388.43	33.49	51.77	18.28	74.00	22.23	150	357	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5388.43	20.01	18.28	38.29	54.00	15.71	150	357	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC40_MCS0_5310	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:46:40

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.01	32.23	50.31	18.08	74.00	23.69	150	108	Vertical
2	5413.87	34.23	52.57	18.34	74.00	21.43	150	30	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5413.87	19.76	18.34	38.10	54.00	15.90	150	30	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC40_MCS0_5510	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:49:42

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5433.69	32.97	51.33	18.36	74.00	22.67	150	205	Horizontal
2	5459.80	32.50	50.89	18.39	74.00	23.11	150	358	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5433.69	19.66	18.36	38.02	54.00	15.98	150	205	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC40_MCS0_5510	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:50:23

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5442.27	33.38	51.75	18.37	74.00	22.25	150	209	Vertical
2	5459.80	31.53	49.92	18.39	74.00	24.08	150	324	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5442.27	20.05	18.37	38.42	54.00	15.58	150	209	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC40_MCS0_5670	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:54:57

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading(dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	34.44	54.03	19.59	68.20	14.17	150	202	Horizontal
2	5748.84	36.22	55.94	19.72	68.20	12.26	150	337	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC40_MCS0_5670	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:55:37

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.02	34.34	53.93	19.59	68.20	14.27	150	164	Vertical
2	5737.84	36.90	56.56	19.66	68.20	11.64	150	249	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC40_MCS0_5755	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 17:59:28

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5647.36	39.56	58.64	19.08	68.30	9.66	150	193	Horizontal
2	5675.19	39.62	58.90	19.28	86.98	28.08	150	359	Horizontal
3	5713.75	39.72	59.26	19.54	109.15	49.89	150	79	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC40_MCS0_5755	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 18:00:06

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5646.69	39.11	58.19	19.08	68.30	10.11	150	195	Vertical
2	5679.17	40.04	59.35	19.31	89.93	30.58	150	355	Vertical
3	5704.56	39.88	59.37	19.49	106.58	47.21	150	102	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC40_MCS0_5795	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 18:01:35

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5868.69	40.55	61.21	20.66	107.06	45.85	150	164	Horizontal
2	5892.28	40.44	61.33	20.89	92.48	31.15	150	356	Horizontal
3	5934.60	39.60	60.60	21.00	68.30	7.70	150	138	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC40_MCS0_5795	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 18:02:13

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5862.12	40.69	61.28	20.59	108.91	47.63	150	138	Vertical
2	5903.27	39.98	60.96	20.98	84.34	23.38	150	100	Vertical
3	5944.42	39.86	60.86	21.00	68.30	7.44	150	63	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC80_MCS0_5210	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:19:06

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5123.41	36.31	53.83	17.52	74.00	20.17	150	236	Horizontal
2	5149.88	34.01	51.58	17.57	74.00	22.42	150	157	Horizontal
3	5350.15	35.61	53.69	18.08	74.00	20.31	150	270	Horizontal
4	5377.34	36.12	54.34	18.22	74.00	19.66	150	251	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5123.41	22.76	17.52	40.28	54.00	13.72	150	236	Horizontal
2	5149.88	23.06	17.57	40.63	54.00	13.37	150	157	Horizontal
3	5350.15	22.70	18.08	40.78	54.00	13.22	150	270	Horizontal
4	5377.34	23.08	18.22	41.30	54.00	12.70	150	251	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC80_MCS0_5210	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:19:48

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5130.98	35.85	53.38	17.53	74.00	20.62	150	283	Vertical
2	5149.88	34.50	52.07	17.57	74.00	21.93	150	152	Vertical
3	5350.15	34.37	52.45	18.08	74.00	21.55	150	238	Vertical
4	5400.03	35.99	54.32	18.33	74.00	19.68	150	0	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5130.98	23.15	17.53	40.68	54.00	13.32	150	283	Vertical
2	5149.88	23.44	17.57	41.01	54.00	12.99	150	152	Vertical
3	5350.15	22.63	18.08	40.71	54.00	13.29	150	238	Vertical
4	5400.03	22.65	18.33	40.98	54.00	13.02	150	0	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC80_MCS0_5290	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:21:58

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	32.01	50.09	18.08	74.00	23.91	150	28	Horizontal
2	5430.73	34.00	52.36	18.36	74.00	21.64	150	320	Horizontal


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC80_MCS0_5290	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:22:40

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBµV/m)	PK Level (dBµV/m)	Factor (dB)	PK Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.06	32.05	50.13	18.08	74.00	23.87	150	154	Vertical
2	5366.01	33.68	51.84	18.16	74.00	22.16	150	296	Vertical

AV Final Data List

NO.	Freq. (MHz)	Reading (dBµV/m)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5366.01	21.04	18.16	39.20	54.00	14.80	150	296	Vertical


Note1: Level=Reading+Factor, Margin=Limit - Level

Test Report

Project Information			
Customer:	Tablet		
EUT:			
Model:	MP10-Cesium-V	SN:	
Mode:	11AC80_MCS0_5530	Voltage:	12V
Environment:	24.2℃ 51%	Engineer:	Soho Liu
Remark:			

Start of Test:2026-05-08 19:26:51

Test Graph



Suspected Data List

NO.	Frequency (MHz)	Reading (dBμV/m)	PK Level (dBμV/m)	Factor (dB)	PK Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5430.53	33.23	51.59	18.36	74.00	22.41	150	348	Horizontal
2	5459.79	31.17	49.56	18.39	74.00	24.44	150	245	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Reading (dBμV/m)	Factor (dB)	AV Value (dBμV/m)	AV Limit (dBμV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5430.53	20.50	18.36	38.86	54.00	15.14	150	348	Horizontal

Note1: Level=Reading+Factor, Margin=Limit - Level