External photo




SNOOZE/LIGHT
SET
GLOW
+
Power Cable required for operation
Helpful Links | Liens Utiles
lacrossetechnology.com/support
lacrossetechnology.com/patents

SNOOZE/LIGHT
Press to adjust backlight level
Hold to enter auto dim settings
SET
Press to change calendar format
Hold to enter time/date settings
GLOW
Press to go through glow options
Hold to turn off glow
Press +/- to adjust brightness
Press to search for outdoor sensor
Press to turn alarm on/off
Hold to set alarm time
OFF: Charger is in standby
Solid Light: Device is charging
Blinking Light: Device is misaligned or foreign object detected
Model/Modèle: C77932
Sensor/Capteur: TX141-BV3
CAN RSS-216/ICNR-216
FCC ID: OMOCA77932
IC: 5049A-CA77932
LA CROSSE TECHNOLOGY
AC6: HXT3-0502500-AU-001
Freq: 433 MHz
XXXX X
Helpful Links | lacrossetechnology.com/support
Liens Utiles | lacrossetechnology.com/patents

DC 5.0V
Power Cable
Required for
Operation
ZE/LIGHT
- Press to adjust backlight level
- Hold to enter auto dim settings
SET
- Press to change calendar format

1 Amp

SWITCHING ADAPTER
COMMUTATION ADAPTEUR
Model/Modèle.:HX13-0502500-AU-001
Input/Entrée:100-240V~50/60Hz 0.6A Max
Output/Sortie:5.0V ⎓ 2.5A
HUAXU ELECTRONICS FACTORY
MADE IN CHINA/FABRIQUÉ EN CHINE