


13:35:26 JUN 09, 2000
 17 Beyerdynamic 800MHz Wireless Microphone Occupied Band
 REF 90.0 dBμW AT 10 dB



CENTER 805.9990 MHz
 #RES BW 300 Hz
 #VBW 1 kHz
 SWP 13.3 sec
 SPAN 400.0 kHz


Customer: Beyerdynamic
 Test Sample: MCW Wireless Microphone
 Model No.: MCW 1013 S/N: 01511 POC ID: 03DMCWSDITION-1
 Test Method: FCC 90.217(a) Occupied Bandwidth
 Notes: Carrier Frequency: 806 MHz (CH 1)
 Modulation Frequency: 1.0 kHz @ 88 dBμpl
 Date: October 23, 1999 Tech: N. Dragotta Sheet 1 of 9



Retlif Testing Laboratories

Report No. R-8170-1A

14:42:54 JUN 09, 2000
 Beyerdynamic 800MHz Wireless Microphone Occupied Band
 REF 90.0 dBμV AT 10 dB



CENTER 805.9990 MHz
 #RES BW 300 Hz
 #VBW 1 kHz
 SPAN 400.0 kHz
 SWP 13.3 sec


Customer: Beyerdynamic
 Test Sample: MCW Wireless Microphone
 Model No.: MCW 1013 S/N: 01511
 Test Method: FCC 90.217(a) Occupied Bandwidth
 Notes: Carrier Frequency: 806 MHz (CH 1)
 Modulation Frequency: 2.5.0 kHz @ 88 dBspl
 Date: October 23, 1999 Tech: N. Dragotta Sheet 2 of 9



Retlif Testing Laboratories

Report No. R-8170-1A

14:36:21 JUN 09, 2000
 Beyerdynamic 800MHz Wireless Microphone Occupied Band
 REF 90.0 dBμV AT 10 dB



CENTER 805.9990 MHz
 #RES BW 300 Hz
 #VBW 1 kHz
 SPAN 400.0 kHz
 SWP 13.3 sec


Customer:	Beyerdynamic
Test Sample:	MCW Wireless Microphone
Model No.:	MCW 1013 S/N: 01511 <i>See 20: 030 MCWSTATION-1</i>
Test Method:	FCC 90.217(a) Occupied Bandwidth
Notes:	Carrier Frequency: 806 MHz (CH 1) Modulation Frequency: 15.0 kHz @ 68 dBμV
Date:	October 23, 1999
Tech:	N. Dragotta
Sheet:	3 of 9



Retlif Testing Laboratories

Report No. R-8170-1A

13:45:25 JUN 09, 2000
 Beyerdynamic 800MHz Wireless Microphone Occupied Band
 REF 89.6 dBμV AT 10 dB



CENTER 811.2490 MHz
 #RES BW 300 Hz
 #VBW 1 kHz
 SPAN 400.0 kHz
 SWP 13.3 sec


Customer: Beyerdynamic
 Test Sample: MCW Wireless Microphone
 Model No.: MCW 1013 S/N: 01511 POC ID: 050.MCW.1013-1
 Test Method: FCC 90.217(a) Occupied Bandwidth
 Notes: Center Frequency: 811.25 MHz (CH 8)
 Modulation Frequency: 1.0 kHz @ 88 dBspl
 Date: October 23, 1999 Tech: N. Dragotta Sheet: 4 of 9



Retlif Testing Laboratories

Report No. R-8170-1A

13:51:38 JUN 09, 2000
 Beyerdynamic 800MHz Wireless Microphone Occupied Band
 REF 89.6 dBμV AT 10 dB



CENTER 811.2490 MHz
 #RES BW 300 Hz
 #VBW 1 kHz
 SPAN 400.0 kHz
 SWP 13.3 sec


Customer: Beyerdynamic
 Test Sample: MCW Wireless Microphone
 Model No.: MCW 1013 S/N: 01511 FCC ID: Q50MCWSTATION-1
 Test Method: FCC 90.217(a) Occupied Bandwidth
 Notes: Carrier Frequency: 811.25 MHz (CH 8)
 Modulation Frequency: 2.5.0 kHz @ 88 dBspl
 Date: October 23, 1999 Tech: N. Dragotta Sheet 5 of 9



Retlif Testing Laboratories

Report No. R-8170-1A

13:59:40 JUN 09, 2000
 Beyerdynamic 800MHz Wireless Microphone Occupied Band
 REF 89.6 dBμV AT 10 dB



CENTER 811.2490 MHz
 #RES BW 300 Hz
 #VBW 1 kHz
 SPAN 400.0 kHz
 SWP 13.3 sec


Customer: Beyerdynamic
 Test Sample: MCW Wireless Microphone
 Model No.: MCW 1013 S/N: 01511 FCC ID: Q36MCW17910W-1
 Test Method: FCC 90.217(a) Occupied Bandwidth
 Notes: Carrier Frequency: 811.25 MHz (CH 8)
 Modulation Frequency: 15.0 kHz @ 66 dBspl
 Date: October 23, 1999 Tech: N. Dragotta Sheet: 6 of 9



Retlif Testing Laboratories

Report No. R-8170-1A

13:26:17 JUN 09, 2000
 17 Beyerdynamic 800MHz Wireless Microphone Occupied Band
 REF 90.9 dBμV AT 10 dB



CENTER 816.7990 MHz
 #RES BW 300 Hz
 #VBW 1 kHz
 SPAN 400.0 kHz
 SWP 13.3 sec


Customer:	Beyerdynamic
Test Sample:	MCW Wireless Microphone
Model No.:	MCW 1013 S/N: 01511 FCC ID: C30MCW1013A-1
Test Method:	FCC 90.217(a) Occupied Bandwidth
Notes:	Carrier Frequency: 816.799 MHz (CH 13) Modulation Frequency: 1.0 kHz @ 88 dBμV
Date:	October 23, 1999
Tech:	N. Dragotta
Sheet	7 of 8



Retlif Testing Laboratories

Report No. R-8170-1A

14:47:23 JUN 09, 2000
 1/4 Beyerdynamic 800MHz Wireless Microphone Occupied Band
 REF 90.9 dBμV AT 10 dB



CENTER 816.7990 MHz
 #RES BW 300 Hz
 #VBW 1 kHz
 SPAN 400.0 kHz
 SWP 13.3 sec


Customer: Beyerdynamic
 Test Sample: MCW Wireless Microphone
 Model No.: MCW 1013 S/N: 01511 FCC ID: 030MCW1013A-1
 Test Method: FCC 90.217(a) Occupied Bandwidth
 Notes: Carrier Frequency: 816.799 MHz (CH 13)
 Modulation Frequency: 2.5.0 kHz @ 88 dBspl
 Date: October 23, 1999 Tech: N. Dragotta Sheet 6 of 9



Retlif Testing Laboratories

Report No. R-8170-1A

14:49:59 JUN 09, 2000
 Beyerdynamic 800MHz Wireless Microphone Occupied Band
 REF 90.9 dBμV AT 10 dB



CENTER 816.7990 MHz
 #RES BW 300 Hz
 #VBW 1 kHz
 SPAN 400.0 kHz
 SWP 13.3 sec

Customer:	Beyerdynamic
Test Sample:	MCW Wireless Microphone
Model No.:	MCW 1013 S/N: 01511 FCC ID: 0584MCW5TATAM-1
Test Method:	FCC 90.217(a) Occupied Bandwidth
Notes:	Carrier Frequency: 816.799 MHz (CH 13) Modulation Frequency: 15.0 kHz @ 88 dBμV
Date:	October 23, 1999
Tech:	N. Dragotta
Sheet	9 of 9



Retlif Testing Laboratories

Report No. R-8170-1A