


# TX Radiated Test Result




| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 5350.00         | 46.16          | 58.88          | 12.72         | 74.00          | 15.12       | PK       | Horizontal | PASS    |
| 2              | 5378.76         | 48.34          | 61.49          | 13.15         | 74.00          | 12.51       | PK       | Horizontal | PASS    |

| AVG Data List |                 |               |                   |                   |                   |                |            |         |
|---------------|-----------------|---------------|-------------------|-------------------|-------------------|----------------|------------|---------|
| NO.           | Frequency [MHz] | Factor [dB/m] | AV Reading [dBμV] | AV Value [dBμV/m] | AV Limit [dBμV/m] | AV Margin [dB] | Polarity   | Verdict |
| 1             | 5350.00         | 12.72         | 21.32             | 34.04             | 54.00             | 19.96          | Horizontal | PASS    |
| 2             | 5378.76         | 13.15         | 20.94             | 34.09             | 54.00             | 19.91          | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level

# TX Radiated Test Result



## PEAK Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| 1   | 5460.00         | 47.73          | 63.97          | 16.24         | 74.00          | 10.03       | PK       | Horizontal | PASS    |
| 2   | 5470.00         | 49.16          | 65.60          | 16.44         | 68.20          | 2.60        | PK       | Horizontal | PASS    |


## AVG Data List

| NO. | Frequency [MHz] | Factor [dB/m] | AV Reading [dBμV] | AV Value [dBμV/m] | AV Limit [dBμV/m] | AV Margin [dB] | Polarity   | Verdict |
|-----|-----------------|---------------|-------------------|-------------------|-------------------|----------------|------------|---------|
| 1   | 5460.00         | 16.24         | 29.24             | 45.48             | 54.00             | 8.52           | Horizontal | PASS    |

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 5725.00         | 50.61          | 63.23          | 12.62         | 68.20          | 4.97        | PK       | Horizontal | PASS    |
| 2              | 5726.55         | 50.87          | 63.50          | 12.63         | 68.20          | 4.70        | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
 (2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 5640.11         | 49.59          | 64.60          | 15.01         | 68.20          | 3.60        | PK       | Horizontal | PASS    |
| 2              | 5725.00         | 50.47          | 64.69          | 14.22         | 122.20         | 57.51       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level

## TX Radiated Test Result




| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 5850.00         | 57.16          | 71.52          | 14.36         | 122.20         | 50.68       | PK       | Horizontal | PASS    |
| 2              | 5970.55         | 48.99          | 63.65          | 14.66         | 68.20          | 4.55        | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level

### 8.3. SPURIOUS EMISSIONS(1 GHZ~8 GHZ)-ANT1


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO             | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1168.08         | 65.83          | 41.18          | -24.65        | 74.00          | 32.82       | PK       | Horizontal | PASS    |
| 2              | 2533.77         | 61.18          | 41.65          | -19.53        | 68.20          | 26.55       | PK       | Horizontal | PASS    |
| 3              | 4295.15         | 57.03          | 39.52          | -17.51        | 74.00          | 34.48       | PK       | Horizontal | PASS    |
| 4              | 6070.54         | 55.40          | 40.02          | -15.38        | 68.20          | 28.18       | PK       | Horizontal | PASS    |
| 5              | 6907.45         | 60.05          | 46.37          | -13.68        | 68.20          | 21.83       | PK       | Horizontal | PASS    |
| 6              | 7583.29         | 54.68          | 40.19          | -14.49        | 74.00          | 33.81       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1161.08         | 63.52          | 38.87          | -24.65        | 74.00          | 35.13       | PK       | Vertical | PASS    |
| 2              | 3167.58         | 59.73          | 41.25          | -18.48        | 68.20          | 26.95       | PK       | Vertical | PASS    |
| 3              | 4354.68         | 56.91          | 39.14          | -17.77        | 74.00          | 34.86       | PK       | Vertical | PASS    |
| 4              | 6007.50         | 55.10          | 39.59          | -15.51        | 68.20          | 28.61       | PK       | Vertical | PASS    |
| 5              | 6907.45         | 59.47          | 45.79          | -13.68        | 68.20          | 22.41       | PK       | Vertical | PASS    |
| 6              | 7646.32         | 54.41          | 39.96          | -14.45        | 74.00          | 34.04       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1182.09         | 67.07          | 42.44          | -24.63        | 74.00          | 31.56       | PK       | Horizontal | PASS    |
| 2              | 1955.98         | 63.07          | 42.85          | -20.22        | 68.20          | 25.35       | PK       | Horizontal | PASS    |
| 3              | 3167.58         | 57.23          | 38.75          | -18.48        | 68.20          | 29.45       | PK       | Horizontal | PASS    |
| 4              | 4260.13         | 57.29          | 39.93          | -17.36        | 74.00          | 34.07       | PK       | Horizontal | PASS    |
| 5              | 6501.25         | 62.05          | 47.44          | -14.61        | 68.20          | 20.76       | PK       | Horizontal | PASS    |
| 6              | 6931.97         | 62.37          | 48.84          | -13.53        | 68.20          | 19.36       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1168.08         | 64.29          | 39.64          | -24.65        | 74.00          | 34.36       | PK       | Vertical | PASS    |
| 2              | 2425.21         | 64.59          | 44.86          | -19.73        | 68.20          | 23.34       | PK       | Vertical | PASS    |
| 3              | 3318.16         | 56.52          | 37.96          | -18.56        | 68.20          | 30.24       | PK       | Vertical | PASS    |
| 4              | 4872.94         | 56.96          | 39.25          | -17.71        | 74.00          | 34.75       | PK       | Vertical | PASS    |
| 5              | 6501.25         | 58.77          | 44.16          | -14.61        | 68.20          | 24.04       | PK       | Vertical | PASS    |
| 6              | 6931.97         | 59.65          | 46.12          | -13.53        | 68.20          | 22.08       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1168.08         | 71.26          | 46.61          | -24.65        | 74.00          | 27.39       | PK       | Horizontal | PASS    |
| 2              | 1756.38         | 68.02          | 45.88          | -22.14        | 68.20          | 22.32       | PK       | Horizontal | PASS    |
| 3              | 3685.84         | 56.03          | 37.22          | -18.81        | 74.00          | 36.78       | PK       | Horizontal | PASS    |
| 4              | 4911.46         | 59.38          | 41.77          | -17.61        | 74.00          | 32.23       | PK       | Horizontal | PASS    |
| 5              | 6550.28         | 61.17          | 46.66          | -14.51        | 68.20          | 21.54       | PK       | Horizontal | PASS    |
| 6              | 6987.99         | 62.64          | 49.45          | -13.19        | 68.20          | 18.75       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1171.59         | 64.51          | 39.86          | -24.65        | 74.00          | 34.14       | PK       | Vertical | PASS    |
| 2              | 2516.26         | 60.39          | 40.81          | -19.58        | 68.20          | 27.39       | PK       | Vertical | PASS    |
| 3              | 4074.54         | 57.15          | 38.82          | -18.33        | 74.00          | 35.18       | PK       | Vertical | PASS    |
| 4              | 4914.96         | 58.64          | 41.04          | -17.60        | 74.00          | 32.96       | PK       | Vertical | PASS    |
| 5              | 6987.99         | 60.30          | 47.11          | -13.19        | 68.20          | 21.09       | PK       | Vertical | PASS    |
| 6              | 7474.74         | 54.66          | 40.35          | -14.31        | 74.00          | 33.65       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1182.09         | 65.82          | 41.19          | -24.63        | 74.00          | 32.81       | PK       | Horizontal | PASS    |
| 2              | 1962.98         | 59.18          | 39.04          | -20.14        | 68.20          | 29.16       | PK       | Horizontal | PASS    |
| 3              | 3167.58         | 57.63          | 39.15          | -18.48        | 68.20          | 29.05       | PK       | Horizontal | PASS    |
| 4              | 4935.97         | 60.61          | 43.06          | -17.55        | 74.00          | 30.94       | PK       | Horizontal | PASS    |
| 5              | 6574.79         | 59.60          | 45.13          | -14.47        | 68.20          | 23.07       | PK       | Horizontal | PASS    |
| 6              | 7012.51         | 61.33          | 48.11          | -13.22        | 68.20          | 20.09       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1164.58         | 66.50          | 41.85          | -24.65        | 74.00          | 32.15       | PK       | Vertical | PASS    |
| 2              | 1934.97         | 68.87          | 48.46          | -20.41        | 68.20          | 19.74       | PK       | Vertical | PASS    |
| 3              | 3167.58         | 58.74          | 40.26          | -18.48        | 68.20          | 27.94       | PK       | Vertical | PASS    |
| 4              | 4477.24         | 57.22          | 39.20          | -18.02        | 68.20          | 29.00       | PK       | Vertical | PASS    |
| 5              | 6574.79         | 59.32          | 44.85          | -14.47        | 68.20          | 23.35       | PK       | Vertical | PASS    |
| 6              | 7012.51         | 60.07          | 46.85          | -13.22        | 68.20          | 21.35       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1189.09         | 68.08          | 43.45          | -24.63        | 74.00          | 30.55       | PK       | Horizontal | PASS    |
| 2              | 2400.70         | 57.81          | 38.05          | -19.76        | 68.20          | 30.15       | PK       | Horizontal | PASS    |
| 3              | 3363.68         | 56.44          | 37.84          | -18.60        | 68.20          | 30.36       | PK       | Horizontal | PASS    |
| 4              | 4946.47         | 59.99          | 42.47          | -17.52        | 74.00          | 31.53       | PK       | Horizontal | PASS    |
| 5              | 6599.30         | 59.31          | 44.89          | -14.42        | 68.20          | 23.31       | PK       | Horizontal | PASS    |
| 6              | 7040.52         | 63.45          | 50.02          | -13.43        | 68.20          | 18.18       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1147.07         | 62.73          | 38.06          | -24.67        | 74.00          | 35.94       | PK       | Vertical | PASS    |
| 2              | 2218.61         | 57.92          | 38.09          | -19.83        | 74.00          | 35.91       | PK       | Vertical | PASS    |
| 3              | 3181.59         | 57.06          | 38.58          | -18.48        | 68.20          | 29.62       | PK       | Vertical | PASS    |
| 4              | 4942.97         | 59.73          | 42.20          | -17.53        | 74.00          | 31.80       | PK       | Vertical | PASS    |
| 5              | 6599.30         | 58.92          | 44.50          | -14.42        | 68.20          | 23.70       | PK       | Vertical | PASS    |
| 6              | 7040.52         | 58.82          | 45.39          | -13.43        | 68.20          | 22.81       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1178.59         | 65.71          | 41.07          | -24.64        | 74.00          | 32.93       | PK       | Horizontal | PASS    |
| 2              | 2579.29         | 65.22          | 45.81          | -19.41        | 68.20          | 22.39       | PK       | Horizontal | PASS    |
| 3              | 3941.47         | 56.58          | 37.65          | -18.93        | 74.00          | 36.35       | PK       | Horizontal | PASS    |
| 4              | 4984.99         | 61.06          | 43.62          | -17.44        | 74.00          | 30.38       | PK       | Horizontal | PASS    |
| 5              | 6648.32         | 61.04          | 46.65          | -14.39        | 68.20          | 21.55       | PK       | Horizontal | PASS    |
| 6              | 7093.05         | 67.31          | 53.49          | -13.82        | 68.20          | 14.71       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1171.59         | 63.04          | 38.39          | -24.65        | 74.00          | 35.61       | PK       | Vertical | PASS    |
| 2              | 2085.54         | 57.28          | 37.47          | -19.81        | 68.20          | 30.73       | PK       | Vertical | PASS    |
| 3              | 3167.58         | 58.69          | 40.21          | -18.48        | 68.20          | 27.99       | PK       | Vertical | PASS    |
| 4              | 4284.64         | 57.07          | 39.60          | -17.47        | 74.00          | 34.40       | PK       | Vertical | PASS    |
| 5              | 6648.32         | 59.44          | 45.05          | -14.39        | 68.20          | 23.15       | PK       | Vertical | PASS    |
| 6              | 7093.05         | 64.82          | 51.00          | -13.82        | 68.20          | 17.20       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1182.09         | 65.66          | 41.03          | -24.63        | 74.00          | 32.97       | PK       | Horizontal | PASS    |
| 2              | 2334.17         | 56.85          | 37.07          | -19.78        | 74.00          | 36.93       | PK       | Horizontal | PASS    |
| 3              | 3909.95         | 58.48          | 39.62          | -18.86        | 74.00          | 34.38       | PK       | Horizontal | PASS    |
| 4              | 5503.25         | 61.09          | 44.53          | -16.56        | 68.20          | 23.67       | PK       | Horizontal | PASS    |
| 5              | 6875.94         | 58.21          | 44.35          | -13.86        | 68.20          | 23.85       | PK       | Horizontal | PASS    |
| 6              | 7334.67         | 63.38          | 49.06          | -14.32        | 74.00          | 24.94       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1161.08         | 63.33          | 38.68          | -24.65        | 74.00          | 35.32       | PK       | Vertical | PASS    |
| 2              | 2215.11         | 58.19          | 38.36          | -19.83        | 74.00          | 35.64       | PK       | Vertical | PASS    |
| 3              | 3290.15         | 56.88          | 38.33          | -18.55        | 68.20          | 29.87       | PK       | Vertical | PASS    |
| 4              | 4442.22         | 56.88          | 38.89          | -17.99        | 68.20          | 29.31       | PK       | Vertical | PASS    |
| 5              | 5499.75         | 57.61          | 41.04          | -16.57        | 68.20          | 27.16       | PK       | Vertical | PASS    |
| 6              | 7334.67         | 58.54          | 44.22          | -14.32        | 74.00          | 29.78       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level

# TX Radiated Test Result




| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1168.08         | 65.51          | 40.86          | -24.65        | 74.00          | 33.14       | PK       | Horizontal | PASS    |
| 2              | 2250.13         | 57.02          | 37.21          | -19.81        | 74.00          | 36.79       | PK       | Horizontal | PASS    |
| 3              | 4277.64         | 56.49          | 39.05          | -17.44        | 74.00          | 34.95       | PK       | Horizontal | PASS    |
| 4              | 5583.79         | 64.65          | 48.28          | -16.37        | 68.20          | 19.92       | PK       | Horizontal | PASS    |
| 5              | 6973.99         | 61.47          | 48.18          | -13.29        | 68.20          | 20.02       | PK       | Horizontal | PASS    |
| 6              | 7439.72         | 67.50          | 53.26          | -14.24        | 74.00          | 20.74       | PK       | Horizontal | PASS    |

| AVG Data List |                 |               |                   |                   |                   |                |            |         |
|---------------|-----------------|---------------|-------------------|-------------------|-------------------|----------------|------------|---------|
| NO.           | Frequency [MHz] | Factor [dB/m] | AV Reading [dBμV] | AV Value [dBμV/m] | AV Limit [dBμV/m] | AV Margin [dB] | Polarity   | Verdict |
| 1             | 7439.72         | -14.24        | 63.26             | 49.02             | 54.00             | 4.98           | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1171.59         | 65.82          | 41.17          | -24.65        | 74.00          | 32.83       | PK       | Vertical | PASS    |
| 2              | 1917.46         | 58.10          | 37.51          | -20.59        | 68.20          | 30.69       | PK       | Vertical | PASS    |
| 3              | 3563.28         | 57.87          | 38.93          | -18.94        | 68.20          | 29.27       | PK       | Vertical | PASS    |
| 4              | 5580.29         | 65.26          | 48.88          | -16.38        | 68.20          | 19.32       | PK       | Vertical | PASS    |
| 5              | 6973.99         | 58.05          | 44.76          | -13.29        | 68.20          | 23.44       | PK       | Vertical | PASS    |
| 6              | 7439.72         | 65.07          | 50.83          | -14.24        | 74.00          | 23.17       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1175.09         | 65.56          | 40.92          | -24.64        | 74.00          | 33.08       | PK       | Horizontal | PASS    |
| 2              | 2397.20         | 57.52          | 37.76          | -19.76        | 68.20          | 30.44       | PK       | Horizontal | PASS    |
| 3              | 4253.13         | 56.39          | 39.06          | -17.33        | 74.00          | 34.94       | PK       | Horizontal | PASS    |
| 4              | 6063.53         | 59.39          | 44.00          | -15.39        | 68.20          | 24.20       | PK       | Horizontal | PASS    |
| 5              | 7124.56         | 63.11          | 49.05          | -14.06        | 68.20          | 19.15       | PK       | Horizontal | PASS    |
| 6              | 7600.80         | 63.85          | 49.33          | -14.52        | 74.00          | 24.67       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1150.58         | 64.83          | 40.17          | -24.66        | 74.00          | 33.83       | PK       | Vertical | PASS    |
| 2              | 2082.04         | 57.93          | 38.13          | -19.80        | 68.20          | 30.07       | PK       | Vertical | PASS    |
| 3              | 3167.58         | 57.84          | 39.36          | -18.48        | 68.20          | 28.84       | PK       | Vertical | PASS    |
| 4              | 4372.19         | 56.90          | 39.05          | -17.85        | 74.00          | 34.95       | PK       | Vertical | PASS    |
| 5              | 6494.25         | 55.88          | 41.26          | -14.62        | 68.20          | 26.94       | PK       | Vertical | PASS    |
| 6              | 7600.80         | 61.45          | 46.93          | -14.52        | 74.00          | 27.07       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1182.09         | 68.64          | 44.01          | -24.63        | 74.00          | 29.99       | PK       | Horizontal | PASS    |
| 2              | 2775.39         | 56.80          | 37.64          | -19.16        | 74.00          | 36.36       | PK       | Horizontal | PASS    |
| 3              | 4400.20         | 56.86          | 38.89          | -17.97        | 68.20          | 29.31       | PK       | Horizontal | PASS    |
| 4              | 6084.54         | 59.61          | 44.26          | -15.35        | 68.20          | 23.94       | PK       | Horizontal | PASS    |
| 5              | 7149.07         | 60.62          | 46.38          | -14.24        | 68.20          | 21.82       | PK       | Horizontal | PASS    |
| 6              | 7625.31         | 65.60          | 51.12          | -14.48        | 74.00          | 22.88       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1185.59         | 66.64          | 42.00          | -24.64        | 74.00          | 32.00       | PK       | Vertical | PASS    |
| 2              | 2414.71         | 60.02          | 40.28          | -19.74        | 68.20          | 27.92       | PK       | Vertical | PASS    |
| 3              | 3822.41         | 56.93          | 38.27          | -18.66        | 74.00          | 35.73       | PK       | Vertical | PASS    |
| 4              | 4802.90         | 55.98          | 38.11          | -17.87        | 74.00          | 35.89       | PK       | Vertical | PASS    |
| 5              | 6172.09         | 55.62          | 40.45          | -15.17        | 68.20          | 27.75       | PK       | Vertical | PASS    |
| 6              | 7625.31         | 61.59          | 47.11          | -14.48        | 74.00          | 26.89       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1171.59         | 66.54          | 41.89          | -24.65        | 74.00          | 32.11       | PK       | Horizontal | PASS    |
| 2              | 1948.97         | 59.85          | 39.56          | -20.29        | 68.20          | 28.64       | PK       | Horizontal | PASS    |
| 3              | 3115.06         | 57.04          | 38.56          | -18.48        | 68.20          | 29.64       | PK       | Horizontal | PASS    |
| 4              | 4515.76         | 56.84          | 38.78          | -18.06        | 74.00          | 35.22       | PK       | Horizontal | PASS    |
| 5              | 6105.55         | 59.62          | 44.30          | -15.32        | 68.20          | 23.90       | PK       | Horizontal | PASS    |
| 6              | 7660.33         | 66.20          | 51.76          | -14.44        | 74.00          | 22.24       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1164.58         | 64.85          | 40.20          | -24.65        | 74.00          | 33.80       | PK       | Vertical | PASS    |
| 2              | 2481.24         | 61.63          | 41.98          | -19.65        | 68.20          | 26.22       | PK       | Vertical | PASS    |
| 3              | 3167.58         | 60.10          | 41.62          | -18.48        | 68.20          | 26.58       | PK       | Vertical | PASS    |
| 4              | 4274.14         | 57.52          | 40.10          | -17.42        | 74.00          | 33.90       | PK       | Vertical | PASS    |
| 5              | 6109.05         | 59.76          | 44.46          | -15.30        | 68.20          | 23.74       | PK       | Vertical | PASS    |
| 6              | 7660.33         | 61.41          | 46.97          | -14.44        | 74.00          | 27.03       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1178.59         | 67.05          | 42.41          | -24.64        | 74.00          | 31.59       | PK       | Horizontal | PASS    |
| 2              | 1938.47         | 59.32          | 38.94          | -20.38        | 68.20          | 29.26       | PK       | Horizontal | PASS    |
| 3              | 3132.57         | 57.74          | 39.27          | -18.47        | 68.20          | 28.93       | PK       | Horizontal | PASS    |
| 4              | 4568.28         | 57.05          | 38.89          | -18.16        | 74.00          | 35.11       | PK       | Horizontal | PASS    |
| 5              | 6144.07         | 59.43          | 44.21          | -15.22        | 68.20          | 23.99       | PK       | Horizontal | PASS    |
| 6              | 7712.86         | 66.93          | 52.57          | -14.36        | 74.00          | 21.43       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1168.08         | 64.70          | 40.05          | -24.65        | 74.00          | 33.95       | PK       | Vertical | PASS    |
| 2              | 2215.11         | 57.30          | 37.47          | -19.83        | 74.00          | 36.53       | PK       | Vertical | PASS    |
| 3              | 4074.54         | 57.14          | 38.81          | -18.33        | 74.00          | 35.19       | PK       | Vertical | PASS    |
| 4              | 5230.12         | 54.78          | 37.75          | -17.03        | 68.20          | 30.45       | PK       | Vertical | PASS    |
| 5              | 6147.57         | 58.88          | 43.66          | -15.22        | 68.20          | 24.54       | PK       | Vertical | PASS    |
| 6              | 7712.86         | 62.70          | 48.34          | -14.36        | 74.00          | 25.66       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1175.09         | 66.11          | 41.47          | -24.64        | 74.00          | 32.53       | PK       | Horizontal | PASS    |
| 2              | 2400.70         | 62.21          | 42.45          | -19.76        | 68.20          | 25.75       | PK       | Horizontal | PASS    |
| 3              | 3248.12         | 57.38          | 38.87          | -18.51        | 68.20          | 29.33       | PK       | Horizontal | PASS    |
| 4              | 4298.65         | 56.59          | 39.07          | -17.52        | 74.00          | 34.93       | PK       | Horizontal | PASS    |
| 5              | 6196.60         | 61.03          | 45.92          | -15.11        | 68.20          | 22.28       | PK       | Horizontal | PASS    |
| 6              | 7765.38         | 68.10          | 53.82          | -14.28        | 68.20          | 14.38       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level

# TX Radiated Test Result




| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1150.58         | 64.35          | 39.69          | -24.66        | 74.00          | 34.31       | PK       | Vertical | PASS    |
| 2              | 2400.70         | 59.58          | 39.82          | -19.76        | 68.20          | 28.38       | PK       | Vertical | PASS    |
| 3              | 3167.58         | 59.26          | 40.78          | -18.48        | 68.20          | 27.42       | PK       | Vertical | PASS    |
| 4              | 4235.62         | 56.97          | 39.72          | -17.25        | 74.00          | 34.28       | PK       | Vertical | PASS    |
| 5              | 5821.91         | 59.88          | 44.00          | -15.88        | 68.20          | 24.20       | PK       | Vertical | PASS    |
| 6              | 7765.38         | 62.46          | 48.18          | -14.28        | 68.20          | 20.02       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level

## 8.4. SPURIOUS EMISSIONS(1 GHZ~8 GHZ)-ANT2


### TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO             | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1189.09         | 65.35          | 40.72          | -24.63        | 74.00          | 33.28       | PK       | Horizontal | PASS    |
| 2              | 2425.21         | 64.81          | 45.08          | -19.73        | 68.20          | 23.12       | PK       | Horizontal | PASS    |
| 3              | 3920.46         | 56.71          | 37.82          | -18.89        | 74.00          | 36.18       | PK       | Horizontal | PASS    |
| 4              | 4855.43         | 56.30          | 38.55          | -17.75        | 74.00          | 35.45       | PK       | Horizontal | PASS    |
| 5              | 5958.48         | 55.09          | 39.48          | -15.61        | 68.20          | 28.72       | PK       | Horizontal | PASS    |
| 6              | 6907.45         | 60.95          | 47.27          | -13.68        | 68.20          | 20.93       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1143.57         | 65.73          | 41.07          | -24.66        | 74.00          | 32.93       | PK       | Vertical | PASS    |
| 2              | 2400.70         | 64.69          | 44.93          | -19.76        | 68.20          | 23.27       | PK       | Vertical | PASS    |
| 3              | 3720.86         | 56.76          | 38.01          | -18.75        | 74.00          | 35.99       | PK       | Vertical | PASS    |
| 4              | 4967.48         | 55.92          | 38.44          | -17.48        | 74.00          | 35.56       | PK       | Vertical | PASS    |
| 5              | 5723.86         | 53.69          | 37.61          | -16.08        | 68.20          | 30.59       | PK       | Vertical | PASS    |
| 6              | 6907.45         | 58.68          | 45.00          | -13.68        | 68.20          | 23.20       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1185.59         | 65.81          | 41.17          | -24.64        | 74.00          | 32.83       | PK       | Horizontal | PASS    |
| 2              | 2446.22         | 60.93          | 41.23          | -19.70        | 68.20          | 26.97       | PK       | Horizontal | PASS    |
| 3              | 3167.58         | 58.35          | 39.87          | -18.48        | 68.20          | 28.33       | PK       | Horizontal | PASS    |
| 4              | 4260.13         | 57.18          | 39.82          | -17.36        | 74.00          | 34.18       | PK       | Horizontal | PASS    |
| 5              | 4869.43         | 58.80          | 41.08          | -17.72        | 74.00          | 32.92       | PK       | Horizontal | PASS    |
| 6              | 6931.97         | 62.20          | 48.67          | -13.53        | 68.20          | 19.53       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1164.58         | 63.99          | 39.34          | -24.65        | 74.00          | 34.66       | PK       | Vertical | PASS    |
| 2              | 2411.21         | 61.22          | 41.48          | -19.74        | 68.20          | 26.72       | PK       | Vertical | PASS    |
| 3              | 3563.28         | 58.18          | 39.24          | -18.94        | 68.20          | 28.96       | PK       | Vertical | PASS    |
| 4              | 4977.99         | 56.35          | 38.89          | -17.46        | 74.00          | 35.11       | PK       | Vertical | PASS    |
| 5              | 6280.64         | 54.87          | 39.85          | -15.02        | 68.20          | 28.35       | PK       | Vertical | PASS    |
| 6              | 6931.97         | 60.94          | 47.41          | -13.53        | 68.20          | 20.79       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
 (2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1189.09         | 68.10          | 43.47          | -24.63        | 74.00          | 30.53       | PK       | Horizontal | PASS    |
| 2              | 2463.73         | 59.20          | 39.53          | -19.67        | 68.20          | 28.67       | PK       | Horizontal | PASS    |
| 3              | 3416.21         | 57.34          | 38.68          | -18.66        | 68.20          | 29.52       | PK       | Horizontal | PASS    |
| 4              | 4295.15         | 56.84          | 39.33          | -17.51        | 74.00          | 34.67       | PK       | Horizontal | PASS    |
| 5              | 4914.96         | 59.30          | 41.70          | -17.60        | 74.00          | 32.30       | PK       | Horizontal | PASS    |
| 6              | 6987.99         | 62.85          | 49.66          | -13.19        | 68.20          | 18.54       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1154.08         | 64.49          | 39.83          | -24.66        | 74.00          | 34.17       | PK       | Vertical | PASS    |
| 2              | 2425.21         | 60.33          | 40.60          | -19.73        | 68.20          | 27.60       | PK       | Vertical | PASS    |
| 3              | 3381.19         | 57.34          | 38.73          | -18.61        | 68.20          | 29.47       | PK       | Vertical | PASS    |
| 4              | 4442.22         | 56.96          | 38.97          | -17.99        | 68.20          | 29.23       | PK       | Vertical | PASS    |
| 5              | 4967.48         | 56.10          | 38.62          | -17.48        | 74.00          | 35.38       | PK       | Vertical | PASS    |
| 6              | 6987.99         | 61.22          | 48.03          | -13.19        | 68.20          | 20.17       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1178.59         | 66.18          | 41.54          | -24.64        | 74.00          | 32.46       | PK       | Horizontal | PASS    |
| 2              | 1938.47         | 61.38          | 41.00          | -20.38        | 68.20          | 27.20       | PK       | Horizontal | PASS    |
| 3              | 2418.21         | 63.67          | 43.93          | -19.74        | 68.20          | 24.27       | PK       | Horizontal | PASS    |
| 4              | 4015.01         | 56.99          | 38.07          | -18.92        | 74.00          | 35.93       | PK       | Horizontal | PASS    |
| 5              | 4935.97         | 59.74          | 42.19          | -17.55        | 74.00          | 31.81       | PK       | Horizontal | PASS    |
| 6              | 7012.51         | 63.68          | 50.46          | -13.22        | 68.20          | 17.74       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1168.08         | 64.61          | 39.96          | -24.65        | 74.00          | 34.04       | PK       | Vertical | PASS    |
| 2              | 2547.77         | 60.41          | 40.92          | -19.49        | 68.20          | 27.28       | PK       | Vertical | PASS    |
| 3              | 3731.37         | 56.84          | 38.11          | -18.73        | 74.00          | 35.89       | PK       | Vertical | PASS    |
| 4              | 4974.49         | 56.64          | 39.18          | -17.46        | 74.00          | 34.82       | PK       | Vertical | PASS    |
| 5              | 6574.79         | 59.49          | 45.02          | -14.47        | 68.20          | 23.18       | PK       | Vertical | PASS    |
| 6              | 7012.51         | 61.58          | 48.36          | -13.22        | 68.20          | 19.84       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1175.09         | 67.59          | 42.95          | -24.64        | 74.00          | 31.05       | PK       | Horizontal | PASS    |
| 2              | 2211.61         | 57.27          | 37.45          | -19.82        | 74.00          | 36.55       | PK       | Horizontal | PASS    |
| 3              | 3381.19         | 57.09          | 38.48          | -18.61        | 68.20          | 29.72       | PK       | Horizontal | PASS    |
| 4              | 4946.47         | 59.76          | 42.24          | -17.52        | 74.00          | 31.76       | PK       | Horizontal | PASS    |
| 5              | 5975.99         | 55.50          | 39.92          | -15.58        | 68.20          | 28.28       | PK       | Horizontal | PASS    |
| 6              | 7040.52         | 63.22          | 49.79          | -13.43        | 68.20          | 18.41       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO             | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1161.08         | 66.20          | 41.55          | -24.65        | 74.00          | 32.45       | PK       | Vertical | PASS    |
| 2              | 2481.24         | 60.66          | 41.01          | -19.65        | 68.20          | 27.19       | PK       | Vertical | PASS    |
| 3              | 3563.28         | 58.45          | 39.51          | -18.94        | 68.20          | 28.69       | PK       | Vertical | PASS    |
| 4              | 4263.63         | 57.01          | 39.64          | -17.37        | 74.00          | 34.36       | PK       | Vertical | PASS    |
| 5              | 5965.48         | 54.93          | 39.33          | -15.60        | 68.20          | 28.87       | PK       | Vertical | PASS    |
| 6              | 7040.52         | 61.94          | 48.51          | -13.43        | 68.20          | 19.69       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1189.09         | 67.02          | 42.39          | -24.63        | 74.00          | 31.61       | PK       | Horizontal | PASS    |
| 2              | 2428.71         | 60.52          | 40.79          | -19.73        | 68.20          | 27.41       | PK       | Horizontal | PASS    |
| 3              | 3853.93         | 56.46          | 37.73          | -18.73        | 74.00          | 36.27       | PK       | Horizontal | PASS    |
| 4              | 4981.49         | 59.80          | 42.35          | -17.45        | 74.00          | 31.65       | PK       | Horizontal | PASS    |
| 5              | 6651.83         | 60.14          | 45.75          | -14.39        | 68.20          | 22.45       | PK       | Horizontal | PASS    |
| 6              | 7093.05         | 67.53          | 53.71          | -13.82        | 68.20          | 14.49       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1161.08         | 64.66          | 40.01          | -24.65        | 74.00          | 33.99       | PK       | Vertical | PASS    |
| 2              | 2432.22         | 69.70          | 49.99          | -19.71        | 68.20          | 18.21       | PK       | Vertical | PASS    |
| 3              | 3472.24         | 57.18          | 38.38          | -18.80        | 68.20          | 29.82       | PK       | Vertical | PASS    |
| 4              | 4984.99         | 56.31          | 38.87          | -17.44        | 74.00          | 35.13       | PK       | Vertical | PASS    |
| 5              | 5989.99         | 55.92          | 40.37          | -15.55        | 68.20          | 27.83       | PK       | Vertical | PASS    |
| 6              | 7093.05         | 65.84          | 52.02          | -13.82        | 68.20          | 16.18       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1171.59         | 66.81          | 42.16          | -24.65        | 74.00          | 31.84       | PK       | Horizontal | PASS    |
| 2              | 1756.38         | 66.81          | 44.67          | -22.14        | 68.20          | 23.53       | PK       | Horizontal | PASS    |
| 3              | 3293.65         | 57.74          | 39.19          | -18.55        | 68.20          | 29.01       | PK       | Horizontal | PASS    |
| 4              | 4445.72         | 56.65          | 38.65          | -18.00        | 68.20          | 29.55       | PK       | Horizontal | PASS    |
| 5              | 5506.75         | 57.95          | 41.40          | -16.55        | 68.20          | 26.80       | PK       | Horizontal | PASS    |
| 6              | 7334.67         | 66.27          | 51.95          | -14.32        | 74.00          | 22.05       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1164.58         | 64.28          | 39.63          | -24.65        | 74.00          | 34.37       | PK       | Vertical | PASS    |
| 2              | 1766.88         | 69.33          | 47.29          | -22.04        | 68.20          | 20.91       | PK       | Vertical | PASS    |
| 3              | 3920.46         | 56.68          | 37.79          | -18.89        | 74.00          | 36.21       | PK       | Vertical | PASS    |
| 4              | 4918.46         | 56.07          | 38.48          | -17.59        | 74.00          | 35.52       | PK       | Vertical | PASS    |
| 5              | 6875.94         | 58.37          | 44.51          | -13.86        | 68.20          | 23.69       | PK       | Vertical | PASS    |
| 6              | 7334.67         | 62.10          | 47.78          | -14.32        | 74.00          | 26.22       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1185.59         | 68.07          | 43.43          | -24.64        | 74.00          | 30.57       | PK       | Horizontal | PASS    |
| 2              | 2428.71         | 64.53          | 44.80          | -19.73        | 68.20          | 23.40       | PK       | Horizontal | PASS    |
| 3              | 3839.92         | 56.76          | 38.07          | -18.69        | 74.00          | 35.93       | PK       | Horizontal | PASS    |
| 4              | 5583.79         | 63.36          | 46.99          | -16.37        | 68.20          | 21.21       | PK       | Horizontal | PASS    |
| 5              | 6973.99         | 60.99          | 47.70          | -13.29        | 68.20          | 20.50       | PK       | Horizontal | PASS    |
| 6              | 7439.72         | 63.54          | 49.30          | -14.24        | 74.00          | 24.70       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1164.58         | 66.03          | 41.38          | -24.65        | 74.00          | 32.62       | PK       | Vertical | PASS    |
| 2              | 2453.23         | 66.82          | 47.13          | -19.69        | 68.20          | 21.07       | PK       | Vertical | PASS    |
| 3              | 4186.59         | 56.97          | 39.74          | -17.23        | 74.00          | 34.26       | PK       | Vertical | PASS    |
| 4              | 5580.29         | 64.88          | 48.50          | -16.38        | 68.20          | 19.70       | PK       | Vertical | PASS    |
| 5              | 6973.99         | 60.90          | 47.61          | -13.29        | 68.20          | 20.59       | PK       | Vertical | PASS    |
| 6              | 7439.72         | 61.95          | 47.71          | -14.24        | 74.00          | 26.29       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1189.09         | 65.03          | 40.40          | -24.63        | 74.00          | 33.60       | PK       | Horizontal | PASS    |
| 2              | 2411.21         | 58.22          | 38.48          | -19.74        | 68.20          | 29.72       | PK       | Horizontal | PASS    |
| 3              | 3594.80         | 56.25          | 37.27          | -18.98        | 68.20          | 30.93       | PK       | Horizontal | PASS    |
| 4              | 6063.53         | 59.89          | 44.50          | -15.39        | 68.20          | 23.70       | PK       | Horizontal | PASS    |
| 5              | 7124.56         | 63.22          | 49.16          | -14.06        | 68.20          | 19.04       | PK       | Horizontal | PASS    |
| 6              | 7600.80         | 62.38          | 47.86          | -14.52        | 74.00          | 26.14       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1150.58         | 65.56          | 40.90          | -24.66        | 74.00          | 33.10       | PK       | Vertical | PASS    |
| 2              | 1938.47         | 66.27          | 45.89          | -20.38        | 68.20          | 22.31       | PK       | Vertical | PASS    |
| 3              | 3167.58         | 57.91          | 39.43          | -18.48        | 68.20          | 28.77       | PK       | Vertical | PASS    |
| 4              | 4288.14         | 56.54          | 39.07          | -17.47        | 74.00          | 34.93       | PK       | Vertical | PASS    |
| 5              | 7124.56         | 60.64          | 46.58          | -14.06        | 68.20          | 21.62       | PK       | Vertical | PASS    |
| 6              | 7600.80         | 60.21          | 45.69          | -14.52        | 74.00          | 28.31       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1171.59         | 66.91          | 42.26          | -24.65        | 74.00          | 31.74       | PK       | Horizontal | PASS    |
| 2              | 1948.97         | 65.43          | 45.14          | -20.29        | 68.20          | 23.06       | PK       | Horizontal | PASS    |
| 3              | 2463.73         | 65.56          | 45.89          | -19.67        | 68.20          | 22.31       | PK       | Horizontal | PASS    |
| 4              | 4260.13         | 57.95          | 40.59          | -17.36        | 74.00          | 33.41       | PK       | Horizontal | PASS    |
| 5              | 6070.54         | 60.46          | 45.08          | -15.38        | 68.20          | 23.12       | PK       | Horizontal | PASS    |
| 6              | 7625.31         | 63.80          | 49.32          | -14.48        | 74.00          | 24.68       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1147.07         | 65.01          | 40.34          | -24.67        | 74.00          | 33.66       | PK       | Vertical | PASS    |
| 2              | 2400.70         | 66.65          | 46.89          | -19.76        | 68.20          | 21.31       | PK       | Vertical | PASS    |
| 3              | 3360.18         | 56.72          | 38.13          | -18.59        | 68.20          | 30.07       | PK       | Vertical | PASS    |
| 4              | 4935.97         | 56.95          | 39.40          | -17.55        | 74.00          | 34.60       | PK       | Vertical | PASS    |
| 5              | 6084.54         | 59.64          | 44.29          | -15.35        | 68.20          | 23.91       | PK       | Vertical | PASS    |
| 6              | 7625.31         | 60.54          | 46.06          | -14.48        | 74.00          | 27.94       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1189.09         | 66.21          | 41.58          | -24.63        | 74.00          | 32.42       | PK       | Horizontal | PASS    |
| 2              | 2467.23         | 63.56          | 43.88          | -19.68        | 68.20          | 24.32       | PK       | Horizontal | PASS    |
| 3              | 4253.13         | 56.34          | 39.01          | -17.33        | 74.00          | 34.99       | PK       | Horizontal | PASS    |
| 4              | 6109.05         | 59.90          | 44.60          | -15.30        | 68.20          | 23.60       | PK       | Horizontal | PASS    |
| 5              | 7180.59         | 63.35          | 48.88          | -14.47        | 68.20          | 19.32       | PK       | Horizontal | PASS    |
| 6              | 7660.33         | 62.69          | 48.25          | -14.44        | 74.00          | 25.75       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1147.07         | 63.54          | 38.87          | -24.67        | 74.00          | 35.13       | PK       | Vertical | PASS    |
| 2              | 2411.21         | 61.07          | 41.33          | -19.74        | 68.20          | 26.87       | PK       | Vertical | PASS    |
| 3              | 3384.69         | 57.19          | 38.58          | -18.61        | 68.20          | 29.62       | PK       | Vertical | PASS    |
| 4              | 4239.12         | 56.58          | 39.32          | -17.26        | 74.00          | 34.68       | PK       | Vertical | PASS    |
| 5              | 6109.05         | 60.46          | 45.16          | -15.30        | 68.20          | 23.04       | PK       | Vertical | PASS    |
| 6              | 7660.33         | 59.83          | 45.39          | -14.44        | 74.00          | 28.61       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1178.59         | 66.30          | 41.66          | -24.64        | 74.00          | 32.34       | PK       | Horizontal | PASS    |
| 2              | 2411.21         | 64.95          | 45.21          | -19.74        | 68.20          | 22.99       | PK       | Horizontal | PASS    |
| 3              | 4176.09         | 56.59          | 39.26          | -17.33        | 74.00          | 34.74       | PK       | Horizontal | PASS    |
| 4              | 6056.53         | 55.84          | 40.43          | -15.41        | 68.20          | 27.77       | PK       | Horizontal | PASS    |
| 5              | 7233.12         | 63.75          | 49.21          | -14.54        | 68.20          | 18.99       | PK       | Horizontal | PASS    |
| 6              | 7712.86         | 61.16          | 46.80          | -14.36        | 74.00          | 27.20       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1140.07         | 64.25          | 39.57          | -24.68        | 74.00          | 34.43       | PK       | Vertical | PASS    |
| 2              | 2425.21         | 59.86          | 40.13          | -19.73        | 68.20          | 28.07       | PK       | Vertical | PASS    |
| 3              | 3167.58         | 59.04          | 40.56          | -18.48        | 68.20          | 27.64       | PK       | Vertical | PASS    |
| 4              | 4379.19         | 57.09          | 39.21          | -17.88        | 74.00          | 34.79       | PK       | Vertical | PASS    |
| 5              | 6151.08         | 59.03          | 43.82          | -15.21        | 68.20          | 24.38       | PK       | Vertical | PASS    |
| 6              | 7229.61         | 61.16          | 46.61          | -14.55        | 68.20          | 21.59       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 1182.09         | 66.68          | 42.05          | -24.63        | 74.00          | 31.95       | PK       | Horizontal | PASS    |
| 2              | 2267.63         | 56.71          | 36.90          | -19.81        | 74.00          | 37.10       | PK       | Horizontal | PASS    |
| 3              | 3269.13         | 56.49          | 37.96          | -18.53        | 68.20          | 30.24       | PK       | Horizontal | PASS    |
| 4              | 4281.14         | 56.55          | 39.10          | -17.45        | 74.00          | 34.90       | PK       | Horizontal | PASS    |
| 5              | 6193.10         | 58.08          | 42.95          | -15.13        | 68.20          | 25.25       | PK       | Horizontal | PASS    |
| 6              | 7765.38         | 61.63          | 47.35          | -14.28        | 68.20          | 20.85       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level

# TX Radiated Test Result




| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO             | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 1154.08         | 64.26          | 39.60          | -24.66        | 74.00          | 34.40       | PK       | Vertical | PASS    |
| 2              | 2474.24         | 64.24          | 44.59          | -19.65        | 68.20          | 23.61       | PK       | Vertical | PASS    |
| 3              | 3167.58         | 58.36          | 39.88          | -18.48        | 68.20          | 28.32       | PK       | Vertical | PASS    |
| 4              | 4386.19         | 57.10          | 39.19          | -17.91        | 74.00          | 34.81       | PK       | Vertical | PASS    |
| 5              | 5828.91         | 59.93          | 44.05          | -15.88        | 68.20          | 24.15       | PK       | Vertical | PASS    |
| 6              | 7765.38         | 58.26          | 43.98          | -14.28        | 68.20          | 24.22       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level

## 8.5. SPURIOUS EMISSIONS(8 GHZ~18 GHZ)-ANT1

### TX Radiated Test Result




#### PEAK Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| 1   | 9325.66         | 51.69          | 40.94          | -10.75        | 74.00          | 33.06       | PK       | Horizontal | PASS    |
| 2   | 11001.50        | 49.29          | 40.89          | -8.40         | 74.00          | 33.11       | PK       | Horizontal | PASS    |
| 3   | 12322.16        | 51.61          | 42.00          | -9.61         | 74.00          | 32.00       | PK       | Horizontal | PASS    |
| 4   | 13902.95        | 52.11          | 40.69          | -11.42        | 68.20          | 27.51       | PK       | Horizontal | PASS    |
| 5   | 15333.67        | 50.14          | 40.78          | -9.36         | 68.20          | 27.42       | PK       | Horizontal | PASS    |
| 6   | 17684.84        | 48.05          | 42.25          | -5.80         | 68.20          | 25.95       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9040.52         | 52.31          | 40.75          | -11.56        | 74.00          | 33.25       | PK       | Vertical | PASS    |
| 2              | 11476.74        | 50.23          | 41.07          | -9.16         | 74.00          | 32.93       | PK       | Vertical | PASS    |
| 3              | 13412.71        | 52.14          | 40.38          | -11.76        | 68.20          | 27.82       | PK       | Vertical | PASS    |
| 4              | 14983.49        | 51.10          | 42.00          | -9.10         | 68.20          | 26.20       | PK       | Vertical | PASS    |
| 5              | 16014.01        | 49.42          | 41.18          | -8.24         | 74.00          | 32.82       | PK       | Vertical | PASS    |
| 6              | 17534.77        | 48.03          | 41.46          | -6.57         | 68.20          | 26.74       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9065.53         | 51.94          | 40.52          | -11.42        | 74.00          | 33.48       | PK       | Horizontal | PASS    |
| 2              | 10486.24        | 50.29          | 40.67          | -9.62         | 68.20          | 27.53       | PK       | Horizontal | PASS    |
| 3              | 12262.13        | 51.00          | 41.35          | -9.65         | 74.00          | 32.65       | PK       | Horizontal | PASS    |
| 4              | 13762.88        | 52.15          | 40.79          | -11.36        | 68.20          | 27.41       | PK       | Horizontal | PASS    |
| 5              | 16014.01        | 49.24          | 41.00          | -8.24         | 74.00          | 33.00       | PK       | Horizontal | PASS    |
| 6              | 17124.56        | 48.58          | 41.20          | -7.38         | 68.20          | 27.00       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9325.66         | 51.42          | 40.67          | -10.75        | 74.00          | 33.33       | PK       | Vertical | PASS    |
| 2              | 10401.20        | 52.19          | 42.16          | -10.03        | 68.20          | 26.04       | PK       | Vertical | PASS    |
| 3              | 12117.06        | 51.13          | 41.55          | -9.58         | 74.00          | 32.45       | PK       | Vertical | PASS    |
| 4              | 13427.71        | 54.41          | 42.65          | -11.76        | 68.20          | 25.55       | PK       | Vertical | PASS    |
| 5              | 15628.81        | 50.44          | 41.58          | -8.86         | 74.00          | 32.42       | PK       | Vertical | PASS    |
| 6              | 17374.69        | 48.73          | 41.78          | -6.95         | 68.20          | 26.42       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level

# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9090.55         | 52.09          | 40.81          | -11.28        | 74.00          | 33.19       | PK       | Horizontal | PASS    |
| 2              | 10796.40        | 49.42          | 40.58          | -8.84         | 74.00          | 33.42       | PK       | Horizontal | PASS    |
| 3              | 12687.34        | 51.63          | 40.23          | -11.40        | 74.00          | 33.77       | PK       | Horizontal | PASS    |
| 4              | 14933.47        | 50.27          | 40.85          | -9.42         | 68.20          | 27.35       | PK       | Horizontal | PASS    |
| 5              | 16064.03        | 49.21          | 40.85          | -8.36         | 74.00          | 33.15       | PK       | Horizontal | PASS    |
| 6              | 16984.49        | 48.81          | 41.19          | -7.62         | 68.20          | 27.01       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level