



TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8955.48	52.41	40.72	-11.69	68.20	27.48	PK	Vertical	PASS
2	10096.05	51.69	41.50	-10.19	68.20	26.70	PK	Vertical	PASS
3	12062.03	50.61	41.08	-9.53	74.00	32.92	PK	Vertical	PASS
4	13732.87	52.77	41.33	-11.44	68.20	26.87	PK	Vertical	PASS
5	15838.92	49.84	40.87	-8.97	74.00	33.13	PK	Vertical	PASS
6	17214.61	48.43	41.20	-7.23	68.20	27.00	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9205.60	51.09	40.43	-10.66	68.20	27.77	PK	Horizontal	PASS
2	11126.56	49.25	40.84	-8.41	74.00	33.16	PK	Horizontal	PASS
3	12237.12	51.06	41.40	-9.66	74.00	32.60	PK	Horizontal	PASS
4	13717.86	52.83	41.36	-11.47	68.20	26.84	PK	Horizontal	PASS
5	15723.86	50.20	41.18	-9.02	74.00	32.82	PK	Horizontal	PASS
6	17174.59	48.09	40.79	-7.30	68.20	27.41	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9185.59	51.27	40.53	-10.74	74.00	33.47	PK	Vertical	PASS
2	10481.24	50.96	41.31	-9.65	68.20	26.89	PK	Vertical	PASS
3	12107.05	51.64	42.06	-9.58	74.00	31.94	PK	Vertical	PASS
4	13747.87	53.96	42.56	-11.40	68.20	25.64	PK	Vertical	PASS
5	15783.89	49.93	40.81	-9.12	74.00	33.19	PK	Vertical	PASS
6	17074.54	48.48	41.01	-7.47	68.20	27.19	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8720.36	53.87	41.86	-12.01	68.20	26.34	PK	Horizontal	PASS
2	10641.32	53.88	44.84	-9.04	74.00	29.16	PK	Horizontal	PASS
3	11276.64	49.16	40.61	-8.55	74.00	33.39	PK	Horizontal	PASS
4	13747.87	52.82	41.42	-11.40	68.20	26.78	PK	Horizontal	PASS
5	16004.00	49.98	41.76	-8.22	74.00	32.24	PK	Horizontal	PASS
6	17394.70	48.35	41.44	-6.91	68.20	26.76	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9180.59	51.12	40.35	-10.77	74.00	33.65	PK	Vertical	PASS
2	10641.32	55.61	46.57	-9.04	74.00	27.43	PK	Vertical	PASS
3	12237.12	51.44	41.78	-9.66	74.00	32.22	PK	Vertical	PASS
4	13602.80	53.24	41.49	-11.75	68.20	26.71	PK	Vertical	PASS
5	15848.92	50.59	41.67	-8.92	74.00	32.33	PK	Vertical	PASS
6	17389.69	47.86	40.94	-6.92	68.20	27.26	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9180.59	51.41	40.64	-10.77	74.00	33.36	PK	Horizontal	PASS
2	10561.28	53.26	44.00	-9.26	68.20	24.20	PK	Horizontal	PASS
3	12127.06	50.68	41.08	-9.60	74.00	32.92	PK	Horizontal	PASS
4	13662.83	53.23	41.62	-11.61	68.20	26.58	PK	Horizontal	PASS
5	15603.80	49.73	40.92	-8.81	74.00	33.08	PK	Horizontal	PASS
6	17464.73	48.58	41.83	-6.75	68.20	26.37	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9265.63	51.59	40.88	-10.71	68.20	27.32	PK	Vertical	PASS
2	10561.28	53.89	44.63	-9.26	68.20	23.57	PK	Vertical	PASS
3	12047.02	51.02	41.51	-9.51	74.00	32.49	PK	Vertical	PASS
4	13657.83	52.72	41.10	-11.62	68.20	27.10	PK	Vertical	PASS
5	15698.85	49.90	40.92	-8.98	74.00	33.08	PK	Vertical	PASS
6	17224.61	48.79	41.59	-7.20	68.20	26.61	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9565.78	51.67	41.13	-10.54	68.20	27.07	PK	Horizontal	PASS
2	11001.50	50.88	42.48	-8.40	74.00	31.52	PK	Horizontal	PASS
3	12177.09	51.59	41.94	-9.65	74.00	32.06	PK	Horizontal	PASS
4	13792.90	52.76	41.48	-11.28	68.20	26.72	PK	Horizontal	PASS
5	15668.83	50.27	41.34	-8.93	74.00	32.66	PK	Horizontal	PASS
6	17219.61	48.51	41.29	-7.22	68.20	26.91	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9435.72	51.63	40.87	-10.76	74.00	33.13	PK	Vertical	PASS
2	11001.50	55.10	46.70	-8.40	74.00	27.30	PK	Vertical	PASS
3	12422.21	50.43	40.67	-9.76	74.00	33.33	PK	Vertical	PASS
4	13807.90	52.71	41.42	-11.29	68.20	26.78	PK	Vertical	PASS
5	15513.76	50.16	41.14	-9.02	74.00	32.86	PK	Vertical	PASS
6	17154.58	49.07	41.74	-7.33	68.20	26.46	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9300.65	51.39	40.65	-10.74	74.00	33.35	PK	Horizontal	PASS
2	11156.58	51.21	42.79	-8.42	74.00	31.21	PK	Horizontal	PASS
3	12197.10	51.29	41.62	-9.67	74.00	32.38	PK	Horizontal	PASS
4	13912.96	52.74	41.31	-11.43	68.20	26.89	PK	Horizontal	PASS
5	16014.01	49.59	41.35	-8.24	74.00	32.65	PK	Horizontal	PASS
6	17664.83	47.95	42.01	-5.94	68.20	26.19	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9180.59	51.37	40.60	-10.77	74.00	33.40	PK	Vertical	PASS
2	11161.58	54.85	46.43	-8.42	74.00	27.57	PK	Vertical	PASS
3	12302.15	51.37	41.75	-9.62	74.00	32.25	PK	Vertical	PASS
4	13497.75	53.49	41.69	-11.80	68.20	26.51	PK	Vertical	PASS
5	16054.03	49.47	41.13	-8.34	74.00	32.87	PK	Vertical	PASS
6	17684.84	48.17	42.37	-5.80	68.20	25.83	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9455.73	51.95	41.22	-10.73	74.00	32.78	PK	Horizontal	PASS
2	11401.70	53.06	44.28	-8.78	74.00	29.72	PK	Horizontal	PASS
3	12247.12	51.12	41.47	-9.65	74.00	32.53	PK	Horizontal	PASS
4	13662.83	52.79	41.18	-11.61	68.20	27.02	PK	Horizontal	PASS
5	15718.86	50.62	41.61	-9.01	74.00	32.39	PK	Horizontal	PASS
6	16899.45	48.43	40.68	-7.75	68.20	27.52	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9325.66	51.43	40.68	-10.75	74.00	33.32	PK	Vertical	PASS
2	11401.70	54.28	45.50	-8.78	74.00	28.50	PK	Vertical	PASS
3	12282.14	51.16	41.52	-9.64	74.00	32.48	PK	Vertical	PASS
4	13592.80	53.10	41.34	-11.76	68.20	26.86	PK	Vertical	PASS
5	15673.84	50.03	41.09	-8.94	74.00	32.91	PK	Vertical	PASS
6	17374.69	48.76	41.81	-6.95	68.20	26.39	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9445.72	51.62	40.88	-10.74	74.00	33.12	PK	Horizontal	PASS
2	11446.72	52.86	43.85	-9.01	74.00	30.15	PK	Horizontal	PASS
3	12207.10	51.66	41.98	-9.68	74.00	32.02	PK	Horizontal	PASS
4	13887.94	53.20	41.80	-11.40	68.20	26.40	PK	Horizontal	PASS
5	15643.82	49.66	40.77	-8.89	74.00	33.23	PK	Horizontal	PASS
6	17829.91	46.96	41.77	-5.19	74.00	32.23	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9170.59	51.52	40.69	-10.83	74.00	33.31	PK	Vertical	PASS
2	11431.72	55.32	46.38	-8.94	74.00	27.62	PK	Vertical	PASS
3	12172.09	51.43	41.78	-9.65	74.00	32.22	PK	Vertical	PASS
4	13912.96	52.40	40.97	-11.43	68.20	27.23	PK	Vertical	PASS
5	15843.92	50.02	41.07	-8.95	74.00	32.93	PK	Vertical	PASS
6	17254.63	48.52	41.37	-7.15	68.20	26.83	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9175.59	51.30	40.50	-10.80	74.00	33.50	PK	Horizontal	PASS
2	11491.75	54.26	45.01	-9.25	74.00	28.99	PK	Horizontal	PASS
3	12132.07	51.26	41.66	-9.60	74.00	32.34	PK	Horizontal	PASS
4	13567.78	53.68	41.91	-11.77	68.20	26.29	PK	Horizontal	PASS
5	15938.97	49.89	41.39	-8.50	74.00	32.61	PK	Horizontal	PASS
6	17794.90	46.96	41.91	-5.05	74.00	32.09	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9285.64	52.12	41.40	-10.72	68.20	26.80	PK	Vertical	PASS
2	11486.74	54.59	45.37	-9.22	74.00	28.63	PK	Vertical	PASS
3	12347.17	51.16	41.57	-9.59	74.00	32.43	PK	Vertical	PASS
4	13682.84	52.90	41.34	-11.56	68.20	26.86	PK	Vertical	PASS
5	15658.83	49.82	40.91	-8.91	74.00	33.09	PK	Vertical	PASS
6	17099.55	48.55	41.12	-7.43	68.20	27.08	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9555.78	51.20	40.65	-10.55	68.20	27.55	PK	Horizontal	PASS
2	11226.61	49.77	41.31	-8.46	74.00	32.69	PK	Horizontal	PASS
3	12207.10	51.48	41.80	-9.68	74.00	32.20	PK	Horizontal	PASS
4	13797.90	52.25	40.97	-11.28	68.20	27.23	PK	Horizontal	PASS
5	15658.83	50.38	41.47	-8.91	74.00	32.53	PK	Horizontal	PASS
6	17314.66	48.74	41.69	-7.05	68.20	26.51	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9045.52	51.73	40.20	-11.53	74.00	33.80	PK	Vertical	PASS
2	11566.78	55.51	45.84	-9.67	74.00	28.16	PK	Vertical	PASS
3	12272.14	51.92	42.28	-9.64	74.00	31.72	PK	Vertical	PASS
4	13682.84	53.20	41.64	-11.56	68.20	26.56	PK	Vertical	PASS
5	15613.81	49.60	40.76	-8.84	74.00	33.24	PK	Vertical	PASS
6	17314.66	48.25	41.20	-7.05	68.20	27.00	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9185.59	51.61	40.87	-10.74	74.00	33.13	PK	Horizontal	PASS
2	10801.40	50.46	41.62	-8.84	74.00	32.38	PK	Horizontal	PASS
3	12237.12	51.28	41.62	-9.66	74.00	32.38	PK	Horizontal	PASS
4	13677.84	53.00	41.43	-11.57	68.20	26.77	PK	Horizontal	PASS
5	15673.84	49.64	40.70	-8.94	74.00	33.30	PK	Horizontal	PASS
6	17299.65	48.61	41.53	-7.08	68.20	26.67	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9180.59	51.59	40.82	-10.77	74.00	33.18	PK	Vertical	PASS
2	11651.83	53.75	43.96	-9.79	74.00	30.04	PK	Vertical	PASS
3	13702.85	52.88	41.37	-11.51	68.20	26.83	PK	Vertical	PASS
4	15628.81	50.12	41.26	-8.86	74.00	32.74	PK	Vertical	PASS
5	17799.90	46.92	41.90	-5.02	74.00	32.10	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9205.60	51.48	40.82	-10.66	68.20	27.38	PK	Horizontal	PASS
2	10361.18	51.39	41.22	-10.17	68.20	26.98	PK	Horizontal	PASS
3	11966.98	51.26	41.80	-9.46	74.00	32.20	PK	Horizontal	PASS
4	13612.81	52.79	41.06	-11.73	68.20	27.14	PK	Horizontal	PASS
5	16049.02	49.40	41.08	-8.32	74.00	32.92	PK	Horizontal	PASS
6	17839.92	47.02	41.77	-5.25	74.00	32.23	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9455.73	51.92	41.19	-10.73	74.00	32.81	PK	Vertical	PASS
2	11776.89	49.86	40.27	-9.59	74.00	33.73	PK	Vertical	PASS
3	13222.61	52.71	40.81	-11.90	68.20	27.39	PK	Vertical	PASS
4	14988.49	50.49	41.41	-9.08	68.20	26.79	PK	Vertical	PASS
5	16584.29	49.32	41.73	-7.59	68.20	26.47	PK	Vertical	PASS
6	17824.91	46.95	41.78	-5.17	74.00	32.22	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9090.55	52.35	41.07	-11.28	74.00	32.93	PK	Horizontal	PASS
2	11076.54	49.87	41.47	-8.40	74.00	32.53	PK	Horizontal	PASS
3	12262.13	51.20	41.55	-9.65	74.00	32.45	PK	Horizontal	PASS
4	13457.73	53.77	41.99	-11.78	68.20	26.21	PK	Horizontal	PASS
5	15848.92	50.11	41.19	-8.92	74.00	32.81	PK	Horizontal	PASS
6	17179.59	48.25	40.97	-7.28	68.20	27.23	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9120.56	51.47	40.36	-11.11	74.00	33.64	PK	Vertical	PASS
2	10401.20	50.96	40.93	-10.03	68.20	27.27	PK	Vertical	PASS
3	11746.87	50.94	41.30	-9.64	74.00	32.70	PK	Vertical	PASS
4	13752.88	52.25	40.87	-11.38	68.20	27.33	PK	Vertical	PASS
5	15093.55	52.54	43.23	-9.31	68.20	24.97	PK	Vertical	PASS
6	17214.61	48.34	41.11	-7.23	68.20	27.09	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9295.65	51.29	40.56	-10.73	68.20	27.64	PK	Horizontal	PASS
2	10971.49	49.34	40.88	-8.46	74.00	33.12	PK	Horizontal	PASS
3	12302.15	50.91	41.29	-9.62	74.00	32.71	PK	Horizontal	PASS
4	13842.92	52.84	41.51	-11.33	68.20	26.69	PK	Horizontal	PASS
5	15863.93	49.66	40.81	-8.85	74.00	33.19	PK	Horizontal	PASS
6	17854.93	47.34	42.00	-5.34	74.00	32.00	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9210.61	50.67	40.00	-10.67	68.20	28.20	PK	Vertical	PASS
2	10931.47	49.06	40.51	-8.55	74.00	33.49	PK	Vertical	PASS
3	12197.10	51.21	41.54	-9.67	74.00	32.46	PK	Vertical	PASS
4	13632.82	53.14	41.46	-11.68	68.20	26.74	PK	Vertical	PASS
5	15603.80	49.34	40.53	-8.81	74.00	33.47	PK	Vertical	PASS
6	17609.80	47.98	41.67	-6.31	68.20	26.53	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9175.59	51.51	40.71	-10.80	74.00	33.29	PK	Horizontal	PASS
2	10871.44	49.11	40.43	-8.68	74.00	33.57	PK	Horizontal	PASS
3	12142.07	51.92	42.30	-9.62	74.00	31.70	PK	Horizontal	PASS
4	13657.83	52.98	41.36	-11.62	68.20	26.84	PK	Horizontal	PASS
5	16004.00	49.42	41.20	-8.22	74.00	32.80	PK	Horizontal	PASS
6	17619.81	48.48	42.23	-6.25	68.20	25.97	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9325.66	50.87	40.12	-10.75	74.00	33.88	PK	Vertical	PASS
2	11406.70	51.31	42.50	-8.81	74.00	31.50	PK	Vertical	PASS
3	12132.07	51.27	41.67	-9.60	74.00	32.33	PK	Vertical	PASS
4	13647.82	52.89	41.25	-11.64	68.20	26.95	PK	Vertical	PASS
5	15628.81	50.18	41.32	-8.86	74.00	32.68	PK	Vertical	PASS
6	16869.43	48.43	40.64	-7.79	68.20	27.56	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9575.79	50.93	40.40	-10.53	68.20	27.80	PK	Horizontal	PASS
2	12262.13	51.48	41.83	-9.65	74.00	32.17	PK	Horizontal	PASS
3	13602.80	53.24	41.49	-11.75	68.20	26.71	PK	Horizontal	PASS
4	15398.70	50.18	40.97	-9.21	74.00	33.03	PK	Horizontal	PASS
5	17049.52	49.22	41.70	-7.52	68.20	26.50	PK	Horizontal	PASS
6	17829.91	46.80	41.61	-5.19	74.00	32.39	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9325.66	50.95	40.20	-10.75	74.00	33.80	PK	Vertical	PASS
2	11286.64	49.98	41.41	-8.57	74.00	32.59	PK	Vertical	PASS
3	12417.21	51.18	41.47	-9.71	74.00	32.53	PK	Vertical	PASS
4	13752.88	52.58	41.20	-11.38	68.20	27.00	PK	Vertical	PASS
5	15994.00	49.31	41.08	-8.23	74.00	32.92	PK	Vertical	PASS
6	17684.84	48.24	42.44	-5.80	68.20	25.76	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9290.65	51.19	40.46	-10.73	68.20	27.74	PK	Horizontal	PASS
2	10641.32	52.92	43.88	-9.04	74.00	30.12	PK	Horizontal	PASS
3	12272.14	51.29	41.65	-9.64	74.00	32.35	PK	Horizontal	PASS
4	13742.87	53.08	41.67	-11.41	68.20	26.53	PK	Horizontal	PASS
5	15613.81	49.81	40.97	-8.84	74.00	33.03	PK	Horizontal	PASS
6	17609.80	47.96	41.65	-6.31	68.20	26.55	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9155.58	51.73	40.82	-10.91	74.00	33.18	PK	Vertical	PASS
2	10641.32	55.78	46.74	-9.04	74.00	27.26	PK	Vertical	PASS
3	11992.00	51.11	41.66	-9.45	74.00	32.34	PK	Vertical	PASS
4	13517.76	52.97	41.19	-11.78	68.20	27.01	PK	Vertical	PASS
5	15678.84	49.76	40.82	-8.94	74.00	33.18	PK	Vertical	PASS
6	17669.83	47.52	41.61	-5.91	68.20	26.59	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9300.65	51.03	40.29	-10.74	74.00	33.71	PK	Horizontal	PASS
2	11001.50	52.11	43.71	-8.40	74.00	30.29	PK	Horizontal	PASS
3	12197.10	51.45	41.78	-9.67	74.00	32.22	PK	Horizontal	PASS
4	13752.88	53.29	41.91	-11.38	68.20	26.29	PK	Horizontal	PASS
5	15593.80	50.56	41.73	-8.83	74.00	32.27	PK	Horizontal	PASS
6	17444.72	49.63	42.83	-6.80	68.20	25.37	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9295.65	51.67	40.94	-10.73	68.20	27.26	PK	Vertical	PASS
2	11001.50	53.05	44.65	-8.40	74.00	29.35	PK	Vertical	PASS
3	12052.03	51.85	42.34	-9.51	74.00	31.66	PK	Vertical	PASS
4	13782.89	52.46	41.14	-11.32	68.20	27.06	PK	Vertical	PASS
5	15953.98	50.06	41.65	-8.41	74.00	32.35	PK	Vertical	PASS
6	17204.60	48.34	41.10	-7.24	68.20	27.10	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9565.78	51.14	40.60	-10.54	68.20	27.60	PK	Horizontal	PASS
2	11161.58	51.88	43.46	-8.42	74.00	30.54	PK	Horizontal	PASS
3	12287.14	50.87	41.24	-9.63	74.00	32.76	PK	Horizontal	PASS
4	13837.92	51.57	40.25	-11.32	68.20	27.95	PK	Horizontal	PASS
5	15633.82	50.53	41.67	-8.86	74.00	32.33	PK	Horizontal	PASS
6	17279.64	48.58	41.48	-7.10	68.20	26.72	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9345.67	51.67	40.90	-10.77	74.00	33.10	PK	Vertical	PASS
2	11161.58	54.63	46.21	-8.42	74.00	27.79	PK	Vertical	PASS
3	12252.13	51.24	41.59	-9.65	74.00	32.41	PK	Vertical	PASS
4	13647.82	53.05	41.41	-11.64	68.20	26.79	PK	Vertical	PASS
5	15603.80	49.83	41.02	-8.81	74.00	32.98	PK	Vertical	PASS
6	17734.87	46.98	41.52	-5.46	74.00	32.48	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9170.59	50.97	40.14	-10.83	74.00	33.86	PK	Horizontal	PASS
2	11401.70	53.44	44.66	-8.78	74.00	29.34	PK	Horizontal	PASS
3	12292.15	51.48	41.86	-9.62	74.00	32.14	PK	Horizontal	PASS
4	13982.99	51.95	40.41	-11.54	68.20	27.79	PK	Horizontal	PASS
5	15778.89	49.75	40.64	-9.11	74.00	33.36	PK	Horizontal	PASS
6	17904.95	47.70	42.07	-5.63	74.00	31.93	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9295.65	52.93	42.20	-10.73	68.20	26.00	PK	Vertical	PASS
2	11401.70	56.15	47.37	-8.78	74.00	26.63	PK	Vertical	PASS
3	12282.14	51.93	42.29	-9.64	74.00	31.71	PK	Vertical	PASS
4	13742.87	53.54	42.13	-11.41	68.20	26.07	PK	Vertical	PASS
5	15994.00	49.27	41.04	-8.23	74.00	32.96	PK	Vertical	PASS
6	17224.61	48.36	41.16	-7.20	68.20	27.04	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9175.59	51.04	40.24	-10.80	74.00	33.76	PK	Horizontal	PASS
2	11441.72	53.33	44.34	-8.99	74.00	29.66	PK	Horizontal	PASS
3	13077.54	53.01	40.79	-12.22	68.20	27.41	PK	Horizontal	PASS
4	14498.25	50.59	40.10	-10.49	74.00	33.90	PK	Horizontal	PASS
5	15928.96	49.83	41.29	-8.54	74.00	32.71	PK	Horizontal	PASS
6	17214.61	49.21	41.98	-7.23	68.20	26.22	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9170.59	51.30	40.47	-10.83	74.00	33.53	PK	Vertical	PASS
2	9996.00	51.28	41.57	-9.71	68.20	26.63	PK	Vertical	PASS
3	11431.72	54.04	45.10	-8.94	74.00	28.90	PK	Vertical	PASS
4	13567.78	53.36	41.59	-11.77	68.20	26.61	PK	Vertical	PASS
5	15483.74	50.23	41.16	-9.07	74.00	32.84	PK	Vertical	PASS
6	17569.78	48.64	42.17	-6.47	68.20	26.03	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9510.76	51.12	40.47	-10.65	68.20	27.73	PK	Horizontal	PASS
2	11491.75	53.53	44.28	-9.25	74.00	29.72	PK	Horizontal	PASS
3	12337.17	50.96	41.36	-9.60	74.00	32.64	PK	Horizontal	PASS
4	13572.79	52.61	40.84	-11.77	68.20	27.36	PK	Horizontal	PASS
5	16009.00	49.11	40.88	-8.23	74.00	33.12	PK	Horizontal	PASS
6	17449.72	48.19	41.40	-6.79	68.20	26.80	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9450.73	51.27	40.53	-10.74	74.00	33.47	PK	Vertical	PASS
2	11481.74	54.58	45.38	-9.20	74.00	28.62	PK	Vertical	PASS
3	13077.54	53.07	40.85	-12.22	68.20	27.35	PK	Vertical	PASS
4	15093.55	50.41	41.10	-9.31	68.20	27.10	PK	Vertical	PASS
5	15898.95	49.89	41.21	-8.68	74.00	32.79	PK	Vertical	PASS
6	17839.92	47.53	42.28	-5.25	74.00	31.72	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9185.59	50.95	40.21	-10.74	74.00	33.79	PK	Horizontal	PASS
2	10916.46	49.42	40.83	-8.59	74.00	33.17	PK	Horizontal	PASS
3	12172.09	51.96	42.31	-9.65	74.00	31.69	PK	Horizontal	PASS
4	13372.69	53.65	41.87	-11.78	74.00	32.13	PK	Horizontal	PASS
5	15383.69	50.04	40.80	-9.24	74.00	33.20	PK	Horizontal	PASS
6	17364.68	48.58	41.62	-6.96	68.20	26.58	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9175.59	51.28	40.48	-10.80	74.00	33.52	PK	Vertical	PASS
2	10541.27	49.93	40.57	-9.36	68.20	27.63	PK	Vertical	PASS
3	11561.78	55.01	45.36	-9.65	74.00	28.64	PK	Vertical	PASS
4	13667.83	53.11	41.52	-11.59	68.20	26.68	PK	Vertical	PASS
5	14983.49	50.80	41.70	-9.10	68.20	26.50	PK	Vertical	PASS
6	16344.17	50.25	41.97	-8.28	68.20	26.23	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9350.68	51.01	40.24	-10.77	74.00	33.76	PK	Horizontal	PASS
2	10791.40	49.77	40.91	-8.86	74.00	33.09	PK	Horizontal	PASS
3	12357.18	51.04	41.45	-9.59	74.00	32.55	PK	Horizontal	PASS
4	13607.80	53.01	41.27	-11.74	68.20	26.93	PK	Horizontal	PASS
5	15933.97	49.39	40.88	-8.51	74.00	33.12	PK	Horizontal	PASS
6	17814.91	47.23	42.12	-5.11	74.00	31.88	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9450.73	51.31	40.57	-10.74	74.00	33.43	PK	Vertical	PASS
2	11036.52	49.44	41.04	-8.40	74.00	32.96	PK	Vertical	PASS
3	12802.40	52.13	40.61	-11.52	68.20	27.59	PK	Vertical	PASS
4	13567.78	53.46	41.69	-11.77	68.20	26.51	PK	Vertical	PASS
5	15673.84	49.45	40.51	-8.94	74.00	33.49	PK	Vertical	PASS
6	17119.56	48.63	41.23	-7.40	68.20	26.97	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8960.48	52.05	40.35	-11.70	68.20	27.85	PK	Horizontal	PASS
2	10801.40	49.44	40.60	-8.84	74.00	33.40	PK	Horizontal	PASS
3	12907.45	52.00	40.00	-12.00	68.20	28.20	PK	Horizontal	PASS
4	13862.93	51.66	40.30	-11.36	68.20	27.90	PK	Horizontal	PASS
5	15608.80	49.66	40.84	-8.82	74.00	33.16	PK	Horizontal	PASS
6	17069.53	48.85	41.37	-7.48	68.20	26.83	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9170.59	51.89	41.06	-10.83	74.00	32.94	PK	Vertical	PASS
2	10551.28	50.32	41.01	-9.31	68.20	27.19	PK	Vertical	PASS
3	12202.10	51.34	41.66	-9.68	74.00	32.34	PK	Vertical	PASS
4	13682.84	52.41	40.85	-11.56	68.20	27.35	PK	Vertical	PASS
5	15373.69	49.98	40.71	-9.27	74.00	33.29	PK	Vertical	PASS
6	17599.80	47.79	41.41	-6.38	68.20	26.79	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9180.59	51.92	41.15	-10.77	74.00	32.85	PK	Horizontal	PASS
2	11051.53	49.33	40.93	-8.40	74.00	33.07	PK	Horizontal	PASS
3	12177.09	51.24	41.59	-9.65	74.00	32.41	PK	Horizontal	PASS
4	13622.81	53.31	41.60	-11.71	68.20	26.60	PK	Horizontal	PASS
5	15693.85	49.50	40.53	-8.97	74.00	33.47	PK	Horizontal	PASS
6	16849.42	49.39	41.57	-7.82	68.20	26.63	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9645.82	51.42	40.75	-10.67	68.20	27.45	PK	Vertical	PASS
2	11081.54	49.42	41.01	-8.41	74.00	32.99	PK	Vertical	PASS
3	12362.18	50.53	40.94	-9.59	74.00	33.06	PK	Vertical	PASS
4	13607.80	53.05	41.31	-11.74	68.20	26.89	PK	Vertical	PASS
5	15653.83	50.49	41.59	-8.90	74.00	32.41	PK	Vertical	PASS
6	17594.80	48.47	42.08	-6.39	68.20	26.12	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9565.78	51.71	41.17	-10.54	68.20	27.03	PK	Horizontal	PASS
2	10976.49	49.22	40.77	-8.45	74.00	33.23	PK	Horizontal	PASS
3	12057.03	50.78	41.26	-9.52	74.00	32.74	PK	Horizontal	PASS
4	13767.88	52.33	40.99	-11.34	68.20	27.21	PK	Horizontal	PASS
5	16014.01	50.25	42.01	-8.24	74.00	31.99	PK	Horizontal	PASS
6	17219.61	49.32	42.10	-7.22	68.20	26.10	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9155.58	51.86	40.95	-10.91	74.00	33.05	PK	Vertical	PASS
2	10981.49	49.35	40.91	-8.44	74.00	33.09	PK	Vertical	PASS
3	12427.21	51.59	41.79	-9.80	74.00	32.21	PK	Vertical	PASS
4	13687.84	53.00	41.46	-11.54	68.20	26.74	PK	Vertical	PASS
5	15999.00	49.44	41.24	-8.20	74.00	32.76	PK	Vertical	PASS
6	17814.91	47.58	42.47	-5.11	74.00	31.53	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8975.49	51.73	40.00	-11.73	68.20	28.20	PK	Horizontal	PASS
2	10886.44	49.35	40.70	-8.65	74.00	33.30	PK	Horizontal	PASS
3	12292.15	50.99	41.37	-9.62	74.00	32.63	PK	Horizontal	PASS
4	13657.83	53.08	41.46	-11.62	68.20	26.74	PK	Horizontal	PASS
5	15673.84	49.90	40.96	-8.94	74.00	33.04	PK	Horizontal	PASS
6	17839.92	47.32	42.07	-5.25	74.00	31.93	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9175.59	51.43	40.63	-10.80	74.00	33.37	PK	Vertical	PASS
2	10876.44	49.69	41.02	-8.67	74.00	32.98	PK	Vertical	PASS
3	12282.14	50.90	41.26	-9.64	74.00	32.74	PK	Vertical	PASS
4	13667.83	52.68	41.09	-11.59	68.20	27.11	PK	Vertical	PASS
5	16009.00	49.89	41.66	-8.23	74.00	32.34	PK	Vertical	PASS
6	17454.73	48.25	41.48	-6.77	68.20	26.72	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9170.59	51.71	40.88	-10.83	74.00	33.12	PK	Horizontal	PASS
2	9965.98	51.66	41.70	-9.96	68.20	26.50	PK	Horizontal	PASS
3	11041.52	48.93	40.52	-8.41	74.00	33.48	PK	Horizontal	PASS
4	12337.17	51.47	41.87	-9.60	74.00	32.13	PK	Horizontal	PASS
5	15663.83	51.46	42.54	-8.92	74.00	31.46	PK	Horizontal	PASS
6	17214.61	48.58	41.35	-7.23	68.20	26.85	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9520.76	51.23	40.61	-10.62	68.20	27.59	PK	Vertical	PASS
2	11001.50	50.19	41.79	-8.40	74.00	32.21	PK	Vertical	PASS
3	12277.14	51.80	42.17	-9.63	74.00	31.83	PK	Vertical	PASS
4	13537.77	54.54	42.76	-11.78	68.20	25.44	PK	Vertical	PASS
5	15633.82	50.81	41.95	-8.86	74.00	32.05	PK	Vertical	PASS
6	17364.68	48.23	41.27	-6.96	68.20	26.93	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9095.55	51.65	40.40	-11.25	74.00	33.60	PK	Horizontal	PASS
2	10641.32	51.84	42.80	-9.04	74.00	31.20	PK	Horizontal	PASS
3	12117.06	51.21	41.63	-9.58	74.00	32.37	PK	Horizontal	PASS
4	13652.83	52.62	40.99	-11.63	68.20	27.21	PK	Horizontal	PASS
5	15933.97	49.40	40.89	-8.51	74.00	33.11	PK	Horizontal	PASS
6	17199.60	48.28	41.03	-7.25	68.20	27.17	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9580.79	52.20	41.68	-10.52	68.20	26.52	PK	Vertical	PASS
2	10641.32	54.86	45.82	-9.04	74.00	28.18	PK	Vertical	PASS
3	12197.10	51.49	41.82	-9.67	74.00	32.18	PK	Vertical	PASS
4	13897.95	52.84	41.43	-11.41	68.20	26.77	PK	Vertical	PASS
5	15663.83	50.46	41.54	-8.92	74.00	32.46	PK	Vertical	PASS
6	17699.85	47.88	42.18	-5.70	68.20	26.02	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9185.59	51.50	40.76	-10.74	74.00	33.24	PK	Horizontal	PASS
2	11001.50	50.56	42.16	-8.40	74.00	31.84	PK	Horizontal	PASS
3	12277.14	50.92	41.29	-9.63	74.00	32.71	PK	Horizontal	PASS
4	13862.93	52.04	40.68	-11.36	68.20	27.52	PK	Horizontal	PASS
5	15603.80	50.11	41.30	-8.81	74.00	32.70	PK	Horizontal	PASS
6	17129.56	48.34	40.97	-7.37	68.20	27.23	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9285.64	51.98	41.26	-10.72	68.20	26.94	PK	Vertical	PASS
2	11001.50	53.49	45.09	-8.40	74.00	28.91	PK	Vertical	PASS
3	12307.15	50.93	41.31	-9.62	74.00	32.69	PK	Vertical	PASS
4	13647.82	53.03	41.39	-11.64	68.20	26.81	PK	Vertical	PASS
5	15458.73	51.00	41.89	-9.11	74.00	32.11	PK	Vertical	PASS
6	17209.60	48.03	40.80	-7.23	68.20	27.40	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9570.79	51.07	40.54	-10.53	68.20	27.66	PK	Horizontal	PASS
2	11161.58	51.46	43.04	-8.42	74.00	30.96	PK	Horizontal	PASS
3	12262.13	50.91	41.26	-9.65	74.00	32.74	PK	Horizontal	PASS
4	13447.72	53.28	41.50	-11.78	68.20	26.70	PK	Horizontal	PASS
5	15999.00	49.09	40.89	-8.20	74.00	33.11	PK	Horizontal	PASS
6	17609.80	48.21	41.90	-6.31	68.20	26.30	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9205.60	51.55	40.89	-10.66	68.20	27.31	PK	Vertical	PASS
2	11161.58	52.37	43.95	-8.42	74.00	30.05	PK	Vertical	PASS
3	12307.15	51.00	41.38	-9.62	74.00	32.62	PK	Vertical	PASS
4	13657.83	52.74	41.12	-11.62	68.20	27.08	PK	Vertical	PASS
5	16069.03	49.55	41.17	-8.38	74.00	32.83	PK	Vertical	PASS
6	17364.68	49.11	42.15	-6.96	68.20	26.05	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9470.74	51.62	40.91	-10.71	74.00	33.09	PK	Horizontal	PASS
2	11001.50	51.46	43.06	-8.40	74.00	30.94	PK	Horizontal	PASS
3	12182.09	51.56	41.89	-9.67	74.00	32.11	PK	Horizontal	PASS
4	13552.78	53.28	41.51	-11.77	68.20	26.69	PK	Horizontal	PASS
5	15688.84	49.84	40.87	-8.97	74.00	33.13	PK	Horizontal	PASS
6	16689.34	48.28	40.58	-7.70	68.20	27.62	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9230.62	51.33	40.65	-10.68	68.20	27.55	PK	Vertical	PASS
2	11001.50	53.04	44.64	-8.40	74.00	29.36	PK	Vertical	PASS
3	12242.12	50.96	41.30	-9.66	74.00	32.70	PK	Vertical	PASS
4	13582.79	53.70	41.93	-11.77	68.20	26.27	PK	Vertical	PASS
5	15833.92	50.38	41.40	-8.98	74.00	32.60	PK	Vertical	PASS
6	17609.80	47.63	41.32	-6.31	68.20	26.88	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level