



# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9575.79         | 51.67          | 41.14          | -10.53        | 68.20          | 27.06       | PK       | Horizontal | PASS    |
| 2              | 11441.72        | 53.67          | 44.68          | -8.99         | 74.00          | 29.32       | PK       | Horizontal | PASS    |
| 3              | 11986.99        | 51.47          | 42.01          | -9.46         | 74.00          | 31.99       | PK       | Horizontal | PASS    |
| 4              | 13737.87        | 51.93          | 40.51          | -11.42        | 68.20          | 27.69       | PK       | Horizontal | PASS    |
| 5              | 15838.92        | 50.51          | 41.54          | -8.97         | 74.00          | 32.46       | PK       | Horizontal | PASS    |
| 6              | 17614.81        | 48.25          | 41.97          | -6.28         | 68.20          | 26.23       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9505.75         | 51.17          | 40.52          | -10.65        | 68.20          | 27.68       | PK       | Vertical | PASS    |
| 2              | 11441.72        | 54.37          | 45.38          | -8.99         | 74.00          | 28.62       | PK       | Vertical | PASS    |
| 3              | 12317.16        | 50.93          | 41.33          | -9.60         | 74.00          | 32.67       | PK       | Vertical | PASS    |
| 4              | 13682.84        | 52.66          | 41.10          | -11.56        | 68.20          | 27.10       | PK       | Vertical | PASS    |
| 5              | 15623.81        | 49.89          | 41.04          | -8.85         | 74.00          | 32.96       | PK       | Vertical | PASS    |
| 6              | 17304.65        | 48.63          | 41.56          | -7.07         | 68.20          | 26.64       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9430.72         | 51.13          | 40.36          | -10.77        | 74.00          | 33.64       | PK       | Horizontal | PASS    |
| 2              | 11491.75        | 53.32          | 44.07          | -9.25         | 74.00          | 29.93       | PK       | Horizontal | PASS    |
| 3              | 12392.20        | 51.93          | 42.37          | -9.56         | 74.00          | 31.63       | PK       | Horizontal | PASS    |
| 4              | 13692.85        | 52.73          | 41.20          | -11.53        | 68.20          | 27.00       | PK       | Horizontal | PASS    |
| 5              | 15598.80        | 49.42          | 40.61          | -8.81         | 74.00          | 33.39       | PK       | Horizontal | PASS    |
| 6              | 17439.72        | 48.83          | 42.02          | -6.81         | 68.20          | 26.18       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9235.62         | 51.35          | 40.66          | -10.69        | 68.20          | 27.54       | PK       | Vertical | PASS    |
| 2              | 11481.74        | 56.63          | 47.43          | -9.20         | 74.00          | 26.57       | PK       | Vertical | PASS    |
| 3              | 12537.27        | 52.52          | 41.75          | -10.77        | 74.00          | 32.25       | PK       | Vertical | PASS    |
| 4              | 13727.86        | 52.75          | 41.31          | -11.44        | 68.20          | 26.89       | PK       | Vertical | PASS    |
| 5              | 16154.08        | 49.76          | 41.16          | -8.60         | 74.00          | 32.84       | PK       | Vertical | PASS    |
| 6              | 17204.60        | 48.83          | 41.59          | -7.24         | 68.20          | 26.61       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9185.59         | 51.17          | 40.43          | -10.74        | 74.00          | 33.57       | PK       | Horizontal | PASS    |
| 2              | 10576.29        | 50.46          | 41.25          | -9.21         | 68.20          | 26.95       | PK       | Horizontal | PASS    |
| 3              | 12067.03        | 50.69          | 41.16          | -9.53         | 74.00          | 32.84       | PK       | Horizontal | PASS    |
| 4              | 13602.80        | 53.67          | 41.92          | -11.75        | 68.20          | 26.28       | PK       | Horizontal | PASS    |
| 5              | 15323.66        | 50.73          | 41.34          | -9.39         | 68.20          | 26.86       | PK       | Horizontal | PASS    |
| 6              | 16579.29        | 49.63          | 42.03          | -7.60         | 68.20          | 26.17       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9330.67         | 51.91          | 41.15          | -10.76        | 74.00          | 32.85       | PK       | Vertical | PASS    |
| 2              | 11396.70        | 49.63          | 40.87          | -8.76         | 74.00          | 33.13       | PK       | Vertical | PASS    |
| 3              | 12417.21        | 49.99          | 40.28          | -9.71         | 74.00          | 33.72       | PK       | Vertical | PASS    |
| 4              | 13572.79        | 53.62          | 41.85          | -11.77        | 68.20          | 26.35       | PK       | Vertical | PASS    |
| 5              | 15213.61        | 50.47          | 40.84          | -9.63         | 68.20          | 27.36       | PK       | Vertical | PASS    |
| 6              | 17294.65        | 47.99          | 40.91          | -7.08         | 68.20          | 27.29       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9460.73         | 52.02          | 41.30          | -10.72        | 74.00          | 32.70       | PK       | Horizontal | PASS    |
| 2              | 10581.29        | 50.55          | 41.37          | -9.18         | 68.20          | 26.83       | PK       | Horizontal | PASS    |
| 3              | 11961.98        | 51.46          | 41.98          | -9.48         | 74.00          | 32.02       | PK       | Horizontal | PASS    |
| 4              | 13587.79        | 52.63          | 40.87          | -11.76        | 68.20          | 27.33       | PK       | Horizontal | PASS    |
| 5              | 15673.84        | 50.01          | 41.07          | -8.94         | 74.00          | 32.93       | PK       | Horizontal | PASS    |
| 6              | 16944.47        | 48.41          | 40.73          | -7.68         | 68.20          | 27.47       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level

## TX Radiated Test Result




| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9180.59         | 51.54          | 40.77          | -10.77        | 74.00          | 33.23       | PK       | Vertical | PASS    |
| 2              | 10441.22        | 50.72          | 40.89          | -9.83         | 68.20          | 27.31       | PK       | Vertical | PASS    |
| 3              | 11651.83        | 54.00          | 44.21          | -9.79         | 74.00          | 29.79       | PK       | Vertical | PASS    |
| 4              | 13352.68        | 51.95          | 40.17          | -11.78        | 74.00          | 33.83       | PK       | Vertical | PASS    |
| 5              | 15128.56        | 50.72          | 41.30          | -9.42         | 68.20          | 26.90       | PK       | Vertical | PASS    |
| 6              | 16559.28        | 49.14          | 41.49          | -7.65         | 68.20          | 26.71       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
 (2) Margin = Limit - Level

## 8.6. SPURIOUS EMISSIONS(8 GHZ~18 GHZ)-ANT2


### TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO             | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9690.85         | 51.58          | 40.72          | -10.86        | 68.20          | 27.48       | PK       | Horizontal | PASS    |
| 2              | 12232.12        | 51.53          | 41.87          | -9.66         | 74.00          | 32.13       | PK       | Horizontal | PASS    |
| 3              | 13657.83        | 52.57          | 40.95          | -11.62        | 68.20          | 27.25       | PK       | Horizontal | PASS    |
| 4              | 16139.07        | 51.70          | 43.15          | -8.55         | 74.00          | 30.85       | PK       | Horizontal | PASS    |
| 5              | 17549.77        | 48.40          | 41.87          | -6.53         | 68.20          | 26.33       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 8930.47         | 51.88          | 40.24          | -11.64        | 68.20          | 27.96       | PK       | Vertical | PASS    |
| 2              | 11526.76        | 50.39          | 40.95          | -9.44         | 74.00          | 33.05       | PK       | Vertical | PASS    |
| 3              | 13642.82        | 53.00          | 41.35          | -11.65        | 68.20          | 26.85       | PK       | Vertical | PASS    |
| 4              | 15403.70        | 49.53          | 40.33          | -9.20         | 74.00          | 33.67       | PK       | Vertical | PASS    |
| 5              | 16559.28        | 48.69          | 41.04          | -7.65         | 68.20          | 27.16       | PK       | Vertical | PASS    |
| 6              | 17819.91        | 47.18          | 42.04          | -5.14         | 74.00          | 31.96       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 8800.40         | 52.13          | 40.79          | -11.34        | 68.20          | 27.41       | PK       | Horizontal | PASS    |
| 2              | 11231.62        | 48.91          | 40.43          | -8.48         | 74.00          | 33.57       | PK       | Horizontal | PASS    |
| 3              | 13217.61        | 52.90          | 41.01          | -11.89        | 68.20          | 27.19       | PK       | Horizontal | PASS    |
| 4              | 15258.63        | 50.80          | 41.28          | -9.52         | 68.20          | 26.92       | PK       | Horizontal | PASS    |
| 5              | 16299.15        | 49.73          | 41.32          | -8.41         | 68.20          | 26.88       | PK       | Horizontal | PASS    |
| 6              | 17124.56        | 48.36          | 40.98          | -7.38         | 68.20          | 27.22       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9235.62         | 51.07          | 40.38          | -10.69        | 68.20          | 27.82       | PK       | Vertical | PASS    |
| 2              | 10361.18        | 53.40          | 43.23          | -10.17        | 68.20          | 24.97       | PK       | Vertical | PASS    |
| 3              | 11416.71        | 50.43          | 41.58          | -8.85         | 74.00          | 32.42       | PK       | Vertical | PASS    |
| 4              | 13587.79        | 53.01          | 41.25          | -11.76        | 68.20          | 26.95       | PK       | Vertical | PASS    |
| 5              | 15923.96        | 50.03          | 41.46          | -8.57         | 74.00          | 32.54       | PK       | Vertical | PASS    |
| 6              | 17014.51        | 48.47          | 40.89          | -7.58         | 68.20          | 27.31       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 8975.49         | 51.88          | 40.15          | -11.73        | 68.20          | 28.05       | PK       | Horizontal | PASS    |
| 2              | 10481.24        | 51.73          | 42.08          | -9.65         | 68.20          | 26.12       | PK       | Horizontal | PASS    |
| 3              | 11956.98        | 51.32          | 41.84          | -9.48         | 74.00          | 32.16       | PK       | Horizontal | PASS    |
| 4              | 14418.21        | 51.10          | 40.26          | -10.84        | 68.20          | 27.94       | PK       | Horizontal | PASS    |
| 5              | 15938.97        | 49.35          | 40.85          | -8.50         | 74.00          | 33.15       | PK       | Horizontal | PASS    |
| 6              | 17624.81        | 47.49          | 41.28          | -6.21         | 68.20          | 26.92       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 8890.45         | 51.61          | 40.06          | -11.55        | 68.20          | 28.14       | PK       | Vertical | PASS    |
| 2              | 10486.24        | 52.08          | 42.46          | -9.62         | 68.20          | 25.74       | PK       | Vertical | PASS    |
| 3              | 12077.04        | 50.90          | 41.36          | -9.54         | 74.00          | 32.64       | PK       | Vertical | PASS    |
| 4              | 13492.75        | 52.79          | 41.01          | -11.78        | 68.20          | 27.19       | PK       | Vertical | PASS    |
| 5              | 15613.81        | 49.67          | 40.83          | -8.84         | 74.00          | 33.17       | PK       | Vertical | PASS    |
| 6              | 17069.53        | 48.52          | 41.04          | -7.48         | 68.20          | 27.16       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 8920.46         | 51.94          | 40.33          | -11.61        | 68.20          | 27.87       | PK       | Horizontal | PASS    |
| 2              | 10521.26        | 53.46          | 44.01          | -9.45         | 68.20          | 24.19       | PK       | Horizontal | PASS    |
| 3              | 12112.06        | 50.87          | 41.29          | -9.58         | 74.00          | 32.71       | PK       | Horizontal | PASS    |
| 4              | 13667.83        | 53.59          | 42.00          | -11.59        | 68.20          | 26.20       | PK       | Horizontal | PASS    |
| 5              | 15693.85        | 50.41          | 41.44          | -8.97         | 74.00          | 32.56       | PK       | Horizontal | PASS    |
| 6              | 17279.64        | 49.35          | 42.25          | -7.10         | 68.20          | 25.95       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9290.65         | 51.62          | 40.89          | -10.73        | 68.20          | 27.31       | PK       | Vertical | PASS    |
| 2              | 10521.26        | 54.71          | 45.26          | -9.45         | 68.20          | 22.94       | PK       | Vertical | PASS    |
| 3              | 11841.92        | 50.61          | 41.08          | -9.53         | 74.00          | 32.92       | PK       | Vertical | PASS    |
| 4              | 13532.77        | 53.51          | 41.72          | -11.79        | 68.20          | 26.48       | PK       | Vertical | PASS    |
| 5              | 15994.00        | 49.42          | 41.19          | -8.23         | 74.00          | 32.81       | PK       | Vertical | PASS    |
| 6              | 17579.79        | 48.41          | 41.98          | -6.43         | 68.20          | 26.22       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9300.65         | 50.96          | 40.22          | -10.74        | 74.00          | 33.78       | PK       | Horizontal | PASS    |
| 2              | 10561.28        | 52.97          | 43.71          | -9.26         | 68.20          | 24.49       | PK       | Horizontal | PASS    |
| 3              | 12237.12        | 51.48          | 41.82          | -9.66         | 74.00          | 32.18       | PK       | Horizontal | PASS    |
| 4              | 13827.91        | 52.05          | 40.74          | -11.31        | 68.20          | 27.46       | PK       | Horizontal | PASS    |
| 5              | 15648.82        | 49.63          | 40.74          | -8.89         | 74.00          | 33.26       | PK       | Horizontal | PASS    |
| 6              | 17209.60        | 48.66          | 41.43          | -7.23         | 68.20          | 26.77       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 8975.49         | 52.12          | 40.39          | -11.73        | 68.20          | 27.81       | PK       | Vertical | PASS    |
| 2              | 10561.28        | 57.15          | 47.89          | -9.26         | 68.20          | 20.31       | PK       | Vertical | PASS    |
| 3              | 12282.14        | 51.24          | 41.60          | -9.64         | 74.00          | 32.40       | PK       | Vertical | PASS    |
| 4              | 13537.77        | 52.90          | 41.12          | -11.78        | 68.20          | 27.08       | PK       | Vertical | PASS    |
| 5              | 15999.00        | 49.48          | 41.28          | -8.20         | 74.00          | 32.72       | PK       | Vertical | PASS    |
| 6              | 17459.73        | 48.14          | 41.38          | -6.76         | 68.20          | 26.82       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9175.59         | 51.40          | 40.60          | -10.80        | 74.00          | 33.40       | PK       | Horizontal | PASS    |
| 2              | 10646.32        | 52.86          | 43.83          | -9.03         | 74.00          | 30.17       | PK       | Horizontal | PASS    |
| 3              | 12247.12        | 51.82          | 42.17          | -9.65         | 74.00          | 31.83       | PK       | Horizontal | PASS    |
| 4              | 13787.89        | 53.04          | 41.74          | -11.30        | 68.20          | 26.46       | PK       | Horizontal | PASS    |
| 5              | 15883.94        | 49.99          | 41.24          | -8.75         | 74.00          | 32.76       | PK       | Horizontal | PASS    |
| 6              | 17609.80        | 47.55          | 41.24          | -6.31         | 68.20          | 26.96       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9170.59         | 51.62          | 40.79          | -10.83        | 74.00          | 33.21       | PK       | Vertical | PASS    |
| 2              | 10641.32        | 57.35          | 48.31          | -9.04         | 74.00          | 25.69       | PK       | Vertical | PASS    |
| 3              | 12082.04        | 50.83          | 41.28          | -9.55         | 74.00          | 32.72       | PK       | Vertical | PASS    |
| 4              | 14108.05        | 51.16          | 39.77          | -11.39        | 68.20          | 28.43       | PK       | Vertical | PASS    |
| 5              | 16054.03        | 49.40          | 41.06          | -8.34         | 74.00          | 32.94       | PK       | Vertical | PASS    |
| 6              | 17589.79        | 47.60          | 41.19          | -6.41         | 68.20          | 27.01       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9055.53         | 52.31          | 40.83          | -11.48        | 74.00          | 33.17       | PK       | Horizontal | PASS    |
| 2              | 11001.50        | 53.53          | 45.13          | -8.40         | 74.00          | 28.87       | PK       | Horizontal | PASS    |
| 3              | 12287.14        | 51.09          | 41.46          | -9.63         | 74.00          | 32.54       | PK       | Horizontal | PASS    |
| 4              | 13892.95        | 52.28          | 40.88          | -11.40        | 68.20          | 27.32       | PK       | Horizontal | PASS    |
| 5              | 15853.93        | 50.47          | 41.58          | -8.89         | 74.00          | 32.42       | PK       | Horizontal | PASS    |
| 6              | 17369.68        | 48.37          | 41.42          | -6.95         | 68.20          | 26.78       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9560.78         | 50.99          | 40.43          | -10.56        | 68.20          | 27.77       | PK       | Vertical | PASS    |
| 2              | 11001.50        | 55.78          | 47.38          | -8.40         | 74.00          | 26.62       | PK       | Vertical | PASS    |
| 3              | 12287.14        | 51.03          | 41.40          | -9.63         | 74.00          | 32.60       | PK       | Vertical | PASS    |
| 4              | 13607.80        | 53.24          | 41.50          | -11.74        | 68.20          | 26.70       | PK       | Vertical | PASS    |
| 5              | 15843.92        | 49.52          | 40.57          | -8.95         | 74.00          | 33.43       | PK       | Vertical | PASS    |
| 6              | 17149.57        | 47.93          | 40.59          | -7.34         | 68.20          | 27.61       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9325.66         | 51.25          | 40.50          | -10.75        | 74.00          | 33.50       | PK       | Horizontal | PASS    |
| 2              | 11161.58        | 50.12          | 41.70          | -8.42         | 74.00          | 32.30       | PK       | Horizontal | PASS    |
| 3              | 12182.09        | 51.18          | 41.51          | -9.67         | 74.00          | 32.49       | PK       | Horizontal | PASS    |
| 4              | 13732.87        | 52.15          | 40.71          | -11.44        | 68.20          | 27.49       | PK       | Horizontal | PASS    |
| 5              | 15883.94        | 49.37          | 40.62          | -8.75         | 74.00          | 33.38       | PK       | Horizontal | PASS    |
| 6              | 17319.66        | 48.52          | 41.47          | -7.05         | 68.20          | 26.73       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9185.59         | 51.45          | 40.71          | -10.74        | 74.00          | 33.29       | PK       | Vertical | PASS    |
| 2              | 11166.58        | 56.65          | 48.24          | -8.41         | 74.00          | 25.76       | PK       | Vertical | PASS    |
| 3              | 12417.21        | 51.52          | 41.81          | -9.71         | 74.00          | 32.19       | PK       | Vertical | PASS    |
| 4              | 13857.93        | 52.11          | 40.75          | -11.36        | 68.20          | 27.45       | PK       | Vertical | PASS    |
| 5              | 16004.00        | 49.89          | 41.67          | -8.22         | 74.00          | 32.33       | PK       | Vertical | PASS    |
| 6              | 17814.91        | 47.40          | 42.29          | -5.11         | 74.00          | 31.71       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9185.59         | 51.74          | 41.00          | -10.74        | 74.00          | 33.00       | PK       | Horizontal | PASS    |
| 2              | 11411.71        | 54.54          | 45.71          | -8.83         | 74.00          | 28.29       | PK       | Horizontal | PASS    |
| 3              | 12767.38        | 51.54          | 40.07          | -11.47        | 68.20          | 28.13       | PK       | Horizontal | PASS    |
| 4              | 14998.50        | 50.07          | 41.06          | -9.01         | 68.20          | 27.14       | PK       | Horizontal | PASS    |
| 5              | 16009.00        | 48.85          | 40.62          | -8.23         | 74.00          | 33.38       | PK       | Horizontal | PASS    |
| 6              | 17839.92        | 46.37          | 41.12          | -5.25         | 74.00          | 32.88       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9460.73         | 51.21          | 40.49          | -10.72        | 74.00          | 33.51       | PK       | Vertical | PASS    |
| 2              | 11396.70        | 58.24          | 49.48          | -8.76         | 74.00          | 24.52       | PK       | Vertical | PASS    |
| 3              | 13477.74        | 52.70          | 40.92          | -11.78        | 68.20          | 27.28       | PK       | Vertical | PASS    |
| 4              | 14938.47        | 49.66          | 40.26          | -9.40         | 68.20          | 27.94       | PK       | Vertical | PASS    |
| 5              | 16004.00        | 49.25          | 41.03          | -8.22         | 74.00          | 32.97       | PK       | Vertical | PASS    |
| 6              | 17804.90        | 47.07          | 42.02          | -5.05         | 74.00          | 31.98       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9205.60         | 51.59          | 40.93          | -10.66        | 68.20          | 27.27       | PK       | Horizontal | PASS    |
| 2              | 11436.72        | 56.37          | 47.41          | -8.96         | 74.00          | 26.59       | PK       | Horizontal | PASS    |
| 3              | 12682.34        | 51.59          | 40.20          | -11.39        | 74.00          | 33.80       | PK       | Horizontal | PASS    |
| 4              | 14998.50        | 50.56          | 41.55          | -9.01         | 68.20          | 26.65       | PK       | Horizontal | PASS    |
| 5              | 16009.00        | 49.47          | 41.24          | -8.23         | 74.00          | 32.76       | PK       | Horizontal | PASS    |
| 6              | 17794.90        | 47.78          | 42.73          | -5.05         | 74.00          | 31.27       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9175.59         | 51.90          | 41.10          | -10.80        | 74.00          | 32.90       | PK       | Vertical | PASS    |
| 2              | 11446.72        | 57.55          | 48.54          | -9.01         | 74.00          | 25.46       | PK       | Vertical | PASS    |
| 3              | 12802.40        | 51.97          | 40.45          | -11.52        | 68.20          | 27.75       | PK       | Vertical | PASS    |
| 4              | 14998.50        | 49.94          | 40.93          | -9.01         | 68.20          | 27.27       | PK       | Vertical | PASS    |
| 5              | 16284.14        | 49.09          | 40.63          | -8.46         | 68.20          | 27.57       | PK       | Vertical | PASS    |
| 6              | 17689.84        | 47.79          | 42.02          | -5.77         | 68.20          | 26.18       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9060.53         | 52.41          | 40.96          | -11.45        | 74.00          | 33.04       | PK       | Horizontal | PASS    |
| 2              | 10441.22        | 50.72          | 40.89          | -9.83         | 68.20          | 27.31       | PK       | Horizontal | PASS    |
| 3              | 11496.75        | 59.08          | 49.81          | -9.27         | 74.00          | 24.19       | PK       | Horizontal | PASS    |
| 4              | 13412.71        | 53.39          | 41.63          | -11.76        | 68.20          | 26.57       | PK       | Horizontal | PASS    |
| 5              | 15893.95        | 49.78          | 41.07          | -8.71         | 74.00          | 32.93       | PK       | Horizontal | PASS    |
| 6              | 17044.52        | 48.97          | 41.44          | -7.53         | 68.20          | 26.76       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9095.55         | 51.36          | 40.11          | -11.25        | 74.00          | 33.89       | PK       | Vertical | PASS    |
| 2              | 11491.75        | 58.17          | 48.92          | -9.25         | 74.00          | 25.08       | PK       | Vertical | PASS    |
| 3              | 12417.21        | 50.52          | 40.81          | -9.71         | 74.00          | 33.19       | PK       | Vertical | PASS    |
| 4              | 13642.82        | 53.57          | 41.92          | -11.65        | 68.20          | 26.28       | PK       | Vertical | PASS    |
| 5              | 15999.00        | 48.98          | 40.78          | -8.20         | 74.00          | 33.22       | PK       | Vertical | PASS    |
| 6              | 17214.61        | 49.24          | 42.01          | -7.23         | 68.20          | 26.19       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9175.59         | 51.34          | 40.54          | -10.80        | 74.00          | 33.46       | PK       | Horizontal | PASS    |
| 2              | 10241.12        | 51.18          | 40.59          | -10.59        | 68.20          | 27.61       | PK       | Horizontal | PASS    |
| 3              | 11566.78        | 58.05          | 48.38          | -9.67         | 74.00          | 25.62       | PK       | Horizontal | PASS    |
| 4              | 13577.79        | 52.79          | 41.02          | -11.77        | 68.20          | 27.18       | PK       | Horizontal | PASS    |
| 5              | 16009.00        | 49.31          | 41.08          | -8.23         | 74.00          | 32.92       | PK       | Horizontal | PASS    |
| 6              | 17144.57        | 48.42          | 41.07          | -7.35         | 68.20          | 27.13       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9210.61         | 51.24          | 40.57          | -10.67        | 68.20          | 27.63       | PK       | Vertical | PASS    |
| 2              | 10556.28        | 50.53          | 41.25          | -9.28         | 68.20          | 26.95       | PK       | Vertical | PASS    |
| 3              | 11566.78        | 57.50          | 47.83          | -9.67         | 74.00          | 26.17       | PK       | Vertical | PASS    |
| 4              | 13367.68        | 52.92          | 41.15          | -11.77        | 74.00          | 32.85       | PK       | Vertical | PASS    |
| 5              | 16014.01        | 49.26          | 41.02          | -8.24         | 74.00          | 32.98       | PK       | Vertical | PASS    |
| 6              | 17799.90        | 47.15          | 42.13          | -5.02         | 74.00          | 31.87       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9465.73         | 51.17          | 40.46          | -10.71        | 74.00          | 33.54       | PK       | Horizontal | PASS    |
| 2              | 11011.51        | 49.20          | 40.79          | -8.41         | 74.00          | 33.21       | PK       | Horizontal | PASS    |
| 3              | 12307.15        | 51.34          | 41.72          | -9.62         | 74.00          | 32.28       | PK       | Horizontal | PASS    |
| 4              | 13667.83        | 52.97          | 41.38          | -11.59        | 68.20          | 26.82       | PK       | Horizontal | PASS    |
| 5              | 15883.94        | 49.61          | 40.86          | -8.75         | 74.00          | 33.14       | PK       | Horizontal | PASS    |
| 6              | 17429.71        | 48.59          | 41.76          | -6.83         | 68.20          | 26.44       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9230.62         | 51.57          | 40.89          | -10.68        | 68.20          | 27.31       | PK       | Vertical | PASS    |
| 2              | 11651.83        | 52.46          | 42.67          | -9.79         | 74.00          | 31.33       | PK       | Vertical | PASS    |
| 3              | 13127.56        | 52.90          | 40.81          | -12.09        | 68.20          | 27.39       | PK       | Vertical | PASS    |
| 4              | 15193.60        | 51.59          | 41.95          | -9.64         | 68.20          | 26.25       | PK       | Vertical | PASS    |
| 5              | 16224.11        | 50.13          | 41.49          | -8.64         | 68.20          | 26.71       | PK       | Vertical | PASS    |
| 6              | 17394.70        | 47.99          | 41.08          | -6.91         | 68.20          | 27.12       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9300.65         | 50.98          | 40.24          | -10.74        | 74.00          | 33.76       | PK       | Horizontal | PASS    |
| 2              | 11041.52        | 48.83          | 40.42          | -8.41         | 74.00          | 33.58       | PK       | Horizontal | PASS    |
| 3              | 12282.14        | 51.76          | 42.12          | -9.64         | 74.00          | 31.88       | PK       | Horizontal | PASS    |
| 4              | 13487.74        | 52.90          | 41.11          | -11.79        | 68.20          | 27.09       | PK       | Horizontal | PASS    |
| 5              | 15923.96        | 49.45          | 40.88          | -8.57         | 74.00          | 33.12       | PK       | Horizontal | PASS    |
| 6              | 17444.72        | 47.53          | 40.73          | -6.80         | 68.20          | 27.47       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9325.66         | 51.07          | 40.32          | -10.75        | 74.00          | 33.68       | PK       | Vertical | PASS    |
| 2              | 10691.35        | 50.04          | 41.06          | -8.98         | 74.00          | 32.94       | PK       | Vertical | PASS    |
| 3              | 12272.14        | 50.54          | 40.90          | -9.64         | 74.00          | 33.10       | PK       | Vertical | PASS    |
| 4              | 13892.95        | 51.25          | 39.85          | -11.40        | 68.20          | 28.35       | PK       | Vertical | PASS    |
| 5              | 15858.93        | 49.61          | 40.74          | -8.87         | 74.00          | 33.26       | PK       | Vertical | PASS    |
| 6              | 16749.37        | 48.97          | 41.17          | -7.80         | 68.20          | 27.03       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9185.59         | 50.82          | 40.08          | -10.74        | 74.00          | 33.92       | PK       | Horizontal | PASS    |
| 2              | 10986.49        | 49.28          | 40.85          | -8.43         | 74.00          | 33.15       | PK       | Horizontal | PASS    |
| 3              | 12307.15        | 51.53          | 41.91          | -9.62         | 74.00          | 32.09       | PK       | Horizontal | PASS    |
| 4              | 13942.97        | 51.82          | 40.35          | -11.47        | 68.20          | 27.85       | PK       | Horizontal | PASS    |
| 5              | 16009.00        | 49.01          | 40.78          | -8.23         | 74.00          | 33.22       | PK       | Horizontal | PASS    |
| 6              | 17194.60        | 48.75          | 41.49          | -7.26         | 68.20          | 26.71       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9305.65         | 51.43          | 40.69          | -10.74        | 74.00          | 33.31       | PK       | Vertical | PASS    |
| 2              | 10401.20        | 54.66          | 44.63          | -10.03        | 68.20          | 23.57       | PK       | Vertical | PASS    |
| 3              | 12257.13        | 51.11          | 41.46          | -9.65         | 74.00          | 32.54       | PK       | Vertical | PASS    |
| 4              | 13652.83        | 53.08          | 41.45          | -11.63        | 68.20          | 26.75       | PK       | Vertical | PASS    |
| 5              | 16009.00        | 49.10          | 40.87          | -8.23         | 74.00          | 33.13       | PK       | Vertical | PASS    |
| 6              | 17219.61        | 49.33          | 42.11          | -7.22         | 68.20          | 26.09       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9185.59         | 51.85          | 41.11          | -10.74        | 74.00          | 32.89       | PK       | Horizontal | PASS    |
| 2              | 10481.24        | 52.48          | 42.83          | -9.65         | 68.20          | 25.37       | PK       | Horizontal | PASS    |
| 3              | 12062.03        | 50.77          | 41.24          | -9.53         | 74.00          | 32.76       | PK       | Horizontal | PASS    |
| 4              | 14103.05        | 51.41          | 40.00          | -11.41        | 68.20          | 28.20       | PK       | Horizontal | PASS    |
| 5              | 16009.00        | 49.63          | 41.40          | -8.23         | 74.00          | 32.60       | PK       | Horizontal | PASS    |
| 6              | 17369.68        | 48.58          | 41.63          | -6.95         | 68.20          | 26.57       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9295.65         | 51.65          | 40.92          | -10.73        | 68.20          | 27.28       | PK       | Vertical | PASS    |
| 2              | 10481.24        | 53.30          | 43.65          | -9.65         | 68.20          | 24.55       | PK       | Vertical | PASS    |
| 3              | 12067.03        | 51.12          | 41.59          | -9.53         | 74.00          | 32.41       | PK       | Vertical | PASS    |
| 4              | 13742.87        | 52.48          | 41.07          | -11.41        | 68.20          | 27.13       | PK       | Vertical | PASS    |
| 5              | 16004.00        | 50.21          | 41.99          | -8.22         | 74.00          | 32.01       | PK       | Vertical | PASS    |
| 6              | 17789.89        | 47.04          | 41.95          | -5.09         | 74.00          | 32.05       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9170.59         | 51.87          | 41.04          | -10.83        | 74.00          | 32.96       | PK       | Horizontal | PASS    |
| 2              | 10521.26        | 53.60          | 44.15          | -9.45         | 68.20          | 24.05       | PK       | Horizontal | PASS    |
| 3              | 12057.03        | 50.47          | 40.95          | -9.52         | 74.00          | 33.05       | PK       | Horizontal | PASS    |
| 4              | 13817.91        | 51.90          | 40.61          | -11.29        | 68.20          | 27.59       | PK       | Horizontal | PASS    |
| 5              | 16009.00        | 49.32          | 41.09          | -8.23         | 74.00          | 32.91       | PK       | Horizontal | PASS    |
| 6              | 17134.57        | 48.67          | 41.31          | -7.36         | 68.20          | 26.89       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9185.59         | 51.66          | 40.92          | -10.74        | 74.00          | 33.08       | PK       | Vertical | PASS    |
| 2              | 10521.26        | 53.97          | 44.52          | -9.45         | 68.20          | 23.68       | PK       | Vertical | PASS    |
| 3              | 12242.12        | 51.04          | 41.38          | -9.66         | 74.00          | 32.62       | PK       | Vertical | PASS    |
| 4              | 13732.87        | 52.41          | 40.97          | -11.44        | 68.20          | 27.23       | PK       | Vertical | PASS    |
| 5              | 16064.03        | 49.63          | 41.27          | -8.36         | 74.00          | 32.73       | PK       | Vertical | PASS    |
| 6              | 17594.80        | 48.42          | 42.03          | -6.39         | 68.20          | 26.17       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9190.60         | 51.90          | 41.19          | -10.71        | 74.00          | 32.81       | PK       | Horizontal | PASS    |
| 2              | 10641.32        | 54.25          | 45.21          | -9.04         | 74.00          | 28.79       | PK       | Horizontal | PASS    |
| 3              | 12332.17        | 51.16          | 41.56          | -9.60         | 74.00          | 32.44       | PK       | Horizontal | PASS    |
| 4              | 13792.90        | 52.82          | 41.54          | -11.28        | 68.20          | 26.66       | PK       | Horizontal | PASS    |
| 5              | 15988.99        | 49.61          | 41.35          | -8.26         | 74.00          | 32.65       | PK       | Horizontal | PASS    |
| 6              | 17304.65        | 48.51          | 41.44          | -7.07         | 68.20          | 26.76       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9295.65         | 51.28          | 40.55          | -10.73        | 68.20          | 27.65       | PK       | Vertical | PASS    |
| 2              | 10641.32        | 56.01          | 46.97          | -9.04         | 74.00          | 27.03       | PK       | Vertical | PASS    |
| 3              | 12152.08        | 51.21          | 41.58          | -9.63         | 74.00          | 32.42       | PK       | Vertical | PASS    |
| 4              | 15033.52        | 50.74          | 41.63          | -9.11         | 68.20          | 26.57       | PK       | Vertical | PASS    |
| 5              | 16594.30        | 49.39          | 41.83          | -7.56         | 68.20          | 26.37       | PK       | Vertical | PASS    |
| 6              | 17579.79        | 48.70          | 42.27          | -6.43         | 68.20          | 25.93       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9235.62         | 51.65          | 40.96          | -10.69        | 68.20          | 27.24       | PK       | Horizontal | PASS    |
| 2              | 11001.50        | 52.09          | 43.69          | -8.40         | 74.00          | 30.31       | PK       | Horizontal | PASS    |
| 3              | 12337.17        | 51.51          | 41.91          | -9.60         | 74.00          | 32.09       | PK       | Horizontal | PASS    |
| 4              | 13567.78        | 53.28          | 41.51          | -11.77        | 68.20          | 26.69       | PK       | Horizontal | PASS    |
| 5              | 15668.83        | 50.20          | 41.27          | -8.93         | 74.00          | 32.73       | PK       | Horizontal | PASS    |
| 6              | 17174.59        | 49.73          | 42.43          | -7.30         | 68.20          | 25.77       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9295.65         | 51.81          | 41.08          | -10.73        | 68.20          | 27.12       | PK       | Vertical | PASS    |
| 2              | 11001.50        | 54.82          | 46.42          | -8.40         | 74.00          | 27.58       | PK       | Vertical | PASS    |
| 3              | 12287.14        | 51.03          | 41.40          | -9.63         | 74.00          | 32.60       | PK       | Vertical | PASS    |
| 4              | 13647.82        | 53.66          | 42.02          | -11.64        | 68.20          | 26.18       | PK       | Vertical | PASS    |
| 5              | 15838.92        | 50.78          | 41.81          | -8.97         | 74.00          | 32.19       | PK       | Vertical | PASS    |
| 6              | 17519.76        | 48.87          | 42.25          | -6.62         | 68.20          | 25.95       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9420.71         | 52.07          | 41.29          | -10.78        | 74.00          | 32.71       | PK       | Horizontal | PASS    |
| 2              | 11161.58        | 53.07          | 44.65          | -8.42         | 74.00          | 29.35       | PK       | Horizontal | PASS    |
| 3              | 12282.14        | 51.04          | 41.40          | -9.64         | 74.00          | 32.60       | PK       | Horizontal | PASS    |
| 4              | 13537.77        | 53.09          | 41.31          | -11.78        | 68.20          | 26.89       | PK       | Horizontal | PASS    |
| 5              | 15473.74        | 50.25          | 41.15          | -9.10         | 74.00          | 32.85       | PK       | Horizontal | PASS    |
| 6              | 16749.37        | 48.95          | 41.15          | -7.80         | 68.20          | 27.05       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9170.59         | 51.92          | 41.09          | -10.83        | 74.00          | 32.91       | PK       | Vertical | PASS    |
| 2              | 11161.58        | 55.77          | 47.35          | -8.42         | 74.00          | 26.65       | PK       | Vertical | PASS    |
| 3              | 12377.19        | 50.48          | 40.91          | -9.57         | 74.00          | 33.09       | PK       | Vertical | PASS    |
| 4              | 13972.99        | 52.27          | 40.75          | -11.52        | 68.20          | 27.45       | PK       | Vertical | PASS    |
| 5              | 15838.92        | 50.45          | 41.48          | -8.97         | 74.00          | 32.52       | PK       | Vertical | PASS    |
| 6              | 17549.77        | 48.54          | 42.01          | -6.53         | 68.20          | 26.19       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9200.60         | 51.61          | 40.95          | -10.66        | 68.20          | 27.25       | PK       | Horizontal | PASS    |
| 2              | 11396.70        | 55.08          | 46.32          | -8.76         | 74.00          | 27.68       | PK       | Horizontal | PASS    |
| 3              | 12187.09        | 50.70          | 41.03          | -9.67         | 74.00          | 32.97       | PK       | Horizontal | PASS    |
| 4              | 14358.18        | 50.70          | 39.70          | -11.00        | 68.20          | 28.50       | PK       | Horizontal | PASS    |
| 5              | 16269.13        | 49.64          | 41.13          | -8.51         | 68.20          | 27.07       | PK       | Horizontal | PASS    |
| 6              | 17409.70        | 48.25          | 41.38          | -6.87         | 68.20          | 26.82       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9325.66         | 51.82          | 41.07          | -10.75        | 74.00          | 32.93       | PK       | Vertical | PASS    |
| 2              | 11401.70        | 56.95          | 48.17          | -8.78         | 74.00          | 25.83       | PK       | Vertical | PASS    |
| 3              | 12307.15        | 52.06          | 42.44          | -9.62         | 74.00          | 31.56       | PK       | Vertical | PASS    |
| 4              | 13772.89        | 51.61          | 40.27          | -11.34        | 68.20          | 27.93       | PK       | Vertical | PASS    |
| 5              | 15999.00        | 50.16          | 41.96          | -8.20         | 74.00          | 32.04       | PK       | Vertical | PASS    |
| 6              | 17399.70        | 47.90          | 41.00          | -6.90         | 68.20          | 27.20       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9185.59         | 51.35          | 40.61          | -10.74        | 74.00          | 33.39       | PK       | Horizontal | PASS    |
| 2              | 11441.72        | 55.17          | 46.18          | -8.99         | 74.00          | 27.82       | PK       | Horizontal | PASS    |
| 3              | 12242.12        | 51.82          | 42.16          | -9.66         | 74.00          | 31.84       | PK       | Horizontal | PASS    |
| 4              | 13577.79        | 53.02          | 41.25          | -11.77        | 68.20          | 26.95       | PK       | Horizontal | PASS    |
| 5              | 16019.01        | 49.77          | 41.51          | -8.26         | 74.00          | 32.49       | PK       | Horizontal | PASS    |
| 6              | 17674.84        | 47.46          | 41.58          | -5.88         | 68.20          | 26.62       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9565.78         | 51.17          | 40.63          | -10.54        | 68.20          | 27.57       | PK       | Vertical | PASS    |
| 2              | 11441.72        | 57.57          | 48.58          | -8.99         | 74.00          | 25.42       | PK       | Vertical | PASS    |
| 3              | 12302.15        | 52.04          | 42.42          | -9.62         | 74.00          | 31.58       | PK       | Vertical | PASS    |
| 4              | 13727.86        | 53.19          | 41.75          | -11.44        | 68.20          | 26.45       | PK       | Vertical | PASS    |
| 5              | 15638.82        | 50.72          | 41.84          | -8.88         | 74.00          | 32.16       | PK       | Vertical | PASS    |
| 6              | 17584.79        | 48.40          | 41.98          | -6.42         | 68.20          | 26.22       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9565.78         | 51.12          | 40.58          | -10.54        | 68.20          | 27.62       | PK       | Horizontal | PASS    |
| 2              | 11491.75        | 53.11          | 43.86          | -9.25         | 74.00          | 30.14       | PK       | Horizontal | PASS    |
| 3              | 12182.09        | 52.05          | 42.38          | -9.67         | 74.00          | 31.62       | PK       | Horizontal | PASS    |
| 4              | 13742.87        | 52.42          | 41.01          | -11.41        | 68.20          | 27.19       | PK       | Horizontal | PASS    |
| 5              | 15693.85        | 49.73          | 40.76          | -8.97         | 74.00          | 33.24       | PK       | Horizontal | PASS    |
| 6              | 17809.90        | 47.41          | 42.33          | -5.08         | 74.00          | 31.67       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9180.59         | 52.96          | 42.19          | -10.77        | 74.00          | 31.81       | PK       | Vertical | PASS    |
| 2              | 10151.08        | 51.72          | 41.24          | -10.48        | 68.20          | 26.96       | PK       | Vertical | PASS    |
| 3              | 11491.75        | 55.22          | 45.97          | -9.25         | 74.00          | 28.03       | PK       | Vertical | PASS    |
| 4              | 13637.82        | 53.24          | 41.57          | -11.67        | 68.20          | 26.63       | PK       | Vertical | PASS    |
| 5              | 16014.01        | 49.61          | 41.37          | -8.24         | 74.00          | 32.63       | PK       | Vertical | PASS    |
| 6              | 17819.91        | 48.56          | 43.42          | -5.14         | 74.00          | 30.58       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9210.61         | 51.03          | 40.36          | -10.67        | 68.20          | 27.84       | PK       | Horizontal | PASS    |
| 2              | 10936.47        | 49.05          | 40.51          | -8.54         | 74.00          | 33.49       | PK       | Horizontal | PASS    |
| 3              | 11561.78        | 54.64          | 44.99          | -9.65         | 74.00          | 29.01       | PK       | Horizontal | PASS    |
| 4              | 12327.16        | 51.80          | 42.19          | -9.61         | 74.00          | 31.81       | PK       | Horizontal | PASS    |
| 5              | 13647.82        | 53.64          | 42.00          | -11.64        | 68.20          | 26.20       | PK       | Horizontal | PASS    |
| 6              | 16004.00        | 49.62          | 41.40          | -8.22         | 74.00          | 32.60       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9565.78         | 52.15          | 41.61          | -10.54        | 68.20          | 26.59       | PK       | Vertical | PASS    |
| 2              | 11076.54        | 49.04          | 40.64          | -8.40         | 74.00          | 33.36       | PK       | Vertical | PASS    |
| 3              | 12182.09        | 51.45          | 41.78          | -9.67         | 74.00          | 32.22       | PK       | Vertical | PASS    |
| 4              | 13802.90        | 51.63          | 40.36          | -11.27        | 68.20          | 27.84       | PK       | Vertical | PASS    |
| 5              | 15999.00        | 48.66          | 40.46          | -8.20         | 74.00          | 33.54       | PK       | Vertical | PASS    |
| 6              | 17129.56        | 48.80          | 41.43          | -7.37         | 68.20          | 26.77       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9175.59         | 51.59          | 40.79          | -10.80        | 74.00          | 33.21       | PK       | Horizontal | PASS    |
| 2              | 11656.83        | 54.90          | 45.11          | -9.79         | 74.00          | 28.89       | PK       | Horizontal | PASS    |
| 3              | 13312.66        | 52.63          | 40.81          | -11.82        | 74.00          | 33.19       | PK       | Horizontal | PASS    |
| 4              | 15028.51        | 49.81          | 40.72          | -9.09         | 68.20          | 27.48       | PK       | Horizontal | PASS    |
| 5              | 16004.00        | 48.74          | 40.52          | -8.22         | 74.00          | 33.48       | PK       | Horizontal | PASS    |
| 6              | 17589.79        | 48.34          | 41.93          | -6.41         | 68.20          | 26.27       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9170.59         | 51.45          | 40.62          | -10.83        | 74.00          | 33.38       | PK       | Vertical | PASS    |
| 2              | 10461.23        | 50.80          | 41.07          | -9.73         | 68.20          | 27.13       | PK       | Vertical | PASS    |
| 3              | 11651.83        | 52.67          | 42.88          | -9.79         | 74.00          | 31.12       | PK       | Vertical | PASS    |
| 4              | 13607.80        | 53.24          | 41.50          | -11.74        | 68.20          | 26.70       | PK       | Vertical | PASS    |
| 5              | 15713.86        | 49.66          | 40.65          | -9.01         | 74.00          | 33.35       | PK       | Vertical | PASS    |
| 6              | 16899.45        | 49.18          | 41.43          | -7.75         | 68.20          | 26.77       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 8980.49         | 52.49          | 40.74          | -11.75        | 68.20          | 27.46       | PK       | Horizontal | PASS    |
| 2              | 10541.27        | 50.81          | 41.45          | -9.36         | 68.20          | 26.75       | PK       | Horizontal | PASS    |
| 3              | 12257.13        | 50.90          | 41.25          | -9.65         | 74.00          | 32.75       | PK       | Horizontal | PASS    |
| 4              | 13612.81        | 53.26          | 41.53          | -11.73        | 68.20          | 26.67       | PK       | Horizontal | PASS    |
| 5              | 15928.96        | 49.50          | 40.96          | -8.54         | 74.00          | 33.04       | PK       | Horizontal | PASS    |
| 6              | 17424.71        | 48.33          | 41.49          | -6.84         | 68.20          | 26.71       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9470.74         | 51.19          | 40.48          | -10.71        | 74.00          | 33.52       | PK       | Vertical | PASS    |
| 2              | 10861.43        | 49.59          | 40.89          | -8.70         | 74.00          | 33.11       | PK       | Vertical | PASS    |
| 3              | 12172.09        | 50.93          | 41.28          | -9.65         | 74.00          | 32.72       | PK       | Vertical | PASS    |
| 4              | 13647.82        | 53.53          | 41.89          | -11.64        | 68.20          | 26.31       | PK       | Vertical | PASS    |
| 5              | 15688.84        | 49.85          | 40.88          | -8.97         | 74.00          | 33.12       | PK       | Vertical | PASS    |
| 6              | 17144.57        | 48.77          | 41.42          | -7.35         | 68.20          | 26.78       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9230.62         | 51.69          | 41.01          | -10.68        | 68.20          | 27.19       | PK       | Horizontal | PASS    |
| 2              | 10401.20        | 52.15          | 42.12          | -10.03        | 68.20          | 26.08       | PK       | Horizontal | PASS    |
| 3              | 12132.07        | 50.93          | 41.33          | -9.60         | 74.00          | 32.67       | PK       | Horizontal | PASS    |
| 4              | 13402.70        | 53.78          | 42.03          | -11.75        | 68.20          | 26.17       | PK       | Horizontal | PASS    |
| 5              | 15698.85        | 49.88          | 40.90          | -8.98         | 74.00          | 33.10       | PK       | Horizontal | PASS    |
| 6              | 17454.73        | 48.53          | 41.76          | -6.77         | 68.20          | 26.44       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9185.59         | 51.73          | 40.99          | -10.74        | 74.00          | 33.01       | PK       | Vertical | PASS    |
| 2              | 10401.20        | 53.92          | 43.89          | -10.03        | 68.20          | 24.31       | PK       | Vertical | PASS    |
| 3              | 12172.09        | 52.37          | 42.72          | -9.65         | 74.00          | 31.28       | PK       | Vertical | PASS    |
| 4              | 13987.99        | 52.59          | 41.05          | -11.54        | 68.20          | 27.15       | PK       | Vertical | PASS    |
| 5              | 16004.00        | 49.16          | 40.94          | -8.22         | 74.00          | 33.06       | PK       | Vertical | PASS    |
| 6              | 17794.90        | 46.75          | 41.70          | -5.05         | 74.00          | 32.30       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9430.72         | 51.83          | 41.06          | -10.77        | 74.00          | 32.94       | PK       | Horizontal | PASS    |
| 2              | 10481.24        | 53.13          | 43.48          | -9.65         | 68.20          | 24.72       | PK       | Horizontal | PASS    |
| 3              | 12252.13        | 51.61          | 41.96          | -9.65         | 74.00          | 32.04       | PK       | Horizontal | PASS    |
| 4              | 13522.76        | 52.64          | 40.85          | -11.79        | 68.20          | 27.35       | PK       | Horizontal | PASS    |
| 5              | 15438.72        | 50.24          | 41.08          | -9.16         | 74.00          | 32.92       | PK       | Horizontal | PASS    |
| 6              | 17204.60        | 48.46          | 41.22          | -7.24         | 68.20          | 26.98       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |          |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9155.58         | 51.58          | 40.67          | -10.91        | 74.00          | 33.33       | PK       | Vertical | PASS    |
| 2              | 10481.24        | 54.96          | 45.31          | -9.65         | 68.20          | 22.89       | PK       | Vertical | PASS    |
| 3              | 12072.04        | 51.37          | 41.84          | -9.53         | 74.00          | 32.16       | PK       | Vertical | PASS    |
| 4              | 13577.79        | 53.53          | 41.76          | -11.77        | 68.20          | 26.44       | PK       | Vertical | PASS    |
| 5              | 15668.83        | 50.88          | 41.95          | -8.93         | 74.00          | 32.05       | PK       | Vertical | PASS    |
| 6              | 16974.49        | 48.43          | 40.78          | -7.65         | 68.20          | 27.42       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level

# TX Radiated Test Result



| PEAK Data List |                 |                |                |               |                |             |          |            |         |
|----------------|-----------------|----------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9135.57         | 51.87          | 40.85          | -11.02        | 74.00          | 33.15       | PK       | Horizontal | PASS    |
| 2              | 10521.26        | 53.25          | 43.80          | -9.45         | 68.20          | 24.40       | PK       | Horizontal | PASS    |
| 3              | 12182.09        | 51.27          | 41.60          | -9.67         | 74.00          | 32.40       | PK       | Horizontal | PASS    |
| 4              | 13637.82        | 53.30          | 41.63          | -11.67        | 68.20          | 26.57       | PK       | Horizontal | PASS    |
| 5              | 16004.00        | 49.81          | 41.59          | -8.22         | 74.00          | 32.41       | PK       | Horizontal | PASS    |
| 6              | 17064.53        | 49.31          | 41.82          | -7.49         | 68.20          | 26.38       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level