




LTE Band 4, QPSK modulation, 1.4MHz
Mid Channel (20175), 1 RB (Pos 3)
Vertical Data (8-18GHz)




Horizontal Data (8-18GHz)




LTE Band 4, QPSK modulation, 1.4MHz
High Channel (20393), 1 RB (Pos 5)
Vertical Data (30-1000MHz)




Horizontal Data (30-1000MHz)




LTE Band 4, QPSK modulation, 1.4MHz
High Channel (20393), 1 RB (Pos 5)
Vertical Data (1-8GHz)




Horizontal Data (1-8GHz)




LTE Band 4, QPSK modulation, 1.4MHz
High Channel (20393), 1 RB (Pos 5)
Vertical Data (8-18GHz)




Horizontal Data (8-18GHz)




LTE Band 5, QPSK modulation, 1.4MHz
Low Channel (20407), 1 RB (Pos 0)
Vertical Data (30-1000MHz)




Horizontal Data (30-1000MHz)




LTE Band 5, QPSK modulation, 1.4MHz
Low Channel (20407), 1 RB (Pos 0)
Vertical Data (1-8GHz)




Horizontal Data (1-8GHz)




LTE Band 5, QPSK modulation, 1.4MHz
Low Channel (20407), 1 RB (Pos 0)
Vertical Data (8-18GHz)




Horizontal Data (8-18GHz)




LTE Band 5, QPSK modulation, 1.4MHz
Mid Channel (20525), 1 RB (Pos 3)
Vertical Data (30-1000MHz)




Horizontal Data (30-1000MHz)




LTE Band 5, QPSK modulation, 1.4MHz
Mid Channel (20525), 1 RB (Pos 3)
Vertical Data (1-8GHz)




Horizontal Data (1-8GHz)




LTE Band 5, QPSK modulation, 1.4MHz
Mid Channel (20525), 1 RB (Pos 3)
Vertical Data (8-18GHz)




Horizontal Data (8-18GHz)




LTE Band 5, QPSK modulation, 1.4MHz
High Channel (20643), 1 RB (Pos 5)
Vertical Data (30-1000MHz)




Horizontal Data (30-1000MHz)




LTE Band 5, QPSK modulation, 1.4MHz
High Channel (20643), 1 RB (Pos 5)
Vertical Data (1-8GHz)




Horizontal Data (1-8GHz)




LTE Band 5, QPSK modulation, 1.4MHz
High Channel (20643), 1 RB (Pos 5)
Vertical Data (8-18GHz)




Horizontal Data (8-18GHz)




LTE Band 17, QPSK modulation, 5MHz
Low Channel (23755), 1 RB (Pos 0)
Vertical Data (30-1000MHz)




Horizontal Data (30-1000MHz)




LTE Band 17, QPSK modulation, 5MHz
Low Channel (23755), 1 RB (Pos 0)
Vertical Data (1-8GHz)




Horizontal Data (1-8GHz)




LTE Band 17, QPSK modulation, 5MHz
Low Channel (23755), 1 RB (Pos 0)
Vertical Data (8-18GHz)




Horizontal Data (8-18GHz)




LTE Band 17, QPSK modulation, 5MHz
Mid Channel (23790), 1 RB (Pos 12)
Vertical Data (30-1000MHz)




Horizontal Data (30-1000MHz)




LTE Band 17, QPSK modulation, 5MHz
Mid Channel (23790), 1 RB (Pos 12)
Vertical Data (1-8GHz)




Horizontal Data (1-8GHz)




LTE Band 17, QPSK modulation, 5MHz
Mid Channel (23790), 1 RB (Pos 12)
Vertical Data (8-18GHz)




Horizontal Data (8-18GHz)




LTE Band 17, QPSK modulation, 5MHz
High Channel (23825), 1 RB (Pos 24)
Vertical Data (30-1000MHz)




Horizontal Data (30-1000MHz)




LTE Band 17, QPSK modulation, 5MHz
High Channel (23825), 1 RB (Pos 24)
Vertical Data (1-8GHz)




Horizontal Data (1-8GHz)



LTE Band 17, QPSK modulation, 5MHz
High Channel (23825), 1 RB (Pos 24)
Vertical Data (8-18GHz)



Horizontal Data (8-18GHz)



9 Frequency Stability

9.1 Test Result

Test Description	Basic Standards	Test Result
Frequency Stability	2.1055 22.917(a) 24.238(a) 27.5(b) 27.5(h) 27.54 RSS-GEN (6.11) RSS-130 (4.3) RSS-132 (5.3) RSS-133 (6.3) RSS-139 (6.3)	Compliant

9.2 Test Method

The EUT was placed inside the Environmental Chamber and was left inside chamber to stabilize to set temperature for minimum of thirty minutes before any measurements were made. The EUT was tested at the middle channel of each band.

9.3 Test Site

SGS EMC Laboratory, Suwanee, GA

9.4 Test Equipment

Equipment	Model	Manufacturer	Asset Number	Cal Due Date
CMW500 WIDEBAND RADIO COMMUNICATIONS TESTER	CMW500	ROHDE & SCHWARZ	B094874	19-Jan-2019
ENVIRONMENTAL TEST CHAMBER	T2RC	TENNEY ENVIRONMENTAL	B094877	CNR
HANDHELD MULTIMETER	87V	FLUKE	B079676	4-Aug-2016


- Unless otherwise noted, equipment is on a 1 year calibration cycle.
- Based on manufacturer's specifications, the CMW-500 is on a 3 year calibration cycle.

9.5 Test Data

Band 2, Channel 18900

Voltage %	Power V _{DC}	Temp °C	Frequency Hz	Freq Dev Hz	Freq Dev ppm	Deviation %
100%	12.00	+20 (Ref)	1,879,999,993	-7	-0.00	-0.000000
100%	12.00	-30	1,879,999,998	-2	-0.00	-0.000000
100%	12.00	-20	1,879,999,988	-12	-0.01	-0.000001
100%	12.00	-10	1,879,999,984	-16	-0.01	-0.000001
100%	12.00	0	1,879,999,985	-15	-0.01	-0.000001
100%	12.00	+10	1,880,000,004	+4	+0.00	+0.000000
100%	12.00	+20	1,879,999,993	-7	-0.00	-0.000000
100%	12.00	+30	1,879,999,995	-5	-0.00	-0.000000
100%	12.00	+40	1,879,999,993	-7	-0.00	-0.000000
100%	12.00	+50	1,879,999,989	-11	-0.01	-0.000001
100%	12.00	+55	1,879,999,994	-6	-0.00	-0.000000
115%	13.80	+20	1,879,999,995	-5	-0.00	-0.000000
85%	10.20	+20	1,879,999,994	-6	-0.00	-0.000000


Frequency Stability



Band 4, Channel 20175

Voltage %	Power V _{DC}	Temp °C	Frequency Hz	Freq Dev Hz	Freq Dev ppm	Deviation %
100%	12.00	+20 (Ref)	1,732,500,002	+2	+0.00	+0.000000
100%	12.00	-30	1,732,500,001	+1	+0.00	+0.000000
100%	12.00	-20	1,732,500,003	+3	+0.00	+0.000000
100%	12.00	-10	1,732,500,003	+3	+0.00	+0.000000
100%	12.00	0	1,732,500,004	+4	+0.00	+0.000000
100%	12.00	+10	1,732,500,003	+3	+0.00	+0.000000
100%	12.00	+20	1,732,500,002	+2	+0.00	+0.000000
100%	12.00	+30	1,732,500,003	+3	+0.00	+0.000000
100%	12.00	+40	1,732,500,002	+2	+0.00	+0.000000
100%	12.00	+50	1,732,500,002	+2	+0.00	+0.000000
100%	12.00	+55	1,732,500,002	+2	+0.00	+0.000000
115%	13.80	+20	1,732,500,003	+3	+0.00	+0.000000
85%	10.20	+20	1,732,500,002	+2	+0.00	+0.000000


Frequency Stability



Band 5, Channel 20525

Voltage %	Power V _{DC}	Temp °C	Frequency Hz	Freq Dev Hz	Freq Dev ppm	Deviation %
100%	12.00	+20 (Ref)	836,500,004	+4	+0.00	+0.000000
100%	12.00	-30	836,499,999	-1	-0.00	-0.000000
100%	12.00	-20	836,500,001	+1	+0.00	+0.000000
100%	12.00	-10	836,500,002	+2	+0.00	+0.000000
100%	12.00	0	836,500,000	+0	+0.00	+0.000000
100%	12.00	+10	836,500,003	+3	+0.00	+0.000000
100%	12.00	+20	836,500,004	+4	+0.00	+0.000000
100%	12.00	+30	836,500,002	+2	+0.00	+0.000000
100%	12.00	+40	836,500,001	+1	+0.00	+0.000000
100%	12.00	+50	836,500,001	+1	+0.00	+0.000000
100%	12.00	+55	836,500,000	+0	+0.00	+0.000000
115%	13.80	+20	836,500,002	+2	+0.00	+0.000000
85%	10.20	+20	836,500,002	+2	+0.00	+0.000000


Frequency Stability



Band 17, Channel 23790

Voltage %	Power V _{DC}	Temp °C	Frequency Hz	Freq Dev Hz	Freq Dev ppm	Deviation %
100%	12.00	+20 (Ref)	710,000,000	-0	-0.00	-0.000000
100%	12.00	-30	709,999,997	-3	-0.00	-0.000000
100%	12.00	-20	710,000,000	-0	-0.00	-0.000000
100%	12.00	-10	709,999,998	-2	-0.00	-0.000000
100%	12.00	0	709,999,999	-1	-0.00	-0.000000
100%	12.00	+10	710,000,000	-0	-0.00	-0.000000
100%	12.00	+20	710,000,000	-0	-0.00	-0.000000
100%	12.00	+30	710,000,000	+0	+0.00	+0.000000
100%	12.00	+40	709,999,998	-2	-0.00	-0.000000
100%	12.00	+50	709,999,999	-1	-0.00	-0.000000
100%	12.00	+55	709,999,999	-1	-0.00	-0.000000
115%	13.80	+20	709,999,999	-1	-0.00	-0.000000
85%	10.20	+20	710,000,000	-0	-0.00	-0.000000

Frequency Stability



10 Revision History

Revision Level	Description of changes	Revision Date
0	Initial release	10 May 2016
	-	