











Test Item:	Bandedge	Type:	802.11 g / Ant1
CH01			
CH11			


Test Item:	Bandedge	Type:	802.11 n(HT20) / Ant0
CH01			
CH11			


Test Item:	Bandedge	Type:	802.11 n(HT20) / Ant1																																																																																									
CH01	 Agilent Spectrum Analyzer - Swept SA Center Freq 2.36600000 GHz Ref Offset 0.5 dB Ref 20.50 dBm Mkr4 2.363 312 GHz -54.368 dBm Start 2.31000 GHz #Res BW 100 kHz Stop 2.42200 GHz #VBW 300 kHz Sweep 11.20 ms (8001 pts) <table><tr><th>MKR</th><th>MODE</th><th>TRC</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.413 236 GHz</td><td>-4.003 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.400 000 GHz</td><td>-46.501 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.390 000 GHz</td><td>-45.454 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.363 312 GHz</td><td>-54.368 dBm</td><td></td><td></td><td></td></tr></table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.413 236 GHz	-4.003 dBm				2	N	1	f	2.400 000 GHz	-46.501 dBm				3	N	1	f	2.390 000 GHz	-45.454 dBm				4	N	1	f	2.363 312 GHz	-54.368 dBm				 Agilent Spectrum Analyzer - Swept SA Center Freq 2.47600000 GHz Ref Offset 0.5 dB Ref 20.50 dBm Mkr4 2.494 504 GHz -51.936 dBm Start 2.45200 GHz #Res BW 100 kHz Stop 2.50000 GHz #VBW 300 kHz Sweep 4.800 ms (8001 pts) <table><tr><th>MKR</th><th>MODE</th><th>TRC</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.463 304 GHz</td><td>-2.617 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.463 500 GHz</td><td>-44.340 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.500 000 GHz</td><td>-59.355 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.494 504 GHz</td><td>-51.936 dBm</td><td></td><td></td><td></td></tr></table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.463 304 GHz	-2.617 dBm				2	N	1	f	2.463 500 GHz	-44.340 dBm				3	N	1	f	2.500 000 GHz	-59.355 dBm				4	N	1	f	2.494 504 GHz	-51.936 dBm			
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																				
1	N	1	f	2.413 236 GHz	-4.003 dBm																																																																																							
2	N	1	f	2.400 000 GHz	-46.501 dBm																																																																																							
3	N	1	f	2.390 000 GHz	-45.454 dBm																																																																																							
4	N	1	f	2.363 312 GHz	-54.368 dBm																																																																																							
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																				
1	N	1	f	2.463 304 GHz	-2.617 dBm																																																																																							
2	N	1	f	2.463 500 GHz	-44.340 dBm																																																																																							
3	N	1	f	2.500 000 GHz	-59.355 dBm																																																																																							
4	N	1	f	2.494 504 GHz	-51.936 dBm																																																																																							
CH11																																																																																												



Test Item:	Bandedge	Type:	802.11 n(HT40) / Ant0																																																																																									
CH03	 <table><tr><th>MKR</th><th>MODE</th><th>TRC</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.4170025 GHz</td><td>-5.435 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.4000000 GHz</td><td>-48.505 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.3800000 GHz</td><td>-52.452 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.3884410 GHz</td><td>-48.528 dBm</td><td></td><td></td><td></td></tr></table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.4170025 GHz	-5.435 dBm				2	N	1	f	2.4000000 GHz	-48.505 dBm				3	N	1	f	2.3800000 GHz	-52.452 dBm				4	N	1	f	2.3884410 GHz	-48.528 dBm				 <table><tr><th>MKR</th><th>MODE</th><th>TRC</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.4845420 GHz</td><td>-4.230 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.4835000 GHz</td><td>-52.855 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.5000000 GHz</td><td>-58.862 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.4844705 GHz</td><td>-47.907 dBm</td><td></td><td></td><td></td></tr></table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.4845420 GHz	-4.230 dBm				2	N	1	f	2.4835000 GHz	-52.855 dBm				3	N	1	f	2.5000000 GHz	-58.862 dBm				4	N	1	f	2.4844705 GHz	-47.907 dBm			
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																				
1	N	1	f	2.4170025 GHz	-5.435 dBm																																																																																							
2	N	1	f	2.4000000 GHz	-48.505 dBm																																																																																							
3	N	1	f	2.3800000 GHz	-52.452 dBm																																																																																							
4	N	1	f	2.3884410 GHz	-48.528 dBm																																																																																							
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																				
1	N	1	f	2.4845420 GHz	-4.230 dBm																																																																																							
2	N	1	f	2.4835000 GHz	-52.855 dBm																																																																																							
3	N	1	f	2.5000000 GHz	-58.862 dBm																																																																																							
4	N	1	f	2.4844705 GHz	-47.907 dBm																																																																																							
CH09	 <table><tr><th>MKR</th><th>MODE</th><th>TRC</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.4845420 GHz</td><td>-4.230 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.4835000 GHz</td><td>-52.855 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.5000000 GHz</td><td>-58.862 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.4844705 GHz</td><td>-47.907 dBm</td><td></td><td></td><td></td></tr></table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.4845420 GHz	-4.230 dBm				2	N	1	f	2.4835000 GHz	-52.855 dBm				3	N	1	f	2.5000000 GHz	-58.862 dBm				4	N	1	f	2.4844705 GHz	-47.907 dBm				 <table><tr><th>MKR</th><th>MODE</th><th>TRC</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.4845420 GHz</td><td>-4.230 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.4835000 GHz</td><td>-52.855 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.5000000 GHz</td><td>-58.862 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.4844705 GHz</td><td>-47.907 dBm</td><td></td><td></td><td></td></tr></table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.4845420 GHz	-4.230 dBm				2	N	1	f	2.4835000 GHz	-52.855 dBm				3	N	1	f	2.5000000 GHz	-58.862 dBm				4	N	1	f	2.4844705 GHz	-47.907 dBm			
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																				
1	N	1	f	2.4845420 GHz	-4.230 dBm																																																																																							
2	N	1	f	2.4835000 GHz	-52.855 dBm																																																																																							
3	N	1	f	2.5000000 GHz	-58.862 dBm																																																																																							
4	N	1	f	2.4844705 GHz	-47.907 dBm																																																																																							
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																				
1	N	1	f	2.4845420 GHz	-4.230 dBm																																																																																							
2	N	1	f	2.4835000 GHz	-52.855 dBm																																																																																							
3	N	1	f	2.5000000 GHz	-58.862 dBm																																																																																							
4	N	1	f	2.4844705 GHz	-47.907 dBm																																																																																							


Test Item:	Bandedge	Type:	802.11 n(HT40) / Ant1																																																																																																											
CH03	Agilent Spectrum Analyzer - Swept SA Center Freq 2.376000000 GHz Ref Offset 0.5 dB Ref 20.50 dBm 10 dB/div Start 2.31000 GHz #Res BW 100 kHz Stop 2.44200 GHz Sweep 12.80 ms (8001 pts) #VBW 300 kHz Mkr4 2.384 530 5 GHz -52.677 dBm <table><thead><tr><th>MNR</th><th>MODE</th><th>TRIG</th><th>SQL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.419 527 0 GHz</td><td>-7.811 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.400 000 0 GHz</td><td>-66.289 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.380 000 0 GHz</td><td>-60.079 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.384 530 5 GHz</td><td>-52.677 dBm</td><td></td><td></td><td></td></tr><tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>11</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>	MNR	MODE	TRIG	SQL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.419 527 0 GHz	-7.811 dBm				2	N	1	f	2.400 000 0 GHz	-66.289 dBm				3	N	1	f	2.380 000 0 GHz	-60.079 dBm				4	N	1	f	2.384 530 5 GHz	-52.677 dBm				5									6									7									8									9									10									11									Frequency Auto Tune Center Freq 2.376000000 GHz Start Freq 2.310000000 GHz Stop Freq 2.442000000 GHz CF Step 13.200000 MHz Auto Man Freq Offset 0 Hz
MNR	MODE	TRIG	SQL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																																						
1	N	1	f	2.419 527 0 GHz	-7.811 dBm																																																																																																									
2	N	1	f	2.400 000 0 GHz	-66.289 dBm																																																																																																									
3	N	1	f	2.380 000 0 GHz	-60.079 dBm																																																																																																									
4	N	1	f	2.384 530 5 GHz	-52.677 dBm																																																																																																									
5																																																																																																														
6																																																																																																														
7																																																																																																														
8																																																																																																														
9																																																																																																														
10																																																																																																														
11																																																																																																														
CH09	Agilent Spectrum Analyzer - Swept SA Center Freq 2.466000000 GHz Ref Offset 0.5 dB Ref 20.50 dBm 10 dB/div Start 2.43200 GHz #Res BW 100 kHz Stop 2.50000 GHz Sweep 6.933 ms (8001 pts) #VBW 300 kHz Mkr4 2.489 511 0 GHz -49.816 dBm <table><thead><tr><th>MNR</th><th>MODE</th><th>TRIG</th><th>SQL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>2.464 526 0 GHz</td><td>-8.503 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>2.483 500 0 GHz</td><td>-53.293 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>1</td><td>f</td><td>2.500 000 0 GHz</td><td>-68.817 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>1</td><td>f</td><td>2.489 511 0 GHz</td><td>-49.816 dBm</td><td></td><td></td><td></td></tr><tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>11</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>	MNR	MODE	TRIG	SQL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.464 526 0 GHz	-8.503 dBm				2	N	1	f	2.483 500 0 GHz	-53.293 dBm				3	N	1	f	2.500 000 0 GHz	-68.817 dBm				4	N	1	f	2.489 511 0 GHz	-49.816 dBm				5									6									7									8									9									10									11									Frequency Auto Tune Center Freq 2.466000000 GHz Start Freq 2.432000000 GHz Stop Freq 2.500000000 GHz CF Step 6.800000 MHz Auto Man Freq Offset 0 Hz
MNR	MODE	TRIG	SQL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																																						
1	N	1	f	2.464 526 0 GHz	-8.503 dBm																																																																																																									
2	N	1	f	2.483 500 0 GHz	-53.293 dBm																																																																																																									
3	N	1	f	2.500 000 0 GHz	-68.817 dBm																																																																																																									
4	N	1	f	2.489 511 0 GHz	-49.816 dBm																																																																																																									
5																																																																																																														
6																																																																																																														
7																																																																																																														
8																																																																																																														
9																																																																																																														
10																																																																																																														
11																																																																																																														


Test Item:	SE	Type:	802.11 b / Ant0
CH01 Reference Level			
CH01 30MHz~10GHz			
CH01 10GHz~26GHz			










Test Item:	SE	Type:	802.11 b / Ant1
CH01 Reference Level			
CH01 30MHz~10GHz			
CH01 10GHz~26GHz			










Test Item:	SE	Type:	802.11 g / Ant0
CH01 Reference Level			Frequency Auto Tune Center Freq 2.412000000 GHz Start Freq 2.392000000 GHz Stop Freq 2.432000000 GHz CF Step 4.000000 MHz Auto Man Freq Offset 0 Hz
CH01 30MHz~10GHz			Frequency Auto Tune Center Freq 5.015000000 GHz Start Freq 30.000000 MHz Stop Freq 10.000000000 GHz CF Step 997.000000 MHz Auto Man Freq Offset 0 Hz
CH01 10GHz~26GHz			Frequency Auto Tune Center Freq 18.000000000 GHz Start Freq 10.000000000 GHz Stop Freq 26.000000000 GHz CF Step 1.600000000 GHz Auto Man Freq Offset 0 Hz







Test Item:	SE	Type:	802.11 g / Ant1
CH01 Reference Level			Frequency Auto Tune Center Freq 2.412000000 GHz Start Freq 2.392000000 GHz Stop Freq 2.432000000 GHz CF Step 4.000000 MHz Auto Man Freq Offset 0 Hz
CH01 30MHz~10GHz			Frequency Auto Tune Center Freq 5.015000000 GHz Start Freq 30.000000 MHz Stop Freq 10.000000000 GHz CF Step 997.000000 MHz Auto Man Freq Offset 0 Hz
CH01 10GHz~26GHz			Frequency Auto Tune Center Freq 18.000000000 GHz Start Freq 10.000000000 GHz Stop Freq 26.000000000 GHz CF Step 1.600000000 GHz Auto Man Freq Offset 0 Hz





Test Item:	SE	Type:	802.11 n(HT20) / Ant0
CH01 Reference Level			
CH01 30MHz~10GHz			
CH01 10GHz~26GHz		