

1. Effective (Isotropic) Radiated Power Output Data

1.1 B2_1.4MHz_EIRP

1.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.68	-1.14	21.54	<=33.01	Pass
			2	22.61	-1.14	21.47	<=33.01	Pass
			5	22.63	-1.14	21.49	<=33.01	Pass
		3	0	22.57	-1.14	21.43	<=33.01	Pass
			2	22.59	-1.14	21.45	<=33.01	Pass
			3	22.52	-1.14	21.38	<=33.01	Pass
		6	0	21.57	-1.14	20.43	<=33.01	Pass
	1880	1	0	22.85	-1.14	21.71	<=33.01	Pass
			2	22.89	-1.14	21.75	<=33.01	Pass
			5	22.91	-1.14	21.77	<=33.01	Pass
		3	0	22.81	-1.14	21.67	<=33.01	Pass
			2	22.82	-1.14	21.68	<=33.01	Pass
			3	22.83	-1.14	21.69	<=33.01	Pass
	6	0	21.82	-1.14	20.68	<=33.01	Pass	
	1909.3	1	0	22.57	-1.14	21.43	<=33.01	Pass
			2	22.60	-1.14	21.46	<=33.01	Pass
			5	22.58	-1.14	21.44	<=33.01	Pass
		3	0	22.65	-1.14	21.51	<=33.01	Pass
			2	22.59	-1.14	21.45	<=33.01	Pass
			3	22.68	-1.14	21.54	<=33.01	Pass
		6	0	21.54	-1.14	20.40	<=33.01	Pass
16QAM		1850.7	1	0	21.12	-1.14	19.98	<=33.01
	2			21.12	-1.14	19.98	<=33.01	Pass
	5			21.11	-1.14	19.97	<=33.01	Pass
	3		0	21.53	-1.14	20.39	<=33.01	Pass
			2	21.54	-1.14	20.40	<=33.01	Pass
			3	21.51	-1.14	20.37	<=33.01	Pass
	6		0	20.68	-1.14	19.54	<=33.01	Pass
	1880	1	0	21.90	-1.14	20.76	<=33.01	Pass
			2	21.83	-1.14	20.69	<=33.01	Pass
			5	21.83	-1.14	20.69	<=33.01	Pass
		3	0	21.88	-1.14	20.74	<=33.01	Pass
			2	21.87	-1.14	20.73	<=33.01	Pass
			3	21.89	-1.14	20.75	<=33.01	Pass
	6	0	20.83	-1.14	19.69	<=33.01	Pass	
	1909.3	1	0	21.64	-1.14	20.50	<=33.01	Pass
			2	21.67	-1.14	20.53	<=33.01	Pass
			5	21.61	-1.14	20.47	<=33.01	Pass
		3	0	21.54	-1.14	20.40	<=33.01	Pass
			2	21.51	-1.14	20.37	<=33.01	Pass
			3	21.52	-1.14	20.38	<=33.01	Pass
		6	0	20.69	-1.14	19.55	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.2 B2_3MHz_EIRP

1.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1851.5	1	0	22.66	-1.14	21.52	<=33.01	Pass	
			7	22.50	-1.14	21.36	<=33.01	Pass	
			14	22.70	-1.14	21.56	<=33.01	Pass	
		8	0	21.61	-1.14	20.47	<=33.01	Pass	
			4	21.53	-1.14	20.39	<=33.01	Pass	
			7	21.56	-1.14	20.42	<=33.01	Pass	
		15	0	21.67	-1.14	20.53	<=33.01	Pass	
		1880	1	0	22.71	-1.14	21.57	<=33.01	Pass
				7	22.73	-1.14	21.59	<=33.01	Pass
	14			22.72	-1.14	21.58	<=33.01	Pass	
	8		0	21.79	-1.14	20.65	<=33.01	Pass	
			4	21.77	-1.14	20.63	<=33.01	Pass	
			7	21.89	-1.14	20.75	<=33.01	Pass	
	15	0	21.93	-1.14	20.79	<=33.01	Pass		
	1908.5	1	0	22.65	-1.14	21.51	<=33.01	Pass	
			7	22.62	-1.14	21.48	<=33.01	Pass	
			14	22.62	-1.14	21.48	<=33.01	Pass	
		8	0	21.65	-1.14	20.51	<=33.01	Pass	
			4	21.60	-1.14	20.46	<=33.01	Pass	
			7	21.60	-1.14	20.46	<=33.01	Pass	
		15	0	21.67	-1.14	20.53	<=33.01	Pass	
16QAM		1851.5	1	0	21.13	-1.14	19.99	<=33.01	Pass
				7	21.17	-1.14	20.03	<=33.01	Pass
	14			21.17	-1.14	20.03	<=33.01	Pass	
	8		0	20.81	-1.14	19.67	<=33.01	Pass	
			4	20.86	-1.14	19.72	<=33.01	Pass	
			7	20.81	-1.14	19.67	<=33.01	Pass	
	15		0	20.69	-1.14	19.55	<=33.01	Pass	
	1880		1	0	22.04	-1.14	20.90	<=33.01	Pass
				7	22.05	-1.14	20.91	<=33.01	Pass
		14		22.00	-1.14	20.86	<=33.01	Pass	
		8	0	21.12	-1.14	19.98	<=33.01	Pass	
			4	21.13	-1.14	19.99	<=33.01	Pass	
			7	21.05	-1.14	19.91	<=33.01	Pass	
	15	0	21.07	-1.14	19.93	<=33.01	Pass		
	1908.5	1	0	21.46	-1.14	20.32	<=33.01	Pass	
			7	21.39	-1.14	20.25	<=33.01	Pass	
			14	21.43	-1.14	20.29	<=33.01	Pass	
		8	0	20.90	-1.14	19.76	<=33.01	Pass	
4			20.85	-1.14	19.71	<=33.01	Pass		
7			20.82	-1.14	19.68	<=33.01	Pass		
15		0	20.79	-1.14	19.65	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain									

1.3 B2_5MHz_EIRP

1.3.1 Test Result

Band: 2 / Bandwidth: 5MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	22.61	-1.14	21.47	<=33.01	Pass
			13	22.59	-1.14	21.45	<=33.01	Pass
			24	22.58	-1.14	21.44	<=33.01	Pass
		12	0	21.70	-1.14	20.56	<=33.01	Pass
			6	21.61	-1.14	20.47	<=33.01	Pass
			13	21.65	-1.14	20.51	<=33.01	Pass
		25	0	21.61	-1.14	20.47	<=33.01	Pass
	1880	1	0	22.60	-1.14	21.46	<=33.01	Pass
			13	22.65	-1.14	21.51	<=33.01	Pass
			24	22.69	-1.14	21.55	<=33.01	Pass
		12	0	21.78	-1.14	20.64	<=33.01	Pass
			6	21.88	-1.14	20.74	<=33.01	Pass
			13	21.80	-1.14	20.66	<=33.01	Pass
		25	0	21.87	-1.14	20.73	<=33.01	Pass
	1907.5	1	0	22.60	-1.14	21.46	<=33.01	Pass
			13	22.59	-1.14	21.45	<=33.01	Pass
			24	22.68	-1.14	21.54	<=33.01	Pass
		12	0	21.69	-1.14	20.55	<=33.01	Pass
			6	21.70	-1.14	20.56	<=33.01	Pass
			13	21.69	-1.14	20.55	<=33.01	Pass
		25	0	21.66	-1.14	20.52	<=33.01	Pass
16QAM	1852.5	1	0	20.75	-1.14	19.61	<=33.01	Pass
			13	20.68	-1.14	19.54	<=33.01	Pass
			24	20.64	-1.14	19.50	<=33.01	Pass
		12	0	20.71	-1.14	19.57	<=33.01	Pass
			6	20.62	-1.14	19.48	<=33.01	Pass
			13	20.67	-1.14	19.53	<=33.01	Pass
		25	0	20.73	-1.14	19.59	<=33.01	Pass
	1880	1	0	21.85	-1.14	20.71	<=33.01	Pass
			13	21.85	-1.14	20.71	<=33.01	Pass
			24	21.90	-1.14	20.76	<=33.01	Pass
		12	0	20.82	-1.14	19.68	<=33.01	Pass
			6	20.86	-1.14	19.72	<=33.01	Pass
			13	20.85	-1.14	19.71	<=33.01	Pass
		25	0	20.84	-1.14	19.70	<=33.01	Pass
	1907.5	1	0	21.73	-1.14	20.59	<=33.01	Pass
			13	21.75	-1.14	20.61	<=33.01	Pass
			24	21.73	-1.14	20.59	<=33.01	Pass
		12	0	20.66	-1.14	19.52	<=33.01	Pass
			6	20.72	-1.14	19.58	<=33.01	Pass
			13	20.67	-1.14	19.53	<=33.01	Pass
		25	0	20.63	-1.14	19.49	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.4 B2_10MHz_EIRP

1.4.1 Test Result

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	22.58	-1.14	21.44	<=33.01	Pass
			25	22.53	-1.14	21.39	<=33.01	Pass

		25	49	22.68	-1.14	21.54	<=33.01	Pass
			0	21.58	-1.14	20.44	<=33.01	Pass
			13	21.47	-1.14	20.33	<=33.01	Pass
			25	21.66	-1.14	20.52	<=33.01	Pass
		50	0	21.61	-1.14	20.47	<=33.01	Pass
			0	22.78	-1.14	21.64	<=33.01	Pass
		1	25	22.73	-1.14	21.59	<=33.01	Pass
			49	22.77	-1.14	21.63	<=33.01	Pass
			0	21.84	-1.14	20.70	<=33.01	Pass
			13	21.84	-1.14	20.70	<=33.01	Pass
		25	25	21.92	-1.14	20.78	<=33.01	Pass
			0	21.89	-1.14	20.75	<=33.01	Pass
	1880	1	0	22.79	-1.14	21.65	<=33.01	Pass
			25	22.73	-1.14	21.59	<=33.01	Pass
			49	22.72	-1.14	21.58	<=33.01	Pass
			0	21.59	-1.14	20.45	<=33.01	Pass
		25	13	21.62	-1.14	20.48	<=33.01	Pass
			25	21.75	-1.14	20.61	<=33.01	Pass
			0	21.68	-1.14	20.54	<=33.01	Pass
			0	22.12	-1.14	20.98	<=33.01	Pass
		1	25	21.99	-1.14	20.85	<=33.01	Pass
			49	22.08	-1.14	20.94	<=33.01	Pass
			0	20.68	-1.14	19.54	<=33.01	Pass
			13	20.64	-1.14	19.50	<=33.01	Pass
16QAM	1855	25	25	20.65	-1.14	19.51	<=33.01	Pass
			0	20.62	-1.14	19.48	<=33.01	Pass
		50	0	21.31	-1.14	20.17	<=33.01	Pass
			25	21.37	-1.14	20.23	<=33.01	Pass
			49	21.26	-1.14	20.12	<=33.01	Pass
			0	21.02	-1.14	19.88	<=33.01	Pass
	1880	25	13	21.00	-1.14	19.86	<=33.01	Pass
			25	21.13	-1.14	19.99	<=33.01	Pass
			0	20.92	-1.14	19.78	<=33.01	Pass
		50	0	21.89	-1.14	20.75	<=33.01	Pass
			25	21.82	-1.14	20.68	<=33.01	Pass
			49	21.83	-1.14	20.69	<=33.01	Pass
			0	20.82	-1.14	19.68	<=33.01	Pass
		25	13	20.90	-1.14	19.76	<=33.01	Pass
			25	20.76	-1.14	19.62	<=33.01	Pass
			0	20.79	-1.14	19.65	<=33.01	Pass
			0	20.79	-1.14	19.65	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.5 B2_15MHz_EIRP

1.5.1 Test Result

Band: 2 / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	22.63	-1.14	21.49	<=33.01	Pass
			38	22.60	-1.14	21.46	<=33.01	Pass
			74	22.61	-1.14	21.47	<=33.01	Pass
		36	0	21.64	-1.14	20.50	<=33.01	Pass
			18	21.54	-1.14	20.40	<=33.01	Pass
			39	21.63	-1.14	20.49	<=33.01	Pass

		75	0	21.67	-1.14	20.53	<=33.01	Pass
	1880	1	0	22.77	-1.14	21.63	<=33.01	Pass
			38	22.78	-1.14	21.64	<=33.01	Pass
			74	22.73	-1.14	21.59	<=33.01	Pass
			0	21.78	-1.14	20.64	<=33.01	Pass
		36	18	21.80	-1.14	20.66	<=33.01	Pass
			39	21.84	-1.14	20.70	<=33.01	Pass
	75	0	21.77	-1.14	20.63	<=33.01	Pass	
	1902.5	1	0	22.91	-1.14	21.77	<=33.01	Pass
			38	22.76	-1.14	21.62	<=33.01	Pass
			74	22.74	-1.14	21.60	<=33.01	Pass
		36	0	21.81	-1.14	20.67	<=33.01	Pass
			18	21.74	-1.14	20.60	<=33.01	Pass
			39	21.61	-1.14	20.47	<=33.01	Pass
	75	0	21.71	-1.14	20.57	<=33.01	Pass	
	16QAM	1857.5	1	0	22.13	-1.14	20.99	<=33.01
38				22.07	-1.14	20.93	<=33.01	Pass
74				22.11	-1.14	20.97	<=33.01	Pass
36			0	20.63	-1.14	19.49	<=33.01	Pass
			18	20.71	-1.14	19.57	<=33.01	Pass
			39	20.74	-1.14	19.60	<=33.01	Pass
75		0	20.68	-1.14	19.54	<=33.01	Pass	
1880		1	0	22.08	-1.14	20.94	<=33.01	Pass
			38	22.20	-1.14	21.06	<=33.01	Pass
			74	21.96	-1.14	20.82	<=33.01	Pass
		36	0	20.90	-1.14	19.76	<=33.01	Pass
			18	20.95	-1.14	19.81	<=33.01	Pass
			39	20.97	-1.14	19.83	<=33.01	Pass
75		0	20.92	-1.14	19.78	<=33.01	Pass	
1902.5		1	0	21.92	-1.14	20.78	<=33.01	Pass
			38	21.86	-1.14	20.72	<=33.01	Pass
			74	21.83	-1.14	20.69	<=33.01	Pass
		36	0	20.94	-1.14	19.80	<=33.01	Pass
			18	20.80	-1.14	19.66	<=33.01	Pass
			39	20.74	-1.14	19.60	<=33.01	Pass
75	0	20.85	-1.14	19.71	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

1.6 B2_20MHz_EIRP

1.6.1 Test Result

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.59	-1.14	21.45	<=33.01	Pass
			50	22.64	-1.14	21.50	<=33.01	Pass
			99	22.73	-1.14	21.59	<=33.01	Pass
		50	0	21.64	-1.14	20.50	<=33.01	Pass
			25	21.70	-1.14	20.56	<=33.01	Pass
			50	21.64	-1.14	20.50	<=33.01	Pass
		100	0	21.71	-1.14	20.57	<=33.01	Pass
			0	22.88	-1.14	21.74	<=33.01	Pass
	1880	1	50	22.88	-1.14	21.74	<=33.01	Pass
			99	22.85	-1.14	21.71	<=33.01	Pass

		50	0	21.75	-1.14	20.61	<=33.01	Pass
			25	21.98	-1.14	20.84	<=33.01	Pass
			50	21.83	-1.14	20.69	<=33.01	Pass
		100	0	21.87	-1.14	20.73	<=33.01	Pass
	1900	1	0	22.66	-1.14	21.52	<=33.01	Pass
			50	22.67	-1.14	21.53	<=33.01	Pass
			99	22.58	-1.14	21.44	<=33.01	Pass
		50	0	21.75	-1.14	20.61	<=33.01	Pass
			25	21.61	-1.14	20.47	<=33.01	Pass
			50	21.73	-1.14	20.59	<=33.01	Pass
100		0	21.61	-1.14	20.47	<=33.01	Pass	
16QAM	1860	1	0	21.72	-1.14	20.58	<=33.01	Pass
			50	21.70	-1.14	20.56	<=33.01	Pass
			99	21.90	-1.14	20.76	<=33.01	Pass
		50	0	20.60	-1.14	19.46	<=33.01	Pass
			25	20.79	-1.14	19.65	<=33.01	Pass
			50	20.98	-1.14	19.84	<=33.01	Pass
		100	0	20.74	-1.14	19.60	<=33.01	Pass
	1880	1	0	22.74	-1.14	21.60	<=33.01	Pass
			50	22.72	-1.14	21.58	<=33.01	Pass
			99	22.62	-1.14	21.48	<=33.01	Pass
		50	0	20.85	-1.14	19.71	<=33.01	Pass
			25	20.94	-1.14	19.80	<=33.01	Pass
			50	20.83	-1.14	19.69	<=33.01	Pass
		100	0	20.96	-1.14	19.82	<=33.01	Pass
	1900	1	0	22.07	-1.14	20.93	<=33.01	Pass
			50	22.03	-1.14	20.89	<=33.01	Pass
			99	21.89	-1.14	20.75	<=33.01	Pass
		50	0	20.93	-1.14	19.79	<=33.01	Pass
			25	21.00	-1.14	19.86	<=33.01	Pass
			50	20.89	-1.14	19.75	<=33.01	Pass
		100	0	20.84	-1.14	19.70	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2. Effective (Isotropic) Radiated Power Output Data

2.1 B38_5MHz_EIRP

2.1.1 Test Result

Band: 38 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2572.5	1	0	22.55	3.30	25.85	<=33.01	Pass
			13	22.58	3.30	25.88	<=33.01	Pass
			24	22.59	3.30	25.89	<=33.01	Pass
		12	0	22.00	3.30	25.30	<=33.01	Pass
			6	22.93	3.30	26.23	<=33.01	Pass
			13	22.59	3.30	25.89	<=33.01	Pass
		25	0	22.62	3.30	25.92	<=33.01	Pass
	2595	1	0	22.40	3.30	25.70	<=33.01	Pass
			13	22.45	3.30	25.75	<=33.01	Pass
			24	22.52	3.30	25.82	<=33.01	Pass
		12	0	22.08	3.30	25.38	<=33.01	Pass
			0	22.08	3.30	25.38	<=33.01	Pass

			6	22.03	3.30	25.33	<=33.01	Pass
			13	22.20	3.30	25.50	<=33.01	Pass
		25	0	21.89	3.30	25.19	<=33.01	Pass
	2617.5	1	0	23.02	3.30	26.32	<=33.01	Pass
			13	22.99	3.30	26.29	<=33.01	Pass
			24	22.81	3.30	26.11	<=33.01	Pass
		12	0	22.53	3.30	25.83	<=33.01	Pass
			6	22.44	3.30	25.74	<=33.01	Pass
			13	22.32	3.30	25.62	<=33.01	Pass
		25	0	22.51	3.30	25.81	<=33.01	Pass
16QAM	2572.5	1	0	22.69	3.30	25.99	<=33.01	Pass
			13	22.32	3.30	25.62	<=33.01	Pass
			24	22.94	3.30	26.24	<=33.01	Pass
		12	0	21.70	3.30	25.00	<=33.01	Pass
			6	21.74	3.30	25.04	<=33.01	Pass
			13	21.55	3.30	24.85	<=33.01	Pass
		25	0	21.71	3.30	25.01	<=33.01	Pass
	2595	1	0	22.98	3.30	26.28	<=33.01	Pass
			13	22.80	3.30	26.10	<=33.01	Pass
			24	22.80	3.30	26.10	<=33.01	Pass
		12	0	20.98	3.30	24.28	<=33.01	Pass
			6	20.91	3.30	24.21	<=33.01	Pass
			13	21.12	3.30	24.42	<=33.01	Pass
		25	0	20.99	3.30	24.29	<=33.01	Pass
	2617.5	1	0	22.47	3.30	25.77	<=33.01	Pass
			13	22.68	3.30	25.98	<=33.01	Pass
			24	22.46	3.30	25.76	<=33.01	Pass
		12	0	21.50	3.30	24.80	<=33.01	Pass
			6	21.44	3.30	24.74	<=33.01	Pass
			13	21.43	3.30	24.73	<=33.01	Pass
		25	0	21.49	3.30	24.79	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2.2 B38_10MHz_EIRP

2.2.1 Test Result

Band: 38 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2575	1	0	23.29	3.30	26.59	<=33.01	Pass
			25	23.18	3.30	26.48	<=33.01	Pass
			49	22.99	3.30	26.29	<=33.01	Pass
		25	0	22.66	3.30	25.96	<=33.01	Pass
			13	22.48	3.30	25.78	<=33.01	Pass
			25	22.56	3.30	25.86	<=33.01	Pass
	2595	50	0	22.52	3.30	25.82	<=33.01	Pass
		1	0	22.47	3.30	25.77	<=33.01	Pass
			25	22.42	3.30	25.72	<=33.01	Pass
			49	22.54	3.30	25.84	<=33.01	Pass
		25	0	22.00	3.30	25.30	<=33.01	Pass
			13	22.04	3.30	25.34	<=33.01	Pass
			25	22.18	3.30	25.48	<=33.01	Pass
		50	0	21.90	3.30	25.20	<=33.01	Pass
	2615	1	0	23.18	3.30	26.48	<=33.01	Pass

			25	23.00	3.30	26.30	<=33.01	Pass
			49	22.94	3.30	26.24	<=33.01	Pass
		25	0	22.67	3.30	25.97	<=33.01	Pass
			13	22.47	3.30	25.77	<=33.01	Pass
			25	22.48	3.30	25.78	<=33.01	Pass
50	0	22.47	3.30	25.77	<=33.01	Pass		
16QAM	2575	1	0	22.79	3.30	26.09	<=33.01	Pass
			25	22.66	3.30	25.96	<=33.01	Pass
			49	22.57	3.30	25.87	<=33.01	Pass
		25	0	21.64	3.30	24.94	<=33.01	Pass
			13	21.55	3.30	24.85	<=33.01	Pass
			25	21.47	3.30	24.77	<=33.01	Pass
	50	0	21.64	3.30	24.94	<=33.01	Pass	
	2595	1	0	22.19	3.30	25.49	<=33.01	Pass
			25	22.07	3.30	25.37	<=33.01	Pass
			49	22.35	3.30	25.65	<=33.01	Pass
		25	0	21.32	3.30	24.62	<=33.01	Pass
			13	21.36	3.30	24.66	<=33.01	Pass
			25	21.45	3.30	24.75	<=33.01	Pass
	50	0	20.94	3.30	24.24	<=33.01	Pass	
	2615	1	0	23.48	3.30	26.78	<=33.01	Pass
			25	23.34	3.30	26.64	<=33.01	Pass
			49	23.23	3.30	26.53	<=33.01	Pass
		25	0	21.78	3.30	25.08	<=33.01	Pass
			13	21.70	3.30	25.00	<=33.01	Pass
			25	21.48	3.30	24.78	<=33.01	Pass
50	0	21.72	3.30	25.02	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain								

2.3 B38_15MHz_EIRP

2.3.1 Test Result

Band: 38 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2577.5	1	0	23.41	3.30	26.71	<=33.01	Pass
			38	23.22	3.30	26.52	<=33.01	Pass
			74	22.94	3.30	26.24	<=33.01	Pass
		36	0	22.50	3.30	25.80	<=33.01	Pass
			18	22.40	3.30	25.70	<=33.01	Pass
			39	22.37	3.30	25.67	<=33.01	Pass
		75	0	22.55	3.30	25.85	<=33.01	Pass
	2595	1	0	22.61	3.30	25.91	<=33.01	Pass
			38	22.51	3.30	25.81	<=33.01	Pass
			74	22.80	3.30	26.10	<=33.01	Pass
		36	0	21.93	3.30	25.23	<=33.01	Pass
			18	22.03	3.30	25.33	<=33.01	Pass
			39	22.22	3.30	25.52	<=33.01	Pass
		75	0	22.05	3.30	25.35	<=33.01	Pass
	2612.5	1	0	23.01	3.30	26.31	<=33.01	Pass
			38	23.17	3.30	26.47	<=33.01	Pass
			74	22.82	3.30	26.12	<=33.01	Pass
		36	0	22.59	3.30	25.89	<=33.01	Pass
			18	22.69	3.30	25.99	<=33.01	Pass

			39	22.44	3.30	25.74	<=33.01	Pass		
		75	0	22.55	3.30	25.85	<=33.01	Pass		
16QAM	2577.5	1	0	22.91	3.30	26.21	<=33.01	Pass		
			38	22.32	3.30	25.62	<=33.01	Pass		
			74	22.22	3.30	25.52	<=33.01	Pass		
		36	0	21.56	3.30	24.86	<=33.01	Pass		
			18	21.59	3.30	24.89	<=33.01	Pass		
			39	21.45	3.30	24.75	<=33.01	Pass		
		75	0	21.60	3.30	24.90	<=33.01	Pass		
		2595	1	0	21.96	3.30	25.26	<=33.01	Pass	
				38	22.40	3.30	25.70	<=33.01	Pass	
	74			22.23	3.30	25.53	<=33.01	Pass		
	36		0	21.28	3.30	24.58	<=33.01	Pass		
			18	21.13	3.30	24.43	<=33.01	Pass		
			39	21.29	3.30	24.59	<=33.01	Pass		
	75		0	21.02	3.30	24.32	<=33.01	Pass		
	2612.5		1	0	23.41	3.30	26.71	<=33.01	Pass	
				38	23.49	3.30	26.79	<=33.01	Pass	
		74		23.31	3.30	26.61	<=33.01	Pass		
		36	0	21.64	3.30	24.94	<=33.01	Pass		
			18	21.63	3.30	24.93	<=33.01	Pass		
			39	21.54	3.30	24.84	<=33.01	Pass		
		75	0	21.63	3.30	24.93	<=33.01	Pass		
		Note1: EIRP=Conducted Power+Antenna Gain								

2.4 B38_20MHz_EIRP

2.4.1 Test Result

Band: 38 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2580	1	0	23.18	3.30	26.48	<=33.01	Pass
			50	22.88	3.30	26.18	<=33.01	Pass
			99	22.51	3.30	25.81	<=33.01	Pass
		50	0	22.53	3.30	25.83	<=33.01	Pass
			25	22.32	3.30	25.62	<=33.01	Pass
			50	22.04	3.30	25.34	<=33.01	Pass
	2595	100	0	22.37	3.30	25.67	<=33.01	Pass
		1	0	22.84	3.30	26.14	<=33.01	Pass
			50	22.51	3.30	25.81	<=33.01	Pass
			99	23.01	3.30	26.31	<=33.01	Pass
		50	0	22.03	3.30	25.33	<=33.01	Pass
			25	22.09	3.30	25.39	<=33.01	Pass
			50	22.11	3.30	25.41	<=33.01	Pass
		100	0	21.94	3.30	25.24	<=33.01	Pass
	2610	1	0	22.65	3.30	25.95	<=33.01	Pass
			50	22.97	3.30	26.27	<=33.01	Pass
			99	22.78	3.30	26.08	<=33.01	Pass
		50	0	22.39	3.30	25.69	<=33.01	Pass
			25	22.53	3.30	25.83	<=33.01	Pass
			50	22.43	3.30	25.73	<=33.01	Pass
		100	0	22.52	3.30	25.82	<=33.01	Pass
16QAM	2580	1	0	23.42	3.30	26.72	<=33.01	Pass
			50	22.79	3.30	26.09	<=33.01	Pass

			99	22.50	3.30	25.80	<=33.01	Pass
		50	0	21.84	3.30	25.14	<=33.01	Pass
			25	21.63	3.30	24.93	<=33.01	Pass
			50	21.41	3.30	24.71	<=33.01	Pass
		100	0	21.50	3.30	24.80	<=33.01	Pass
	2595	1	0	23.03	3.30	26.33	<=33.01	Pass
			50	22.76	3.30	26.06	<=33.01	Pass
			99	23.12	3.30	26.42	<=33.01	Pass
		50	0	21.30	3.30	24.60	<=33.01	Pass
			25	21.17	3.30	24.47	<=33.01	Pass
			50	21.34	3.30	24.64	<=33.01	Pass
		100	0	21.09	3.30	24.39	<=33.01	Pass
	2610	1	0	22.24	3.30	25.54	<=33.01	Pass
			50	22.65	3.30	25.95	<=33.01	Pass
			99	22.61	3.30	25.91	<=33.01	Pass
		50	0	21.59	3.30	24.89	<=33.01	Pass
			25	21.66	3.30	24.96	<=33.01	Pass
			50	21.60	3.30	24.90	<=33.01	Pass
		100	0	21.72	3.30	25.02	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

3. Effective (Isotropic) Radiated Power Output Data

3.1 B4_1.4MHz_EIRP

3.1.1 Test Result

Band: 4 / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	22.24	-2.16	20.08	<=30	Pass
			2	22.23	-2.16	20.07	<=30	Pass
			5	22.24	-2.16	20.08	<=30	Pass
		3	0	22.27	-2.16	20.11	<=30	Pass
			2	22.31	-2.16	20.15	<=30	Pass
			3	22.31	-2.16	20.15	<=30	Pass
		6	0	21.27	-2.16	19.11	<=30	Pass
	1732.5	1	0	21.91	-2.16	19.75	<=30	Pass
			2	22.00	-2.16	19.84	<=30	Pass
			5	22.01	-2.16	19.85	<=30	Pass
		3	0	22.14	-2.16	19.98	<=30	Pass
			2	22.10	-2.16	19.94	<=30	Pass
			3	22.04	-2.16	19.88	<=30	Pass
		6	0	21.01	-2.16	18.85	<=30	Pass
	1754.3	1	0	22.50	-2.16	20.34	<=30	Pass
			2	22.42	-2.16	20.26	<=30	Pass
			5	22.43	-2.16	20.27	<=30	Pass
		3	0	22.39	-2.16	20.23	<=30	Pass
			2	22.37	-2.16	20.21	<=30	Pass
			3	22.29	-2.16	20.13	<=30	Pass
		6	0	21.31	-2.16	19.15	<=30	Pass
16QAM	1710.7	1	0	21.34	-2.16	19.18	<=30	Pass
			2	21.37	-2.16	19.21	<=30	Pass
			5	21.40	-2.16	19.24	<=30	Pass

	1732.5	3	0	21.24	-2.16	19.08	<=30	Pass
			2	21.18	-2.16	19.02	<=30	Pass
			3	21.22	-2.16	19.06	<=30	Pass
		6	0	20.31	-2.16	18.15	<=30	Pass
			0	21.11	-2.16	18.95	<=30	Pass
			2	21.11	-2.16	18.95	<=30	Pass
		1	5	21.14	-2.16	18.98	<=30	Pass
			0	20.89	-2.16	18.73	<=30	Pass
			2	20.92	-2.16	18.76	<=30	Pass
	1754.3	3	3	20.85	-2.16	18.69	<=30	Pass
			0	20.03	-2.16	17.87	<=30	Pass
			0	21.04	-2.16	18.88	<=30	Pass
		1	2	20.98	-2.16	18.82	<=30	Pass
			5	21.06	-2.16	18.90	<=30	Pass
			0	21.14	-2.16	18.98	<=30	Pass
		3	2	21.08	-2.16	18.92	<=30	Pass
			3	21.06	-2.16	18.90	<=30	Pass
		6	0	20.51	-2.16	18.35	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

3.2 B4_3MHz_EIRP

3.2.1 Test Result

Band: 4 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	22.27	-2.16	20.11	<=30	Pass
			7	22.22	-2.16	20.06	<=30	Pass
			14	22.32	-2.16	20.16	<=30	Pass
		8	0	21.24	-2.16	19.08	<=30	Pass
			4	21.27	-2.16	19.11	<=30	Pass
			7	21.21	-2.16	19.05	<=30	Pass
		15	0	21.19	-2.16	19.03	<=30	Pass
	1732.5	1	0	21.94	-2.16	19.78	<=30	Pass
			7	21.94	-2.16	19.78	<=30	Pass
			14	22.03	-2.16	19.87	<=30	Pass
		8	0	21.10	-2.16	18.94	<=30	Pass
			4	21.00	-2.16	18.84	<=30	Pass
			7	21.03	-2.16	18.87	<=30	Pass
		15	0	21.05	-2.16	18.89	<=30	Pass
	1753.5	1	0	22.42	-2.16	20.26	<=30	Pass
			7	22.46	-2.16	20.30	<=30	Pass
			14	22.45	-2.16	20.29	<=30	Pass
		8	0	21.30	-2.16	19.14	<=30	Pass
			4	21.27	-2.16	19.11	<=30	Pass
			7	21.33	-2.16	19.17	<=30	Pass
		15	0	21.39	-2.16	19.23	<=30	Pass
16QAM	1711.5	1	0	20.78	-2.16	18.62	<=30	Pass
			7	20.76	-2.16	18.60	<=30	Pass
			14	20.77	-2.16	18.61	<=30	Pass
		8	0	20.55	-2.16	18.39	<=30	Pass
			4	20.58	-2.16	18.42	<=30	Pass
			7	20.53	-2.16	18.37	<=30	Pass
		15	0	20.39	-2.16	18.23	<=30	Pass

	1732.5	1	0	21.74	-2.16	19.58	<=30	Pass
			7	21.74	-2.16	19.58	<=30	Pass
			14	21.71	-2.16	19.55	<=30	Pass
		8	0	20.27	-2.16	18.11	<=30	Pass
			4	20.25	-2.16	18.09	<=30	Pass
			7	20.18	-2.16	18.02	<=30	Pass
		15	0	20.06	-2.16	17.90	<=30	Pass
	1753.5	1	0	21.05	-2.16	18.89	<=30	Pass
			7	21.04	-2.16	18.88	<=30	Pass
			14	21.03	-2.16	18.87	<=30	Pass
		8	0	20.64	-2.16	18.48	<=30	Pass
			4	20.67	-2.16	18.51	<=30	Pass
			7	20.68	-2.16	18.52	<=30	Pass
		15	0	20.32	-2.16	18.16	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

3.3 B4_5MHz_EIRP

3.3.1 Test Result

Band: 4 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	22.30	-2.16	20.14	<=30	Pass
			13	22.26	-2.16	20.10	<=30	Pass
			24	22.21	-2.16	20.05	<=30	Pass
		12	0	21.30	-2.16	19.14	<=30	Pass
			6	21.34	-2.16	19.18	<=30	Pass
			13	21.29	-2.16	19.13	<=30	Pass
		25	0	21.16	-2.16	19.00	<=30	Pass
	1732.5	1	0	21.96	-2.16	19.80	<=30	Pass
			13	21.90	-2.16	19.74	<=30	Pass
			24	21.89	-2.16	19.73	<=30	Pass
		12	0	21.03	-2.16	18.87	<=30	Pass
			6	21.12	-2.16	18.96	<=30	Pass
			13	21.05	-2.16	18.89	<=30	Pass
		25	0	21.00	-2.16	18.84	<=30	Pass
	1752.5	1	0	22.22	-2.16	20.06	<=30	Pass
			13	22.22	-2.16	20.06	<=30	Pass
			24	22.26	-2.16	20.10	<=30	Pass
		12	0	21.31	-2.16	19.15	<=30	Pass
			6	21.32	-2.16	19.16	<=30	Pass
			13	21.33	-2.16	19.17	<=30	Pass
		25	0	21.31	-2.16	19.15	<=30	Pass
16QAM	1712.5	1	0	20.35	-2.16	18.19	<=30	Pass
			13	20.29	-2.16	18.13	<=30	Pass
			24	20.25	-2.16	18.09	<=30	Pass
		12	0	20.32	-2.16	18.16	<=30	Pass
			6	20.37	-2.16	18.21	<=30	Pass
			13	20.34	-2.16	18.18	<=30	Pass
		25	0	20.39	-2.16	18.23	<=30	Pass
	1732.5	1	0	21.16	-2.16	19.00	<=30	Pass
			13	21.08	-2.16	18.92	<=30	Pass
			24	21.11	-2.16	18.95	<=30	Pass
		12	0	20.11	-2.16	17.95	<=30	Pass

			6	20.03	-2.16	17.87	<=30	Pass
			13	20.06	-2.16	17.90	<=30	Pass
		25	0	20.13	-2.16	17.97	<=30	Pass
	1752.5	1	0	21.21	-2.16	19.05	<=30	Pass
			13	21.25	-2.16	19.09	<=30	Pass
			24	21.22	-2.16	19.06	<=30	Pass
		12	0	20.27	-2.16	18.11	<=30	Pass
			6	20.36	-2.16	18.20	<=30	Pass
			13	20.38	-2.16	18.22	<=30	Pass
		25	0	20.35	-2.16	18.19	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

3.4 B4_10MHz_EIRP

3.4.1 Test Result

Band: 4 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	22.21	-2.16	20.05	<=30	Pass
			25	22.15	-2.16	19.99	<=30	Pass
			49	22.08	-2.16	19.92	<=30	Pass
		25	0	21.20	-2.16	19.04	<=30	Pass
			13	21.25	-2.16	19.09	<=30	Pass
			25	21.15	-2.16	18.99	<=30	Pass
		50	0	21.16	-2.16	19.00	<=30	Pass
	1732.5	1	0	22.17	-2.16	20.01	<=30	Pass
			25	22.04	-2.16	19.88	<=30	Pass
			49	22.10	-2.16	19.94	<=30	Pass
		25	0	21.07	-2.16	18.91	<=30	Pass
			13	21.17	-2.16	19.01	<=30	Pass
			25	20.93	-2.16	18.77	<=30	Pass
		50	0	20.99	-2.16	18.83	<=30	Pass
	1750	1	0	22.18	-2.16	20.02	<=30	Pass
			25	22.24	-2.16	20.08	<=30	Pass
			49	22.35	-2.16	20.19	<=30	Pass
		25	0	21.12	-2.16	18.96	<=30	Pass
			13	21.22	-2.16	19.06	<=30	Pass
			25	21.36	-2.16	19.20	<=30	Pass
16QAM	1715	1	0	21.47	-2.16	19.31	<=30	Pass
			25	21.41	-2.16	19.25	<=30	Pass
			49	21.42	-2.16	19.26	<=30	Pass
		25	0	20.34	-2.16	18.18	<=30	Pass
			13	20.21	-2.16	18.05	<=30	Pass
			25	20.31	-2.16	18.15	<=30	Pass
		50	0	20.28	-2.16	18.12	<=30	Pass
	1732.5	1	0	20.59	-2.16	18.43	<=30	Pass
			25	20.58	-2.16	18.42	<=30	Pass
			49	20.58	-2.16	18.42	<=30	Pass
		25	0	20.27	-2.16	18.11	<=30	Pass
			13	20.21	-2.16	18.05	<=30	Pass
			25	20.27	-2.16	18.11	<=30	Pass
		50	0	20.10	-2.16	17.94	<=30	Pass
	1750	1	0	21.69	-2.16	19.53	<=30	Pass

			25	21.75	-2.16	19.59	<=30	Pass
			49	21.87	-2.16	19.71	<=30	Pass
		25	0	20.23	-2.16	18.07	<=30	Pass
			13	20.29	-2.16	18.13	<=30	Pass
			25	20.42	-2.16	18.26	<=30	Pass
		50	0	20.33	-2.16	18.17	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

3.5 B4_15MHz_EIRP

3.5.1 Test Result

Band: 4 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	22.16	-2.16	20.00	<=30	Pass
			38	22.13	-2.16	19.97	<=30	Pass
			74	21.99	-2.16	19.83	<=30	Pass
		36	0	21.15	-2.16	18.99	<=30	Pass
			18	21.24	-2.16	19.08	<=30	Pass
			39	21.26	-2.16	19.10	<=30	Pass
		75	0	21.23	-2.16	19.07	<=30	Pass
	1732.5	1	0	22.02	-2.16	19.86	<=30	Pass
			38	22.00	-2.16	19.84	<=30	Pass
			74	21.94	-2.16	19.78	<=30	Pass
		36	0	21.02	-2.16	18.86	<=30	Pass
			18	21.14	-2.16	18.98	<=30	Pass
			39	21.03	-2.16	18.87	<=30	Pass
		75	0	21.03	-2.16	18.87	<=30	Pass
	1747.5	1	0	22.18	-2.16	20.02	<=30	Pass
			38	22.14	-2.16	19.98	<=30	Pass
			74	22.38	-2.16	20.22	<=30	Pass
		36	0	21.23	-2.16	19.07	<=30	Pass
			18	21.07	-2.16	18.91	<=30	Pass
			39	21.26	-2.16	19.10	<=30	Pass
		75	0	21.13	-2.16	18.97	<=30	Pass
16QAM	1717.5	1	0	21.48	-2.16	19.32	<=30	Pass
			38	21.40	-2.16	19.24	<=30	Pass
			74	21.27	-2.16	19.11	<=30	Pass
		36	0	20.36	-2.16	18.20	<=30	Pass
			18	20.36	-2.16	18.20	<=30	Pass
			39	20.33	-2.16	18.17	<=30	Pass
		75	0	20.42	-2.16	18.26	<=30	Pass
	1732.5	1	0	21.38	-2.16	19.22	<=30	Pass
			38	21.38	-2.16	19.22	<=30	Pass
			74	21.33	-2.16	19.17	<=30	Pass
		36	0	20.24	-2.16	18.08	<=30	Pass
			18	20.13	-2.16	17.97	<=30	Pass
			39	20.23	-2.16	18.07	<=30	Pass
		75	0	20.15	-2.16	17.99	<=30	Pass
	1747.5	1	0	21.63	-2.16	19.47	<=30	Pass
			38	21.59	-2.16	19.43	<=30	Pass
			74	21.82	-2.16	19.66	<=30	Pass
		36	0	20.24	-2.16	18.08	<=30	Pass
			18	20.31	-2.16	18.15	<=30	Pass

		39	20.39	-2.16	18.23	<=30	Pass
	75	0	20.19	-2.16	18.03	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

3.6 B4_20MHz_EIRP

3.6.1 Test Result

Band: 4 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	22.30	-2.16	20.14	<=30	Pass
			50	22.22	-2.16	20.06	<=30	Pass
			99	22.10	-2.16	19.94	<=30	Pass
		50	0	21.20	-2.16	19.04	<=30	Pass
			25	21.20	-2.16	19.04	<=30	Pass
			50	21.14	-2.16	18.98	<=30	Pass
		100	0	21.21	-2.16	19.05	<=30	Pass
	1732.5	1	0	22.21	-2.16	20.05	<=30	Pass
			50	22.15	-2.16	19.99	<=30	Pass
			99	22.20	-2.16	20.04	<=30	Pass
		50	0	20.98	-2.16	18.82	<=30	Pass
			25	21.16	-2.16	19.00	<=30	Pass
			50	21.07	-2.16	18.91	<=30	Pass
		100	0	21.09	-2.16	18.93	<=30	Pass
	1745	1	0	22.10	-2.16	19.94	<=30	Pass
			50	22.19	-2.16	20.03	<=30	Pass
			99	22.42	-2.16	20.26	<=30	Pass
		50	0	21.22	-2.16	19.06	<=30	Pass
			25	21.17	-2.16	19.01	<=30	Pass
			50	21.32	-2.16	19.16	<=30	Pass
		100	0	21.26	-2.16	19.10	<=30	Pass
16QAM	1720	1	0	21.24	-2.16	19.08	<=30	Pass
			50	21.18	-2.16	19.02	<=30	Pass
			99	21.02	-2.16	18.86	<=30	Pass
		50	0	20.26	-2.16	18.10	<=30	Pass
			25	20.30	-2.16	18.14	<=30	Pass
			50	20.36	-2.16	18.20	<=30	Pass
		100	0	20.28	-2.16	18.12	<=30	Pass
	1732.5	1	0	21.97	-2.16	19.81	<=30	Pass
			50	21.83	-2.16	19.67	<=30	Pass
			99	21.88	-2.16	19.72	<=30	Pass
		50	0	20.27	-2.16	18.11	<=30	Pass
			25	20.07	-2.16	17.91	<=30	Pass
			50	20.19	-2.16	18.03	<=30	Pass
		100	0	20.21	-2.16	18.05	<=30	Pass
	1745	1	0	21.43	-2.16	19.27	<=30	Pass
			50	21.55	-2.16	19.39	<=30	Pass
			99	21.72	-2.16	19.56	<=30	Pass
		50	0	20.30	-2.16	18.14	<=30	Pass
			25	20.29	-2.16	18.13	<=30	Pass
			50	20.39	-2.16	18.23	<=30	Pass
		100	0	20.20	-2.16	18.04	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

4. Effective (Isotropic) Radiated Power Output Data

4.1 B5_1.4MHz_ERP

4.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.06	-5.96	14.95	<=38.45	Pass
			2	23.16	-5.96	15.05	<=38.45	Pass
			5	23.12	-5.96	15.01	<=38.45	Pass
		3	0	23.23	-5.96	15.12	<=38.45	Pass
			2	23.29	-5.96	15.18	<=38.45	Pass
			3	23.23	-5.96	15.12	<=38.45	Pass
		6	0	22.26	-5.96	14.15	<=38.45	Pass
	836.5	1	0	22.91	-5.96	14.80	<=38.45	Pass
			2	22.97	-5.96	14.86	<=38.45	Pass
			5	22.99	-5.96	14.88	<=38.45	Pass
		3	0	23.03	-5.96	14.92	<=38.45	Pass
			2	23.05	-5.96	14.94	<=38.45	Pass
			3	23.11	-5.96	15.00	<=38.45	Pass
	6	0	22.04	-5.96	13.93	<=38.45	Pass	
	848.3	1	0	23.11	-5.96	15.00	<=38.45	Pass
			2	23.12	-5.96	15.01	<=38.45	Pass
			5	23.17	-5.96	15.06	<=38.45	Pass
		3	0	23.04	-5.96	14.93	<=38.45	Pass
			2	22.93	-5.96	14.82	<=38.45	Pass
			3	23.04	-5.96	14.93	<=38.45	Pass
		6	0	22.06	-5.96	13.95	<=38.45	Pass
16QAM		824.7	1	0	22.43	-5.96	14.32	<=38.45
	2			22.43	-5.96	14.32	<=38.45	Pass
	5			22.43	-5.96	14.32	<=38.45	Pass
	3		0	22.20	-5.96	14.09	<=38.45	Pass
			2	22.29	-5.96	14.18	<=38.45	Pass
			3	22.22	-5.96	14.11	<=38.45	Pass
	6		0	21.29	-5.96	13.18	<=38.45	Pass
	836.5	1	0	22.18	-5.96	14.07	<=38.45	Pass
			2	22.15	-5.96	14.04	<=38.45	Pass
			5	22.16	-5.96	14.05	<=38.45	Pass
		3	0	22.02	-5.96	13.91	<=38.45	Pass
			2	21.93	-5.96	13.82	<=38.45	Pass
			3	21.97	-5.96	13.86	<=38.45	Pass
	6	0	21.20	-5.96	13.09	<=38.45	Pass	
	848.3	1	0	21.57	-5.96	13.46	<=38.45	Pass
			2	21.60	-5.96	13.49	<=38.45	Pass
			5	21.61	-5.96	13.50	<=38.45	Pass
		3	0	21.73	-5.96	13.62	<=38.45	Pass
			2	21.78	-5.96	13.67	<=38.45	Pass
			3	21.73	-5.96	13.62	<=38.45	Pass
		6	0	21.29	-5.96	13.18	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

4.2 B5_3MHz_ERP

4.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.31	-5.96	15.20	<=38.45	Pass
			7	23.28	-5.96	15.17	<=38.45	Pass
			14	23.25	-5.96	15.14	<=38.45	Pass
		8	0	22.39	-5.96	14.28	<=38.45	Pass
			4	22.28	-5.96	14.17	<=38.45	Pass
			7	22.30	-5.96	14.19	<=38.45	Pass
		15	0	22.28	-5.96	14.17	<=38.45	Pass
	836.5	1	0	23.02	-5.96	14.91	<=38.45	Pass
			7	22.95	-5.96	14.84	<=38.45	Pass
			14	22.89	-5.96	14.78	<=38.45	Pass
		8	0	22.13	-5.96	14.02	<=38.45	Pass
			4	22.02	-5.96	13.91	<=38.45	Pass
			7	22.10	-5.96	13.99	<=38.45	Pass
		15	0	22.09	-5.96	13.98	<=38.45	Pass
	847.5	1	0	23.30	-5.96	15.19	<=38.45	Pass
			7	23.25	-5.96	15.14	<=38.45	Pass
			14	23.13	-5.96	15.02	<=38.45	Pass
		8	0	22.15	-5.96	14.04	<=38.45	Pass
			4	22.04	-5.96	13.93	<=38.45	Pass
			7	22.08	-5.96	13.97	<=38.45	Pass
		15	0	22.01	-5.96	13.90	<=38.45	Pass
16QAM	825.5	1	0	21.89	-5.96	13.78	<=38.45	Pass
			7	21.80	-5.96	13.69	<=38.45	Pass
			14	21.92	-5.96	13.81	<=38.45	Pass
		8	0	21.50	-5.96	13.39	<=38.45	Pass
			4	21.45	-5.96	13.34	<=38.45	Pass
			7	21.37	-5.96	13.26	<=38.45	Pass
		15	0	21.35	-5.96	13.24	<=38.45	Pass
	836.5	1	0	22.82	-5.96	14.71	<=38.45	Pass
			7	22.79	-5.96	14.68	<=38.45	Pass
			14	22.81	-5.96	14.70	<=38.45	Pass
		8	0	21.32	-5.96	13.21	<=38.45	Pass
			4	21.32	-5.96	13.21	<=38.45	Pass
			7	21.29	-5.96	13.18	<=38.45	Pass
		15	0	21.30	-5.96	13.19	<=38.45	Pass
	847.5	1	0	21.73	-5.96	13.62	<=38.45	Pass
			7	21.69	-5.96	13.58	<=38.45	Pass
			14	21.69	-5.96	13.58	<=38.45	Pass
		8	0	21.26	-5.96	13.15	<=38.45	Pass
			4	21.22	-5.96	13.11	<=38.45	Pass
			7	21.36	-5.96	13.25	<=38.45	Pass
		15	0	21.15	-5.96	13.04	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

4.3 B5_5MHz_ERP

4.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.22	-5.96	15.11	<=38.45	Pass
			13	23.25	-5.96	15.14	<=38.45	Pass
			24	23.24	-5.96	15.13	<=38.45	Pass
		12	0	22.32	-5.96	14.21	<=38.45	Pass
			6	22.32	-5.96	14.21	<=38.45	Pass
			13	22.22	-5.96	14.11	<=38.45	Pass
		25	0	22.28	-5.96	14.17	<=38.45	Pass
	836.5	1	0	23.06	-5.96	14.95	<=38.45	Pass
			13	22.94	-5.96	14.83	<=38.45	Pass
			24	22.97	-5.96	14.86	<=38.45	Pass
		12	0	22.15	-5.96	14.04	<=38.45	Pass
			6	22.15	-5.96	14.04	<=38.45	Pass
			13	22.10	-5.96	13.99	<=38.45	Pass
		25	0	22.10	-5.96	13.99	<=38.45	Pass
	846.5	1	0	23.12	-5.96	15.01	<=38.45	Pass
			13	23.09	-5.96	14.98	<=38.45	Pass
			24	23.09	-5.96	14.98	<=38.45	Pass
		12	0	22.19	-5.96	14.08	<=38.45	Pass
			6	22.10	-5.96	13.99	<=38.45	Pass
			13	22.07	-5.96	13.96	<=38.45	Pass
		25	0	22.16	-5.96	14.05	<=38.45	Pass
16QAM	826.5	1	0	21.44	-5.96	13.33	<=38.45	Pass
			13	21.33	-5.96	13.22	<=38.45	Pass
			24	21.22	-5.96	13.11	<=38.45	Pass
		12	0	21.30	-5.96	13.19	<=38.45	Pass
			6	21.24	-5.96	13.13	<=38.45	Pass
			13	21.18	-5.96	13.07	<=38.45	Pass
		25	0	21.23	-5.96	13.12	<=38.45	Pass
	836.5	1	0	22.12	-5.96	14.01	<=38.45	Pass
			13	22.05	-5.96	13.94	<=38.45	Pass
			24	22.13	-5.96	14.02	<=38.45	Pass
		12	0	21.29	-5.96	13.18	<=38.45	Pass
			6	21.23	-5.96	13.12	<=38.45	Pass
			13	21.19	-5.96	13.08	<=38.45	Pass
		25	0	21.35	-5.96	13.24	<=38.45	Pass
	846.5	1	0	22.22	-5.96	14.11	<=38.45	Pass
			13	22.11	-5.96	14.00	<=38.45	Pass
			24	22.19	-5.96	14.08	<=38.45	Pass
		12	0	21.17	-5.96	13.06	<=38.45	Pass
			6	21.19	-5.96	13.08	<=38.45	Pass
			13	21.22	-5.96	13.11	<=38.45	Pass
		25	0	21.19	-5.96	13.08	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

4.4 B5_10MHz_ERP

4.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.11	-5.96	15.00	<=38.45	Pass
			25	23.16	-5.96	15.05	<=38.45	Pass

			49	22.97	-5.96	14.86	<=38.45	Pass	
		25	0	22.24	-5.96	14.13	<=38.45	Pass	
			13	22.13	-5.96	14.02	<=38.45	Pass	
			25	22.24	-5.96	14.13	<=38.45	Pass	
		50	0	22.12	-5.96	14.01	<=38.45	Pass	
	836.5	1	0	23.13	-5.96	15.02	<=38.45	Pass	
			25	22.97	-5.96	14.86	<=38.45	Pass	
			49	23.21	-5.96	15.10	<=38.45	Pass	
		25	0	22.14	-5.96	14.03	<=38.45	Pass	
			13	22.17	-5.96	14.06	<=38.45	Pass	
			25	22.09	-5.96	13.98	<=38.45	Pass	
		50	0	22.19	-5.96	14.08	<=38.45	Pass	
	844	1	0	23.13	-5.96	15.02	<=38.45	Pass	
			25	23.31	-5.96	15.20	<=38.45	Pass	
			49	23.23	-5.96	15.12	<=38.45	Pass	
		25	0	22.26	-5.96	14.15	<=38.45	Pass	
			13	22.13	-5.96	14.02	<=38.45	Pass	
			25	22.07	-5.96	13.96	<=38.45	Pass	
		50	0	22.25	-5.96	14.14	<=38.45	Pass	
	16QAM	829	1	0	22.46	-5.96	14.35	<=38.45	Pass
				25	22.24	-5.96	14.13	<=38.45	Pass
49				22.17	-5.96	14.06	<=38.45	Pass	
25			0	21.20	-5.96	13.09	<=38.45	Pass	
			13	21.30	-5.96	13.19	<=38.45	Pass	
			25	21.29	-5.96	13.18	<=38.45	Pass	
50			0	21.35	-5.96	13.24	<=38.45	Pass	
836.5			1	0	21.81	-5.96	13.70	<=38.45	Pass
				25	21.62	-5.96	13.51	<=38.45	Pass
		49		21.78	-5.96	13.67	<=38.45	Pass	
		25	0	21.44	-5.96	13.33	<=38.45	Pass	
			13	21.39	-5.96	13.28	<=38.45	Pass	
			25	21.41	-5.96	13.30	<=38.45	Pass	
		50	0	21.29	-5.96	13.18	<=38.45	Pass	
844		1	0	22.22	-5.96	14.11	<=38.45	Pass	
			25	22.32	-5.96	14.21	<=38.45	Pass	
			49	22.23	-5.96	14.12	<=38.45	Pass	
		25	0	21.34	-5.96	13.23	<=38.45	Pass	
			13	21.41	-5.96	13.30	<=38.45	Pass	
			25	21.37	-5.96	13.26	<=38.45	Pass	
		50	0	21.39	-5.96	13.28	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15									

Note1: ERP=Conducted Power+Antenna Gain-2.15

5. Effective (Isotropic) Radiated Power Output Data

5.1 B7_5MHz_EIRP

5.1.1 Test Result

Band: 7 / Bandwidth: 5MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2502.5	1	0	23.30	2.71	26.01	<=33.01	Pass
			13	23.30	2.71	26.01	<=33.01	Pass
			24	23.32	2.71	26.03	<=33.01	Pass

		12	0	22.47	2.71	25.18	<=33.01	Pass
			6	22.45	2.71	25.16	<=33.01	Pass
			13	22.51	2.71	25.22	<=33.01	Pass
		25	0	22.62	2.71	25.33	<=33.01	Pass
	2535	1	0	23.28	2.71	25.99	<=33.01	Pass
			13	23.28	2.71	25.99	<=33.01	Pass
			24	23.28	2.71	25.99	<=33.01	Pass
		12	0	22.26	2.71	24.97	<=33.01	Pass
			6	22.21	2.71	24.92	<=33.01	Pass
			13	22.31	2.71	25.02	<=33.01	Pass
		25	0	22.29	2.71	25.00	<=33.01	Pass
	2567.5	1	0	23.78	2.71	26.49	<=33.01	Pass
			13	23.72	2.71	26.43	<=33.01	Pass
			24	23.65	2.71	26.36	<=33.01	Pass
		12	0	22.70	2.71	25.41	<=33.01	Pass
			6	22.73	2.71	25.44	<=33.01	Pass
			13	22.73	2.71	25.44	<=33.01	Pass
		25	0	22.64	2.71	25.35	<=33.01	Pass
16QAM	2502.5	1	0	22.60	2.71	25.31	<=33.01	Pass
			13	22.64	2.71	25.35	<=33.01	Pass
			24	22.68	2.71	25.39	<=33.01	Pass
		12	0	21.55	2.71	24.26	<=33.01	Pass
			6	21.58	2.71	24.29	<=33.01	Pass
			13	21.60	2.71	24.31	<=33.01	Pass
		25	0	21.69	2.71	24.40	<=33.01	Pass
	2535	1	0	22.33	2.71	25.04	<=33.01	Pass
			13	22.23	2.71	24.94	<=33.01	Pass
			24	22.32	2.71	25.03	<=33.01	Pass
		12	0	21.39	2.71	24.10	<=33.01	Pass
			6	21.43	2.71	24.14	<=33.01	Pass
			13	21.43	2.71	24.14	<=33.01	Pass
		25	0	21.37	2.71	24.08	<=33.01	Pass
	2567.5	1	0	21.97	2.71	24.68	<=33.01	Pass
			13	21.86	2.71	24.57	<=33.01	Pass
			24	21.91	2.71	24.62	<=33.01	Pass
		12	0	21.83	2.71	24.54	<=33.01	Pass
			6	21.76	2.71	24.47	<=33.01	Pass
			13	21.73	2.71	24.44	<=33.01	Pass
		25	0	21.84	2.71	24.55	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

5.2 B7_10MHz_EIRP

5.2.1 Test Result

Band: 7 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	23.45	2.71	26.16	<=33.01	Pass
			25	23.42	2.71	26.13	<=33.01	Pass
			49	23.44	2.71	26.15	<=33.01	Pass
		25	0	22.42	2.71	25.13	<=33.01	Pass
			13	22.51	2.71	25.22	<=33.01	Pass
			25	22.45	2.71	25.16	<=33.01	Pass
		50	0	22.53	2.71	25.24	<=33.01	Pass

	2535	1	0	23.35	2.71	26.06	<=33.01	Pass
			25	23.32	2.71	26.03	<=33.01	Pass
			49	23.43	2.71	26.14	<=33.01	Pass
		25	0	22.36	2.71	25.07	<=33.01	Pass
			13	22.38	2.71	25.09	<=33.01	Pass
			25	22.42	2.71	25.13	<=33.01	Pass
		50	0	22.29	2.71	25.00	<=33.01	Pass
	2565	1	0	23.75	2.71	26.46	<=33.01	Pass
			25	23.72	2.71	26.43	<=33.01	Pass
			49	23.67	2.71	26.38	<=33.01	Pass
		25	0	22.82	2.71	25.53	<=33.01	Pass
			13	22.72	2.71	25.43	<=33.01	Pass
			25	22.61	2.71	25.32	<=33.01	Pass
		50	0	22.75	2.71	25.46	<=33.01	Pass
16QAM	2505	1	0	22.75	2.71	25.46	<=33.01	Pass
			25	22.71	2.71	25.42	<=33.01	Pass
			49	22.72	2.71	25.43	<=33.01	Pass
		25	0	21.61	2.71	24.32	<=33.01	Pass
			13	21.69	2.71	24.40	<=33.01	Pass
			25	21.66	2.71	24.37	<=33.01	Pass
		50	0	21.65	2.71	24.36	<=33.01	Pass
	2535	1	0	21.84	2.71	24.55	<=33.01	Pass
			25	21.85	2.71	24.56	<=33.01	Pass
			49	21.91	2.71	24.62	<=33.01	Pass
		25	0	21.53	2.71	24.24	<=33.01	Pass
			13	21.50	2.71	24.21	<=33.01	Pass
			25	21.54	2.71	24.25	<=33.01	Pass
		50	0	21.42	2.71	24.13	<=33.01	Pass
	2565	1	0	23.10	2.71	25.81	<=33.01	Pass
			25	22.95	2.71	25.66	<=33.01	Pass
			49	22.90	2.71	25.61	<=33.01	Pass
		25	0	21.90	2.71	24.61	<=33.01	Pass
			13	21.82	2.71	24.53	<=33.01	Pass
			25	21.84	2.71	24.55	<=33.01	Pass
		50	0	21.92	2.71	24.63	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

5.3 B7_15MHz_EIRP

5.3.1 Test Result

Band: 7 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2507.5	1	0	23.39	2.71	26.10	<=33.01	Pass
			38	23.40	2.71	26.11	<=33.01	Pass
			74	23.34	2.71	26.05	<=33.01	Pass
		36	0	22.49	2.71	25.20	<=33.01	Pass
			18	22.54	2.71	25.25	<=33.01	Pass
			39	22.55	2.71	25.26	<=33.01	Pass
		75	0	22.44	2.71	25.15	<=33.01	Pass
	2535	1	0	23.37	2.71	26.08	<=33.01	Pass
			38	23.37	2.71	26.08	<=33.01	Pass
			74	23.44	2.71	26.15	<=33.01	Pass
		36	0	22.33	2.71	25.04	<=33.01	Pass
			0	22.33	2.71	25.04	<=33.01	Pass

			18	22.27	2.71	24.98	<=33.01	Pass
			39	22.46	2.71	25.17	<=33.01	Pass
		75	0	22.34	2.71	25.05	<=33.01	Pass
	2562.5	1	0	23.65	2.71	26.36	<=33.01	Pass
			38	23.74	2.71	26.45	<=33.01	Pass
			74	23.67	2.71	26.38	<=33.01	Pass
		36	0	22.75	2.71	25.46	<=33.01	Pass
			18	22.76	2.71	25.47	<=33.01	Pass
			39	22.72	2.71	25.43	<=33.01	Pass
		75	0	22.78	2.71	25.49	<=33.01	Pass
16QAM	2507.5	1	0	22.80	2.71	25.51	<=33.01	Pass
			38	22.80	2.71	25.51	<=33.01	Pass
			74	22.71	2.71	25.42	<=33.01	Pass
		36	0	21.74	2.71	24.45	<=33.01	Pass
			18	21.81	2.71	24.52	<=33.01	Pass
			39	21.75	2.71	24.46	<=33.01	Pass
		75	0	21.67	2.71	24.38	<=33.01	Pass
	2535	1	0	22.77	2.71	25.48	<=33.01	Pass
			38	22.77	2.71	25.48	<=33.01	Pass
			74	22.88	2.71	25.59	<=33.01	Pass
		36	0	21.47	2.71	24.18	<=33.01	Pass
			18	21.47	2.71	24.18	<=33.01	Pass
			39	21.53	2.71	24.24	<=33.01	Pass
		75	0	21.45	2.71	24.16	<=33.01	Pass
	2562.5	1	0	23.05	2.71	25.76	<=33.01	Pass
			38	23.13	2.71	25.84	<=33.01	Pass
			74	22.96	2.71	25.67	<=33.01	Pass
		36	0	21.96	2.71	24.67	<=33.01	Pass
			18	21.97	2.71	24.68	<=33.01	Pass
			39	21.91	2.71	24.62	<=33.01	Pass
		75	0	21.92	2.71	24.63	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

5.4 B7_20MHz_EIRP

5.4.1 Test Result

Band: 7 / Bandwidth: 20MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2510	1	0	23.58	2.71	26.29	<=33.01	Pass
			50	23.54	2.71	26.25	<=33.01	Pass
			99	23.45	2.71	26.16	<=33.01	Pass
		50	0	22.51	2.71	25.22	<=33.01	Pass
			25	22.46	2.71	25.17	<=33.01	Pass
			50	22.50	2.71	25.21	<=33.01	Pass
		100	0	22.52	2.71	25.23	<=33.01	Pass
	2535	1	0	23.50	2.71	26.21	<=33.01	Pass
			50	23.46	2.71	26.17	<=33.01	Pass
			99	23.67	2.71	26.38	<=33.01	Pass
		50	0	22.22	2.71	24.93	<=33.01	Pass
			25	22.39	2.71	25.10	<=33.01	Pass
			50	22.50	2.71	25.21	<=33.01	Pass
		100	0	22.41	2.71	25.12	<=33.01	Pass
	2560	1	0	23.57	2.71	26.28	<=33.01	Pass

			50	23.70	2.71	26.41	<=33.01	Pass
			99	23.67	2.71	26.38	<=33.01	Pass
		50	0	22.66	2.71	25.37	<=33.01	Pass
			25	22.68	2.71	25.39	<=33.01	Pass
			50	22.78	2.71	25.49	<=33.01	Pass
	100	0	22.74	2.71	25.45	<=33.01	Pass	
16QAM	2510	1	0	22.37	2.71	25.08	<=33.01	Pass
			50	22.38	2.71	25.09	<=33.01	Pass
			99	22.29	2.71	25.00	<=33.01	Pass
		50	0	21.80	2.71	24.51	<=33.01	Pass
			25	21.69	2.71	24.40	<=33.01	Pass
			50	21.63	2.71	24.34	<=33.01	Pass
	100	0	21.69	2.71	24.40	<=33.01	Pass	
	2535	1	0	22.86	2.71	25.57	<=33.01	Pass
			50	22.84	2.71	25.55	<=33.01	Pass
			99	22.98	2.71	25.69	<=33.01	Pass
		50	0	21.39	2.71	24.10	<=33.01	Pass
			25	21.46	2.71	24.17	<=33.01	Pass
			50	21.48	2.71	24.19	<=33.01	Pass
	100	0	21.45	2.71	24.16	<=33.01	Pass	
	2560	1	0	23.22	2.71	25.93	<=33.01	Pass
			50	23.24	2.71	25.95	<=33.01	Pass
			99	23.16	2.71	25.87	<=33.01	Pass
		50	0	21.98	2.71	24.69	<=33.01	Pass
			25	22.02	2.71	24.73	<=33.01	Pass
			50	21.90	2.71	24.61	<=33.01	Pass
	100	0	21.81	2.71	24.52	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain