



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	48.90	54.00	-5.10	6.18	3	Vertical	289	1.00	42.72	32.98	8.28	35.08
AV	5.739G	115.21	Inf	-Inf	7.37	3	Vertical	289	1.00	107.84	33.78	8.60	35.01
PK	5.6418G	66.72	68.20	-1.48	6.59	3	Vertical	289	1.00	60.13	33.13	8.50	35.04
PK	5.739G	123.65	Inf	-Inf	7.37	3	Vertical	289	1.00	116.28	33.78	8.60	35.01
PK	5.9322G	62.86	68.20	-5.34	8.19	3	Vertical	289	1.00	54.67	34.43	8.71	34.95

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4474G	48.95	54.00	-5.05	6.20	3	Horizontal	269	1.00	42.75	33.01	8.27	35.08
AV	5.7522G	114.98	Inf	-Inf	7.43	3	Horizontal	269	1.00	107.55	33.82	8.61	35.00
PK	5.649G	65.87	68.20	-2.33	6.57	3	Horizontal	269	1.00	59.30	33.10	8.51	35.04
PK	5.7522G	123.28	Inf	-Inf	7.43	3	Horizontal	269	1.00	115.85	33.82	8.61	35.00
PK	5.9502G	62.78	68.20	-5.42	8.27	3	Horizontal	269	1.00	54.51	34.50	8.71	34.94


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7618G	105.33	Inf	-Inf	7.49	3	Vertical	223	1.13	97.84	33.87	8.05	34.43
PK	5.6478G	66.96	68.20	-1.24	6.77	3	Vertical	223	1.13	60.19	33.19	7.94	34.36
PK	5.7678G	116.91	Inf	-Inf	7.53	3	Vertical	223	1.13	109.38	33.91	8.05	34.43
PK	6.033G	59.88	68.20	-8.32	7.86	3	Vertical	223	1.13	52.02	34.27	8.16	34.57

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.769G	105.88	Inf	-Inf	7.53	3	Horizontal	280	1.04	98.35	33.91	8.05	34.43
PK	5.649G	66.40	68.20	-1.80	6.78	3	Horizontal	280	1.04	59.62	33.20	7.94	34.36
PK	5.769G	117.30	Inf	-Inf	7.53	3	Horizontal	280	1.04	109.77	33.91	8.05	34.43
PK	6.0522G	61.28	68.20	-6.92	7.91	3	Horizontal	280	1.04	53.37	34.30	8.18	34.57


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	5.147G	52.98	54.00	-1.02	3	Horizontal	254	1.01
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	Pass	AV	5.367G	52.77	54.00	-1.23	3	Horizontal	253	1.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	AV	5.4096G	52.49	54.00	-1.51	3	Horizontal	278	1.00
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	5.454G	52.93	54.00	-1.07	3	Vertical	216	1.14
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	Pass	AV	5.4248G	52.97	54.00	-1.03	3	Horizontal	275	1.03
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.6022G	65.93	68.20	-2.27	3	Horizontal	271	1.00

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.147G	52.88	54.00	-1.12	3	Vertical	294	1.00
5210MHz	Pass	AV	5.237G	97.52	Inf	-Inf	3	Vertical	294	1.00
5210MHz	Pass	AV	5.38G	49.93	54.00	-4.07	3	Vertical	294	1.00
5210MHz	Pass	PK	5.147G	67.43	74.00	-6.57	3	Vertical	294	1.00
5210MHz	Pass	PK	5.232G	109.10	Inf	-Inf	3	Vertical	294	1.00
5210MHz	Pass	PK	5.392G	61.33	74.00	-12.67	3	Vertical	294	1.00
5210MHz	Pass	AV	5.147G	52.98	54.00	-1.02	3	Horizontal	254	1.01
5210MHz	Pass	AV	5.2G	97.97	Inf	-Inf	3	Horizontal	254	1.01
5210MHz	Pass	AV	5.431G	50.03	54.00	-3.97	3	Horizontal	254	1.01
5210MHz	Pass	PK	5.147G	68.27	74.00	-5.73	3	Horizontal	254	1.01
5210MHz	Pass	PK	5.195G	109.02	Inf	-Inf	3	Horizontal	254	1.01
5210MHz	Pass	PK	5.368G	60.88	74.00	-13.12	3	Horizontal	254	1.01
5210MHz	Pass	PK	10.41488G	54.78	68.20	-13.42	3	Vertical	286	2.99
5210MHz	Pass	PK	10.45072G	54.83	68.20	-13.37	3	Horizontal	104	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.049G	48.89	54.00	-5.11	3	Vertical	292	1.05
5290MHz	Pass	AV	5.302G	97.98	Inf	-Inf	3	Vertical	292	1.05
5290MHz	Pass	AV	5.367G	52.17	54.00	-1.83	3	Vertical	292	1.05
5290MHz	Pass	PK	5.055G	60.46	74.00	-13.54	3	Vertical	292	1.05
5290MHz	Pass	PK	5.302G	108.00	Inf	-Inf	3	Vertical	292	1.05
5290MHz	Pass	PK	5.353G	67.71	74.00	-6.29	3	Vertical	292	1.05
5290MHz	Pass	PK	5.514G	61.13	68.20	-7.07	3	Vertical	292	1.05
5290MHz	Pass	AV	5.141G	49.12	54.00	-4.88	3	Horizontal	253	1.00
5290MHz	Pass	AV	5.3G	99.00	Inf	-Inf	3	Horizontal	253	1.00
5290MHz	Pass	AV	5.367G	52.77	54.00	-1.23	3	Horizontal	253	1.00
5290MHz	Pass	PK	5.045G	60.26	74.00	-13.74	3	Horizontal	253	1.00
5290MHz	Pass	PK	5.3G	110.59	Inf	-Inf	3	Horizontal	253	1.00
5290MHz	Pass	PK	5.365G	66.92	74.00	-7.08	3	Horizontal	253	1.00
5290MHz	Pass	PK	5.54G	61.57	68.20	-6.63	3	Horizontal	253	1.00
5290MHz	Pass	PK	10.57856G	54.35	68.20	-13.85	3	Vertical	331	1.50
5290MHz	Pass	PK	10.54288G	55.00	68.20	-13.20	3	Horizontal	198	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	48.94	54.00	-5.06	3	Vertical	216	1.14
5530MHz	Pass	AV	5.454G	52.93	54.00	-1.07	3	Vertical	216	1.14
5530MHz	Pass	AV	5.518G	96.79	Inf	-Inf	3	Vertical	216	1.14
5530MHz	Pass	PK	5.335G	60.56	68.20	-7.64	3	Vertical	216	1.14
5530MHz	Pass	PK	5.455G	65.62	74.00	-8.38	3	Vertical	216	1.14
5530MHz	Pass	PK	5.468G	66.13	68.20	-2.07	3	Vertical	216	1.14
5530MHz	Pass	PK	5.503G	107.51	Inf	-Inf	3	Vertical	216	1.14
5530MHz	Pass	PK	5.74G	61.74	68.20	-6.46	3	Vertical	216	1.14
5530MHz	Pass	AV	5.35G	48.70	54.00	-5.30	3	Horizontal	276	1.00
5530MHz	Pass	AV	5.459G	52.61	54.00	-1.39	3	Horizontal	276	1.00
5530MHz	Pass	AV	5.524G	97.87	Inf	-Inf	3	Horizontal	276	1.00
5530MHz	Pass	PK	5.331G	60.68	68.20	-7.52	3	Horizontal	276	1.00
5530MHz	Pass	PK	5.46G	66.65	74.00	-7.35	3	Horizontal	276	1.00
5530MHz	Pass	PK	5.463G	66.16	68.20	-2.04	3	Horizontal	276	1.00
5530MHz	Pass	PK	5.554G	108.76	Inf	-Inf	3	Horizontal	276	1.00
5530MHz	Pass	PK	5.725G	61.55	68.20	-6.65	3	Horizontal	276	1.00
5530MHz	Pass	AV	11.07472G	42.47	54.00	-11.53	3	Vertical	299	1.50
5530MHz	Pass	PK	11.08736G	54.67	74.00	-19.33	3	Vertical	299	1.50
5530MHz	Pass	AV	11.02464G	42.25	54.00	-11.75	3	Horizontal	72	1.50
5530MHz	Pass	PK	11.02544G	53.97	74.00	-20.03	3	Horizontal	72	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.458G	50.19	54.00	-3.81	3	Vertical	220	1.02
5610MHz	Pass	AV	5.618G	98.86	Inf	-Inf	3	Vertical	220	1.02
5610MHz	Pass	PK	5.444G	60.55	74.00	-13.45	3	Vertical	220	1.02
5610MHz	Pass	PK	5.466G	61.03	68.20	-7.17	3	Vertical	220	1.02
5610MHz	Pass	PK	5.628G	109.42	Inf	-Inf	3	Vertical	220	1.02
5610MHz	Pass	PK	5.727G	66.22	68.20	-1.98	3	Vertical	220	1.02
5610MHz	Pass	AV	5.459G	50.61	54.00	-3.39	3	Horizontal	273	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.584G	100.82	Inf	-Inf	3	Horizontal	273	1.00
5610MHz	Pass	PK	5.409G	60.85	74.00	-13.15	3	Horizontal	273	1.00
5610MHz	Pass	PK	5.469G	61.70	68.20	-6.50	3	Horizontal	273	1.00
5610MHz	Pass	PK	5.624G	111.67	Inf	-Inf	3	Horizontal	273	1.00
5610MHz	Pass	PK	5.74G	66.17	68.20	-2.03	3	Horizontal	273	1.00
5610MHz	Pass	AV	11.2216G	42.80	54.00	-11.20	3	Vertical	169	1.50
5610MHz	Pass	PK	11.25712G	54.43	74.00	-19.57	3	Vertical	169	1.50
5610MHz	Pass	AV	11.22704G	42.91	54.00	-11.09	3	Horizontal	322	2.79
5610MHz	Pass	PK	11.2016G	54.64	74.00	-19.36	3	Horizontal	322	2.79
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX										
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	49.32	54.00	-4.68	3	Vertical	217	1.04
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	99.99	Inf	-Inf	3	Vertical	217	1.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4284G	61.16	74.00	-12.84	3	Vertical	217	1.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	60.19	68.20	-8.01	3	Vertical	217	1.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6828G	111.43	Inf	-Inf	3	Vertical	217	1.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9744G	62.61	68.20	-5.59	3	Vertical	217	1.04
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	49.46	54.00	-4.54	3	Horizontal	273	1.12
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	100.85	Inf	-Inf	3	Horizontal	273	1.12
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.396G	60.69	74.00	-13.31	3	Horizontal	273	1.12
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	60.12	68.20	-8.08	3	Horizontal	273	1.12
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6744G	111.48	Inf	-Inf	3	Horizontal	273	1.12
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9828G	63.20	68.20	-5.00	3	Horizontal	273	1.12
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39744G	43.36	54.00	-10.64	3	Vertical	160	1.15
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3904G	55.40	74.00	-18.60	3	Vertical	160	1.15
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40368G	43.39	54.00	-10.61	3	Horizontal	204	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39168G	55.57	74.00	-18.43	3	Horizontal	204	1.50
5775MHz	Pass	AV	5.7618G	101.87	Inf	-Inf	3	Vertical	212	1.02
5775MHz	Pass	PK	5.6274G	64.52	68.20	-3.68	3	Vertical	212	1.02
5775MHz	Pass	PK	5.7966G	112.83	Inf	-Inf	3	Vertical	212	1.02
5775MHz	Pass	PK	5.9766G	62.54	68.20	-5.66	3	Vertical	212	1.02
5775MHz	Pass	AV	5.7642G	103.98	Inf	-Inf	3	Horizontal	271	1.00
5775MHz	Pass	PK	5.6022G	65.93	68.20	-2.27	3	Horizontal	271	1.00
5775MHz	Pass	PK	5.7642G	115.23	Inf	-Inf	3	Horizontal	271	1.00
5775MHz	Pass	PK	6.0366G	63.62	68.20	-4.58	3	Horizontal	271	1.00
5775MHz	Pass	AV	11.51832G	44.27	54.00	-9.73	3	Vertical	261	2.35
5775MHz	Pass	PK	11.54824G	56.28	74.00	-17.72	3	Vertical	261	2.35
5775MHz	Pass	AV	11.5212G	43.39	54.00	-10.61	3	Horizontal	299	1.35
5775MHz	Pass	PK	11.54552G	54.71	74.00	-19.29	3	Horizontal	299	1.35
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX										
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	50.59	54.00	-3.41	3	Vertical	292	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3124G	97.04	Inf	-Inf	3	Vertical	292	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3772G	52.14	54.00	-1.86	3	Vertical	292	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.0172G	61.06	74.00	-12.94	3	Vertical	292	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3124G	107.54	Inf	-Inf	3	Vertical	292	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3832G	63.21	74.00	-10.79	3	Vertical	292	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5476G	61.94	68.20	-6.26	3	Vertical	292	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1444G	49.93	54.00	-4.07	3	Horizontal	251	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.31G	96.37	Inf	-Inf	3	Horizontal	251	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.37G	52.47	54.00	-1.53	3	Horizontal	251	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1444G	61.87	74.00	-12.13	3	Horizontal	251	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3148G	106.86	Inf	-Inf	3	Horizontal	251	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3844G	62.76	74.00	-11.24	3	Horizontal	251	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5248G	61.67	68.20	-6.53	3	Horizontal	251	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.53072G	54.79	68.20	-13.41	3	Vertical	74	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49808G	54.34	68.20	-13.86	3	Horizontal	225	2.57
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX										
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1324G	50.07	54.00	-3.93	3	Vertical	294	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3124G	94.94	Inf	-Inf	3	Vertical	294	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.406G	51.97	54.00	-2.03	3	Vertical	294	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1456G	60.77	74.00	-13.23	3	Vertical	294	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3124G	105.09	Inf	-Inf	3	Vertical	294	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3856G	63.55	74.00	-10.45	3	Vertical	294	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5176G	61.47	68.20	-6.73	3	Vertical	294	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1396G	49.81	54.00	-4.19	3	Horizontal	278	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.31G	95.74	Inf	-Inf	3	Horizontal	278	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4096G	52.49	54.00	-1.51	3	Horizontal	278	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1468G	61.41	74.00	-12.59	3	Horizontal	278	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3052G	106.76	Inf	-Inf	3	Horizontal	278	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3652G	63.00	74.00	-11.00	3	Horizontal	278	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4648G	61.89	68.20	-6.31	3	Horizontal	278	1.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.45264G	54.73	68.20	-13.47	3	Vertical	349	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.44016G	54.08	68.20	-14.12	3	Horizontal	339	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4272G	52.41	54.00	-1.59	3	Vertical	215	1.04
5570MHz	Pass	AV	5.5472G	95.04	Inf	-Inf	3	Vertical	215	1.04
5570MHz	Pass	PK	5.3408G	59.83	68.20	-8.37	3	Vertical	215	1.04
5570MHz	Pass	PK	5.438G	62.16	74.00	-11.84	3	Vertical	215	1.04
5570MHz	Pass	PK	5.4632G	61.36	68.20	-6.84	3	Vertical	215	1.04
5570MHz	Pass	PK	5.5376G	104.72	Inf	-Inf	3	Vertical	215	1.04
5570MHz	Pass	PK	5.7428G	63.45	68.20	-4.75	3	Vertical	215	1.04
5570MHz	Pass	AV	5.438G	52.54	54.00	-1.46	3	Horizontal	273	1.00
5570MHz	Pass	AV	5.594G	96.79	Inf	-Inf	3	Horizontal	273	1.00
5570MHz	Pass	PK	5.3144G	60.84	68.20	-7.36	3	Horizontal	273	1.00
5570MHz	Pass	PK	5.4548G	62.92	74.00	-11.08	3	Horizontal	273	1.00
5570MHz	Pass	PK	5.462G	62.21	68.20	-5.99	3	Horizontal	273	1.00
5570MHz	Pass	PK	5.594G	107.04	Inf	-Inf	3	Horizontal	273	1.00
5570MHz	Pass	PK	5.7368G	64.69	68.20	-3.51	3	Horizontal	273	1.00
5570MHz	Pass	AV	11.19824G	43.35	54.00	-10.65	3	Vertical	341	2.69
5570MHz	Pass	PK	11.15184G	54.39	74.00	-19.61	3	Vertical	341	2.69
5570MHz	Pass	AV	11.19024G	43.13	54.00	-10.87	3	Horizontal	101	1.50
5570MHz	Pass	PK	11.19792G	53.95	74.00	-20.05	3	Horizontal	101	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4236G	52.83	54.00	-1.17	3	Vertical	222	1.10
5570MHz	Pass	AV	5.5076G	95.28	Inf	-Inf	3	Vertical	222	1.10
5570MHz	Pass	PK	5.3468G	60.35	68.20	-7.85	3	Vertical	222	1.10
5570MHz	Pass	PK	5.444G	62.59	74.00	-11.41	3	Vertical	222	1.10
5570MHz	Pass	PK	5.4632G	62.65	68.20	-5.55	3	Vertical	222	1.10
5570MHz	Pass	PK	5.5088G	104.95	Inf	-Inf	3	Vertical	222	1.10
5570MHz	Pass	PK	5.7524G	63.33	68.20	-4.87	3	Vertical	222	1.10
5570MHz	Pass	AV	5.4248G	52.97	54.00	-1.03	3	Horizontal	275	1.03
5570MHz	Pass	AV	5.5388G	96.93	Inf	-Inf	3	Horizontal	275	1.03
5570MHz	Pass	PK	5.3036G	60.71	68.20	-7.49	3	Horizontal	275	1.03
5570MHz	Pass	PK	5.4224G	64.03	74.00	-9.97	3	Horizontal	275	1.03
5570MHz	Pass	PK	5.4608G	62.25	68.20	-5.95	3	Horizontal	275	1.03
5570MHz	Pass	PK	5.564G	107.25	Inf	-Inf	3	Horizontal	275	1.03
5570MHz	Pass	PK	5.7764G	63.17	68.20	-5.03	3	Horizontal	275	1.03
5570MHz	Pass	AV	11.19376G	43.34	54.00	-10.66	3	Vertical	336	1.55
5570MHz	Pass	PK	11.20112G	54.23	74.00	-19.77	3	Vertical	336	1.55
5570MHz	Pass	AV	11.0888G	43.48	54.00	-10.52	3	Horizontal	153	2.53
5570MHz	Pass	PK	11.2168G	54.34	74.00	-19.66	3	Horizontal	153	2.53


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	48.94	54.00	-5.06	6.01	3	Vertical	216	1.14	42.93	32.90	8.19	35.08
AV	5.454G	52.93	54.00	-1.07	6.19	3	Vertical	216	1.14	46.74	32.99	8.28	35.08
AV	5.518G	96.79	Inf	-Inf	6.26	3	Vertical	216	1.14	90.53	32.97	8.36	35.07
PK	5.335G	60.56	68.20	-7.64	6.03	3	Vertical	216	1.14	54.53	32.93	8.18	35.08
PK	5.455G	65.62	74.00	-8.38	6.19	3	Vertical	216	1.14	59.43	32.99	8.28	35.08
PK	5.468G	66.13	68.20	-2.07	6.18	3	Vertical	216	1.14	59.95	32.96	8.30	35.08
PK	5.503G	107.51	Inf	-Inf	6.17	3	Vertical	216	1.14	101.34	32.91	8.34	35.08
PK	5.74G	61.74	68.20	-6.46	7.37	3	Vertical	216	1.14	54.37	33.78	8.60	35.01

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	48.70	54.00	-5.30	6.01	3	Horizontal	276	1.00	42.69	32.90	8.19	35.08
AV	5.459G	52.61	54.00	-1.39	6.18	3	Horizontal	276	1.00	46.43	32.98	8.28	35.08
AV	5.524G	97.87	Inf	-Inf	6.30	3	Horizontal	276	1.00	91.57	33.00	8.37	35.07
PK	5.331G	60.68	68.20	-7.52	6.04	3	Horizontal	276	1.00	54.64	32.94	8.18	35.08
PK	5.46G	66.65	74.00	-7.35	6.19	3	Horizontal	276	1.00	60.46	32.98	8.29	35.08
PK	5.463G	66.16	68.20	-2.04	6.18	3	Horizontal	276	1.00	59.98	32.97	8.29	35.08
PK	5.554G	108.76	Inf	-Inf	6.46	3	Horizontal	276	1.00	102.30	33.12	8.40	35.06
PK	5.725G	61.55	68.20	-6.65	7.33	3	Horizontal	276	1.00	54.22	33.75	8.59	35.01


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	11.49146G	47.90	54.00	-6.10	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.8739G	33.63	54.00	-20.37	3	Vertical	100	1.00
Mode 1	Pass	AV	11.49146G	47.90	54.00	-6.10	3	Vertical	289	2.10
Mode 1	Pass	AV	13.38888G	45.88	54.00	-8.12	3	Vertical	332	2.01
Mode 1	Pass	PK	4.87408G	44.16	74.00	-29.84	3	Vertical	100	1.00
Mode 1	Pass	PK	11.48174G	58.42	74.00	-15.58	3	Vertical	289	2.10
Mode 1	Pass	PK	13.39382G	56.82	74.00	-17.18	3	Vertical	332	2.01
Mode 1	Pass	AV	4.87388G	34.57	54.00	-19.43	3	Horizontal	223	2.74
Mode 1	Pass	AV	11.48896G	43.45	54.00	-10.55	3	Horizontal	184	2.03
Mode 1	Pass	AV	13.39364G	44.89	54.00	-9.11	3	Horizontal	227	2.07
Mode 1	Pass	PK	4.87434G	44.58	74.00	-29.42	3	Horizontal	223	2.74
Mode 1	Pass	PK	11.48806G	54.36	74.00	-19.64	3	Horizontal	184	2.03
Mode 1	Pass	PK	13.3913G	56.41	74.00	-17.59	3	Horizontal	227	2.07

Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1

