


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7025MHz	Pass	PK	7.0193G	110.07	Inf	-Inf	3	Horizontal	208	1.50
7025MHz	Pass	PK	7.1456G	65.14	88.20	-23.06	3	Horizontal	208	1.50
7025MHz	Pass	AV	14.05314G	43.75	68.20	-24.45	3	Vertical	136	1.07
7025MHz	Pass	PK	14.04842G	55.03	88.20	-33.17	3	Vertical	136	1.07
7025MHz	Pass	AV	14.055G	43.81	68.20	-24.39	3	Horizontal	44	2.99
7025MHz	Pass	PK	14.05488G	55.31	88.20	-32.89	3	Horizontal	44	2.99
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	60.17	68.20	-8.03	3	Vertical	193	1.96
6025MHz	Pass	AV	6.058G	93.39	Inf	-Inf	3	Vertical	193	1.96
6025MHz	Pass	PK	5.898G	71.00	88.20	-17.20	3	Vertical	193	1.96
6025MHz	Pass	PK	6.094G	104.89	Inf	-Inf	3	Vertical	193	1.96
6025MHz	Pass	AV	5.9245G	65.72	68.20	-2.48	3	Horizontal	193	1.50
6025MHz	Pass	AV	6.0545G	99.25	Inf	-Inf	3	Horizontal	193	1.50
6025MHz	Pass	PK	5.92G	77.40	88.20	-10.80	3	Horizontal	193	1.50
6025MHz	Pass	PK	6.0955G	110.93	Inf	-Inf	3	Horizontal	193	1.50
6025MHz	Pass	AV	12.05432G	42.76	54.00	-11.24	3	Vertical	305	2.54
6025MHz	Pass	PK	12.05716G	54.50	74.00	-19.50	3	Vertical	305	2.54
6025MHz	Pass	AV	12.05948G	42.72	54.00	-11.28	3	Horizontal	263	2.66
6025MHz	Pass	PK	12.05864G	54.47	74.00	-19.53	3	Horizontal	263	2.66
6185MHz	Pass	AV	12.37396G	41.78	54.00	-12.22	3	Vertical	176	2.81
6185MHz	Pass	PK	12.379G	53.36	74.00	-20.64	3	Vertical	176	2.81
6185MHz	Pass	AV	12.363G	41.73	54.00	-12.27	3	Horizontal	299	2.00
6185MHz	Pass	PK	12.3632G	53.88	74.00	-20.12	3	Horizontal	299	2.00
6345MHz	Pass	AV	12.69476G	42.58	54.00	-11.42	3	Vertical	209	2.03
6345MHz	Pass	PK	12.69312G	54.83	74.00	-19.17	3	Vertical	209	2.03
6345MHz	Pass	AV	12.6946G	42.61	54.00	-11.39	3	Horizontal	316	1.44
6345MHz	Pass	PK	12.69432G	54.58	74.00	-19.42	3	Horizontal	316	1.44
6505MHz	Pass	AV	13.01416G	43.67	68.20	-24.53	3	Vertical	31	2.24
6505MHz	Pass	PK	13.00804G	55.04	88.20	-33.16	3	Vertical	31	2.24
6505MHz	Pass	AV	13.01264G	43.56	68.20	-24.64	3	Horizontal	285	2.85
6505MHz	Pass	PK	13.00616G	55.53	88.20	-32.67	3	Horizontal	285	2.85
6665MHz	Pass	AV	6.6034G	95.13	Inf	-Inf	3	Vertical	211	2.96
6665MHz	Pass	AV	7.2139G	53.89	68.20	-14.31	3	Vertical	211	2.96
6665MHz	Pass	PK	6.5979G	106.45	Inf	-Inf	3	Vertical	211	2.96
6665MHz	Pass	PK	7.2073G	65.96	88.20	-22.24	3	Vertical	211	2.96
6665MHz	Pass	AV	6.6562G	99.47	Inf	-Inf	3	Horizontal	346	1.50
6665MHz	Pass	AV	7.2007G	53.94	68.20	-14.26	3	Horizontal	346	1.50
6665MHz	Pass	PK	6.621G	110.43	Inf	-Inf	3	Horizontal	346	1.50
6665MHz	Pass	PK	7.1336G	64.98	88.20	-23.22	3	Horizontal	346	1.50
6665MHz	Pass	AV	13.33884G	43.18	54.00	-10.82	3	Vertical	210	3.00
6665MHz	Pass	PK	13.3385G	55.62	74.00	-18.38	3	Vertical	210	3.00
6665MHz	Pass	AV	13.33938G	43.13	54.00	-10.87	3	Horizontal	184	1.50
6665MHz	Pass	PK	13.33922G	55.58	74.00	-18.42	3	Horizontal	184	1.50
6825MHz	Pass	AV	13.65684G	43.73	68.20	-24.47	3	Vertical	110	2.37
6825MHz	Pass	PK	13.65968G	55.54	88.20	-32.66	3	Vertical	110	2.37
6825MHz	Pass	AV	13.65416G	43.74	68.20	-24.46	3	Horizontal	117	2.87
6825MHz	Pass	PK	13.65324G	54.81	88.20	-33.39	3	Horizontal	117	2.87
6985MHz	Pass	AV	6.936G	94.06	Inf	-Inf	3	Vertical	48	2.40
6985MHz	Pass	AV	7.225G	54.12	68.20	-14.08	3	Vertical	48	2.40
6985MHz	Pass	PK	6.9345G	104.01	Inf	-Inf	3	Vertical	48	2.40
6985MHz	Pass	PK	7.2225G	66.18	88.20	-22.02	3	Vertical	48	2.40
6985MHz	Pass	AV	6.9275G	99.27	Inf	-Inf	3	Horizontal	217	1.07
6985MHz	Pass	AV	7.125G	56.46	68.20	-11.74	3	Horizontal	217	1.07
6985MHz	Pass	PK	6.9285G	111.43	Inf	-Inf	3	Horizontal	217	1.07
6985MHz	Pass	PK	7.172G	67.66	88.20	-20.54	3	Horizontal	217	1.07
6985MHz	Pass	AV	13.97358G	43.63	68.20	-24.57	3	Vertical	99	1.81
6985MHz	Pass	PK	13.9709G	56.08	88.20	-32.12	3	Vertical	99	1.81
6985MHz	Pass	AV	13.9727G	43.73	68.20	-24.47	3	Horizontal	316	1.50
6985MHz	Pass	PK	13.97304G	56.48	88.20	-31.72	3	Horizontal	316	1.50
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	58.45	68.20	-9.75	3	Vertical	192	1.95
6105MHz	Pass	AV	6.262G	95.23	Inf	-Inf	3	Vertical	192	1.95

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	PK	5.917G	69.40	88.20	-18.80	3	Vertical	192	1.95
6105MHz	Pass	PK	6.214G	105.49	Inf	-Inf	3	Vertical	192	1.95
6105MHz	Pass	AV	5.925G	61.73	68.20	-6.47	3	Horizontal	353	1.50
6105MHz	Pass	AV	6.244G	99.56	Inf	-Inf	3	Horizontal	353	1.50
6105MHz	Pass	PK	5.921G	73.31	88.20	-14.89	3	Horizontal	353	1.50
6105MHz	Pass	PK	6.223G	110.26	Inf	-Inf	3	Horizontal	353	1.50
6105MHz	Pass	AV	12.2112G	42.56	54.00	-11.44	3	Vertical	48	1.13
6105MHz	Pass	PK	12.21812G	54.49	74.00	-19.51	3	Vertical	48	1.13
6105MHz	Pass	AV	12.20252G	42.49	54.00	-11.51	3	Horizontal	226	1.56
6105MHz	Pass	PK	12.21788G	53.80	74.00	-20.20	3	Horizontal	226	1.56
6265MHz	Pass	AV	12.52066G	41.73	54.00	-12.27	3	Vertical	102	1.25
6265MHz	Pass	PK	12.522G	53.42	74.00	-20.58	3	Vertical	102	1.25
6265MHz	Pass	AV	12.52198G	41.69	54.00	-12.31	3	Horizontal	37	1.89
6265MHz	Pass	PK	12.53202G	54.55	74.00	-19.45	3	Horizontal	37	1.89
6425MHz	Pass	AV	5.831G	51.81	68.20	-16.39	3	Vertical	195	1.50
6425MHz	Pass	AV	6.3842G	92.22	Inf	-Inf	3	Vertical	195	1.50
6425MHz	Pass	PK	5.9102G	61.97	88.20	-26.23	3	Vertical	195	1.50
6425MHz	Pass	PK	6.3854G	103.45	Inf	-Inf	3	Vertical	195	1.50
6425MHz	Pass	AV	5.9246G	51.50	68.20	-16.70	3	Horizontal	221	1.02
6425MHz	Pass	AV	6.3806G	99.48	Inf	-Inf	3	Horizontal	221	1.02
6425MHz	Pass	PK	5.9174G	62.30	88.20	-25.90	3	Horizontal	221	1.02
6425MHz	Pass	PK	6.4382G	110.53	Inf	-Inf	3	Horizontal	221	1.02
6425MHz	Pass	AV	12.8528G	42.51	68.20	-25.69	3	Vertical	296	1.50
6425MHz	Pass	PK	12.8495G	54.83	88.20	-33.37	3	Vertical	296	1.50
6425MHz	Pass	AV	12.8586G	42.59	68.20	-25.61	3	Horizontal	262	1.50
6425MHz	Pass	PK	12.85262G	55.10	88.20	-33.10	3	Horizontal	262	1.50
6585MHz	Pass	AV	13.17268G	43.25	68.20	-24.95	3	Vertical	84	1.30
6585MHz	Pass	PK	13.16756G	55.38	88.20	-32.82	3	Vertical	84	1.30
6585MHz	Pass	AV	13.17246G	43.25	68.20	-24.95	3	Horizontal	150	1.33
6585MHz	Pass	PK	13.16326G	54.94	88.20	-33.26	3	Horizontal	150	1.33
6745MHz	Pass	AV	13.49522G	43.47	68.20	-24.73	3	Vertical	158	1.52
6745MHz	Pass	PK	13.49518G	55.19	88.20	-33.01	3	Vertical	158	1.52
6745MHz	Pass	AV	13.48746G	43.49	68.20	-24.71	3	Horizontal	352	1.18
6745MHz	Pass	PK	13.48184G	55.27	88.20	-32.93	3	Horizontal	352	1.18
6905MHz	Pass	AV	6.878G	90.53	Inf	-Inf	3	Vertical	47	1.50
6905MHz	Pass	AV	7.274G	50.84	54.00	-3.16	3	Vertical	47	1.50
6905MHz	Pass	PK	6.775G	101.63	Inf	-Inf	3	Vertical	47	1.50
6905MHz	Pass	PK	7.266G	62.55	74.00	-11.45	3	Vertical	47	1.50
6905MHz	Pass	AV	6.839G	97.33	Inf	-Inf	3	Horizontal	209	1.39
6905MHz	Pass	AV	7.262G	52.76	54.00	-1.24	3	Horizontal	209	1.39
6905MHz	Pass	PK	6.861G	108.51	Inf	-Inf	3	Horizontal	209	1.39
6905MHz	Pass	PK	7.263G	64.91	74.00	-9.09	3	Horizontal	209	1.39
6905MHz	Pass	AV	13.80248G	43.55	68.20	-24.65	3	Vertical	307	1.37
6905MHz	Pass	PK	13.80836G	55.89	88.20	-32.31	3	Vertical	307	1.37
6905MHz	Pass	AV	13.802G	43.53	68.20	-24.67	3	Horizontal	306	1.13
6905MHz	Pass	PK	13.80972G	55.29	88.20	-32.91	3	Horizontal	306	1.13


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



Antenna Gain(dBi)			
UNII5	UNII6	UNII7	UNII8
5.13	4.42	4.83	4.75


Contention Based protocol (Contention Based Protocol Threshold Level 802.11be EHT20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-65.13	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-67.42	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-63.33	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-63.75	OFF	10	100	90	Pass

Contention Based protocol (802.11be EHT320)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-65.13	OFF	10	100	90	Pass
				Center	6105	-63.13	OFF	9	90	90	Pass
				High edge	6260	-64.13	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-67.42	OFF	10	100	90	Pass
				Center	6425	-65.42	OFF	9	90	90	Pass
				High edge	6580	-68.42	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-67.83	OFF	10	100	90	Pass
				Center	6585	-66.83	OFF	9	90	90	Pass
				High edge	6740	-68.83	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-69.75	OFF	10	100	90	Pass
				Center	6905	-65.75	OFF	9	90	90	Pass
				High edge	7060	-67.75	OFF	10	100	90	Pass


Contention Based Protocol Threshold Level										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-60.00	5.13	-65.13	≤ -62
						Minimal	-62.00	5.13	-67.13	≤ -62
						ON	-63.00	5.13	-68.13	≤ -62
6	101	20	6455	Center	6455	OFF	-63.00	4.42	-67.42	≤ -62
						Minimal	-65.00	4.42	-69.42	≤ -62
						ON	-66.00	4.42	-70.42	≤ -62
7	149	20	6695	Center	6695	OFF	-58.50	4.83	-63.33	≤ -62
						Minimal	-61.00	4.83	-65.83	≤ -62
						ON	-62.00	4.83	-66.83	≤ -62
8	213	20	7015	Center	7015	OFF	-59.00	4.75	-63.75	≤ -62
						Minimal	-65.00	4.75	-69.75	≤ -62
						ON	-66.00	4.75	-70.75	≤ -62

Contention Based Protocol Threshold Level										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-60.00	5.13	-65.13	≤ -62
						Minimal	-62.00	5.13	-67.13	
						ON	-63.00	5.13	-68.13	
				Center	6105	OFF	-58.00	5.13	-63.13	≤ -62
						Minimal	-66.00	5.13	-71.13	
						ON	-67.00	5.13	-72.13	
				High edge	6260	OFF	-59.00	5.13	-64.13	≤ -62
						Minimal	-61.00	5.13	-66.13	
						ON	-62.00	5.13	-67.13	
5,6,7	95	320	6425	Low edge	6270	OFF	-63.00	4.42	-67.42	≤ -62
						Minimal	-65.00	4.42	-69.42	
						ON	-66.00	4.42	-70.42	
				Center	6425	OFF	-61.00	4.42	-65.42	≤ -62
						Minimal	-63.00	4.42	-67.42	
						ON	-64.00	4.42	-68.42	
				High edge	6580	OFF	-64.00	4.42	-68.42	≤ -62
						Minimal	-66.00	4.42	-70.42	
						ON	-67.00	4.42	-71.42	
6,7	127	320	6585	Low edge	6430	OFF	-63.00	4.83	-67.83	≤ -62
						Minimal	-65.00	4.83	-69.83	
						ON	-66.00	4.83	-70.83	
				Center	6585	OFF	-62.00	4.83	-66.83	≤ -62
						Minimal	-64.00	4.83	-68.83	
						ON	-65.00	4.83	-69.83	
				High edge	6740	OFF	-64.00	4.83	-68.83	≤ -62
						Minimal	-66.00	4.83	-70.83	
						ON	-67.00	4.83	-71.83	
7,8	191	320	6905	Low edge	6750	OFF	-65.00	4.75	-69.75	≤ -62
						Minimal	-67.00	4.75	-71.75	
						ON	-68.00	4.75	-72.75	
				Center	6905	OFF	-61.00	4.75	-65.75	≤ -62
						Minimal	-63.00	4.75	-67.75	
						ON	-64.00	4.75	-68.75	
				High edge	7060	OFF	-63.00	4.75	-67.75	≤ -62
						Minimal	-65.00	4.75	-69.75	
						ON	-66.00	4.75	-70.75	

Traffic Loading Plot




1. Incumbent signal (AWGN) Plot



2. Contention-Based Protocol Plot




Test CH 149 ; Incumbent signal 6695 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 213 ; Incumbent signal 7015 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


802.11be EHT320

Test CH 31 ; Incumbent signal 5950 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6105 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

3. Contention Based Protocol Threshold Level Verify Plot




Frequency (MHz): 6215 MHz (Threshold Level: -63 dBm)




Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -60dBm)




Frequency (MHz): 5950 MHz (Threshold Level: -62dBm)




Frequency (MHz): 5950 MHz (Threshold Level: -63dBm)




Frequency (MHz): 6105 MHz (Threshold Level: -58dBm)




Frequency (MHz): 6105 MHz (Threshold Level: -66dBm)




Frequency (MHz): 6105 MHz (Threshold Level: -67dBm)




Frequency (MHz): 6260 MHz (Threshold Level: -59dBm)



Frequency (MHz): 6260 MHz (Threshold Level: -61dBm)



Frequency (MHz): 6260 MHz (Threshold Level: -62dBm)






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	11.49146G	47.90	54.00	-6.10	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.8739G	33.63	54.00	-20.37	3	Vertical	100	1.00
Mode 1	Pass	AV	11.49146G	47.90	54.00	-6.10	3	Vertical	289	2.10
Mode 1	Pass	AV	13.38888G	45.88	54.00	-8.12	3	Vertical	332	2.01
Mode 1	Pass	PK	4.87408G	44.16	74.00	-29.84	3	Vertical	100	1.00
Mode 1	Pass	PK	11.48174G	58.42	74.00	-15.58	3	Vertical	289	2.10
Mode 1	Pass	PK	13.39382G	56.82	74.00	-17.18	3	Vertical	332	2.01
Mode 1	Pass	AV	4.87388G	34.57	54.00	-19.43	3	Horizontal	223	2.74
Mode 1	Pass	AV	11.48896G	43.45	54.00	-10.55	3	Horizontal	184	2.03
Mode 1	Pass	AV	13.39364G	44.89	54.00	-9.11	3	Horizontal	227	2.07
Mode 1	Pass	PK	4.87434G	44.58	74.00	-29.42	3	Horizontal	223	2.74
Mode 1	Pass	PK	11.48806G	54.36	74.00	-19.64	3	Horizontal	184	2.03
Mode 1	Pass	PK	13.3913G	56.41	74.00	-17.59	3	Horizontal	227	2.07

Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1

